ARCHITECTURAL RECORD

3 March 1958 Building Types Study: Medical Buildings 195 Ronchamp Evaluation by Burchard 171

Princeton Housing by Breuer 157

Lightweight Concrete Skyscraper...

concrete with POZZOLITH*

Designers and builders of fine structures such as this \$10-million lightweight concrete skyscraper employ POZZOLITH to obtain <u>un-</u> <u>matched performance and</u> <u>lowest cost-in-place concrete</u>.

Here the use of POZZOLITH overcame the harshness and bleeding ordinarily associated with lightweight aggregate concrete — in this case concrete weighed not more than 102 lbs. per cu. ft. Compressive strength averaged 3750 psi with 6 sacks of cement per cu. yd.

POZZOLITH improves concrete quality and reduces the cost of concrete in place by providing three basic controls: control of water content — makes possible lowest water content for a given workability, control of entrained air, and control of rate of hardening.

Any one of our more than 100 skilled fieldmen will be glad to discuss and demonstrate the benefits of these POZZOLITH controls for your projects.

CO.

Illuminating Building, Cleveland, Ohio. In-construction and completed views.


Architects: Carson & Lundin, New York City.

Engineers: McGeorge-Hargett & Assoc., Cleveland.

Contractor: George A. Fuller Co., New York City. Pozzolith Ready-Mixed Con-

crete—Cleveland Builders Supply Co.

*POZZOLITH is a registered trademark of The Master Builders Co.



General Offices: Cleveland 3, Ohio • Toronto 9, Ontario • Export: New York 17, N.Y. Branch Offices In All Principal Cities • Cable: Mastmethod, N.Y.

ARCHITECTURAL RECORD (Vol. 123, No. 3, March 1958) is published monthly, except May 1958 when semi-monthly, by F. W. Dodge Corporation, 10 Ferry (Regular Edition) Street, Concord, N. H. Editorial and executive offices: 119 West 40th Street, New York 18, New York \$5.50 per year in U. S., U. S. Possessions and Canada: Second-class mail privileges authorized at Concord, N. H.

THE



There is no "or equal" when you specify this flooring

In specifying Goodyear *true* Vinyl Flooring, your choice cannot fail to reflect credit on your judgment.

For with this finest of vinyls you enjoy an array of advantages unmatched in the flooring field.

First of all, there is the breath-taking beauty of Goodyear *true* Vinyl. It comes in a wide range of styles and color patterns. There are marbleized and solid colors, and lighter, brighter shades as well.

Then there is the precise quality control which Goodyear exercises in manufacturing this superb Vinyl.

GOO

And perhaps most important, there's its priceless freedom from care. Goodyear *true* Vinyl pays for itself in maintenance savings alone.

This incomparable flooring is available both in custom and homogeneous types, in tiles as well as 45" rolls. Before you choose the flooring on your next job, why not get the whole story on Goodyear Vinyl. No obligation, of course. Just write:


Goodyear, Flooring Dept. O-8111, Akron 16, Ohio.

For Floors . Walls . Counter Tops . By tile or yard

YEAR

Vinyl Flooring

ARCHITECTURAL RECORD March 1958 1



■ New headquarters building of Bank Building & Equipment Corporation of America, St. Louis, Mo., designers and builders. Rotary Oildraulic Elevator installed by General Elevator Engineering Co., St. Louis.



Oildraulic

Passenger and freight-the moder

a Rotary Oildraulic[®] Elevator

CHECK LIST OF THE ARCHITECTURAL CONSIDERATIONS INVOLVED IN SELECTING ELEVATORS FOR BUILDINGS YOU DESIGN

When you want to eliminate the elevator penthouse

Rotary Oildraulic elevators are pushed up from below, not pulled from above. There's no overhead machinery, no need for an unsightly elevator penthouse. You can design buildings with cleaner, uncluttered rooflines.

When the building is not over six stories

Oildraulic elevators are most practical and economical for rises to 65 feet. Speeds available as required for any type of service.

When you must

economize on construction costs

Since Rotary Oildraulic Elevators are supported entirely by an oil-hydraulic plunger, not by the building structure, lighter, less expensive elevator shaft sidewalls are possible. Further economies result from elimination of the elevator penthouse.

When space is at a premium

No special machine room is required for a Rotary Oildraulic Elevator. The compact power unit can be located below, above or to the side of the elevator shaftway . . . often in an area that might otherwise be wasted space.

elevators

elevator for modern buildings

When very great capacity is required

Hydraulic elevator operation is efficient throughout the entire load range from 1000 lbs. up, and practically a "must" for capacities of 75,000 to 100,000 lbs. or more.

WHAT "ROTARY OILDRAULIC" MEANS TO YOU

The name "Rotary Oildraulic" on your specifications assures your clients of the most modern and dependable hydraulic elevator made. With more experience, superior manufacturing facilities, and a nationwide installation and service organization, Rotary Lift Company is first in the hydraulic elevator field.

For more information mail coupon or look for "Rotary Oildraulic" under "Elevators" in the yellow pages of your phone book.

ROTARY LIFT CO.

Division of Dover Corporation Memphis, Tenn.–Chatham, Ont.

First name in oil-hydraulic passenger and freight elevators – industrial lifting devices – auto lifts.



MAIL FOR DATA FILE

Rotary Lift Company 1102 Kentucky, Memphis 2, Tenn.

Please send data file on elevators for freight service :; passenger service :

Name.

Address_

MR. FRANKLIN, Executive Vice President of TUBE SALES, Los Angeles says, "We are distributors of stainless steel, carbon steel and alloy tubular products. We carry the most complete stock in the U.S.A. Our maintenance standards are very high. We keep our warehouse floor areas in excellent condition at all times — as shown below! This area of 427' x 300' was cured, hardened and sealed with one application of WEST CONCRETE FLOOR TREAT-MENT in 1957.

"A. C. MARTIN was our architect; T&S Construction Company, our contractor."



CURES · HARDENS · SEALS CONCRETE SURFACE

WEST Concrete Floor Treatment is a proven time-saving, labor-saving product that 1) Cures 2) Hardens 3) Seals newly-laid concrete surfaces with one application. It is a rubber based formulation with a quick drying solvent. Formerly as many as three separate products and applications were needed to obtain the same results.

WEST Concrete Floor Treatment can be applied immediately after horizontal surfaces have been troweled or as soon as the concrete can be walked on. Usually in *one* to *eight* hours. It is applied quickly and easily with a lamb's wool applicator or standard hand pump sprayer. All the

ALBANY, N. Y. ALBUQUERQUE, N. M. ATLANTA, GA. BAITIMORE, MD. BIRMINGHAM, ALA. BOSTON, MASS. BUFFALO, N. Y. CHICAGO, ILL. CINCINNATI, OHIO CLEVELAND, OHIO DALLAS, TEXAS DENVER, COLO. DES MOINES, IOWA DETROIT, MICH. FT. WORTH, TEXAS FRESNO, CALIF. HARTFORD, CONN. HOUSTON, TEXAS INDIANAPOLIS, IND. KANSAS CITY, MO. LOS ANGELES, CALIF. MEMPHIS, TENN. MILWAUKEE, WIS. NEWARK, N. J. NEW ORLEANS, LA. OAKLAND, CALIF. OKLAHOMA CITY, OKLA. OMAHA, NEBR. PHILADELPHIA, PA. PHOENIX, ARIZ. PITTSBURGH, PA. PORTLAND, ORE. labor formerly required for cleaning the concrete surface after delayed concrete drying, and between the use of as many as three separate products and applications is eliminated.

WEST Concrete Floor Treatment is applied immediately after troweling. Its fast drying permits subsequent building operations to be speeded. It also dustproofs as it seals. This speeds the final cleaning. All foreign matter is easily flushed off the surface.

WEST Concrete Floor Treatment enables newly-laid, wet concrete to retain 95% of its moisture. This permits it to cure and harden while sealing the surface against acids, oils, greases and other foreign matter. This



WEST CHEMICAL PRODUCTS INC. 42-16 West Street, Long Island City 1, N. Y.

incongruous aspect of holding back most of the moisture while permitting some moisture to escape slowly is the key to this product's amazing success.

WEST Concrete Floor Treatment is colorless and will not alter the color of the poured mix. It goes on evenly and spreads quickly without streaks. One gallon covers from 300-350 sq. ft.

WEST Concrete Floor Treatment is fully attested, fully proven across the United States and Canada. Full details and samples are available immediately from any of WEST's 400 specially trained representatives from coast to coast. Write, phone or wire your nearest WEST office.

PROVIDENCE, R. I.	SAN FRANCISCO, CALIF.
RENO, NEVADA	
RICHMOND, VA.	SEATTLE, WASH.
ROCHESTER, N. Y.	SPOKANE, WASH.
ST. LOUIS, MO.	STOCKTON, CALIF.
ST. PAUL, MINN.	SYRACUSE, N. Y.
SACRAMENTO, CALIF.	
SALT LAKE CITY, UTAH	WASHINGTON, D. C.
SAN ANTONIO, TEXAS	YORK, PA.
SAN DIEGO, CALIF.	

0	٨	N	٨	n	۸
G	А	n		U	д

CALGAR

EDMONT

HALIFA)

MONTRE

TON, ALTA. TORONTO, ONT. (, N. S. VANCOUVER, B. C.	Y. ALTA.	REGINA, SASK.
	TON, ALTA.	TORONTO, ONT.
	(, N. S.	VANCOUVER, B. C.
AL, QUE. WINNIPEG, MAN.	AL, QUE.	WINNIPEG, MAN.

ARCHITECTURAL RECORD

March 1958

THE RECORD REPORTS: Perspectives 9

Buildings in the News 10 Architecture Abroad 16 Art and Architecture: "The Patron Church" 18 Meetings and Miscellany 21 A Washington Report by Ernest Mickel 32 News from Canada by John Caulfield Smith 36 Washington Topics by Ernest Mickel 48 Construction Cost Indexes 54 Calendar and Office Notes 330 Current Trends in Construction 384

MEMBERS' HOUSING

The Institute for Advanced Study, Princeton; Marcel Breuer, Architect 157

AMERICAN DESIGN TO BRIGHTEN BOGOTA Edificio Esso for Colombiana, S.A. Bogota, Col.; Lathrop Douglas, Architect 165

A PILGRIMAGE: RONCHAMP, RAINCY, VEZELAY: Article by John Ely Burchard 171

A SWEDISH VILLA IN A FOREST SETTING: Skovd, Sweden; Ralph Erskine, Architect 179

THE RANGE OF GAUDI: Article by Henry-Russell Hitchcock 183

FOUR OFFICES: HORIZONTAL SEPARATION OF OCCUPANCY

Architects' Own Offices, Detroit, Mich.: Louis G. Redstone and Alan G. Agree 189 Architect's Own Offices, Sioux Falls, S. Dakota; Harold Spitznagel & Associates 190 Offices for T. J. Cope, Inc., Collegeville, Pa.; Jules Gregory, Architect 192 Office building floor, Atlanta, Ga.; Toombs, Amisano & Wells, Architects 194

BUILDING TYPES STUDY 256: Medical Buildings

Introduction by Emerson Goble 195 Hoyt Street Clinic, Portland, Ore.; Skidmore, Owings & Merrill, Architects 196 Dental Arts Building, Gainesville, Fla.; David Reaves, Architect 198 Woodley Medical Center, Los Angeles, Cal.; Victor Gruen, Architect 200 McLymar Medical Building, Eugene, Ore.; Wilmsen & Endicott, Architects 202 Mississippi Hospital School for Cerebral Palsy Jackson, Miss.; Biggs, Weir & Chandler, Architects 204

Bill Wilkerson Hearing and Speech Center Nashville, Tenn.; Brush, Hutchinson & Gwinn, Architects 208 Rotary Foundation Clinic and Rehabilitation Center Mobile, Ala.; Platt Roberts & Company, Architects 210

Group Health Office and Clinic Building

St. Paul, Minn.; Haarstick, Lundgren and Associates, Inc., Architects and Engineers 214 Proposed Baptist Nursing Home, District of Columbia; Noakes and Neubauer, Architects 216 Carmel Hall, Detroit, Mich.; Leo M. Bauer and Associates, Architects 218

ACCENT: ENGINEERING: Folded Plates Roof New Hangers 223

TECHNICAL ROUNDUP 228

PRODUCT REPORTS 231

OFFICE LITERATURE 232

TIME-SAVER STANDARDS: Water-Proofing for Concrete and Masonry, I, II & III 235

INDEX TO ADVERTISING 386

Cover: The Chapel at Ronchamp; Le Corbusier, Architect Magnum photo

ARCHITECTURAL RECORD March 1958 Vol. 123 No. 3 Copyright 1958 by F. W. Dodge Corporation, with all rights reserved. ARCHITECTURAL RECORD (combined with AMERICAN ARCHITECT and ARCHITECTURE) is published monthly, except May 1958 when semi-monthly, by F. W. Dodge Corporation, 10 Ferry Street, Concord, New Hampshire. Editorial and exceutive offices: 119 West 40th Street, New York 18, New York. Western editorial office, 2877 Shasta Road, Berkeley 8, California.

Next Month in the Record

BUILDING TYPES STUDY: MOTOR HOTELS

This timely study will include articles by several architects, plus motor hotel designs by these and other architects including Richard Neutra and Victor Gruen.

LUXURIOUS NEW FACTORY BY EDWARD D. STONE

The Stewart Company's just-completed pharmaceutical plant in Pasadena presents a new high in amenities for employes at all levels.

THE INLAND STEEL COMPANY BUILDING, CHICAGO

Designed by Skidmore, Owings & Merrill, this is the first major office building to be erected in the Loop since the 'Twenties.

A LOOK AT OUR HIGHWAYS BY LEWIS MUMFORD

The shortsightedness of our proud highway program is diagrammed by the master of scathing criticism of scatter-brained planning.

LIGHTING AS A DESIGN MATERIAL

An article by Derek Phillips, British architect and lighting authority.

A HOUSE IN TEXAS BY BOLTON AND BARNSTONE

ACCENT: ENGINEERING

Acoustics and Heating and Air Conditioning in Highway Hotels.

OTHER F. W. DODGE SERVICES:—Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services —Dodge Books—Dodge Reports Direct Mail Service—The Modern Hospital—The Nation's Schools— College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder—Denver Daily Journal—Real Estate Record & Builders Guide.

Members of Audit Bureau of Circulation and Associated Business Publications. ARCHITECTURAL RECORD is indexed in Art Index, Industrial Arts Index and Engineering Index.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

Subscription prices: Published monthly except May 1958 when semimonthly. U. S., U. S. Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, Spain, to those who by title are architects and engineers, \$9.00 per year. Single copy prices except Mid-May 1958 issue \$2.00; Mid-May 1958 issue \$2.95. Beyond Western Hemisphere, excluding Spain, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1958 issue. Subscriptions from all other outside U. S., U. S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24.00 per year. Change of address: subscribers are requested to furnish both the old and new addresses, sending if possible stencil impression from magazine wrapper; allow four weeks for change.

Staff of Architectural Record

MANAGING EDITOR Emerson Goble

CONSULTING EDITOR John E. Burchard

SENIOR EDITORS James S. Hornbeck, A.I.A., Features Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS Robert E. Fischer, Engineering Florence A. van Wyck, Production Jeanne M. Davern, Neues Herbert L. Smith, Jr., A.I.A., Houses Mildred F. Schmertz, Design

CONTRIBUTING EDITORS Ernest Mickel, Washington Dan Street, Washington John Caulfield Smith, M.R.A.I.C., Canada

ASSISTANT EDITORS Margaret R. Fuerst, Engineeirng Dianne Thomas

EDITORIAL ASSISTANTS Helen E. Cook, Production Pamela C. Forcey, Assistant to Editor

DESIGN Eugene H. Hawley, *Director* Burt Kramer Mary Ann Godfrey

CONSULTANTS Thomas S. Holden, Industry Relations George Cline Smith, Economics Clyde Shute, Statistical Clifford Dunnells, Jr., Field Research Daniel J. Howe, Jr., Public Relations Sigman-Ward, Drafting

PUBLISHING DIRECTOR H. Judd Payne

GENERAL MANAGER Robert F. Marshall

CIRCULATION MANAGER Marshall T. Ginn

Officers of F. W. Dodge Corporation

CHAIRMAN OF THE BOARD James McV. Breed

VICE CHAIRMAN OF THE BOARD Paul Abbott, Thomas S. Holden

PRESIDENT Howard Barringer

EXECUTIVE VICE PRESIDENTS Irving W. Hadsell, Chauncey L. Williams

VICE PRESIDENT AND TREASURER Howard M. Thompson

VICE PRESIDENTS Julius T. Little, Robert F. Marshall, T. Oliver Morgan, O. O. Paulsell, H. Judd Payne, George Cline Smith

REGIONAL VICE PRESIDENTS Carl S. Bennett, Clinton C. Bennett, Ralph M. Hairston, Roy J. Hard, Arthur D. Prior, Richard H. Ray, John M. Williams

ASSISTANT VICE PRESIDENT AND COMPTROLLER Edwin H. Freed

ASSISTANT VICE PRESIDENTS Walter F. DeSaix, Clifford G. Dunnells, Jr., Gault Eastman, Clyde Shute, Marc Wayne

SECRETARY Sanford D. Stockton, Jr.

ASSISTANT SECRETARIES William C. Breed, Jr., George W. Morgan

ASSISTANT TREASURER Irving B. Satin



Weldwood walnut paneling-adds distinctive spirit to this office in Investors' Planning Corp., New York. Architects: Joseph & Vladeck

A wood-paneled office speaks worlds about its owner-and its designer

Especially in business, first impressions *do* count. And for a wonderful first impression that will last, nothing does so much for an office as luxurious real wood paneling—guaranteed for life by Weldwood.

Here are three ways Weldwood helps you give offices the warmth and beauty of wood paneling—warmth and beauty that grow through the years, with only an occasional waxing. Weldwood Paneling—over 70 types and finishes of choice woods in big panels that make installation quick and easy. Weldwood Flexwood®—real wood veneers, cloth-backed, that can be hung on any smooth surface—curved or straight. Weldwood Movable Partitions—give the advantages of wood paneling, yet permit you to change office layouts overnight.

Weldwood Nakora® paneling (Oriental ash) lends a friendly atmosphere to interiors of new Howard Johnson motor lodge at the Breezewood Interchange of the Pennsylvania Turnpike. Architect: Carl Koch & Associates.







FREE WELDWOOD BOOKLET with more than 100 photographs ... "Functional Beauty for Business and Institutional Interiors." Write for your copy. We will be glad to have a Weldwood Architects' Service Representative consult with you—no obligation. United States Plywood Corporation, Dept. AR 3-58, 55 W. 44th St., New York 36, N. Y.



PANELING • FLEXWOOD • PARTITIONS Offices in 111 principal cities in the United States and Canada

Weldwood birch movable partitions, installed with V_2 -inch clearance below luminous ceiling, follow the curve of this corridor in the new home office of Medusa Portland Cement Company, Cleveland, Ohio. Arch.: Ernest Payer.





Curtain-Walls by WAARE

TO

Would you like a copy of our new Curtain Wall brochure? Write Dept. AR-3

MEET YOUR SPECIAL NEEDS



Aluminum WARE Uindows Ware Laboratories, Inc., 3700 N.W. 25th St., Miami, Florida

ARE CUSTOM - DESIGNED

THE RECORD REPORTS Perspectives

More Talk of Building Research Last month's joint meeting of the Building Research Advisory Board and the Board of Governors of the Building Research Institute produced a 12-page news release (the meeting was not open to the press) comprised mainly of "the list of problems developed by the speakers as a challenge to everyone concerned with building design and construction," although the release also quotes BRAB chairman E. X. Tuttle as pointing out that this list of problems is a first effort of its kind, representing in its present form the personal views of the speakers: "Much more study will be necessary before a considered and comprehensive report of building industry problems can be developed and approved by BRAB." There was no indication in the release that there had been any discussion of how to approach the solution of the problems once defined. The list of "Problems of the Building Industry" is divided into sections: Problems for the Creators of Buildings (the architect, the air conditioning engineer, the building contractor, the plumbing contractor); Problems for Researchers on New Products; Problems in Housing Research; Problems in Urban Planning; Problems in Building Economics. The architect's problems are given as follows: "1. We need more study on why buildings leak, particularly in the fields of thin, lightweight walls, masonry walls and windows. 2. We need better means of overcoming acoustical difficulties, partitions and suspended ceilings that transmit less sound. 3. We need more roofing materials that can be used and walked upon, so that wasted roof space can be converted into green areas in the hearts of our cities, or used for recreation. 4. We need an ingredient added to concrete that will make it vaporproof, watertight and even selfsealing, like a puncture-proof tire. 5. We need better, more easily main-

tained finishes; finishes that are integral with structural materials, that can be sprayed on or otherwise easily applied. 6. We need more materials and assembles for our skin-type buildings that will stretch like skin, breathe like skin. 7. We need research into the causes and effects in buildings, for instance, as to how much infiltration through walls and windows may be due to negative pressures set up by mechanical exhaust systems or the stack-effect in tall structures, rather than the walls and windows themselves. 8. We need to know more about the economic life of our buildings and what we can do to lengthen their useful life or reduce the present imbalance between the life of the structure and the life of the equipment. 9. We must continue to search until we find the ways to put decent housing within the financial reach of all of our people. 10. We must know more about human reactions to such things as lighting, ventilation, air conditioning, noise, size and location of windows, color, texture and form. 11. We need better measures of what buildings do to people, so we can make schools, hospitals, office buildings, homes, greater sources of joy to those within them. 12. If we want curtain walls to remain in favor, we must find more ways to enlarge their possibilities of architectural expression and reduce their sameness."


Design for Moving

Buildings do have to be moved into and out of as well as occupied, and a recent letter to the RECORD contains a plea to architects to take this into account in their designs. John D. Andrews, president of the Andrews Moving and Storage Company, Cleveland, writes: "As a representative moving company, conducting substantial operations throughout this area and most of eastern United States, and moving in and out of houses, stores, office buildings and factories, we are alarmed to note that building design seems to be going backward rather than forward as far as the moving of materials and equipment in and out of such structures. During the last few years, in response to cost pressure, stairways, halls, turn-around areas, elevators, doorways and other building openings seem to be shrinking; while on the other hand freezer chests, appliances, safes and office machinery, particularly computers, and complicated electrical machinery, seem to be growing larger all the time. Our point is that the architects in designing buildings of all sorts are thinking only of the people who use them after the equipment is in and ready to go. They are not giving proper consideration to the people who have to get the equipment into the buildings; and in many instances we repeatedly move companies and departments in and out of the same office buildings. In some cases it has even been necessary to enlarge openings and rip out brand new brickwork or concrete block to get X-ray or electronic business machines into a new building. To our knowledge, the telephone company is one of the few firms protecting itself adequately against extra expense of this type. Please do not consider this a complaint, we are always able to get the things in some way, but in the instance of a building where adequate apertures were not originally constructed, it can cost thousands of dollars extra to move people in and out during the life of a building."

Immortality

Every now and then editors get some workaday evidence of a workaday sort of immortality their labors may attain—one came the other day, with a reader's request for a tear sheet of a one-page article on garages, published in February 1929.


Buildings in the News



As it neared completion, Edward D. Stone's U.S. Pavilion was already being reported by early visitors to the Fair site as by far the handsomest of the national pavilions. Walls are transparent polyvinyl plastic—eliminating need for heavy construction to support glass and are supported by a system of steel strips which places verticals under diagonals so both are in tension; result allows wall with its



polyvinyl covering to resist wind loads with far less section than would be the case with conventional construction. Bicycle wheel roof of polyvinyl plastic fiberglass spans 300 ft (inner ring shown below is 60 ft in diameter and 24 ft deep), has gold-painted steel mesh suspended below it. Wall strips are white steel with gold rosettes, columns also gold-colored




FIRST REPORT ON BUILDINGS AT BRUSSELS WORLD'S FAIR 1958


Just north of the Laeken Palace of King Baudouin of Belgium in the Heysel section of Brussels is undoubtedly the greatest concentration of construction activity anywhere in the world. Here the contractors for 45 nations and eight supranational organizations are working long hours to finish their pavilions by April 17, the opening day of the Brussels 1958 Universal and International Exhibition. The site of the Exhibition is 490 acres composed of land used for the 1935 Brussels Exhibition and part of a former royal park. The symbol of the Exhibition is the "Atomium" (A. and J. Polak, architects, and

A. Waterkeyn and A. Becker, engineers), a stylized iron crystal magnified 150 million times. Shown under construction in the photograph at right, it is 360 ft high and when completed will be composed of nine spheres 59 ft in diameter. An elevator will travel between the bottom and top spheres at the rate of 16 ft per second. The other spheres will be connected by escalators for ascending traffic and stairs for descending traffic. The spheres will hold displays of the peaceful use of atomic energy or be used for panoramic views of the Exhibition. The whole will weigh -Earl Flansburgh 2500 tons.







The photographs above show two stages of progress in construction of LeCorbusier's pavilion for the Philips Company, a Belgian manufacturer of electronics equipment. It is a system of two inclined surfaces which produces a volume of 141,600 cu ft from a surface area of only 5380 sq ft; there are no supplementary columns. Some 2000 concrete panels less than two in. thick form the surfaces; the



U.S.S.R. Pavilion—just across the street from the U.S. building was assembled of elements prefabricated in the Soviet Union and shipped to the site: the design was much affected by the Soviet plan to reconstruct the building in the U.S.S.R. as a permanent exhibition hall after the Fair is over. Architects: Alexandre Boretski, Urii Abramov, Victor Doubov and Anatoli Polanski.



panels vary in shape but each covers an area of about 10.76 sq ft; they are held together with steel wires less than three tenths of an inch thick. An intricate and elaborate series of demonstrations has been designed for the interior: the effort being to show "light and sound integrally combined." No details on the demonstration have so far been made available.



French Pavilion (Guillaume Gillet, architect) is composed of two hyperbolic paraboloids with surfaces forced by steel cable mesh; at the meeting point of these two forms a 200-ft-high mast will be constructed in the shape of an inverted V: supports, once intended to be confined to pilings under point of V, are also being put at two points at rear, a change forced by soil conditions.

Buildings in the News


BRUSSELS WORLD'S FAIR 1958




The Holy See Pavilion (P. Rome, chairman of the council of architects) has church (right) towering above wall-enclosed group of buildings symbolizing "Civitas Dei." Far right: 87-ft-high Electronics and Lamp Manufacturing Pavilion in Belgian Section represents vacuum tube; architects: Jacques Thiran and J. Wybauw











The Pavilion of the United Nations and its specialized agencies (Van Kuyck, architect) occupies an area of about 2650 sq yd. Its domed roof, with an interior completely of glass, rests on concealed columns. Auxiliary buildings on two sides of the main pavilion are interconnected by covered ramps. UN Pavilion is in International Section




Great Britain has Government Pavilion (left: Howard V. Lobb and John Ratcliffe, architects) of which the entrance consists of three 70-ft-high crystal-shaped spires known as "Crystalline Hall," adjoining the "Hall of Technology," long low building faced with plywood pyramids; the British Industries Pavilion (right: Edward Mills, architect), a steel and glass structure with window walls 40 ft high. "Britannia Inn" adjoins



Czechoslovakia Pavilion, which has a site of nearly three acres, consists of three sparkling bronze glass mosaic buildings connected by two glazed display halls. The theme of the chief exhibit will be "A Day in Czechoslovakia," made up of three groups showing how people work, how they play and "of what their cultural life is made." A garden restaurant (at rear) will feature some of the national food specialties

3" MODULES are one reason YOUNGSTOWN KITCHENS



complete cabinetry line offers greatest flexibility for today's kitchen blueprints

The entire Youngstown Kitchens line of units runs the gamut from handy new "Pantry Cabinets" to Wall and Base Cabinets with storage space up to 20 cubic feet. It is created in precision engineered 3-inch modules to give you complete flexibility of design.

Whether you wish to create a "onewall efficiency kitchen" or remodel a 20'x20' farm-type kitchen, you will find just the units you want, in the size you need to perfect your blueprint plan.

These nationally famous, consumer recognized kitchen components come completely fabricated, ready to install with quick delivery from 80 distribution points in the United States.

Get ready for today's big remodeling market and new home construction. For specifications on complete line, see Youngstown Kitchens Sweet's Catalogue file number 24BYO; contact your Youngstown Kitchens Distributor: or mail the coupon below.



IERICAN-Standard OUNGSTOWN KITCHENS DIVISION

Please send m	ndard, Youngstov ne specifications Kitchens Line.			
NAME		1	-	
FIRM			-	-
ADDRESS		10 M	1.1.1.	

POWERS Type-IC Pneumatic Thermostat


Since the Gaslight Era.

56 Year Old Powers Control System still gives dependable performance shown on temperature charts below

The old DRAKE SCHOOL, built at the turn of the century, was one of Chicago's best. It is located in the famed Prairie Avenue district and was completed in January 1901. Temperature of the forced warm air heating and ventilating was regulated by a

gradual acting Pneumatic **Control System**

Like earlier Powers systems installed in Chicago's schools, in 1895-96, the thermostats in each room were unique. Their Gradual action in controlling the mixing dampers that supplied tempered air to each classroom was a decided improvement over positive-on-off type of control widely used at that time.



INSIDE TEMPERATURE OUTSIDE TEMPERATURE

> Mr. Edward Barrett. Engineer, Custodian

in 1950

On its 49th Birthday recording thermometer charts like the one above showed the good control obtained with this old Powers system.

in 1957 On its 56th Birthday-still not acting its age-Powers control produced temperature recording charts like those at the left. All charts on this page were made in rooms regulated by Powers Type IC Pneumatic Thermostats.

Will the Temperature Control Systems You are Specifying or Buying Today give better, or as good control as this 25 to 50 years from now? Users of Powers control report such performance with low cost for upkeep.

Taxpayers

get their money's worth. The charts show No Fuel is Wasted due to OVER-heating. Dependable Powers Control combined with the maintenance program of the Chicago School system team up to provide greater classroom comfort, fuel economy and performance records like the one cited above.

 Only two of many Chicago schools controlled by Powers are illustrated here.

...Chicago Taxpayers benefited from the Economy of **POWERS** quality systems of Pneumatic **POWERS** TEMPERATURE CONTROL




Benjamin C. Willis General Supt. of Schools Edwin A. Lederer Associate Supt. In Charge of Operation Services

John C. Christensen Asst. Supt. in Charge of Architecture

Schmidt, Garden & Erikson Associated Architects on Skinner School

Thomas J. Brett Asst. Supt. in Charge of Plant Engineering



A Favorable Environment for Learning. Located in a drab old neighborhood the pleasing use of colored glazed brick and other materials for exterior and interior, plus many contemporary features, helps teachers operate at peak efficiency and aids pupils desire for learning.

In This Well Designed 35 Room School are 26 classrooms, two kindergartens, library, lunch room, home economics, clinic and adjustment rooms, gymnasium and offices.

Powers Control Provides Thermal Comfort and Fuel Economy. Thermostat in each room regulates reheat coil in ventilating duct. Forced hot water heating in concealed finned radiation is controlled by a Powers MASTROL system.

Are you Planning a New Building? Ask your architect or engineer to include a Powers Quality system of pneumatic control. You'll help insure utmost comfort, fuel economy and lowest cost for upkeep.

THE POWERS REGULATOR COMPANY

SKOKIE, ILLINOIS

Offices in Chief Cities in U.S.A., Canada and Mexico See your phone book



Over 65 Years of Automatic Temperature and Humidity Control



News of Architecture Abroad


SOVIET ARCHITECTURE: DOES IT HAVE A "NEW LOOK"?

What Current Soviet Journals Show: A Report by Gerald Gruman


A "New Look" is beginning to revolutionize Soviet architecture. The latest architectural journals to reach this country from the U.S.S.R. show designs similar to those of Western functional architecture. This marks a sharp break with the heavy and ornate Stalinist building styles of the past two decades.


For several years students of Soviet affairs have noted a slow but persistent increase in the freedom and flexibility of Soviet design, but only in the past few months has Westernstyle modern architecture made an unequivocal appearance in Soviet blueprints. For example, a recent issue of *Arkhitektura CCCP*, an issue dedicated to younger architects, shows that functionalism wields a strong influence over the minds of the new generation of planners. Some of the structures depicted—a clubhouse, a research institute, a hotel, a factory—might have been created by *continued on page 322*

Old style—Two examples at right. Top, Hotel Ukraine recently completed in Moscow. "The last of the Stalinist skyscrapers," Mr. Gruman observes, "this building is quite similar in design to the 'palace of culture' erected a few years ago in Warsaw which caused resentment among the Poles due to its outmoded design." Bottom right, a collective farm "house of culture" (i.e., club house) completed in 1954 as part of the national agricultural exhibition in Moscow



New style—(top to bottom) Club house, now under construction on Izmailsky Boulevard in Moscow; exhibition hall, to be the main pavilion of a planned permanent exhibition of construction and architecture; factory project designed by a fourth-year student at the Moscow Architectural Institute; façade of main building of Kirgizian Academy of Science to be erected in Frunze in Soviet Central Asia





Preferred performer everywherethe strong, silent type

INSULROCK_®

School gyms. Convention halls. Factory workrooms. Restaurants. Business buildings. Armories, too, as pictured here.

- Strong ... The roof decking is INSULROCK, strong, tough, bound-to-last Insulrock slabs . . . resistant to weather wear and tear, insect damage, fungi growth . . . noncombustible, meeting National Board of Fire Underwriters requirements, listed by UL. Insulrock insulates. It goes on wood or steel framing fast, economically, any time, anywhere.
- Silent . . . The ceiling is INSULROCK, the underside of the same Insulrock roof decking slabs. Insulrock makes a practical, profitable acoustical ceiling honeycombed with thousands of sound-silencing air pockets that trap, still, and kill up to 85% of ordinary ceiling-reflected noises. Insulrock ceilings help to simplify airconditioning, too.


So you get strength. You get quiet.

And you get good looks . . . Permanent good looks, with Insulrock . . . randomtextured, off-white, good looks, easy to clean, to paint, to keep painted, any modern color, to match or contrast with any surroundings.

Get more. Get Insulrock's folder, with facts. Send today.

Insulrock,


Division of The Flintkote Company



The Record Reports

ART AND ARCHITECTURE EXHIBIT: "THE PATRON CHURCH"

A handsome and lavishly installed exhibit at New York's Museum of Contemporary Crafts (29 West 53rd St.) has this winter provided an impressive reminder that the church is —in the words of its catalog foreword—"again an important patron of architecture and art through the efforts of enlightened clergy, congregations and officials." Intended as "a survey of recent work in the liturgical arts," the exhibit included 14 recent examples of religious buildings in the U. S. chosen "not only for the excellence of their designs as a whole, but also for the reason that the decorative elements and objects of worship harmonize with the architecture down to the smallest detail." The display of "ceremonial objects and appointments" included actual objects from the featured churches as well as other commissioned and non-commissioned religious work. The architectural section of the exhibit is being incorporated in a forthcoming exhibition "God and Man" which is soon to be circulated by the American Federation of Arts.




Congregation Beth El Synagogue, nearing completion in South Orange, N. J., Davis, Brody & Wisniewski, Architects,


with its art objects provides an example of "The Patron Church." Stained glass by Samuel G. Wiener Jr. Sculptural screen by



View of installation and two of churches shown: 1. Eero Saarinen's Stephens College Chapel; 2. Anshen & Allen's Chapel of the Holy Cross



Samuel G. Wiener Jr. and Judith Brown. Menorah and Eternal Light, Judith Brown. Tapestries, Samuel G. Wiener, Jr.



This is Terrazzo Chip... in KENTILE Solid Vinyl Tile

... the only resilient tile flooring that captures the monolithic character of troweled-on Terrazzo. In rich, matched pairs for contrast and harmony.

K E N T I L E F L O O R S


available in Solid Vinyl, Vinyl Asbestos, Cushion-back Vinyl, Asphalt, Cork and Rubber Tile...over 175 decorator colors!

SPECIFICATIONS:

SIZE: 9" x 9"

THICKNESSES: . 080",1/8"

COLORS: (In the order shown) Tennessee Dark Tennessee Dark Sandstone Sandstone Dark Granite Granite




BARCLITE CORPORATION OF AMERICA*

Dept. AR 3, Barclay Building, New York 51





Meetings and Miscellany



-Drawn for the RECORD by Alan Dunn

"On the other hand, you might say it's just a twisteroo on the Old Pantheon idea-"

HOMEBUILDERS ARE TOLD 1958 WILL BE A BIGGER YEAR

In the past year the homebuilding industry has been plagued more than ever by tight money, shortage of community facilities, and rising costs, all of which has meant fewer homes built than in previous years. In recent months the homebuilders have also credited Sputnik with adding to their troubles in a negative thinking and even lack of confidence among the homebuying public. In this aura of gloom the 14th annual conventionexposition of the National Association of Home Builders was held in Chicago, January 20-23.

There was little doubt that the 28,000 delegates to the convention wanted to know what was expected for 1958. They overflowed a panel session on the economic outlook, but certainly didn't hear any of their fears confirmed.

The panel of four top economists all agreed that 1958, at least the latter half, would be a better year for homebuilders than 1957. They saw an easing of the mortgage money market later this year that, coupled with the ever-present demand for new housing and possible Federal incentive for home buyers, will result in at least one million new housing starts.

One of the panelists, Gordon W. McKinley, the director of economic and investment research for the Prudential Life Insurance Co., also touched on a problem of real significance to the industry. "You're doing a very effective job of pricing yourselves right out of the housing market," he declared. "The cost of housing is rising faster than incomes, and this just can't continue. If it does, there's going to be a lot of you out of business."

Builders' concern with this need for more low-cost housing was evident at the annual design panel session. During a question and answer period, many builders applauded one questioner who suggested that the cost of utilizing an architect is just a little too much for low-cost housing developments. Panel member S. Robert Anshen, San Francisco, denied this, pointing to homes he had designed in the Sacramento, Calif., area selling from \$10,000 to \$12,000. "It's duck soup," he said.

Another panelist, former N.A.H.B. President Thomas P. Coogan, Housing Securities, Inc., New York City, emphasized that architects are as important to the sale of a new home as modern packaging methods are to everyday commodities. Good home design, he said, is not the work of the architect or the builder, but the combined efforts of both.

He suggested development homes be designed with wide appeal in the price bracket desired; be adaptable to variation; and not be too far ahead in design to miss the mass market.

The need for "curbstone appeal" in a housing development was discussed by Mr. Anshen and Robert E. Alexander, F.A.I.A., Los Angeles. Other panelists were Patrick Gannon, field editor for the *Journal of Homebuilding* (official publication of N.A.H.B.), and Herman York, Long Island, N. Y., who moderated the session.

There were two subjects discussed at an N.A.H.B. convention for the first time of considerable interest to architects: housing for the elderly and—perhaps as important as any subject on the program—the impact of the Federal aid highway program on housing and community development.

Housing for the elderly was seen by a panel of industry and Government officials as an "untapped market," with distinct advantages for both builders and lenders. The session also brought out some architectural matters. Elderly persons do not want an institutional type or specialized one-purpose home, said Robert Hastings, vice president of Smith, Hinchman & Grylls Associates, Detroit. Floors should be resilient, steps and thresholds eliminated where possible and adequate health facilities provided, such as nursing homes, hospitals, and social and recreation facilities.

E. Everett Ashley III, director of the statistical reports and develop-



Start of test. Carpenter's square butts corner of Temlok Roof Insulation placed on sensitized paper. Strong light from enlarger strikes paper from above.

Photographic test proves Armstrong Temlok Roof Insulation is accurately cut


In laying down roof insulation, it is important that the panels butt tightly together to provide a firm, even base for the builtup roofing. Even the small gaps between off-square panels of roof insulation lower insulating efficiency. And they multiply the dangers of damage to the roofing felt and eventual roof failure.

The object of the test pictured above was to illustrate the degree of accuracy with which panels of Armstrong Temlok Roof Insulation are cut. The insulation used in the test was selected at random from a normal production run.

The illustration at the right shows what happened when the paper was removed and developed. There was not the slightest line between the carpenter's square and the corner of the insulation – the corners were perfectly square!


This test proves that Temlok Roof Insulation gives your clients maximum insulating efficiency plus accurate, square-cut corners that guard against roof damage. What's more, Armstrong Temlok is a sturdy fiberboard insulation that will withstand the heaviest of roof traffic and is guaranteed to equal or exceed the conductance figure, or insulation "C" value, that you specify.

For complete information on Armstrong Temlok Roof Insulation, in both plain and asphalt-impregnated types, consult Sweet's Architectural File $\frac{10a}{Ar}$ or write to Armstrong Cork Company, 3903 Rock Street, Lancaster, Pennsylvania.



End of test. Absence of exposed line between carpenter's square and insulation panel proves corners of Temlok Roof Insulation accurately square-cut to provide firm, even base for built-up roofing.






a new Hauseman movable wall attractive space division at a new low price

HAUSERMAN'S latest advance in efficient space division is a trim, new interior partition of low initial cost.

This newest addition to the complete line of Movable HAUSERMAN Walls is perfectly flush with single-line joints between panels. A choice of baked-enamel colors is offered and glass may be used freely in a number of patterns and applications. When new floor plans are required, its precisely engineered design permits complete reusability. The attractive appearance of this new HAUSERMAN Wall system is enhanced by its trim, rigid 3" thickness, its well-proportioned 4" base and slim $2\frac{1}{2}$ " posts between glass lites.

Delivery to your job site is fast. Speedy installation is assured by experienced, responsible HAUSERMAN erection crews. The initial cost of this new wall system is low and the long-term economies it will afford you are great. For the complete story call your nearby HAUSERMAN representative. He's listed in the Yellow Pages (under PARTITIONS).



In addition to floor to ceiling wall panels and full-lite glass panels, 42" chair rails with glass above are offered.

	MOVABLE	HAUSERMAN	INTERIOR	WALLS
A complete ine to meet	THE E. F. HAUSERM 7491 Grant Avenue, Hauserman of Canad 91 Yonge St., Toronto Please send your	Cleveland 5, Ohio a Ltd.		Free Booklet
every space	Name		/	
vision need	Title Street	Company		
••••••	City	ZoneSta	te	

ment branch, Housing and Home Finance Agency, declared that elderly persons are in need of small, well designed homes in the moderately priced class. "In general, you will find they are looking for a house on one floor, not more than two bedrooms and ample storage space. They want a home located not far from stores and other community services and in an area in which the residents are not all of their own age group."

The panel on the highway program's impact on community development warned that "utter chaos" will result if roads and homes are built without any over-all planning, recognized the natural indifference of builders to long range planning of communities, and revealed the tangle of authority that tends to make such planning almost a dream. Carl Feiss, Washington, D. C. planner, put it this way: "Only a small percentage of the industry is involved in large scale community design and building, and only a small percentage of it is conversant with the problems of community planning and development. This is the real reason why the community planners and public administrators along with the municipal financial interests and others are crying havoc before the completion of the new highway program with its attendant building booms.'

The N.A.H.B. policy statement was one of the most strongly-worded in several years, hitting at the present "patchwork mortgage finance system," and chiding Federal monetary officials for using housing as a "mere economic safety valve." It called for lower down payments on FHA-insured loans as well as improved administrative procedures in its operations, extension of the GI home loan



Le Corbusier himself, and an ordinary spectator, outside the building which is the subject of some of John Burchard's best musing (pages 171-178)

program, improvements in the rental housing and trade-in housing programs, a "continuous and uninterrupted" urban renewal program, and a concerted effort to lower housing costs.

Builder-banker Nels G. Severin, San Diego, Calif., was elected president; Carl T. Mitnick, Merchantville, N. J., first vice president; Martin L. Bartling, Knoxville, Tenn., second vice president; Edward W. Pratt, Royal Oak, Mich., treasurer; and E. J. Burke, Jr., San Antonio, Texas, secretary.

Despite optimism over the mortgage money market and economy in 1958, newly-elected president Severin made it clear that all of the builders' problems were not resolved. "The biggest problem facing builders this year is reluctance of the buying public toward long term mortgages," he said. "There's a feeling of insecurity on the part of the consumer, and something must be done by both the Government and business to restore this confidence."

In the 1958 Design Merit Award program, six awards were made:

"Lido-Sands," Newport Beach, Cal.; Irving Jordan and Nels Severin, builders; A. Quincy Jones & Frederick E. Emmons & Associates, architect.

"Murmuring Pines," Portland, Ore.; Hallberg Homes, builders; architect as above.

Project at Palm Springs, Cal.; George Alexander Co., builders; Palmer and Krisel, architects.

Project of Lone Star Builders of El Paso Inc.; Palmer and Krisel, architects.

"Potomac Outlook," Bennett Construction Co.—Mathews & Potter, Associated Builders; Keyes and Lethbridge, architects.

Project of Robert S. Strasburg, Circle Land Co., Yuma, Ariz., builder Robert G. Jones and Benjamin P. Urmston, architects. — Dan Street

Wanted: LeBrun Fellow

The New York Chapter of the American Institute of Architects has announced the 1958 LeBrun Fellowship Prize Competition, open to architects from 23 through 30 years of age, for a prize of \$3000 for travel outside the United States. The award is given biennially. This year's program will be the design of a memorial exhibition building and its environs in an open square in a city of approximately 100,000 population. The program may be obtained from: Le-Brun Fellowship Committee, New York Chapter, A.I.A., 115 East 40th Street, New York 16, New York. The competition closes April 1.




Learning to Sell Architects

Thirty-seven building products salesmen from 30 firms attended the first Architectural Sales Representatives Institute of a series to be sponsored by the Producers' Council "to improve the effectiveness of architectural selling." The first five-day session was held at Rensselaer Poly-technic Institute, Troy, N. Y., January 20-24, under the supervision of Dean Harold D. Hauf and Professor Harry E. Rodman of the School of Architecture. The "curriculum" included lectures, intended to provide basic background on architects, their working procedures and their information requirements, and discussion groups in which the "students" could get answers to specific questions and practice their new knowledge on each other and their instructors. Faculty members of R.P.I.'s School of Architecture served as instructors, and guest lecturers included architects Benjamin Lane Smith, of Voorhees Walker Smith and Smith; Morris Ketchum of Ketchum and Sharp; and Walter A. Taylor, A.I.A. director of education and research. The next Institute is scheduled for the week of May 19 at Ohio State University.



One of the visiting lecturers, Morris Ketchum. Below: "graduation" snapshot. Top of column: morning walk to class across R.P.I.'s snowy campus





BORDEN MANUFACTURES EVERY TYPE FLOOR GRATING

IN FERROUS AND NON-FERROUS METALS

- EASY TO INSTALL engineered in conveniently sized units for easy installation.
- EXTRA STRONG reinforced, designed with maximum safety factor.
- LIGHT WEIGHT approximately 80% open, reduces dead weight, allows greater live load.
- SELF-CLEANING creates greater safety, economy of maintenance, no sweeping or washing required.

Write for complete information on BORDEN All/Weld, Pressure Locked, and Riveted Floor Gratings in this FREE 8-page catalog

BORDEN METAL PRODUCTS CO. 822 GREEN LANE ELizabeth 2-6410 ELIZABETH, N. J.

SOUTHERN PLANT-LEEDS, ALA. - MAIN PLANT-UNION, N. J.

BORDEN METAL PRODUCTS CO.

Gentlemen:

Please send me BORDEN Catalog
NAME
TITLE
COMPANY NAME
ST. AND NO.
CITY AND STATE


Satisfaction was Specified UALCO was Chosen

South Bend (Ind.) Osteopathic Hospital, Architect, John N. Marx, Chicago Ualco Awning Windows

A GOOD DESIGN DESERVES UALCO WINDOWS

World's Largest Manufacturer of Aluminum Windows

Says Mr. Marx, "your windows... have worked out very nicely to the satisfaction of the client." The Ualco Complete Line — a *fine* aluminum window for every room in every structure — gives design free play... lends emphasis to good design. Options in weatherstripping, section types, installation aids, glazing methods... and a wide choice of mullions, plates, and brakes. Specify satisfaction. Complete engineering planning service.



FOUR CURTAIN WALL SYSTEMS

Aluminum Awning Window

Two-inch frame depth. Hollow sill absorbs torsion. Vents open 85°. Two weathering contacts, one weatherstripped with bulb vinyl. Top vent lowers 4" for cleaning. Center, offset standard operator has strip-proof steel worm, gear. Bead or putty glazing.

Ualco

SOUTHERN SASH SALES & SUPPLY CO., Inc.

Sheffield, Montgomery, Ala.; Van Nuys, San Leandro, Calif.; Hialeah, Tampa, Fla.; Elizabeth, N. J.; Canton, O.



Vina Lux FLOORS

Changing climatic and temperature conditions won't affect dimensionally-stable Vina-Lux - "Micro-cut" to a new high standard of dimensional precision. Vina-Lux floors continue to give trouble-free service long after ordinary resilient tile must be replaced.

Vina-Lux is a versatile tile that solves many floor problems. It's greaseproof and durable - slip-safe and easy to maintain. Solve your floor problems with this outstanding vinyl asbestos tile. Available in 31 colors and 4 styles. Samples are yours without obligation.

Color shown: V-320, Caliche



ER

MAK

AZROCK FLOOR PRODUCTS DIVISION UVALDE ROCK ASPHALT CO. 512 A FROST BANK BLDG. • SAN ANTONIO, TEXAS



REVIVED SURVEY PROJECT RESUMES RECORDING OF AMERICAN ARCHITECTURAL HISTORY

Through the combined efforts of the National Park Service, the American Institute of Architects, the Library of Congress and other groups interested in the recording of American architectural history a growing mass of photographs, line drawings and data sheets is being collected in Washington.

The project, revived by the Congress last year after a 16-year lapse, is known as the Historic American Buildings Survey and is under the guidance of the National Park Service, an agency of the Interior Department. The A.I.A. works jointly with the NPS, supplying information from its own inventory of historic buildings carried on through its local chapters. The Library of Congress is the repository for the finished products. The program is described as a national plan for making and preserving records of existing monuments of the builders' art in the United States and its possessions. Its first aim, according to the NPS, is to conserve the national cultural resources in historic architecture. Another objective is to serve the public by preserving and making available exact records of this cultural background of American history.

An Advisory Committee headed by James Grote Van Derpool, A.I.A., of the School of Architecture, Columbia University, advises NPS on the project. Paul A. Thiry, F.A.I.A., Seattle, is vice chairman and Samuel Lapham, F.A.I.A., Charleston, S. C., is secretary. Other members are: Richard Koch, F.A.I.A., New Orleans; John Gaw Meem, F.A.I.A., Santa Fe: Earl H. Reed, F.A.I.A., Chicago (chairman of the A.I.A.'s Committee on the Preservation of Historic Buildings); Bertram K. Little, Boston; Carl Bridenbaugh, Berkeley; Harold D. Eberlein, Philadelphia; and (ex officio) Dr. Richard H. Howland, president of the National Trust for Historic Preservation, and Dr. L. Quincy Mumford, Librarian of Congress.

The effort first was launched back in the 1930's when make-work projects for the unemployed enabled officials to accumulate a sizable amount of material—measured drawings, photographs, historical and architectural data. From then until now the year 1860 has been the determining factor; no building built after that time would be considered for inclusion in the inventory. It has been proposed that this date be moved up to 1900, or possibly later, but no definite determination had been made on this point last month.

The program has operated on a budget of \$116,000 during the current fiscal year, 1958, and the same amount is being asked for fiscal 1959 beginning next July 1. At this level, NPS has been able to finish many of the projects covered in field data assembled during the 1930's. Although disappointed that the figure could not be increased for next year, the Service is moving ahead with plans for applying new techniques in handling the material it already has and in adding to the inventory as far as funds will allow.

It is estimated that since the inception of the program, the following have been placed in the collection: 25,600 sheets of measured drawings, 29,200 photographs, and 7600 buildings have been recorded in some form, but only 2800 have been measured and drawn. The drawings and photographs record structures in 44 states, the District of Columbia and Puerto Rico.

Here is the schedule of work during the current fiscal period :

1. Photograph 500 historic buildings.

2. Complete surveys and recorded drawings of 30 buildings.

3. Complete the recorded drawings for 20 buildings which are partially complete.

4. Assist in the National Inventory of Historic Buildings which is now being conducted by the A.I.A.; NPS has received to date (in January) 1205 inventories.

5. Prepare a supplement to the Catalog of the Measured Drawings and Photographs of the Historic American Buildings Survey in the Library of Congress of subjects received by the Library subsequent to the closing date of March 1, 1941.

Since 1941, the program had been dormant until it was revived last year. Congress has been informed that during fiscal 1959 it is planned to continue to the extent possible with checking, reviewing, and final recording of the remainder of the 90 buildings for which partially complete sets of drawings are on hand, and to complete as much as possible the drawings from the 150 measuring books now available.

The NPS staff has been built up gradually with revival of the program and has just about reached its peak now. Some difficulty has been experienced in getting personnel for the drawing required, Park officials said. They noted that drafting principles have changed in the 20 and more years since the program first started. They are attempting to hold to the same pattern of assembling and preserving materials, but find it hard to do so. The earlier drawings were done on bond paper in India ink for permanence.

Methods of making prints from pencil drawings are now being studied and photogrammetry is being given very serious consideration.

Perry E. Borchers, associate professor in the School of Architecture and Landscape Architecture at Ohio State University and a practicing architect in Columbus, is under contract with NPS to apply the photogrammetry principle to the exterior of a few buildings. Accurate drawings can easily be made from photos of this type, it is said.

The prime concern, of course, is to do the work first on those structures which might be in danger of removal for any purpose or deterioration to a point where measurement would become more difficult. This is an important factor when priorities are established.

A.I.A.'s contribution comes largely through its Committee on the Preservation of Historic Buildings, presently headed by Earl H. Reed, F.A.I.A., Chicago. Each local chapter has a preservation officer and is urged to seek out buildings worthy of recording for the inventory.

Reed serves as a member of an advisory committee to the HABS and also is a member of a similar group which advises the National Park Service on all its programs.

All types of structures are included —public buildings, residences, covered bridges, aquaducts, churches, shot towers, mills, shops, etc. In various periods and styles these cover the period from the early 17th century to Civil War time.

Within its limited budget the Park Service employs teams of sophomore and junior college students to do field work during summer vacation periods. A faculty member supervises the work of each team. Four such groups will be in this field this coming summer, working in New England and at Harper's Ferry. The students take measurements, make photographs and drawings and look up material on the structures, reporting their results to NPS.

A catalog of the HABS work started in 1941 will be continued. —Ernest Mickel

AMERICAN Color-Stable LOUVERS KEEP CEILINGS NEW YEAR AFTER YEAR!

Use the finest in light shielding- GAIN

Silvenware

- Color stability . . . no color transition with long use
- Interlocking connections . . . easily mounted with assured dimensional stability
- Low surface brightness . . . uniform light without glare
- High illumination value . . . no light trapping with 76.5% of louver open
- Ideal shielding . . . 45° x 45° perfect diffusion
- Lighter weight . . . another lower construction cost
- Noise reduction . . . louver cells break up room sound
- Safe for sprinkler systems

Available in two sizes and subject to modifications. Write for complete information.

AMERICAN

4240 N. SAYRE AVENUE .

LOUVER

CHICAGO 34, ILLINOIS

COMPANY

new

NORMAL

50% COMPRESSION

100% EXPANSION


HORNFLEX

sealant solves movement and temperature problems in curtain wall joints.

Movement due to winds and extremes of temperature poses one of the most trying problems for the designer of curtain wall buildings. For not only must the joint material seal out water, it must be flexible as the building moves with the wind and its elements expand and contract with heat and cold. Too, unequal coefficients of expansion of different materials create additional joint stresses.

TELEVER

Hornflex Thiokol* LP-32 Compound is especially effective in curtain wall construction for sealing joints between panels of stainless or enameled steel, aluminum panels and glass in needlepoint glazing. The squeeze-stretch range of Hornflex absorbs exceptional stress without loss of bond! It provides an elongation of 325% and stays firm and elastic over a temperature range from 50°F BELOW ZERO to 250°F.



Plants: Houston * Long Island City * Los Angeles * San Francisco * Toronto Sales offices and Warehouses throughout the United States and Canada

Laboratory test and job applications indicate that Hornflex, properly installed, will provide excellent protection for periods up to 25 years and more.

Other uses for Hornflex are to fill and seal surface joints in bridges, highways, swimming pools, etc. It has excellent bond to other building materials including those of dissimilar surface density and structure. Hornflex does not oxidize or absorb moisture; effectively seals joints against air, dust and water.

Hornflex is supplied in a pleasing shade of grey which blends well with aluminum, stainless steel or concrete. It is also available in red, aluminum, white and black.

Like complete details? Call your local Horn representative or write for Hornflex Technical Bulletin to Dept. H3-11.

*A registered trade mark of the Thiokol Chemical Corp.

DIVISIONS OF SUN CHEMICAL CORPORATION

DIVISIONS OF SUN CHEMICAL CORPORATION HORN (paints, maintenance and construction materials, industrial coatings) • WARWICK (textile and industrial chemicals) • WARWICK WAX (refiners of specialty waxes) • RUTHERFORD (lithographic equipment) • SUN SUPPLY (litho-graphic supplies) • GENERAL PRINTING INK (Sigmund Uliman • Fuchs & Lang • Eagle • American • Kelly • Chemical Color & Supply Inks) • MORRILL (news inks) • ELECTRO-TECHNICAL PRODUCTS (coatings & plastics) • PIGMENTS DIVISION (pigments for paints, plastics, printing inks of all kinds) • OVERSEAS DIVISION (export) • A. C. HORN COMPANY, LIMITED (Canada) • GENERAL PRINTING INK CORPORATION OF CANADA, LIMITED • FUCHS & LANG de MEXICO, S. A. de C. V.



Scored Tile adds an attractive pattern to the large surface areas in this cafeteria of the American Telephone and Telegraph Company, Long Lines Department. Walls are in 340 Cr. Ivy in 414" squares and SD-3 Scored Tiles. Color Plate 372, Port Morris Tile & Terrazzo Co., tile contractor.

The new American-Olean Scored Tiles^{*} give you an opportunity to create many handsome new designs with ceramic tile. Dozens of patterns are possible, and with 63 colors to work with (in Crystalline, Brite or Matte Glazes), the decorative combinations are unlimited. Scored Tiles are made only by American-Olean. Write for our Booklet 1000 which gives full information and shows many of the patterns.

* PAT. APPLIED FOR



JETS AND AIRPORT DESIGN: AIRLINE OFFICIALS REPORT ON STUDIES OF NEW REQUIREMENTS

A recent symposium on turbine aircraft conducted by the aviation subcommittee of the Senate Interstate Commerce Committee opened the door a little wider to some of the challenges that will be confronting architects designing in the jet age.

Terminal facilities for the turbine transports were discussed by Marvin Whitlock, vice president for operations planning, American Airlines. The problem: based on a conclusion that full realization of the airplane's speed, passenger appeal and economic opportunities required facilities which would promote minimum ground time, maximum passenger protection and maximum efficiency in ground servicing operations, researchers undertook to determine what arrangement would provide the most for the money.

The differences introduced by jet airliners necessarily call for a quite different approach in planning airport facilities.

Some Key Considerations

Passenger loading arrangements, servicing, fuel and water storage are but a few of the new considerations entering into the design of terminals for these fast and heavy aircraft.

None of the equipment currently used for gasoline can be economically adapted, for example. New electrical systems will have to be provided because of the added requirements for turbine aircraft. (The Boeing 707 jet uses more than 100 times as much electrical energy as the DC-3 airplane.) Where the power is "piped" to the ramp, rather than being furnished by mobile equipment, a substantial increase in amount of power brought to the field by the local power company will be needed.

Mr. Whitlock explained that the J-57 powered airplanes would use some 750 gal of demineralized water in each takeoff. Purpose is to increase the mass flow through the engine, thereby restoring some of the thrust loss. This quantity is about equal to the amount of fuel normally put aboard a DC-3.

The water will be required for any takeoff when outside air is above 20 degrees F, Mr. Whitlock continued, and will all be consumed on takeoff. The water must be demineralized to avoid the mineral present in tap water from depositing on the turbine blades. Equipment will be needed for demineralizing local water; storage must be in stainless steel, plastic or glass-lined tanks and pipes. Again, none of today's equipment can be adapted.

Terminal noise from the jets will present its own peculiar problem for the architects designing airport facilities. This high frequency compressor noise forward of the engine is exclusive to jets. It is highly directional, of high intensity, and not easily absorbed but is easily deflected and attenuates rapidly in air. The sound is not harmful during short or intermittent exposure but is irritating and some people would consider it painful.

With that explanation, Mr. Whitlock gave Congress the following picture of construction requirements:

"Minimum structure will deflect the sound but the structure must be airtight. The sound will penetrate through the smallest cracks and once inside the structure, it will reverberate readily. Since structure is required to be airtight, it must be mechanically ventilated and/or air conditioned.

"All passengers and all possible ramp personnel must be enclosed in such structure during engine operation at a given gate position and blast fences will be required to protect the adjacent gate positions. The personnel required on the ramp during engine operation must be protected by ear muffs or better."

New Factor: Exhaust Velocity

Exhaust velocity is another new problem that must be reckoned with in the terminal area. The blast from a turbo-jet is greater and more directional than from a propeller airplane. If the future planes are taxied to loading positions in conventional manner, blast fences separating the gate positions will be required and a new standard of ramp cleanliness as to particles, water and snow will be necessary. Ramp areas, taxi and takeoff surfaces must be kept free of foreign objects by sweeping or vacuuming, the American Airlines expert stated.

The new craft (orders now have been placed by private operators for more than \$2 billion worth) will seat from 76 to about 150 passengers each. The airline executive noted that this size trend has the same effect on terminal requirements as simultaneous departures. This means more space at the ticket counters, in the concourse, in the lobby and throughout the terminal. A single departure of a 150-passenger airplane would just about equal four simultaneous CV- 240 departures from a single gate position. "For these reasons," said Mr. Whitlock, "we are reviewing all the areas involved and specifically planning the construction of a departure room at each gate position to permit predeparture ticket collection."

All this means, too, that more baggage will have to be handled in equal or less lapsed time.

A separate study explored terminal arrangements with an eye to the best investment toward improved efficiency and passenger environment.

"We quickly realized an inherent physical advantage," Mr. Whitlock explained. "All of the things we have to do to the airplane are at ground level with the exception of cabin service for which special entry doors are provided. At the same time, the only level of interest to the passenger is on the cabin floor level. It is therefore obvious that if we can keep these two interests separated physically, we both gain. Hence, second level concourses and loading become our first objective."

Spotting the airplane accurately at the loading position will mean a better job can be done with built-in facilities—fuel, water and electricity —thus eliminating mobile units. So, American has concluded that a taxi straight-in, second level loading, push out with tractor and turn, unhook and taxi away represents the most for the money.

More engineering than architectural were W. E. Rhoades' discussions of airport and noise considerations in turbine transport operations. He is manager, flight engineering, United Air Lines.

Mr. Rhoades told the Senators that generally speaking, the major airports of the nation, while not entirely adequate, are of such basic configuration that they can be made suitable if sufficient time and money is available. He described a United Air Lines study, requiring some 18 months, which resulted in a document recommending detailed dimensions of minimum requirements at each affected airport.

Runway Problems

Runway construction for optimum operating conditions in some instances could approximate a cost of perhaps \$100 per ft, he said. But this cost certainly could not be afforded when the total runway length might be needed only once or twice in a year. So, the firm evolved a mathematical method of combining the variability continued on page 310

planned . . . for minimum maintenance



quality approved VINUUT WINDOWS

Aluminum Window Manufacturers Association 45 North Station Plaza, Great Neck, N.Y.

Careful planning of schools, hospitals and commercial buildings calls for windows and window wall systems that save important maintenance dollars year after year.


"Quality-Approved" aluminum windows - double-hung, casement, awning, projected or sliding - are rustproof, rotproof . . . never need painting or expensive maintenance . . . retain their modern appearance and operating efficiency for the life of the building ... save money every year.

For latest copy of "Quality-Approved" window specifications, consult any manufacturer listed below, or write to Dept. AR-38.



MEMBERS: A.C.A. Window Corp., Lindenhurst, N. Y. • Adams Engineering Co., Inc., Miami, Fla. • Albritton Engineering Corp., Bryan, Tex. • The Wm. Bayley Co., Springfield, Ohio • Ceco Steel Products Corp., Chicago, 11. • Crossly Window Corp., Miami, Fla. • Duralite Window Corp., Miami, Florida Windows, Inc., West Hollywood, Fla. • Michael Flynn Mfg. Co., Philadelphia, Pa., • Miami Window Corp., Miami, Fla. • Duralite Window Corp., Miami, Beneda Div. Textran Corp., Nesquehoning, Pa. • Reynolds Metals Co. (Window Division), Louisville, Ky. • Standey Building Specialties Co., North Miami, Fla. • J. S. Thorn Co., Philadelphia, Pa. • Truscon Steel Division (Republic Steel Corp.), Youngstown, Ohio • Universal Window Corp., Kenvil, N. J. Valley Metal Products Co., Plainwell, Mich. • Vun-Russ Co., Inc., Hialeah, Fla. • Ware Laboratories, Inc., Miami, Fla. • Windalume Corp., Kenvil, N. J. • Wisco Aluminum Corp., Detroit, Mich. Pictured above: North Penn Senior High School, Lansdale, Penna. · Architects: Howell Louis Shay & Associates · Contractor: Wark & Co.

ARCHITECTURAL RECORD March 1958 33



Floor-to-floor, modular porcelain enamel curtain wall units were entirely prefabricated, permitting quick erection from inside the building. CURTAIN WALLS-Kawneer Company, Berkeley, California PORCELAIN ENAMEL-Ferro Enameling Company, Oakland, California

Barry Weld Weld Metal Study

Colorful porcelain enamel wall panels extend the handsome appearance of the structure to its service core and abutting end wall. PORCELAIN ENAMEL WALL PANELS AND SUPPORT-ING STRUCTURAL GRID—Architectural Porcelain Constructors, Oakland, California

Wall Section Detail

design with colorful Porcelain Enamel gives Oakland Bright New Landmark

More than 100,000 sq. ft. of porcelain enamel panels utilized to combine permanent beauty with the economy and efficiency of curtain wall construction.

Adding a bright column of color to the center of Oakland, the 18-story First Western Building dramatically shows how architectural beauty and efficiency are achieved with porcelain enamel.

The clean, simple lines of the structure's basic design complemented by its handsome color, have made the building a focal point of the California city's downtown section. And the time-defying durability of porcelain enamel on Armco Enameling Iron is assurance that First Western will retain its handsome appearance.

Beauty Plus Economy

Besides freedom to design with durable color, porce-

lain enamel curtain walls enabled the architects to give their client many money-saving advantages.

Lightweight, factory-assembled curtain wall units not only permitted lighter structurals but also cut construction time to give First Western's owners revenue-producing early occupancy.

Compared with conventional masonry construction, the thin porcelain enamel walls provide about 6000 sq. ft. of *additional* rentable area that will provide extra income for the life of the building. And the exceptional freedom from maintenance of timetested porcelain enamel assures lasting economy.

Adaptable to Your Designs

Curtain walls of porcelain enamel on Armco Enameling Iron offer all the advantages of manufactured building units, plus unique freedom of architectural expression. You can design with any color of the spectrum; incorporate form and texture into your facade treatment with custom or standard panels.


For your curtain wall buildings, specify porcelain enamel on Armco Enameling Iron. Because of its uniformity and purity, it is used more than any other metal as a base for architectural porcelain enamel.


For more information and a copy of the booklet, "Architectural Design with Porcelain Enamel" write to Armco Steel Corporation, 1478 Curtis Street, Middletown, Ohio.

ARMCO STEELS FOR ARCHITECTURE

ENAMELING IRON • STAINLESS • ZINCGRIP® PAINTGRIP® • ALUMINIZED STEEL







36 ARCHITECTURAL RECORD March 1958

Five basic types of shelters (three of them shown at left) have been de-signed by architects Venchiarutti & Venchiarutti as part of the Metropolitan Toronto Parks Commission's extensive redevelopment program to make the Toronto Islands a recreation center. The types: 1200 sq ft open shelter with fireplace (bottom left); 1800 sq ft shelter with food concession and washrooms; 8000 sq ft bathing changing station with washrooms (top left); 4000 sq ft restaurant with washrooms (center left); 9800 sq ft dockside shelter with food concession and washrooms. The Parks Commission felt the buildings should be gay in appearance, constructed of durable materials to withstand rough use and require a minimum of maintenance. The shelters will have structural framework and roof of reinforced concrete, a rigid frame of Y bents; the enclosing walls will be glazed brick in the three primary colors.


Other recent projects of the firm: 1. North York Memorial Swimming Pool, a building designed to facilitate the teaching of swimming, with two pools (one therapeutic) and a spectators' gallery seating 250; structure is load-bearing masonry and patented deck on longspan steel joists. 2. Addition (left in perspective) to York Township Hydro System, joined to existing building by glass link, will be of flat plate reinforced concrete construction, with curtain walls of heat absorbing glass. 3. A recently opened office building in Toronto. 4. Residence for Sam Sorbara, Toronto.



Dumbwaiter specifying suggestions for architects preparing hospital designs

- Use stainless steel dumbwaiter cars and car doors for cleanliness and to prevent corrosion.
- Use retiring cams and "true" interlocks . . . for quieter operation . . . to prevent unauthorized access at intermediate floors . . . for safer operation because doors must be closed and locked before they can be moved.

Specify Stainless Steel



OPENING-

a

23-0-00

VERTICAL SECTION "A""A"

- END OF CAR

for DUMBWAITER DOORS

- To eliminate repainting costs due to scratched and worn finish on painted surfaces.
- To assure permanent attractive finish providing cleanliness and freedom from corrosion.




THE PEELLE COMPANY 47 Stewart Avenue . Brooklyn 37, N.Y. . Offices in Principal Cities

PEELLE FOR DOORS FREIGHT ELEVATOR DOORS · DUMBWAITER DOORS · INDUSTRIAL DOORS

New from Lennox! Fresh air for classrooms...for as little

LENNOX COM



Lennox Air Processing Unit introduces fresh air in adjustable volumes (A); transmits warm air (B) from adjacent or remote heating unit; continuously recirculates indoor air (C); filters air clean (D). Lennox' exclusive floating blower (E) and acoustical lining (F) assure a degree of quietness never before achieved.

heating and ventilating as \$1.03 per square foot!

New Lennox Comfort Curtain system automatically draws in fresh air from outside...warms, cleans, circulates air...provides tons of needed cooling without the cost of refrigeration!

Across the country, the Comfort Curtain system is drastically reducing the cost of school heating and ventilating. Costs per square foot of \$1.03 in Indiana, \$1.15 in Montana, \$1.12 in South Dakota are typical examples. One job went in for a cost so low we hesitate to quote it—just 65c per square foot. That was in Potosi, Missouri!

A NEW APPLICATION

These exceptional savings are the result of a new approach to classroom heating and ventilating, provided by the Lennox Comfort Curtain system. This new system applies to schoolrooms the sound, tested principles of warm air heating (long the preferred method of residential heating), thus eliminating the pipes, boilers, towering chimneys and inflexible heating plants that have made average heating installation costs considerably higher.

Nor is this all. The Lennox Comfort Curtain can easily save hundreds of dollars per classroom each year it is in use. Fuel is consumed only when heat is required, maintenance and service are amazingly simple and low-cost—well within the capacity of any competent local heating dealer.


And most important, the Lennox Comfort Curtain system actually does a far better job than costlier systems used previously. The Comfort Curtain does a complete job, provides a full, even flow of air throughout its entire length along the exposed classroom wall. It is amazingly quiet. And it holds room temperatures to a variance of six-tenths of one degree, circulates air continuously for perfect distribution, introduces a continuous supply of fresh air during the daytime heating cycle, and provides tons of needed cooling without the cost of refrigeration.

COOLING WITHOUT REFRIGERATION!

Extensive surveys show that on almost every day when the temperature is above freezing, the classroom no longer requires heat, shortly after pupils assemble. True, at 33° the average classroom needs about 20,000 Btuh. But 30 pupils will generate about 12,000 Btuh, lighting will add another 8,000 to 10,000 Btuh, and the sun load can account for as much as 15,000 Btuh. Since the amount of heat being generated exceeds the classroom heating requirement, it becomes necessary to *cool* the classroom to maintain a healthful, comfortable temperature. The Lennox Comfort Curtain system does this automatically by introducing cool, fresh outside

air to meet the need. Even if the temperature of the outside air is as much as 50°, the equivalent of two tons of cooling can be provided in this way

There is today no possible way to achieve all these advantages at so little cost—except with the Lennox Comfort Curtain. The system is completely flexible, uses child-proof wall- or bookshelf-ducts, installs readily in any size or design of school, comes completely equipped with a "laboratory matched" control system. Send coupon below for free booklet.



The 24-classroom Junedale school, located in Gary, Indiana, will be heated and ventilated by the Lennox Comfort Curtain for \$1.03 per square foot. Architect: David J. Katz, A.I.A. Heating Contractor: Quality Heating and Air Conditioning.



©1958 Lennox Industries Inc., founded 1895; Des Moines and Marshalltown, Ia.; Syracuse, N.Y.; Columbus, O.; Decatur, Ga.; Ft. Worth; Los Angeles; Salt Lake City. In Canada: Toronto, Montreal, Calgary, Vancouver, Winnipeg.

CITY____ZONE__



Robert Schofield Morris Wins 1958 Royal Gold Medal

Robert Schofield Morris, partner in the Toronto firm of Marani & Morris and a past president of the Royal Architectural Institute of Canada, has attained international recognition in winning the Royal Gold Medal for Architecture for 1958.

Presentation will be made in London on April 15, by the Royal Institute of British Architects, acting on behalf of the Queen.

Mr. Morris is the first Canadian to

win the award since it was made to the late Frank Darling, also of Toronto, in 1915. The Royal Gold Medal was instituted by Queen Victoria in 1858. Past winners have included such notable figures as Sir Ernest George, Sir Gilbert Scott and Sir Patrick Abercrombie, all of Great Britain; Frank Lloyd Wright, Dr. Walter Gropius and Eliel Saarinen of the United States; Le Corbusier of France; Victor Vesnin of Russia, and Alvar Aalto of Finland.

In recent years, Mr. Morris has participated in designing such build-





ings as the Medical Arts Building in Toronto, Fort York Armory in Toronto, Bank of Canada in Ottawa and the Canadian National Exhibition grandstand.

The firm of Marani & Morris is now conferring with the Toronto parks board on the proposed expansion of the C.N.E. grandstand. It also designed the Shell Oil Building, the Maclean-Hunter publishing building, and the Bank of Canada building being constructed on University Ave., and the Great-West Life Assurance offices built in Winnipeg.

A native of Hamilton and a veteran of the First World War, Mr. Morris graduated in architecture from Mc-Gill University and studied in Italy, France and England.


O.A.A. Studies Church Problem As Public Service Project

A new facet of the Ontario Association of Architects' public service program has been revealed.

The problem dealt with concerns the provision of temporary accommodation for new church congregations. A committee under the chairmanship of Dr. F. Bruce Brown recently investigated what help could be offered to such congregations, or to church extension and other committees




Branch bank, Imperial Bank of Canada, Vancouver: one of many being erected under Bank's comprehensive building and modernization program. Architect: Gerald Hamilton of Vancouver, in collaboration with John C. Rankin, Toronto



New Field House (lower left) at U. S. Naval Academy, Annapolis, offers an indoor area 200' by 370' by 70' high for sports events and practice. Its huge roof is covered with Anaconda sheet copper, installed by Overly Manufacturing Co., Greensburg, Penna. General Contractors: Wm. E. Cramer Co., Washington, D. C. Architects: Harbeson, Hough, Livingston & Larson; also Von Storch, Evans & Burkavage, both of Philadelphia, Penna.

136,000 pounds of Sheet Copper protect new Naval Academy Field House



Long-range economy. Copper has proved its ability to stand up through the years. Its long service makes sheet copper one of the most economical roofing materials.



Minimum maintenance. Copper, in aging, acquires an attractive patina; it requires no special care or attention. A copper roof is lasting, weather-tight . . . needs no expensive maintenance.

FREE BOOK. "Modern Sheet Copper Practices," published by The American Brass Company, was designed for the architect, specification writer, and sheet metal contractor. It is a practical guide, with clear, brief suggestions and drawings to help meet everyday problems. For your copy, address: The American Brass Company, Waterbury 20, Conn. 5729




Permanently Tight Joints. No other commercial metal solders like copper. Cross joints in the roof pans at the crown are clinch locked, soldered. Ends of pans are pre-tinned.



Freedom of design. Copper is so easy to bend, form, and fasten that it can be adapted easily to any type of building. Techniques have been developed to meet modern structural problems.

ANACONDA SHEET COPPER

A PRODUCT OF THE AMERICAN BRASS COMPANY







Interior by Backus Brothers Co.

A full color idea book on Formica Interiors is yours for the asking. Write Formica, 4603 Spring Grove Ave., Cincinnati 32, Ohio. Formica regional offices now have a color slide film "Decorative Art in Formica" illustrating a wide variety of Formica wall treatments and application methods as described on the facing page. A showing can be arranged at your convenience by calling your local Formica office.

in Formica®

A Wall of Distinction with FORMICA AND BRASS

This serpentine wall is made up of 4' panels of plywood scored or kerfed from the back for bending to proper radii. Using Formica Fast Dry Contact Bond Cement, V_{16}'' decorative Formica and Formica backing sheet were veneered to either side of the formed plywood. The panels were shop assembled in sections and screwed and glued to vertical and horizontal framing.

Standard grades of Formica are completely satisfactory for any large radius of this type and no heating is required. The brass divider strips were handled in accordance with the

detail drawings. A wide variety of Formica wall treatments can be obtained either

through shop veneering or on-the-job application. Multicolor effects in random planking or geometric designs can be done with standard material.

New Decorative art in FORMICA

For the first time in the laminated plastic field, a new kind of decorative art is available. Formica can duplicate your paintings and murals or execute original art pictures of your ideas. The art is sealed in the Formica sheet, thereby protecting it from dirt, fading and damage. In addition, nearly any pattern, trade mark or repetitive design can be produced in Formica via silk screen printing.

There is a Formica district representative near you who is well qualified to provide technical assistance. If you would like technical specifications on Formica wall surfacing, write Formica, 4603 Spring Grove Ave., Cincinnati 32, Ohio, ask for spec. bulletins 114A and 105A.

This mark certifies genuine

Be sure you get genuine Formica. Look for this wash-off registered trade mark on the surface.

CYANAMID

product of <


News from Canada

charged with the responsibility of providing such accommodation.

It is customary for such congregations to use "portables" or prefabricated temporary buildings. These are often quite unattractive and uncomfortable. Suggestions had been made that these buildings could be improved by providing stock designs, or by designing the temporary building so that it could in the future be incorporated into the completed new church buildings.

The committee took its findings to the O.A.A. Council for further delib-





available in many name capacities and height-to-width ratios at competitive prices. Flexible grouping of unique plugin name-tile units requires less than half the space used in other registers — without sacrifice to name area. Name tiles and long life lamps can be quickly changed by simply withdrawing the plug-in unit.

Couch's new modular staff in-and-out registers located at key points instantly indicate which staff members are in the hospital. Just a flip of a switch by a reporting member illuminates his name tile at all register locations, informing hospital personnel of his presence. When leaving the hospital, a switch operated at any register extinguishes his name tile at all registers. For hospitals with message centers, flashing name tiles (message indicators) may be incorporated.

To see how you can have a custom-built register system at standard system cost, write today for Bulletin H9.

Simplified Systems of Communication

S. H. COUCH COMPANY, INC., NORTH QUINCY 71, MASS. Laboratory for the Ontario Water Resources Commission, Toronto; Fisher, Tedman & Fisher, architects

eration. Final conclusions may be summarized as follows:

(1) The less suitable the temporary building (within reason) the greater the incentive there is for a congregation to go ahead with a permanent building.

(2) Provision by the O.A.A. of free designs for temporary buildings would be difficult of accomplishment and could infringe on the work of architects in private practice. The use of such drawings, in the light of experience with one-room schools, would be very limited.

(3) The suggestion that a temporary building could be designed to be incorporated later into the permanent building is impractical, unless considerable funds and the architect's complete design are available. This takes the job out of the realm of the cheap, temporary building which is usually all that can be provided until the congregation is in a stronger financial position.

On the positive side, the Council agreed that the O.A.A. should stand in readiness to give such assistance as may be considered appropriate, to



Office building to get under way this spring in Phillips Square, in the heart of Montreal; cost is estimated at \$2 million. Architect: Andre Blouin





New Ultracoustic Ceiling Board


Easy on the eye, easy on the ear is this new type of acoustical glass fiber board for suspended ceilings. Unique features include beautiful off-white travertine texture . . incombustibility (fire hazard classification of 15 and under) . . . easier application . . new resilient toughness. See Sweet's File 11a/Gu or write for 4color A.I.A. brochure.

这种人一个自

GUSTIN-BACON Mfg. Co. 224 W. 10th St., Kansas City, Mo.

WORM AND GEAR DESIGN ELIMINATES LOAD BRAKE ADJUSTMENT AND MAINTENANCE IN THIS

CONCO OVERHEAD ELECTRIC CRANE



CONCO "CRB" OVERHEAD ELECTRIC TRAVELING CRANE installed in municipal sewage disposal plant.

A feature of this Conco "CR" series crane is a worm and gear mechanical load brake which provides maximum safety, lower first cost, and the elimination of any adjustment or service needs. The brake offers a virtually limitless service life. It has only 2 moving parts. Conco "CR" cranes are one of many types custom-built for all classes of service. To engineers Conco offers two important facilities: A plant flexibility that permits true custom-building at a practical cost. And, a staff qualified by 50 years experience to provide such design assistance as you may request. May we submit specification data, an estimate, or a proposal on your next crane requirement? Write for Bulletin 3000A.

APPLICATION NOTE: Conco has engineered special spark-proof and explosion-proof cranes for installations such as Naval Ammunition Depots, U. S. Air Force Bases, the U. S. Atomic Energy Commission, and Thiokol.



News from Canada

nominate architects for service on architectural boards or committees, and to render all possible guidance in response to specific requests from congregations or denominational committees.

Four Firms Given Design Awards, 1958 Housing Gain Forecast

Four architectural firms were honored as recipients of the 1958 Canadian Housing Design Council awards at the National House Builders Association convention in Toronto recently.

These firms, whose builder-clients were winners in the coast to coast competition, were: in the houses of 1150 sq ft and under category—Edward Ross, Toronto; in the houses over 1150 sq ft but under 1500 sq ft category—James A. Murray and Norman R. Stone, both of Toronto, and Clack & Clayton, Victoria, B. C.


The awards were presented by Hon. Howard Green, Federal Minister of Public Works, who also used the occasion to predict a brilliant year for housing. He said that the government's target was 140,000 starts, and that further mortgage funds would be provided if necessary. By contrast, starts in 1957 totaled 122,000.


Charles T. Carson Named to Head Ontario Engineers' Group

Charles T. Caron of Walkerville has been elected 1958 president of the Association of Professional Engineers of Ontario. New vice presidents are A. F. McQueen of Niagara Falls and G. M. McHenry of London. John H. Fox of Toronto is immediate past president.

continued on page 314

Contracts Awarded: Comparative Figures'





Don't let "hodgepodge" blinds cast a shadow on any job of yours!

Because all venetian blinds are assembled locally, there's always the risk of getting blinds that are assembled from a *hodgepodge* of components. This can cause operating malfunctions, light leaks, and service maintenance problems. That's why it's important to specify "Flexalum Twi-Nighter venetian blinds." This is the blind that assures tighter closure (a must for direct sun exposures), longer life and less care. The Flexalum Twi-Nighter is the only blind where every component, including raw


materials, is made by one manufacturer. And it is assembled locally only by licensed Flexalum Manufacturers under strict Hunter Douglas quality control. Protect yourself and your clients.

Eight laboratory tests by independent firms such as the U. S. Testing Co. prove the superior quality and performance of all Flexalum Twi-Nighter materials and components. Ask to see these test results. And remember, you write them into your specifications for *all* "Flexalum Twi-Nighters."

Hunter Douglas Aluminum Division of Bridgeport Brass Company, 405 Lexington Ave., N.Y. 17.

New Efforts Under Way To Keep Capitol East Front As Is

The controversy over moving the central East Front of the U. S. Capitol building forward some 32 ft moved rapidly toward a climax during the early weeks of this year. The Committee to Preserve the National Capitol, a private non-partisan group of citizens formed on December 20, 1957, after the first of this year gained strength and prominence, making itself heard by the Public Works committees of Congress. As a result of the new excitement over the proposed remodeling of the building, the date of February 17 was set as the time when members of the Senate's Public Buildings subcommittee would begin hearing pros and cons on the issue of East Front extension. Announcement of the hearing was made by Senator Pat McNamara (D-Mich.), chairman of the subgroup, who said the session had been requested by Public Works Committee Chairman Dennis Chavez (D-N. Mex.). It was understood that



DRINKING FOUNTAINS



PANTRY FAUCETS

LABORATORY FAUCETS

For commercial, school, industrial and residential use ... HAWS Series 2800 is a one-piece fiberglass molded unit with integral receptor and deck-top. No cracks or joints for water accumulation. It's specifically designed for simple installation in continuous counters; squared ends butt snugly against adjacent counters. Decks slope to receptor for complete, unhindered drainage.

Fiberglass finish is colorful and durable! You can choose from five decorator colors at no extra cost! Choose your pantry faucet and fountain fixtures, too, from HAWS complete line of facilities for every purpose.

ARCHITECTS, BUILDERS, SCHOOL OFFICIALS ... here's an idea worthy of your attention. Write for illustrated literature, today.



DRINKING FAUCET COMPANY

1441 FOURTH STREET (Since 1909) BERKELEY 10, CALIFORNIA

John F. Harbeson, F.A.I.A., of Philadelphia testified at the February 17 hearing that he did not feel the consulting architects had been "hampered" by the wording of the appropriations act making extension of the East Front mandatory.

Considerable discussion developed on the deteriorated condition of the East Front and Architect of the Capitol J. George Stewart was sharply questioned as to why the deterioration had gone so far when maintenance funds are available. Mr. Harbeson, the only one of the three consulting architects to testify, said in response to questions that he believed it would cost less to rebuild the East Front entirely than to repair it. Mr. Stewart was pressed also on the "secrecy" surrounding the actual plans for extension; he said the Commission would have to authorize any release.

Actual start of construction awaited specific authorization by the Commission.

the February hearing resulted largely from the pressures exerted by the new Committee.

This group is chaired by Julian Berla, F.A.I.A., of Berla and Abel, Washington, D. C. In announcing formation of the committee, Mr. Berla declared that "the danger is real and immediate that the original walls and portico of the central portion of the East Front will be obliterated." His reference, of course, was to plans already announced (AR, Oct. 1957, page 32) by Capitol Architect J. George Stewart calling for an ambitious renovation job that would expend some \$110 million on providing more space in the old building for Congress, the East central front portion to be moved outward 32.6 ft in the process.

Appeal to Commission


The private committee has taken the position that the needed additional facilities can be provided without "destroying the historical integrity and architectural beauty of the East Front."

In a letter to the Congressional Commission charged with responsibility for the Capitol work, the Berla committee argued as follows:

"We sincerely hope that your Commission will review the plan to rebuild the East Front in accordance with the controversial Scheme B of 1905. This plan for extending the continued on page 354



Pushmatic*- welcome combination of safety and convenience



BULLDOG DUO-GUARD PUSHMATICS are available in single-pole or 2-pole common-trip ...come in 15, 20, 30, 40, or 50-ampere ratings. 70- or 100-amp 2-pole common-trip Pushmatics are available as factory installed units.

Pushmatic breakers give the over-all circuit protection your clients want. Available in 15- to 50-ampere ratings, Duo-Guard[®] Pushmatics fit any BullDog Electri-Center[®] panel . . . safeguard branch circuits two ways. Thermal-bimetal action protects against normal overloads. Magnetic action protects against high overloads and short circuits. When a circuit is open, just a push of the breaker restores service.

Compact Electri-Centers supply needs from 4 to 42 circuits ... meet most industrial, commercial, institutional and residential needs. Pushmatic Electri-Centers are readily available, easy to install. Check your electrical contractor or BullDog field engineer for complete details, or write BullDog Electric Products Co., Detroit 32, Mich.



 BullDog Electric Products Co., Detroit 32, Mich. A Division of I-T-E Circuit Breaker Co. BullDog Export Division: 13 East 40th St., New York 16, N.Y.
 In Canada: BullDog Electric Products Co. (Canada) Ltd., 80 Clayson Rd., Toronto 15, Ont.

Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc. Inc.

Labor and Materials: U.S. average 1926-1929=100

NEW YO	ORK
--------	-----

ATLANTA

HEW TORK				AILANIA						
	RESIDENTIAL		APTS., HOTELS, OFFICE BLDGS. Brick and	COMMERCIAL AND FACTORY BLDGS. Brick Brick and and		RESIDENTIAL		APTS., HOTELS, OFFICE BLDGS. Brick and	COMMERC FACTORY Brick and	
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Frame	Concrete	Concrete	Steel
1930	127.0	126.7	124.1	128.0	123.6	82.1	80.9	84.5	86.1	83.6
1935	93.8	91.3	104.7	108.5	105.5	72.3	67.9	84.0	87.1	85.1
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1946	181.8	182.4	177.2	179.0	174.8	148.1	149.2	136.8	136.4	135.1
1947	219.3	222.0	207.6	207.5	203.8	180.4	184.0	158.1	157.1	158.0
1948	250.1	251.6	239.4	242.2	235.6	199.2	202.5	178.8	178.8	178.8
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.5
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	265.2	262.2	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	274.9	271.8	218.8	221.0	212.8	210.1	214.3
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.0
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.4
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.8
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.4
Oct. 1957	320.3	309.8	337.0	349.2	344.8	242.0	239.3	251.4	255.2	258.2
Nov. 1957	320.1	309.6	336.9	349.1	344.9	243.3	239.5	251.9	255.6	258.6
Dec. 1957	319.9	309.4	336.6	348.9	344.7	242.1	239.3	251.6	255.4	258.4
NAME OF A	The second	ç	% increase over 193	39			% increase over 1939			
Dec. 1957	159.0	152.8	157.5	161.5	165.0	180.5	188.0	164.6	162.2	172.9

ST. LOUIS				SAN FRANCISCO						
1930	108.9	108.3	112.4	115.3	111.3	90.8	86.8	100.6	104.9	100.4
1935	95.1	90.1	104.1	108.3	105.4	89.5	84.5	96.4	103.7	99.7
1939	110.2	107.0	118.7	119.8	119.0	105.6	99.3	117.4	121.9	116.5
1946	167.1	167.4	159.1	161.1	158.1	159.7	157.5	157.9	159.3	160.0
1947	202.4	203.8	183.9	184.2	184.0	193.1	191.6	183.7	186.8	186.9
1948	227.9	231.2	207.7	210.0	208.1	218.9	216.6	208.3	214.7	211.1
1949	221.4	220.7	212.8	215.7	213.6	213.0	207.1	214.0	219.8	216.1
1950	232.8	230.7	221.9	225.3	222.8	227.0	223.1	222.4	224.5	222.6
1951	252.0	248.3	238.5	240.9	239.0	245.2	240.4	239.6	243.1	243.1
1952	259.1	253.2	249.7	255.0	249.6	250.2	245.0	245.6	248.7	249.6
1953	263.4	256.4	259.0	267.0	259.2	255.2	257.2	256.6	261.0	259.7
1954	266.6	260.2	263.7	273.3	266.2	257.4	249.2	264.1	272.5	267.2
1955	273.3	266.5	272.2	281.3	276.5	268.0	259.0	275.0	284.4	279.6
1956	288.7	280.3	287.9	299.2	293.3	279.0	270.0	288.9	298.6	295.8
Oct. 1957	292.7	284.1	297.1	308.9	306.0	287.3	273.8	306.9	320.4	316.4
Nov. 1957	292.3	283.7	296.6	308.5	305.6	286.9	273.4	306.4	320.0	316.0
Dec. 1957	296.2	286.8	302.6	315.3	310.6	287.6	274.4	307.0	319.9	316.0
		%	increase over 1	939			% i	ncrease over 19	239	
Dec. 1957	168.5	168.0	154.9	163.2	161.0	172.3	176.3	161.5	162.4	171.2

Cost comparisons, as percentage differences for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.: index for city A = 110index for city B = 95

(both indexes must be for the same type of construction).

Then: costs in A are approximately 16 per cent higher than in B.

$$\frac{110 - 95}{95} = 0.153$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110-95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U.S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.




THE FASTEST GROWING NAME IN PLUMBING FIXTURES

Distinguished both for variety of handsome designs and wide color range, Richmond Plumbing Fixtures are more and more the choice for engineered quality and ageless styling ... whether the building is for industry, commerce, multiple residence or single-family living.

Shown here are a few of the outstanding buildings which include, among other quality specifications, the name RICHMOND. Each is impressive testimony to the versatility of the Richmond line.

RICHMOND PLUMBING FIXTURES DIVISION RHEEM MANUFACTURING COMPANY, METUCHEN, NEW JERSEY



Inland Steel Building, Chicago, Ill. Architect—Skidmore, Owings & Merrill Builder—Turner Construction Co. Plumbing Contractor—Economy Plbg. & Htg. Co., Inc. Plumbing Wholesaler—Warren Barr Supply Co.



375 Park Avenue, New York City Architects-Mies van der Rohe and

Architers—Miles von der kone und Philip Johnson Associate Architects—Kahn and Jacobs Builder—George A. Fuller Company Consulting Eng.—Jaros, Baum & Bolles Plumbing Contr.—Eugene Duklauer, Inc. Plumbing Wholesaler—Glauber, Inc.



Tishman Building, New York City Architect-Carson and Lundin Builder-Tishman Realty and Construction Co., Inc. Consulting Engineer-Cosentini Assoc. Plumbing Contr.-John Weil Plbg. Corp. Plumbing Wholesaler-Smolka Co., Inc.



575 Lexington Avenue, N. Y. C. Architects-Sylvan Bien, Robert L. Bien Builder-Sam Minskoff & Sons, Inc. Mechanical Engineer-Sears & Kopf Plumbing Contr.-Fein-Schlosberg, Inc. Plumbing Wholesaler-Glauber, Inc. Inc.



Canada House, New York City Architect—Eggers and Higgins Gen'l Contr.—Walsh Constr. Co., Inc. Mech. Eng.—Syska & Hennessy, Inc. Plumbing Contr.—C. H. Cronin, Inc. Plumbing Wholesaler—New York Plumbers Specialty Co., Inc.



Harrison Park, East Orange, N. J. Architect – Romolo Bottelli Builder – Harrison Park Constr. Co. Mechanical Engineer – Edmund Assoc. Plumbing Contr. – Paramount Plbg. & Hig. Co. Plumbing Wholesaler – Harlem Plbg. Supply Co., Inc. 100




Roosevelt Raceway, Westbury, N. Y. Architet—Arthur Froehlich & Assoc. Builder—George A. Fuller Company Structural Engineer—Henry M. Layne Plumbing Contr.—M. J. Harmonay Corp. Plumbing Wholesaler—Smolka Co., Inc.



400 Park Avenue, New York City Architect—Emery Roth & Sons Builder—Fisher Brothers Mechanical Engineer—Henry B. Oehrig Plumbing Contractor—Paramount Pibg. & Htg. Co. Plumbing Wholesaler—Harlem Pibg. Supply Co., Inc.

RICHMOND CREATES THE FINEST BATHROOM AND KITCHEN PLUMBING FIXTURES . HEATING EQUIPMENT OTHER RHEEM PRODUCTS: WATER HEATERS + WATER SOFTENERS + WEDGEWOOD GAS RANGES + STEEL CONTAINERS



United Nations Chooses **Grant 5000**

General Contractors: Contract Hardware: LOCAL FIRMS

Building: UNITED NATIONS Architect: HARRISON & ABROMOVITZ PLANNING OFFICE GEORGE A. FULLER CONSTRUCTION CO. WALSH & SLATTERY Grant Products Used: 5000, 1200, 1600 HARDWARE





Why did they pick Grant 5000?

The answer is easy.

There is no better sliding door hardware made than Grant 5000 Continuous Ball Bearing Hangers . . . And there is no manufacturer, other than Grant, who has been supplying sliding hardware of the highest order to Architects for over 60 years. Grant hardware can be depended upon for greatest service, most efficient operation and quality construction.

The 5000 line can support doors up to 300 lbs. (And over on special request.) Its motion is so smooth and so easy that no other hardware can compare. It has been specified into many of the nation's leading buildings because Architects have found it without equal.

How can you find out more about Grant?

Write for your copy of the award-winning Grant Catalog.



GRANT PULLEY & HARDWARE CORPORATION

9 High Street, West Nyack, New York 944 Long Beach Avenue, Los Angeles 21, California

SLIDING DOOR HARDWARE . FOLDING DOORS . DRAWER SLIDES . DRAPERY HARDWARE . TUB ENCLOSURES . PULLS . POCKET FRAMES . SPECIAL SLIDING HARDWARE



Built to Last. Aerial view of Veterans Administration Neuropsychiatric Hospital near Pittsburgh, Pa. All sixteen buildings have Monel nickel-copper alloy flashings and drainage systems. Architects-Engineers: Prack & Prack, Alfred Hopkins & Associates, Bowers & Barbalat. Hospital Contractor: James McHugh Sons, Inc. Sheet Metal Work: Miller & Meyer.

Why the big trend to light-gauge Monel for so many of today's new buildings?

More and more architects are writing three little words into their specifications these days.

The words are "Monel Roofing Sheet." And it's easy to explain why.

Monel* nickel-copper alloy is strong and tough. *Stronger* and *tougher*, in fact, than any other non-ferrous roofing metal. It is highly resistant to atmospheric corrosion.

Monel alloy also resists wear and abrasion. Has an average coefficient of expansion, so is less likely to crack under extreme temperature changes.

Because of this combination of properties, you can often specify lighter gauges than are commonly used. And with lighter gauges, of course, the cost of roofing metal per square foot drops measurably !

Another feature — Monel alloy presents no fabrication or installation problems to the experienced roofer. The same tools and techniques employed with other roofing metals work fine with Monel alloy !

So write Monel into every job. For schools...hotels...factories...office buildings...hospitals and all other institutions. And don't hesitate to ask for help or advice on a specific job. The Monel Roofing Sheet Distributor in your city is listed under "Nickel" in the "Yellow Pages" of your telephone directory. Call him. Or write to us. "Registered trademark


The International Nickel Company, Inc. 67 Wall Street New York 5, N. Y.



No Problems. Good workmanship is as easy to achieve in corrosion-resisting Monel alloy as it is in any other roofing metal. Neither fabrication nor installation of Monel sheet metal roofing requires special tools or techniques.

FOR THE LIFE OF THE BUILDING

Required Reading



Detail, north façade, Electrolux Corp., Old Greenwich, Conn. (1951); Antonin Raymond & L. L. Rado, architectsengineers. Section, Budd Co., Chase Plant, Gary, Ind. (1952); Giffels & Vallet, Inc., L. Rossetti, architect and engineers.

Building for Industry. An Architectural Record Book. F. W. Dodge Corp. (New York), 1957. 309 pp., illus. \$9.75.


Modern Factories Analyzed

By K. K. Stowell

Any, and every, architect and engineer interested in building for industry can find interesting and most useful ideas as well as data and details in these pages. Whether he is tackling his first commission in this field, or is an old hand familiar with the problems of this type of work, he is sure to profit, for it is a compendium of carefully selected projects illustrating current trends and successful solutions to the problems involved in the designing of production facilities.

The factors that influence factory design have changed and are rapidly changing, factors such as tax accounting, public relations and labor relations, automatic machinery and controls, materials flow and handling, storage and warehousing, safety devices, communication systems, optimum light, air, temperature and sound control—all have taken on new degrees of emphasis. New materials as well as new processes affect the designer's work, and their use is shown in the profusion of clear photographs, plans, sections, and details from working drawings.

The "Contents" is divided arbitrarily for convenience into seven categories: 1. Design Principles; 2. Warehousing; 3. Light Industry; 4. Consumer Goods; 5. Manufacturing Laboratories; 6. Utilities and Service Industries; and 7. Heavy Industry. Actually, the usefulness of the volume runs across and through all such classifications—for ideas of structure, A NEW PERSPECTIVE ON QUALITY ... AT A COMPETITIVE PRICE



WHAT'S YOUR CONCEPT OF QUALITY in toilet partition construction? Quality Materials? Workmanship? Styling? Examine Cutler Toilet Partitions from any critical point of view: rigidity, durability, adaptability, ease of assembly, color finishes, corrosion resistance, hardware and fittings, and we think you'll agree they provide a new perspective on quality at a competitive price.

HOW CAN CUTLER METAL DO IT? Cutler Metal Products Company was founded and has been built upon the ideal of integrity in product design, in workmanship, in service. Over 40 years of metal engineering know-how goes into the construction of Cutler Toilet Partitions, know-how that is serving such outstanding leaders of U.S. Industry today as RCA, CBS, G-E, Westinghouse, Yale & Towne, Ingersoll-Rand, and many others.

RESULT: If you're interested in the maximum in quality at a price that meets your needs specify Cutler Toilet Partitions - there are none finer available today. Models for every type of installation. Complete engineering advisory service. Immediate and safe delivery to any job-site in the U.S.A. Catalog in Sweet's Architectural file or yours for the asking. Complete specification sheets available for your use.

WRITE Building Products Division CUTLER METAL PRODUCTS CO. MI 1026 LINE STREET, CAMDEN 3, NEW JERSEY

FOR EXTRA QUIET, UNDERFOOT COMFORT



This cross-section photograph shows how the layer of foam in Armstrong Cushion-Eze Underlaymen adds extra "give" to resilient floors . . . makes them luxuriously quiet and comfortable underfoor

AND EASE OF MAINTENANCE

the flooring spec: Armstrong Floors (Tile or Sheet Form)

with new CUSHION-EZE FOAM UNDERLAYMENT

Here's a new product developed by Armstrong that enables you to add the underfoot luxury of foam cushioning to resilient floors—both sheet and tile form. Cushion-Eze Underlayment is a thick springy layer of foam bonded to felt. It gives resilient floors unusual comfort and quiet, as well as simplifying maintenance. You can specify it with Armstrong floors of Linoleum ... Linoleum Tile ... inlaid vinyl sheet Corlon ... and Linotile. The results are revolutionary.

EXTRA QUIET

Cushion-Eze Underlayment lets the flooring surface "give" gently underfoot. This cushioning action greatly reduces the sound of footsteps, rolling carts and equipment, and dropped objects. In residential and other light construction, it also helps sound condition interiors by reducing noise transmitted through the floor and ceiling to areas below.

EXTRA COMFORT

The springiness of Armstrong floors with this new underlayment luxuriously cushions every footstep. Intriguingly comfortable and relaxing, resilient floors with Cushion-Eze Underlayment effectively reduce fatigue for people on their feet all day.

EXTRA EASE OF MAINTENANCE

The accented resiliency of floors with Cushion-Eze Underlayment helps prevent dirt and grit from being ground into flooring surfaces. Thus, resilient floors become easier to clean than ever, more resistant to scratches and marring.

EXTRA EASE OF INSTALLATION

Very light and flexible, Cushion-Eze Underlayment can be easily and quickly installed. It can be used over almost every kind of suspended subfloor. The foam construction absorbs floor-board movement and conceals minor subfloor irregularities.

FOR REMODELING PROJECTS


Cushion-Eze Underlayment can be used right over most old resilient floors—an important factor in residential and commercial remodeling. It makes replacing resilient floors faster, less costly and inconvenient than by traditional methods of ripping up the old floor, sanding the subfloor, or nailing down hardboard.

COST

The use of Cushion-Eze Underlayment adds relatively little to the cost of the resilient floor installation. For its extra advantages—increased comfort and quietness, lower maintenance costs—it's an exceptional value. In remodeling, it can mean a real saving where the old resilient flooring need not be removed.

For free samples of Cushion-Eze Underlayment, complete specifications and other relevant data, call the Armstrong Architectural-Builder Consultant at the nearest Armstrong District Office. Or write direct to Armstrong Cork Company, 1403 Rock Street, Lancaster, Pa. Armstrong Architectural-Builder Consultants are at your service to help you select the resilient floors best suited to any need. Armstrong makes all types of resilient floors, so "ABC" Consultants can make unbiased recommendations. And they can call in the Armstrong Bureau of Interior Decoration for design assistance; the Research and Development Center on technical problems.







CUSTOM-BILT BY SOUTHERN

Food service equipment designed, engineered, fabricated and installed in any type operation, expertly fitted to available space. You can depend on thorough cooperation by your Southern Dealer, from initial analysis of your food service problems through complete installation and reliable maintenance for the years to come. Get expert help with your next kitchen equipment problem or layout—call your "Custom-Bilt by Southern" dealer, or write Southern Equipment Company, 4550 Gustine Ave., St. Louis 16, Mo.



Required Reading

Continued from page 58

or lighting, or finish materials, or air conditioning, or fenestration, or whatever, can be found in each and all divisions. Ideas from one category can be adopted or adapted to the problems in hand, and the prime function of the book is the presentation of successful advanced ideas in designing for industry. The excellent index helps find specific subjects, but cannot possibly be crossreferenced to cover all illustrations of such subjects as trusses, roofs, panels, lighting methods, etc., etc. Only by thumbing through the pages can one realize the scope and variety of the suggestions offered by the many outstanding case histories presented.

The articles by men who have been "through the mill" are grist to anyone who would understand the current trends, the reasons for their importance, and the needs of the future. One will gain not only an understanding of problems involved, but the what, where, and how of current solutions regarding employee facilities, cafeterias, materials handling, first aid, color, electrical systems, air cooling, lighting, warehousing, docking facilities, concrete structures, power plants, etc., all well illustrated with photographs and diagrams.

With such a wealth of ideas, suggestions, and details spread so attractively on these pages it may seem greedy to ask for more, yet many a reader would be grateful for more explicit captions. "White space" makes for attractive page layouts, but captions giving much more pertinent data would be welcome-colors, materials, sizes, functions, not discernible from the photographs. And sometimes dimensions are lacking, even graphic scales. But for the most part they are there, and the illustrations are clear, luminous, and illuminating to those in search of stimulating ideas and interesting advances in designing production facilities. This is a book that no one involved in providing such facilities can afford to be without.

The Joy of Architecture


Ralph Walker, Architect. By Ralph Walker. Henahan House (461 Eighth Avenue, New York), 1957. 259 pp., illus. \$25.00.

It is unfortunate that Mr. Walker's professional autobiography has been published in a limited, expensive edi-(continued on page 380) puts you in touch with tomorrow !

VERSATILE! Husky units 12' x 4' (or 10' x 4') solve any size requirement.

- -

AUTOMATIC! Each unit sets up by itself thanks to automatic hydraulic action!



COMPACT! Each unit folds-a-way into shallow recess only 8" deep, or may be mounted on wall. Drawing shows stage folded and unfolded.

CROOK FOLD-A-WAY PRODUCTS FOR MULTI-USE OF SPACE

Another Exickson 1st ...this new stage folds-a-way into the wall out of the way!

This new stage unfolds out of the wall in seconds...ready for use. When not needed this new stage quickly folds-a-way ... out of the way ... giving you use of *all* the floor space in your gym or multi-use room.

1		Carl
		ME MFG. CO.
	Dept. AR-3 2580 University Ave., St. Paul 14	4, Minn. • Mldway 5-6465
	Gentlemen:	
	Please send complete information o in-wall fold-a-way stage.	on your new Erickson
	in han four a may brager	
	NAME7	CITLE
Ī	School	
	Address	
	CityS	TATE

Bryn



... you get outstanding quality when you specify NICHOLSON

Maximum gage metals, where they're needed, assure the right combination of strength and beauty ... for quality toilet compartments that complement the finest equipment and construction details.


Compare these quality features, and you'll know why discerning architects and builders are specifying Nicholson toilet compartments:


- Panels and doors are 20 gage, 1" thick
- Pilasters are 16 or 20 gage, 1¼ " thick with 6-ply fibre core
- Moulding is 18 gage, die-drawn

Standard Nicholson designs range from distinctive, modern to sturdy, utility units...all available with attractive and lasting finishes in a variety of colors.

When you're looking for *quality* toilet compartments, without a premium price . . . look to W. H. Nicholson and Company, 12 Oregon St., Wilkes-Barre, Pa. Sales and Engineering offices in 98 principal cities.








of Wilkes-Barre

ICHOLSON



Growing need for CAT standby power means more ways to serve your client



A 175 KW Cat Electric Set takes over within seconds if commercial power fails at Baptist Memorial Hospital, Jacksonville, Fla. Emer-

Dependable CAT* Diesel Electric Sets give emergency power protection in installations *big or small*. And increased acceptance of standby power gives architects and consulting engineers a sound opportunity to serve clients better.

Many businesses need emergency power-hospitals, hotels, banks, radio and TV broadcasting facilities, processing industries, airports (including structural additions) and shopping centers.

Your client may assume that your design will include standby power. Or, he may not have considered protection against power failure and will be impressed with your foresight in designing his facility to include a Caterpillar* diesel generator. Either way, you do a more complete job by protecting your client against costly power failure.

Engine Division, Caterpillar Tractor Co., Peoria, Ill., U.S.A. "Caterpillar and Cat are Registered Trademarks of Caterpillar Tractor Co.



Two Cat D397 Electric Sets, capacity 600 KW, protect this mammoth refrigerated vault of Food Fair Stores in Miami. 70,000 sq. ft. of food storage serve 52 Food Fair Stores in the area. Without emergency power, disrupted power could be very costly.


gency generator handles 35% of normal load including boiler, 12 operating rooms, 2 elevators and electric facilities for 300 beds.



A dependable Cat D375 Diesel Electric Set (approximate 190 KW) serves as standby for the 100,000-watt transmitter of WWJ-TV in Detroit. If commercial power fails, the standby unit insures against costly loss of programming time.



Dept. AR3, Engine Divisi CATERPILLAR TRACTOR		, U. S. A.
Send me more information in government, industry	and public service	applications.
 I am interested in lec I am interested in le funds for purchase an 	arning how to obta	
Name		
Company		
Address	A CARACTER ST	
City	Zono	State



Frank Lloyd Wright employs

REVE OPPER

in a dramatic and utilitarian manner on the roof of the I. N. HAGAN residence, Uniontown, Pa.

In residential building today architects are using the roof to do more than keep out the weather. They are designing the roof big . . . with 3' and 4' overhangs. This makes houses look bigger, gives them more sweeping lines, keeps down heat and cooling loads, reduces maintenance and affords better protection of window

To aid the architect in producing the "big roof" effect there is no material quite like copper. Its ease of work-ability and fabrication, its flexibility in design, make it the ideal tool in the hands of the master designer. And its qualities of endurance have been unmatched for centuries.

A most striking example of what can be done with copper is illustrated by Frank Lloyd Wright's dramatic

use of copper on the roof of the HAGAN residence. The bold scale of the unique stepped design stretches this house out to huge proportions, making it hug the terrain as though it were part of the countryside. Construction details and application techniques used to apply the roof were discussed jointly with owner, architect, sheet metal contractor and Revere. In fact, Revere's Research Department and Technical Advisory Service made up models of the recommended details in order to make sure their recommendations were practical. These details were then discussed and accepted by the owner, architect and contractor, and working by the owner, architect and contractor, and working drawings prepared. Why not call on Revere's Technical Advisory Service

to assist in your specifications and planning?



REVERE COPPER AND BRASS INCORPORATED Founded by Paul Revere in 1801

230 Park Avenue, New York 17, N. Y. Mills: Rome, N. Y.; Baltimore, Md.; Chicago, Clinton and Joliet, Ill.; Detroit, Mich.; Los Angeles and Riverside, Calif.; New Bedford, Mass.; Brooklyn, N. Y.; Newport, Ark.; Ft. Calhoun, Neb. Sales Offices in Principal Cities, Distributors Everywhere.


Roof" points to a new era for the **ALL-COPPER ROOF**


Pittsburgh, Pa.

2" WIDE CLEATS - 12" O.C.



20 oz C.R COPPER SHEETS 30"x 96" COPPER NAILS 4" O.C. FLYWOOD DETAIL SHOWING stepped design and how continuous edge strip was applied. Distance between seams was 23'' to CONTINUOUS 20 oz C.R COPPER LOCK -ELOCK the weather using Revere 20 oz. 30" 96" copper sheets. x CONTINUOUS A Start 2"x 4" CUT ON A TAPER -3" LOCK DRIP CLOSE-UP SHOWING full support becLOSE-UP SHOWING full support be-tween horizontal battens, as suggested by Revere's Technical Advisory Service after careful study. Expansion joints were made 24' apart. General Con-tractor was HERMAN H. KEYS, "Master Builder," Uniontown, Pa.






From the foresight of Curtis Visioneers comes the New Eye Comfort Troffer with L.B.Q.*

A 60-year history of developing new advancements in planned lighting must be respected. Not surprising, then, that credit for the exclusive Eye Comfort® Troffer with *low-brightness quality goes to Curtis visioneers. Who are the Curtis visioneers? Vision-engineers. Illuminating engineers who scientifically plan, design, manufacture and oversee installation of lighting systems that assure visual acuity, provide visual comfort, under any conditions. They are engineers not only of vision but with vision. The vision to pioneer with innovations like the revolutionary new Curtis Eye Comfort Alzak Aluminum Troffer . . . first luminaire to have a true parabolic-shaped fin of heaviest gauge aluminum-the extruded L.B.Q. louver. Result is high level illumination . . . shadowless low-brightness quality . . . wherever light is cast. Meets the demands, too, of those who specify and buy fluorescent lighting for quality illumination-long-run economy. Write today for the name and address of the Curtis representative in the principal city nearest you. Curtis Lighting Inc., 6135 W. 65th Street, Chicago 38, Ill. In Canada: 195 Wicksteed Ave., Toronto 17.

CURTIS EYE COMFORT ALZAK ALUMINUM TROFFER WITH L.B.Q. LOUVER FIN.

Snap-on yoke and toggle bolts for easy application to any type celling. Uninterrupted wireway. No nipples required. New shallow depth... maximum recessing space required, only 61/2".








BACKWATER VALVES

provide positive protection





BACKWATER VALVES

stop water and sewage backflow... positively prevent damage

When a flash flood due to a torrential rain hit a new shopping center in a large metropolitan city, the basements of five store units in which Josam Backwater Valves were installed, were dry and secure. The basement in the sixth unit in which another type of device was installed as backwater protection, was flooded with backwater from the sewer - with heavy loss to equipment and stock.

Here is pointed proof that there are no substitutes for Josam Products. When Josam Backwater Valves are installed you can be sure of complete, positive protection against backwater from heavy rains, floods and inadequate sewer carry-off. Every home . . . every building should be safeguarded against the ravages of backwater - especially since ordinary insurance does not provide for this contingency. For complete details send coupon today.

JOSAM DOES EVERY JOB BETTER BECAUSE ONLY TOTAL HAS THE RIGHT PRODUCT FOR EVERY JOB

JOSAM MANUFACTURING COMPANY General Offices and Manufacturing Division

MICHIGAN CITY, INDIANA REPRESENTATIVES IN ALL PRINCIPAL CITIES Canadian Manufacturers JOSAM CANADA LIMITED Toronto, Canada West Coast Distributors JOSAM PACIFIC COMPANY San Francisco, Calif.

Josam products are sold through plumbing supply wholesalers.



Series No. 1170-T, one of the many types of Josam Backwater Valves.

The scientifically engineered flap valve permits normal drainage to the sewer, but closes instantly and tightly at the slightest backflow from the sewer.

IOSAM MANUFACT	
Dept. AR3, Michigan	City, Indiana
Please send copy o	f Manual BW on Backwater Valves
Firm	
3y	
Address	
City	ZoneState

CALIFORNIA Redwood

TEXAS RESIDENCE HARWELL HAMILTON HARRIS, AIA ARCHITECT

... its texture, its color, the pattern of its grain...can mean more pride to the client in a beautiful home...more pride to the architect and interior designer in a job

well done. To be sure every time, specify "CRA-Certified Kiln Dried."




CALIFORNIA REDWOOD ASSOCIATION 576 Sacramento Street • San Francisco 11, California



AGAIN

Sanumetal LEADS



polished aluminum brackets, anodized and forever resistant to corrosion

Like all other features of Sanymetal Toilet Compartments, the new polished aluminum anodized brackets are designed to increase the durability, attractiveness, and lasting satisfactoriness of Sanymetal compartments.

Solid, non-rusting metal through and through, these brackets will always be bright and new looking. Made of aircraft-type alloy, they are also extra strong, to resist abuse.

Sanymetal is first with such features because Sanymetal knows that building owners want a product which will look attractive, stay attractive and at the same time reduce maintenance costs to the minimum.

> See Sweets, or write for Catalog 94, which gives all the important details of quality toilet compartment construction.






NAMEPLATE WHICH IDENTIFIES EVERY SANYMETAL INSTALLATION.

THE SUM OF SANYMETAL FIRSTS...




.....

PORCENA... Sanymetal was first (in 1936) to introduce vitreous porcelain on steel for toilet compartments, saving building owners countless dollars — no Porcena compartment ever requires refinishing!



CONCEALED TOP AND BOTTOM HINGES

A postwar Sanymetal engineering achievement, the hinge that not only looks better, but is so strong that a heavy adult swinging on a door cannot damage it. Bearings provided at all moving parts.



NEW 8800 CONCEALED LATCH

Introduced this year, this tamperproof, better looking latch, tested to 300,000 cycles of operation, makes the old exposed-bolt latch obsolete.

+

-plus trouble-free mountings, quick-leveling permanent set jackscrews, packaged hardware, welded doors and pilasters, galvanized and bonderized finish with Epon primer before finish coat-all Sanymetal firsts that offer money-saving quality.



MORE ECONOMY, LOWER LONG RUN COST FOR THE BUILDING OWNER





See SWEETS '58 CATALOG for complete specifications


SINCE

1897

D

.

MEROY



For all size projects anywhere let Pomeroy Engineers help you design with Pomeroy Products.

S. H. POMEROY COMPANY, 25 BRUCKNER BOULEVARD, NEW YORK 54, N.Y.

manufacturers of	DOUBLE- HUNG WINDOWS	360° Reversible Windows	FIXED and HINGED WINDOWS	CUSTOM- BUILT ENCLOSURES	CURTAIN WALLS	ACOUSTICAL CEILING SUSPENSION SYSTEMS
	FABRICATIO	N IN ALUN	INUM - STA	INLESS STEE	L and COA	TED STEEL



TO SERVE YOU BETTER...

THE LARGEST AND MOST MODERN SANITARY-WARE POTTERY

IN THE WORLD

Now, giant additional modern facilities at Eljer's Ford City pottery assure you maximum quality and service on all your vitreous china bathroom fixture needs. Here, in one location, skilled workmen and skillfully engineered equipment produce vast quantities of vitreous china fixtures... all made to the traditionally high Eljer quality standards. Contact your Eljer Plumbing Contractor now to determine how Eljer can help solve your bathroom fixture problems in vitreous

china...and, from three other up-to-date plants, in cast iron, formed steel and brass fittings. Eljer Division of The Murray Corporation of America, Three Gateway Center, Pittsburgh 22, Pa.



How Standard Products solves

DRAFIITE for efficient weather-seal around windows

Americana Hotel, Miami Beach, Florida. Windows by Arnold Altex Aluminum Co. Morris Lapidus, Architect; Leo Kornblath, Associate, New York and Miami Beach.

DrafTite* solves the architect's problem of proper sealing around perimeters of all types of metal windows. Whether he is designing a skyscraper or a private home, he knows that DrafTite wool pile weatherstrip is right for the windows he specifies.

Tests prove DrafTite has more than twice the sealing efficiency specified by the industry. Won't leak, sweat, or stick . . . ensures better insulation with *easier* window operation.

A successful application of DrafTite is pictured here in the Americana Hotel. This modern building and many others depend on DrafTite to keep air-conditioned comfort in — heat, dust, wind, and rain out . . . with an efficiency that endures for years.

Americana

Check these examples of Draf Tite's many uses. Write for full information, and call on Standard Products engineering service to help solve your sealing problems. *Trade-Mark

Snap-On Weatherstrip Y-579. .07' inside opening, leg height .214". Available in aluminum or stainless steel core.



Neatherstrip M-80. Spec-all width ½", over-all height from 15" to .35". Availtole in galvanized steel, aluminum and stainless steel cores.



Glass Run Window Channel 15-K. ³/₄° leg height, ³/₂° bottom width. Stainless steel core. ³/₄° glass or sill fin opening.



The Standard Products Co.

BUILDING PRODUCTS DIVISION • Sales Offices: 316 Fisher Bldg., Detroit, Michigan

weatherstrip and sealing problems



Mutual Benefit Life Insurance Co., Newark, New Jersey. Window Wall by Kawneer. Eggers & Higgins, Architects, New York City.

Unique design of StanSeal makes it the tightest, longest lasting curtain wall seal and glass setting bead on the market . . . with either positive self-locking seal or self-locking filler strip.

This new neoprene weatherstrip is tough, long-wearing, withstands wind tests far greater than the minimum standard requirements. Yet, for pivoted windows such as used in the new Mutual Benefit Life Insurance Building, StanSeal is flexible for 360° rotation and,

because of special chlorinated treatment, reduces surface friction to a minimum for easy window operation.

MUTUAL BENEFIT UFE

E D B E T

EXAMI ENTRY FREEDOM

NAMES OF TAXABLE PARTY.

INDEL OF DEAL OF DEAL STATE

AL ENERGY DESIRE TH

For curtain wall structures, StanSeal solves problems of expansion and contraction . . . eliminates timeconsuming calking and outside scaffolding.

Solve your sealing problems with new StanSeal. Write for information today. For special adaptations, call on Standard Products excellent engineering service. *Trade-Mark












The Standard Products C

BUILDING PRODUCTS DIVISION • Plants: Lexington, Kentucky; Port Clinton, Ohio; Fullerton, Calif.



GOING UP ALL OVER AMERICA-"high-rise" buildings sheathed with metal backed by Fiberglas Insulation.

Whatever your curtain wall design... Your best curtain wall insulation is Fiberglas*

The textures and colors you can achieve in modern curtain walls are virtually limitless. The range of materials and surface finishes permit greater flexibility of design . . . exciting new profiles.

But metal walls must be fortified with comfort-producing insulation. Your best curtain wall insulation is Fiberglas, used in adequate thicknesses. Fiberglas not only delivers year-round comfort, its excellent thermal performance reduces the size of heating and cooling units and lowers operating and maintenance costs. Fiberglas Insulation is rated incombustible, will never rot, or corrode metals, and is dimensionally stable. You can rely on it permanently.

Owens-Corning Fiberglas Corp., Dept. 68-C, Toledo 1, Ohio



*T. M. (Reg. U. S. Pat. Off.) O-C.F. Corp.

ANNOUNCING... THE NEW HAWS-KRAMER NYLA-PHRAGM FLUSH VALVES

The new, diaphragm flush valves that are unconditionally guaranteed for FIVE YEARS of SATISFACTION! Extensive laboratory tests have proven their durability. All wearing parts are designed of amazingly tough NYLON... diaphragm assemblies, operating plungers and relief valves have operated through over 1,500,000 flush cycles, WITHOUT signs of failure or appreciable wear.

HAWS-KRAMER Nyla-Phragm Valves also feature ease of adjustment! They can be adjusted over a range of from less than one gallon to 6 to 8 gallons per flush cycle, without disassembly. Add to this, the "O" Ring leakproof handle assembly, and you have an unbeatable flush valve specification.

It's styled for eye-appeal, too! The beautiful symmetrical lines were designed by CHAN-NING WALLACE GILSON, leading industrial designer, for tops in appearance, as well as function. Its form and shape make for simple cleaning and complete sanitation.

MODEL D SERIES


YEAR

GUARANTEE

TO LEARN MORE about the latest diaphragm flush valve in the industry...write for the new 20-page catalog and name of your nearest HAWS-KRAMER Representative.

HAWS - KRAMER FLUSH VALVES 819 BRYANT STREET • SAN FRANCISCO 3, CALIFORNIA

Division of



 leaders, since 1909, in the development of modern drinking water and emergency eye-wash facilities. As always, you can specify and order HAWS and HAWS-KRAMER with confidence!



MONTCLAIR LIBRARY GOES ALUMINUM

to meet budget and lower upkeep

Over-all view shows contemporary harmony of aluminum when used with other materials. Carefully planned for future needs of the community, this library has three floors which serve children, teen-age and adult groups.



Close-up photo of front, curved glass wall which gives excellent light to interior—helped by the trim aluminum structural mullions which also contribute to the clean-lined design. Elliptical canopy is free standing . . . supporting columns are encased by aluminum extrusions.

In building a library that is friendly, functional and contemporary, Montclair turned to practical aluminum. Two-story structural mullions, window frames and an interesting entrance canopy make this an unusually attractive building. The aluminum decision helped keep costs within the budget and eliminated maintenance problems for the future.

An actual-size detail of the aluminum extrusions which form the structural mullions is shown on the next page.


Aluminum offers architects flexibility in design and exceptional practicality. Your nearest Alcoa sales office will gladly show you how and why. Or write: Aluminum Company of America, 1888-C Alcoa Building, Pittsburgh 19, Pa.




Your Guide to the Best in Aluminum Value

"ALCOA THEATRE" Exciting Adventure Alternate Monday Evenings

MONTCLAIR LIBRARY





Heating?

Cooling?

Process?

Conditioning?

Air

The right ratio of surfaces – the right materials – the right velocities – the right proportion between coil area and depth . . . there are dozens of factors that affect the efficiency, maintenance and service life of heat-exchange coils.

For best performance in your own application, the practical approach is to take full advantage of the unequalled engineering, research and design skill-the unequalled manufacturing and testing facilities-which Aerofin offers you.

To get the right answer - ask the Aerofin man.

AERDFIN CORPORATION 101 Greenway Ave., Syracuse 3, N.Y.

Aerofin is sold only by manufacturers of nationally advertised fan system apparatus, List on request.

ONE SOURCE FOR EVERY INDUSTRIAL LIGHTING NEED!



SOLID NECK LINE Sturdy, attractive onepiece units provides quality illumination at low cost for Factories and Warehouses.




"FLO-LINER" Smartly styled shallow lighting units for any Commercial or Office installation.



"BI-FLO UPLIFTER" 72% downlight — 28% uplight, provides greater seeing comfort for industrial areas such as Assembly Lines.



"D" LINE High efficiency, all-purpose fixtures with upward component of light to relieve severe brightness contrast. Ideal for Machine Shop and Factories.



DURATACH LINE Rugged fixture that offers easy, low cost maintenance plus complete interchangeability. Widely used in **Industrial** and **Textile** plants.



"DUST-TIGHT" and "VAPOR-TIGHT" Specialized fixtures for hazardous and nonhazardous locations such as Printing Plants, Flour Grain Mills, etc.



"PACKAGE PLAN" lighting

Power-Lume by Wheeler — a new fixture in 2 types of Construction "F" and "V" . . . specifically designed to utilize fully the extra illuminating power of the new Power-Groove lamps. Delivers TWICE the amount of lumen output per foot of lamp length! For complete details, write for New Product Data Sheet No. 100 D.



REFLECTOR COMPANY (Division of Franklin Research Corp.) 275 CONGRESS STREET BOSTON 10, MASS.

Distributed Exclusively Through Electrical Wholesalers

Here's The Way To Save CLIENTS' DOLLARS

Workmen assemble strong, lightweight roof structure of a big Truss-Type Armco Steel Building. Their work demonstrates three prime advantages of designing with Armco Buildings.

FIRST, in the design stage, you gain the economies and convenience of pre-engineered, tested structurals as well as covering materials. Clear spans range to 100 feet, with wind and snow load designs specifically tailored for each section of the country.

SECOND, in the construction stage, you'll find that precision-made parts go together quickly and correctly. Efficient Armco crews are equipped to do the erection job for you and your contractor.


THIRD, through long service, your client gains low annual cost. In addition his Armco Building earns dividends with its limited maintenance requirements. Special Armco Steels like ZINCGRIP® and ALUMINIZED STEEL are well known for their durability. And special design features like the sloping, self-cleaning surfaces of the truss components add extra value.

Send for complete data

You'll find basic specifications and description of Armco Steel Buildings in Sweet's Architectural File, 2i/Ar.

For specific details, write us or mail the coupon to Armco Drainage & Metal Products, Inc., 3928 Curtis Street, Middletown, Ohio. Subsidiary of Armco Steel Corporation. In Canada: write Guelph, Ontario. Export: The Armco International Corporation.

		, Approxim	nate size
NAME			all and the second
TITLE			
FIRM	A Street of the		
STREET			1. CA . M. 1
CITY		ZONE	STATE



WHEN YOU SEE THIS KIND OF WORKMANSHIP, EXPECT TROUBLE...



GOOD workmanship is one of the most important factors in preventing leaky brick walls.


Good workmanship includes wetting the brick, securing full head and bed joints, backplastering the face brick and laying the brick carefully to keep the bond. The position of the brick should never be shifted after the mortar has stiffened.

Expect trouble when brick are shifted or tapped into place after the mortar has stiffened. Cracks will result and the wall may leak. Brixment mortar has high waterretaining capacity. It resists the sucking action of the brick. It stays plastic and workable longer. Brixment mortar therefore makes it easy for the bricklayer to lay the brick accurately, before the mortar has stiffened. Brixment mortar has great plasticity, high water-retaining capacity and bonding quality, great resistance to freezing and thawing, and freedom from efflorescence. Because of this *combination* of advantages, Brixment is the leading masonry cement on the market.

A Y A







Resists Practically Everything

Duriron corrosion resisting drain pipe generally outlasts the building. Duriron is high silicon iron *throughout* the thickness of the pipe wall. It's the one permanent piping specified by architects and engineers for corrosive waste disposal systems for more than 30 years! Insist on Duriron.

Duriron pipe and fittings are available from stock from leading plumbing jobbers in principal cities.

THE DURIRON COMPANY, Inc. Dayton, Ohio



in HOTELS MOTELS

HOMES





• Top: Colonial Williamsburg Motor House by Tom Lee • Center: Photo in Alcoa Care-free Home • Bottom: Office, Gateway Center, Pittsburgh

Get DESIGN LATITUDE with MICARTA!


Materials translate the ideas of the artist . . . convert a sketch into the sleek, flowing curves of a bar . . . endow a dining area with the rich, enduring warmth of natural wood grains ... accent the soft decor of an office with subtle color panels. These are the uses of Micarta®! This versatile laminate obliges architect, interior designer, builder and homeowner in many ways-in color, in adaptability to design and, most important, in life-long durability and easy maintenance. Micarta lasts, color-bright, surface unmarred, as long as buildings. Consider Micarta for your next job, on horizontal or vertical surfaces. There are 84 colors, patterns and natural wood Trugrains® to choose from. II-06673

YOU CAN BE SURE ... IF IT'S Westinghouse



Distributed by UNITED STATES PLYWOOD CORPORATION . 55 W. 44TH STREET, NEW YORK 36, N. Y.





This addition to the St. Johnsbury Trucking Company in Portland, Maine is another outstanding example of the everincreasing use of Raynor overhead doors in commercial installations. In planning the addition, St. Johnsbury management specified that the 5 loading platform doors be "easy to operate, yet wide enough to accommodate two trucks at a time." The Raynor doors installed are over 20 feet wide...they lift easily, will never sag due to the special center support design. The next time your job calls for sturdy and dependable door installations, specify RAYNOR...BUILDERS OF A COMPLETE LINE OF WOOD SECTIONAL OVERHEAD DOORS.

ONLY RAYNOR OFFERS:

- * finest quality construction
- * long, dependable performance
- * complete selection of designs



PLUS VALUES that enhance your reputation

Selecting building products that will keep your clients happy for many years is the way to build a lasting reputation. When it comes to aluminum windows, don't take chances, specify ALWINTITE. Well designed and carefully made by General Bronze, the recognized quality leader, they offer many PLUS VALUES.

To hospital and school committees, to realty operators and to building owners, ALWINTITE's fine workmanship, trouble-free operation, low-cost maintenance and attractive appearance are all evidence of their outstanding quality.

Architects, too, appreciate such other PLUS VALUES as wide selection from stock sizes, dependable on-time deliveries and reliable distributors with factory trained window specialists at your service. For the complete story — types, sizes and details see the ALWINTITE catalog in Sweet's, or write us direct.



ALUMINUM WINDOWS . SLIDING DOORS

99

ARCHITECTURAL RECORD March 1958

DRESS: MR. MORT



• These three jobs are an indication of the diversity and quality of work for which Balling Brothers, Tonawanda, N. Y. contractors are noted.

Here's what Henry J. Balling has to say about his company's experience with Lehigh Mortar Cement:

"In our 30 years of using prepared mortar—from house chimneys to million-dollar hospitals, schools, churches and industrial buildings—our standard and most reliable mortar has been Lehigh Mortar Cement. We recommend it for brickwork that really stands out with bright joints, freedom from efflorescence, and neatness."

You can approve Lehigh Mortar Cement with the assurance that it exceeds the most rigid Federal and ASTM specifications.

LEHIGH PORTLAND CEMENT CO. Allentown, Pa.

Modern warehouse, Hubbs & Howe Co., Buffalo, N. Y. Architect: Walter F. Hebert, Kenmore, N. Y. Contractor: Balling Bros., Tonawanda, N. Y.




St. Francis of Assisi Church, Tonawanda, N. Y. Architect: George Dietel & Associates, Buffalo, N. Y. Contractor: Balling Bros., Tonawanda, N. Y.



- LEHIGH MORTAR CEMENT • LEHIGH PORTLAND CEMENT
- CENTAR FORTEARD CEMERT
- LEHIGH EARLY STRENGTH CEMENT
- LEHIGH AIR-ENTRAINING CEMENT

Tonawanda Boy's Club, Tonawanda, N. Y. Architect: William C. Lurkey, Buffalo, N. Y. Contractor: Balling Bros., Tonawanda, N. Y.



MASONITE® PEG-BOARD® again demonstrates its potential in contemporary design ...this time, protected exteriors. Peg-Board here illustrates just one of the many ways it can complement your finest designs. Unlimited possibilities...exterior, interior...commercial, industrial, residential.

An important consideration for you is



Masonite Corporation—manufacturer of quality panel products.

Client Satisfaction. Masonite's contribution to design that satisfies is a completely versatile line of hardboard panels plus a continuous development of products for new architectural applications.

For current product information, consult Sweet's Architectural File and your Masonite Representative, or send the coupon.

Masonite Corporation, Dept. AR-3, Box 777, Chicago 90, Illinois In Canada: Masonite Corporation, Gatineau, Quebec Please send more information about 14" heavy-duty Masonite Peg-Board panels and other Masonite exterior panel products.
Name
Firm
Address
CityState
ZoneCounty

The Finishing Touch that ASSURES CLIENT APPROVAL!



specify HILLYARD Floor Treatments for Complete Cure, Brilliant Beauty....

The critical period for a Portland Terrazzo floor covers the first few weeks after laying. The cement matrix needs time for undisturbed, unhurried curing. During this time, the floor is most vulnerable to stains and marring. Yet—this is precisely the time when most terrazzo floors take severest punishment, as work goes on with the building interiors.

Specify sealing the newly-laid floor with Hillyard Terrazzine, to hold the moisture in for slow, complete curing—maximum density


The local Hillyard "Maintaineer®", a trained floor treatment specialist, will be glad to serve as your own

expert consultant, without charge or obligation. A-2 ST. JOSEPH, MO. Passaic, N. J. San Jose, Calif. Branches and Warehouse Stocks in Principal Cities and hardness. **Terrazzine** also effectively seals out moisture, grease, dirt, plaster stains. Building paper, burlap, or other protective coverings can be dispensed with.


After final grinding—or in reconditioning old terrazzo — specify finish with Hillyard Super Onex-Seal. This builds up the floor's protection against soil, moisture, and traffic — prevents efflorescence in the future brings out the full natural color of floors which are an integral part of your building design.

Ask him to survey the floors on your boards, recommend treatments, serve as your "Job Captain".

Ask him also for A.I.A. numbered files containing Architect's information on treatment of all types of floors, and detailed step-by-step treatment instructions for use by your contractor.



GUTH LITE-BLOX TROFFERS



Guth Lite-Blox troffers are carefully engineered, precision made and cover practically every type of troffer job you can name... for almost every ceiling suspension system:

Long or Short—Slim or Wide! 1' x 2', 1' x 4', 1' x 6', 1' x 8', 2' x 2', 2' x 4'.

Broad Lamp Selection! 1, 2, 3 or 4 lights in 1' models, 2, 3 or 4 in 2' troffers.

Bottoms Galore! Featuring Prismoid GrateLite* or GrateLite Louver Diffuser†. 12 bottoms for 1' models. Six for 2' types.

Thin and Trim! New shallow depth. Light that's light to handle — and neat.

Labor Saving Installation! Complete units, ready to mount. One man can hang them. Modular lengths to fit most every ceiling system.


Speedier Maintenance! Bottoms can be hinged from either side for quick re-lamping and cleaning.



Specified and Stocked from Coast to Coast!

WRITE FOR COMPLETE INFORMATION TODAY! THE EDWIN F. GUTH CO. ST. LOUIS 3, MISSOURI Trusted Name in Lighting Since 1902

*®U. S. and Can. Pats. Pend. †®U. S. Pat. 2,745,001, Can. Patd. 1957, 538,245



the complete line of bolted construction materials for all electrical-mechanical installations


For tunnel work, cable vaults, fluorescent fixture or luminous ceiling suspension — wherever bolted construction offers the economical solution to fast, low cost assembly and erection—you'll find that Mult-A-Frame has the exact part to suit the installation. Mult-A-Frame's new and expanded electrical-mechanical line includes four new channels and a special group of new fittings designed to meet every construction requirement.

New, too, is Mult-A-Frame's series of suspension systems. For the first time, you can select the fixture suspension system best suited to the installation and find all parts and fittings listed and identified. It cuts engineering as well as installation time.



All new channel, fittings, and suspension systems are illustrated in Mult-A-Frame's new General Catalog. Just write on your letterhead—

SEE US IN SWEET'S



Ainsworth-Precision Castings Co. 1471 E. Atwater St. Detroit 7, Mich.



loors of

omorrow

Color photos cannot do justice to ULTRALAST'S true beauty - you must see it to appreciate it!

*** ULTRALAST** Truly the Ultimate in Three Dimensional SOLID VIN

Dimensional SOLID VINYL Flooring.


Embodies the beauty of nature's own designs - rare marble, exotic gold mosaics, luxurious gold and ivory abstractions, gold with black (or gold with black and red lacquer) convolutions. Tiles micro-squared for accurate installation. A life-time of wear and service, with a very minimum of

maintenance and upkeep.

VINYL PLASTICS INC PRESTIGE VINYL FLOORING

WRITE for further information and samples.

Dept AR-3 1825 ERIE AVENUE . GLencourt 7-5075 SHEBOYGAN . WISCONSIN



Branch Offices in Philadelphia, Columbus, Atlanta, Dallas, Chicago, Beverly Hills, Seattle and Toronto, with distributors in all leading areas. Factories in Newark, Ohio, and Arkadelphia, Arkansas.

SERVICE

DELANO VILLAGE NEW YORK CITY

BUILDER AXELROD CONSTRUCTION CO., INC. ELECTRICAL ENGINEERS AND CONTRACTORS ZWICKER ELECTRIC CO., INC. ARCHITECTS & DESIGNERS CONSULTING ENGINEER

MAXON, SELLS & FICKE

CHARLES J. WURMFIELD

BUILT BETTER FOR SUPER PERFORMANCE

Only the finest facilities were installed in the remarkably beautiful modern-to-the-minute development, Delano Village, New York City. Planners were sure to include Pass & Seymour Wiring Devices. These easy-to-wire devices offered a super-tested dependability already proved in thousands of fine buildings across the country. Modern planners everywhere look to Pass & Seymour products to insure better electrical service.

> Information on any of Pass & Seymour's complete line of modern electrical wiring devices is available from Dept. AR 358

> > &

SYRACUSE

PASS



7301-1 T-RATED TORSIONALLY PRE-LOADED LONG-LIFE CONTACTS 10 AMPS., 125 V. 5 AMPS., 250 V.



DUPLEX OUTLET DOUBLE GRIP CONTACTS SCREWLESS TERMINALS 15 AMPS., 125 V.

5251-1 3-WIRE GROUNDING OUTLET 15 AMPS., 125 V.

C.

N



60 E. 42nd St., New York 17, N.Y. 1440 N. Pulaski Rd., Chicago 51, Ill. In Canada; Renfrew Electric Limited, Renfrew, Ontario MAKE THE COMPLETE JOB COMPLETELY P&S

SE

YMOUR,

9, NEW YORK

a.tribute to the architects skill ...and it fits the school budget...



Series 600, Curtain Wall

Michael J. Whalen Junior High School. Hampden, Conn. Architect, Warren Ashley, Hartford, Conn.

MARMET curtainwall highlights the architect's mastery of mass and form ... yet offers such cost saving advantages as: • a design which makes it possible to enclose a variety of building structural members ... even when found in the curtainwall plane • an *internal* lock and key *method* for mating sections of sash framing and wall panels ... resulting in an external appearance of flush plane and tube • gleaming alumilited finish (etched in a special dip treatment) ... that "stays new" indefinitely . . . never requiring painting and • complete engineering and fabrication by MARMET ... saving the architect many precious hours both in the construction and design phases. Sash members are designed to expand or contract in coincidence with the vertical mulls ... maintaining a tight seal against water entry with vinyl gaskets and newly developed double weatherstripping. For successful execution of *your* next curtainwall assignment ... consult MARMET.

A typical Marmet Stock door and Entrance installation

SERIES 1100


Longfellow Junior High School, Wauwatosa, Wis. Architect, Ebling, Plunkett & Keymar Milwaukee, Wis.



Pacelli High School, Stevens Point, Wis. Architect, Robert W. Surplice, Green Bay, Wis.







MARMET stock doors and entrances

achieved thru a special deep penetration. Full-Weld process. This "thru-welding" combined with tubular extrusions, provides great strength without clumsy bulk or visible screws. Matching entrance sections are available in a variety of modular sizes... which simplifies the modernization of old entrances as well as fitting components into new construction.

• A glistening sheath for the Michael J. Whalen School ...

MARMET ribbon windows ideal for classrooms

Marmet Ribbon sash with continuous head and sill provides a pleasing, unbroken sweep of line and lowers the labor installation costs. It has many applications where large expanses of glass blocks or other masonry require rigid support. Available in Series 300, and extra heavy Series 200.

MARMET architectural projected windows

The heavy wall sections of this series assure maximum strength and rigidity...allowing large areas of glass to be projected, or opened for ventilation. Projected glass can be arranged to open either outside or inside...in a variety of hopper sash arrangements.

For detailed specifications on the complete line of MARMET products — consult Sweet's Catalog File No. $\frac{3a}{Mar}$... or write to MARMET for Catalog 58a, 58c and 58d.

HA HA HA



MODERN DESIGN USES

Function and dominance are imaginatively combined in this bell tower, constructed completely of lumber. The tower complements the all-wood wall to create a harmonious entity, with fenestration and wall an integrated composition and neither windows nor wall dominant. The tower is not enclosed because, functionally, it requires no weather protection.

For freedom of design, of expression—select wood, the economical, ever-modern building material. And for dependable lumber specify the West Coast species, Douglas fir, West Coast hemlock, Western Red cedar and Sitka spruce.


Central Lutheran Church, designed by Pietro Belluschi, architect, F.A.I.A.

WEST COAST LUMBER

WEST COAST

Douglas Fir, West Coast Hemlock, Western Red Cedar, Sitka Spruce

> WEST COAST LUMBERMEN'S ASSOCIATION 1410 S.W. Morrison Street Portland 5, Oregon



Illuminating Company Building concrete joist floors are reinforced with American Welded Wire Fabric

Owner: 55 Public Square, Inc., Cleveland, Ohio Architects: Carson and Lundin, New York, New York Associate Engineer: McGeorge, Hargett and Associates, Cleveland, Ohio

General Contractor: George A. Fuller, New York, New York

Concrete Contractor: George Paverini, New York, New York

"is it Reinforced"

95 TONS OF REINFORCEMENT—American Welded Wire Fabric Reinforcement—were used in the concrete joist floors of the new Cleveland Electric Illuminating Company Building in Cleveland, Ohio. American Welded Wire Fabric gave the thin topping slab of the concrete joist floors extra tensile strength to resist temperature and flexural stresses. It makes a strong, durable floor . . . and is extremely easy to install.

THE HIGH-YIELD-STRENGTH STEEL MEMBERS, closely spaced in American Welded Wire Fabric, also effectively distribute any unusual concentrated load that might occur between joists.


Write for complete technical information about Welded Wire Fabric, Super-Tens Stress Relieved Wire and Strand for prestressed concrete, and other quality construction materials manufactured by American Steel & Wire.


USS American Welded Wire Fabric


AMERICAN STEEL & WIRE DIVISION, UNITED STATES STEEL, GENERAL OFFICES: CLEVELAND, OHIO Columbia-Geneva Steel Division, San Francisco, Pacific Coast Distributors Tennessee Coal & Iron Division, Fairfield, Ala., Southern Distributors United States Steel Export Company, New York



Other Uses for American Welded Wire Fabric include reinforcement of ground slabs, beam-and-slab floors, and walls. It meets all applicable ASTM specifications. $60^{\circ\prime} \times 150^{\circ}$ rolls of 6 x 12, 4 x 4 gage American Welded Wire Fabric Reinforcement were used in the topping slabs of the concrete joist floors. American Welded Wire Fabric comes in a style and size for every concrete reinforcement application . . . is easily installed.










Hematology



Oral Surgery

Functional beauty was the guiding concept in the construction of this new addition to McKennan Hospital, Sioux Falls, where skilled use of color interiors complement the clean architecture of the building. This concept was carried through even to the selection of St. Charles Steel Casework in color.


St. Charles' quality, dependability and ability to

Hospital Casework by

harles

At McKennan Hospital, Sioux Falls, S. D.

Arch.: Harold Spitznagel & Assoc.



Tissue Laboratory



General Laboratory

meet special requirements are fast making Casework by St. Charles synonymous with the best in hospital equipment. Perhaps our skilled personnel and modern construction facilities can serve you too. Inquires will receive prompt attention.

> A request on your letterhead will bring our 40-page catalog, "St. Charles Hospital Casework."

casework • sinks and counters • special purpose units





ST. CHARLES MANUFACTURING COMPANY, DEPT. ARH-3, ST. CHARLES, ILLINOIS

The RUSSWIN UNILOC ... UNITY DESIGN


INDESTRUCTIBLE as a lock can be!

You get a lot of lock with this handsome heavyweight...a Masterpiece of Lockmaking! Every component is of rugged section. Almost all parts are extruded brass. The entire mechanism is precision made... and factory assembled to be mounted as a unit.

For installation, the Uniloc requires only a simple notch in the door, plus holes for through-bolts. No mortising ... nothing to take apart or put together ... virtually no chance of misapplication. Parts remain in factory-perfect fit and alignment. Installation time is cut to a minimum.

Ask your Russwin Consultant to show you the Uniloc. Examine it for yourself. You will understand why this fine lockset is specified for so many outstanding buildings. Russell & Erwin Division, The American Hardware Corporation, New Britain, Connecticut.











Steeltex easily spans six-foot centers on the fifth and sixth floor addition to Henry Ford Hospital in Detroit where it is supported by temporary shoring during pouring and curing. Bar mats provide reinforcing while Steeltex floor lath gives form to 3½ inch slab. Previously Steeltex was used on only 2- to 3-foot centers. The architect's decision to use Steeltex instead of wooden forms for six-foot spans was something new, but he soon saw it pay off as . . .

New use for Steeltex saves \$26,000 at Henry Ford Hospital in Detroit

On Henry Ford Hospital's fifth and sixth floor addition, a new use for Steeltex floor lath piled up savings of approximately \$26,000 on cost of materials and almost 50 percent on labor.

Architects for the \$3½-million job approved Steeltex and bar mats to support 200,000 square feet of 3½ inch concrete slab set on six-foot centers by an ingenious method.

Previously, Steeltex wire mesh reinforcing—sold by Pittsburgh Steel Products Division of Pittsburgh Steel Company—had been used on centers two to three feet apart. On jobs where the centers were farther apart, the architect usually specified a wooden forming material. Bar mats provided the reinforcing.

But Mike Sonk, Pittsburgh Steel Products Detroit district sales manager, had another idea.

He thought Steeltex could not only provide waterproofed forms less expensively for the Detroit hospital but help the bar mats make a stronger slab.

Sonk approached the architects with his idea. He pointed out Steeltex' cost saving advantages, speed of installation and ease of handling. Whitacre Engineering of Canton, Ohio, contractors for the Steeltex-bar mat installation, also found out quickly how well Steeltex fills their needs.

The use of Steeltex brought a savings of approximately 50 percent.

Instead of spending many hours installing wooden forming material, laying bar mats and installing shoring, here's all Whitacre Engineering workmen installing the floors had to do:

Unroll lightweight Steeltex, cut it, tighten it, clip it and lay the bar mats —all in much less time.

The Steeltex-bar mat combination



Steeltex gives clean, neat appearance underneath slab after shoring is removed. Pittsburgh Steel Products Salesman Russ Nutter shows A. M. Downes, field engineer for sub-contractor, Whitacre Engineering, how easily ceiling hangers were placed through Steeltex paper, thereby eliminating costly drilling of individual holes when wooden forms are used. Architect: Albert Kahn Associated Architects and Engineers of Detroit.

also requires temporary shoring. But there's one big difference. Once shoring is removed, Steeltex is not dismantled as wooden forms are. Result? Better safety, better housekeeping, greater time savings.

Steeltex' speed of installation and easy handling really impressed Whitacre Foreman Mike Malett. He said:

"This is the first time I've seen Steeltex used primarily for its forming ability. I'm pleased with it.

"It certainly reduced forming costs. It took three men only one day to install 3,500 square feet of Steeltex on one of the floor sections.

"With wooden forms, it would have taken ten men two days."

"I also like the way Steeltex permits quick, easy installation of ceiling hangers," Mr. Malett added.

"All you do is stick the hangers through Steeltex paper so they protrude below where the ceiling is hung.

"With wooden forms we would have had to drill hundreds of holes for the hangers. That takes a lot of time and makes labor costs much higher."

A. M. Downes, field engineer for Whitacre Engineering, added: "I like the way Steeltex fits snugly around columns and pipes. It also cuts down drip-through of cement. Both advantages are a great help.

"What's more, our workmen can walk safely on Steeltex during installation and while concrete is being poured. "Steeltex is ideal," Mr. Downes declared. "It gives reinforcing throughout, acts as a form and aids in curing the slab."

Steeltex' advantages can be put to work for you, too, on an application like that at Henry Ford Hospital. Or you might have one where centers are closer.


But no matter what the application, Steeltex is available to cut labor and material costs and insure stronger, more durable slabs.

Complete engineering advice is available at any of the Pittsburgh Steel Products Sales Offices listed here.

Call today . . . pocket the savings tomorrow.

Chicago

Dollas




See Sweets Catalog Section 2-B Steeltex® District Sales Offices Atlanta Cleveland Detroit Los Angeles Pittsburgh Los Angeles Pittsburgh Los Angeles Pittsburgh New York Pittsburgh Los Angeles Pittsburgh New York Pittsburgh

Houston

Warren, Ohio

Philadelphia




our business is communications

...a gentle chime...a blasting horn... or a complete audio-visual communication system

Sperti Faraday leads in the instant sound or sight communication systems that speed today's business or institutional contacts. Whatever your problem, whether simple or complicated our engineers are at your service to assist you in designing the system that suits your needs.

This service is available to architects without obligation. Simply call your nearest Sperti Faraday representative or write to Sperti Faraday, Inc., Adrian, Mich. In Canada, write Sperti Faraday, Ltd., Montreal.



SINCE 1875 DESIGNERS AND PRODUCERS OF VISUAL AND AUDIBLE SIGNALS

ADRIAN, MICHIGAN

Specialists in:

Fire Alarm Systems Electrical Clock Systems Hospital Systems (Closed Circuit TV) Audible Signals Annunciators Coded Paging Systems Synchronous Clocks Transformers Contact Devices ALUMINUM CURTAIN WALL BY



This New York school follows the trend to sound, economical "skin" construction.

Its Cupples' aluminum curtain wall system consists of: heavy projected windows; vertical tubular mullions; porcelain enamel or aluminum panels; integral condensation gutter; tubular head and sill at roof line and bottom of second floor. All panels were installed at the Cupples' plant. Also by Cupples, is approximately 10,000 feet of miscellaneous aluminum trim for jambs, mullions, partition closures and exterior head trim.


Whether for schools or skyscrapers, Cupples has the experience and facilities to design, fabricate and erect curtain walls to your exact requirements. Cupples, also, is one of the nation's largest manufacturers of commercial and residential aluminum windows, doors, ornamental products and Alumi-Coustic grid systems. Our catalogs are filed in Sweet's.

Cupples

PUBLIC SCHOOL NO. 7, New York City Perkins and Will, Architects, New York Laurence J. Rice, Contractor, New York

PRODUCTS CORPORATION 2658 South Hanley Road + St. Louis 17, Missouri





Cut field painting costs with Milcor Bonderized Deck!

Milcor's prime finish withstands rough handling

Shipping, storage, and erection can damage ordinary factory-applied prime paint. And, as you know, a finished paint job can be no better than the prime coat.

To assure a high-quality base for field painting, Milcor Roof Deck is Bonderized, then flow-coated with an epoxy-resin enamel, oven-baked to abrasion-resistant hardness. The result is the most durable prime finish ever applied to steel roof deck. If field painting is required, one coat will do the job instead of two.

See Sweet's section 2f/InL - or write for catalog 240.

MILCOR[®] Steel Roof Deck

It pays... in many ways... to specify Milcor Steel Building Products

MILCOR WALL PANELS Sweet's, section 3b/In MILCOR CELLUFLOR Sweet's, section 2a/In MILCOR RIBFORM Sweet's, section 2h/In MILCOR METAL TRIM Sweet's, section 12b/In MILCOR CONVECTOR ENCLOSURE WALL UNITS Sweet's, section 30h/In

INLAND STEEL PRODUCTS COMPANY Member of the MAND Steel Family DEPT. C, 4033 WEST BURNHAM ST. • MILWAUKEE 1, WISCONSIN • ATLANTA • BALTIMORE • BUFFALO • CHICAGO • CINCINNATI CLEVELAND • DALLAS • DENVER • DETROIT • KANSAS CITY • LOS ANGELES • MILWAUKEE • MINNEAPOLIS • NEW YORK • ST. LOUIS, North Ward School

NORTH WARD SCHOOL

PORTLAND CEMENT ASSOCIATION PHOTOS

For Low Cost Beauty

Architectural Concrete and Concrete Masonry made with Ideal Cement provide a BEST BUY for Schools

An economical dual application of concrete was developed for the construction of the North Ward Elementary School in Superior, Nebraska. On both the inside and outside of this handsome school building, concrete walls were left exposed.

Architectural concrete exterior walls provide an attractive, low-annual-cost exterior treatment for the entire building. On the inside, lightweight concrete masonry walls fulfill a load-bearing as well as a decorative purpose. The interior ceiling was constructed of exposed concrete filler-blocks to provide additional economies when used with the thin concrete roof slab.

This unique school building provides a total of 22,750 sq. ft. of space at a cost of \$11.33 per sq. ft.—is an outstanding example of the way architectural concrete and concrete masonry provide beauty, economy, and long life with minimum maintenance. Ideal Cement was used exclusively for all concrete and concrete masonry units in North Ward Elementary School.




IDEAL CEMENT COMPANY DENVER, COLORADO

15 Plants and 4 Terminals Serving Some of the Most Rapidly Growing Areas of the Nation

You can now have murray Multi-color floor in an unlimited choice of colorful symmetrical designs... because murray grinds after firing . . . your assurance of uniform sized Quarry Tile making minimum grouts possible. Write for full details.

and


still



ray tile company inc. TRA LU P MANUFACTURERS OF QUARRY TILE CLOVERPORT, KENTUCKY



IT'S SURFACE MOUNTED-BUT LOOKS RECESSED!



The Fixture Setting Amazing New Latitudes in Lighting

THE



- 2- and 4-lamp units for widest range of applications; banks, institutional spaces, general or private offices, etc. Ideal for re-lighting.
- No latches, no hinges, no visible hardware. Installs lightning-fast.
- Diffuser opens on continuous hook-up supports by hand from either side.
- Fully enclosed by attractively contoured, micro-embossed, matte white Plexiglas, requiring minimum maintenance.



Sent for Bulletin 763-A yet?

SUNBEAM LIGHTING COMPANY, 777 EAST FOURTEENTH PLACE, LOS ANGELES 21, CALIFORNIA SUNBEAM LIGHTING CO., INC., 3840 GEORGIA STREET, GARY, INDIANA

and now ... THE TALLEST REINFORCED CONCRETE STRUCTURE IN THE U.S.A.

EXECUTIVE HOUSE—combination hotel and apartment building at 63-73 E. Wacker Drive, Chicago Architect: Milton M. Schwartz & Associates, Inc., Chicago Structural Engineer: Miller Engineering Company, Chicago

Another record year for REINFORCED CONCRETE

1958 Promises to be another record year for reinforced concrete construction. A significant example of this trend toward reinforced concrete is the new 40-story structure shooting up on Chicago's Wacker Drive. It will be the tallest reinforced concrete structure in the U.S.A. Before you build, investigate this economical, flexible, and time-saving medium of construction.

CONCRETE REINFORCING STEEL INSTITUTE 38 S. Dearborn St., Chicago 3, Illinois

40 STORIES

30

STORIES

20 STORIES

10 STORIES







INDUSTRIES,

7409 W. WILSON AVE., CHICAGO 31, ILLINOIS

"Van Seal on Stainless is like Sterling on Silver"

INC.


certainly are different from other "look-alike" products

quality, performance and service make the difference ...and make your profit.

PATENT NOS. 2.440.741; 2.704,370

• Compare VanSeal's flawless, smooth "Satin-Glow" or "Bright-Glow" finish. Perfect corner bends leave no ripples to admit water or mar the surface beauty. Steel of heavy gauge strength and "the clamp-down grip that never lets up" resists stretching and fatigue for lifetime service.

Easy installation, no special tools. There's a VanSeal sink and range frame for every size and unit style. Same day shipments as specified from the largest, most complete stock in the industry.



by TITUS

A COMPLETE LINE OF DISTINCTIVE



AIR DIFFUSING GRILLES

These new grilles have all the characteristics necessary to open a vast new field of design opportunity-TRUE ARCHITECTURAL BEAUTY-OUTSTANDING PERFORMANCE-REAL VERSATILITY. Titus new linear type diffusers are *perfect for continuous line use in sidewallswindow sills-floors*... IN BANKS, SCHOOLS, HOSPITALS AND OTHER PUBLIC BUILDINGS.

Now available in 11/2, 2, 21/2, 3, 31/2 and 4-inch widths—with rear set of individually adjustable Airfoil louvers, multi-shutter and opposed blade dampers. Furnished in any width or length on special order.

WRITE FOR NEW FREE 16-PAGE CATALOG • TITUS MFG. CORP. WATERLOO, IOWA Rush me new FREE Catalog that gives complete information (including engineering data) on Titus Linear Type Grilles. Name

Company Address City State



ILLINOIS STATE PSYCHIATRIC HOSPITAL, CHICAGO, ILLINOIS, SHAW Metz & Dolio, Architects and Engineers, Chicago, Illinois

is served by montgomery modern elevator equipment


The popularity of Montgomery vertical transportation equipment in hospitals throughout the Western Hemisphere is no accident. Over the years, Montgomery quality-designed and qualitybuilt elevator equipment has proven itself through its dependable, efficient service, worthy of its choice and installation. Yes, it's no accident that architects, hospital boards, municipal, state and federal government building executives everywhere give the nod to Montgomery when they want the latest and finest in vertical transportation equipment and service.

other renowned **montgomery** hospital elevator installations

University Hospital, University of Washington, Seattle, Wash.

Santa Clara County Hospital, San Jose, Calif. Barksdale Air Force Base Hospital, Shreveport, La. St. Ann's Hospital, Truth or Consequences, N. M. Our Lady of Peace Hospital, Louisville, Ky. Coaldale State Hospital, Coaldale, Pa. Meadowlake University Hospital, Meadow Lake, Saskatchewan, Canada St. James Hospital, Toronto, Canada





Eight Noisy Car Shakers Can't Stop Phone Talk in this Acousti-Booth!

Nowhere could the Burgess-Manning "Hear-Here" Acousti-Booth be put to a more severe test than at the Unloading Station of the Rail-to-Water Transfer Corporation dock! Supt. Jack Best writes: "We have several of your booths that are performing very satisfactorily. We can transfer a million tons of coal a month from cars to lake steamers and all this coal is dumped from the cars, with the aid of 8 noisy dar shakers, within a few feet of these booths. In spite of this noise, which makes it almost impossible to converse at the top of our lungs in the open, we can carry on phone conversations, necessary for our complex operation, inside your doorless booths!"

"Another "Hear-Here" Booth is installed in our sub-station, where 4 motor generators make phone conversation impossible without it."

Burgess-Manning "Hear-Here" Acousti-Booths make important phone conversations possible in even the noisiest locations. Avoid errors, misunderstandings—install the Burgess-Manning "Hear-Here" Acousti-Booths.

AVAILABLE IN STYLES TO SUIT EVERY PURPOSE WRITE FOR CIRCULAR "A-142-2A"





BURGESS-MANNING "HearHere" DOORLESS ACOUSTI-BOOTH

An Island of Quiet in the Noisiest Locations. Built according to Scientific

Acoustical Principles. No Doors to Break or Stick. No Corners to Collect Rubbish.

Fresh Air Always — No Foul Odors.

> "Hear-Here" Acousti-Booth at Unloading Station. 1,000,000 tons of coal a month can be unloaded within a few feet of this booth, yet phone conversation can be carried on freely inside this doorless booth.

Rail-to-Water Transfer Corporation, Calumet River Dock in Chicago.

> BURGESS-MANNING COMPANY Architectural Products Division 5970 Northwest Highway, Chicago 31, III.


"I always specify Hako floor tile"

- School Executive: "The trend's towards color. But school floors take a lot of scuffing. And what about cleaning?"
- Architect: "In other words. You need good looks. Toughness. Easy cleaning."
- School Executive: "Can you get a floor with all three?"
- Architect: "Sure. Asphalt or Vinyl-Asbestos tile. Perfect."
- School Executive: "I left out economy. Let's put it back in."
- Architect: "We'll keep the taxpayers happy, too. It's low in cost . . . made to fit a school budget yet still gives you smart colors and patterns . . . stands up to the pounding of little feet . . . and it's a cinch to keep clean."
- School Executive: "I suppose that goes for any tile?"
- Architect: "Whoa. I like to be sure. That's why I always specify HAKO. They make both Asphalt and Vinyl-Asbestos tile. Best all-around type of flooring you can use-colorful, durable and low cost!"

HAKO BUILDING PRODUCTS A DIVISION OF MASTIC TILE CORPORATION OF AMERICA Houston, Tex. • Joline, III. • Long Beach, Calif. • Newburgh, N.Y. Asphalt Tile • Vinyl-Asbestos Tile • Coronet Plastic Wall Tile

	nducts Tile Corp. of America Box 128, Vails Gate, N. Y.
	II details and specification data and Vinyl-Asbestos Tile.
NAME	
ADDRESS	
CITY	ZONE STATE








and Again ... ARCHITECTS WISELY CHOOSE SEEL FURNITURE

Today, more ASE Steel Furniture is specified in offices, schools, hospitals and institutions than ever before. Durable...flexible...beautiful...trend-setting ASE Steel Furniture has the qualities which find increasing favor with architect and client alike.

There's an ASE dealer near you.



Better Built for Better Business

ALL-STEEL EQUIPMENT INC. Aurora, Illinois

Alodine[®] Amorphous Phosphate Coatings as DECORATIVE FINISHES for Aluminum



By PAUL KERN Product Development Dept. AMERICAN CHEMICAL PAINT COMPANY

Amorphous phosphate coatings as applied to aluminum in the ACP Decorative Alodine chemical conversion processes perform three major functions. One, they improve the natural corrosion resistance of aluminum. Two, they produce an attractive, durable and sunfast green color. Three, they materially reduce the reflectivity of the metal. And they do all these things more economically than other commercial processes.

Grades of Decorative Alodine

ACP Decorative Alodine is presently available in three grades: Architectural, Commercial and Industrial. Each is discussed in some detail herewith.



Architectural. This grade, with established standards for controlling the shades, offers the widest choice of matched colors. Finishes range from a colorless coating (Standard No. 1) to a maximum depth green coating (Standard No. 4). Since these standards are set up as color reference points only, intermediate colors within the established range may be obtained at the discretion of the processor. The immersion process by which it is applied includes etching, the Decorative Alodine treatment, and lacquering. The Architectural grade coating provides a pleasing matte finish with low glare properties; good self-washing characteristics due

to the lacquer coating; optimum corrosion resistance; good abrasion resistance; effective color match on shades represented by the standard green colors; protection against mortar damage, no staining or pitting of the metal; a parting layer permitting machine forming of the aluminum after treatment.



Typical applications of the Architectural grade include banks, museums, institutional and commercial installations of aluminum.

Commercial. This grade provides the same service life and protective characteristics as the Architectural grade. The only differences between the two are that the aluminum is not etched prior to the Alodine treatment, and that the color selection is limited. The range of color and the coating weight (min. 250 mg/sq. ft.) are determined by mutual agreement between the buyer and the seller. The coating can be applied by either spray or immersion processes. In either case the Decorative Alodine color coating is given a finishing coat of lacquer. Commercial grade




coatings provide good corrosion resistance; good self-washing characteristics; good abrasion resistance; protection against mortar damage, no staining or pitting of the metal; a parting layer which permits forming of the aluminum after treatment.

Typical applications of the Commercial grade include industrial and institutional buildings.

Both grades on embossed sheets meet the reflectivity requirements of Corps of Engineers Specification CE-222.01.

Industrial. This grade consists of the Decorative Alodine treatment only. No etching is done. No lacquering is required. It provides a preweathered surface which reduces glare. It produces an excellent base for subsequent painting. Aluminum treated with this grade, by spray or by immersion processes, is available from aluminum producers and processors.



Cost Data

Although prices for all three grades vary according to shapes, sizes and quantities, a general comparison can be made as follows:

- Architectural grade costs 1/2 of the lowest priced dyed anodic coating
- Commercial grade can be applied at 50 to 80% of the cost of the Architectural grade
- Industrial grade can be applied at 25 to 50% of the cost of Commercial grade

Performance Data

Several sites throughout the country have been used for a number of years to test these coatings under actual conditions. Results of these tests are available upon request.

For more complete information about Decorative Alodine, contact an ACP sales representative or write us at Ambler.







Builder Richard Schoen (left) and Architect Pierre Zoelly at the site of their ultramodern home for Mr. and Mrs. Paul Decker in the Surrey Hill area of Columbus.

"Planned telephone outlets help a modern home stay modern"

-says Mr. Richard Schoen, Custom Builder, of Columbus, Ohio

"My customers want their homes to be modern today and modern tomorrow, too," says Mr. Schoen. "Among the many conveniences I plan with the future in mind are telephone outlets, with the wiring neatly concealed in the walls.

"I discuss these telephone outlets with every customer, and we consider not only present needs, but anticipated future requirements also. The way I see it, every house I build can be a lasting advertisement for me here in Columbus. And planning for telephone outlets is one good way to insure that my homes are going to stay modern and desirable for a long time to come, as well as please customers and help sales today."

Your local Bell Telephone business office will be glad to help you with concealed wiring plans. For details on home telephone wiring, see Sweet's Light Construction File, 8i/Be. For commercial installations, Sweet's Architectural File, 32a/Be.

Working together to bring people together BELL TELEPHONE SYSTEM



MEDART Power Operated GYM SEATS open and close at the turn of a key



Moves the biggest seat sections into position in a few seconds. If all seats in any section are not needed, release of key stops movement instantly when wanted number of rows are in position. Automatic safety controls insure hazard-free operation. Key-operated control can be remotely installed anywhere. Removable key prevents unauthorized operation.

* Patents Pending

HELP ON GYM SEAT PLANNING

Medart's Gym Seat Catalog tells how to get better, safer seating with minimum investment. Write for your copy.

MEDART MAKES THE BEST:

Telescopic Gym Seats • Basketball Backstops Basketball Scoreboards • Gymnastics Apparatus • Physical Therapy Equipment

FRED MEDART PRODUCTS INC.

Commended by W. Harold Hayes Superintendent of Fridley Schools FRIDLEY HIGH SCHOOL Minneapolis, Minnesota Architects and Engineers Magney-Tuslet and Setter

Automation eliminates all manual effort-Power operators self-contained in seat sections-Key control switch may be installed anywhere

MEDART'S FULL AUTOMATIC POWER OPERATION* opens and closes the largest gym seat sections quickly, quietly, safely, without physical effort. Crashing, banging is eliminated—life of seats is prolonged—maintenance is reduced to a minimum.

No special construction provisions, no floor tracks, necessary. Building conditions remain same as for manually operated seats. Any 110-v. or 220-v. power source will do. Power oper-ation plus Medart's exclusive "Floating Motion" and "Dual Align" guarantees much non bir ding trachese Align" guarantees smooth, non-binding trackage.

Write for illustrated brochure.

ONLY MEDART SEATS HAVE THESE PREFERRED FEATURES

- 1. Safer self-supporting free-standing understructure.
- 2. Eight vertical steel-angle uprights per seatboard.
- 3. Retracting rubber rollers put load on floor, not on casters or wall.
- 4. Interlocked telescoping supports and roller housings make operation easier, prevent binding.
- 5. Toughest, smoothest, most abrasion-resistant wood finish on market.
- 6. More leg and foot room—better visibility.




SPECIFY the best, then INSIST on it!

ST. LOUIS 18, MISSOURI

3540 DE KALB ST.

A continuing series of distinguished office buildings, schools, churches, hospitals and industrial structures using NORTON DOOR CLOSERS



A CLASSIC OF MODERN DESIGN WITH DOOR CLOSERS TO MATCH

As thoroughly modern as the latest findings in nuclear fission, this distinguished structure has been hailed as one of the most outstanding of recent additions to the Washington scene. To preserve complete harmony of design throughout, every detail including door closers was selected with utmost care.

Both Norton INADOR® and surface mounted


closers were extensively used, the latter on doors where concealment was not considered essential. Both are true liquid type closers with all the reliability, low maintenance and precision workmanship which the name NORTON always implies. For complete data on these and all other Norton models, consult the current catalog. Write for it today if you don't already have one.



A complete line of Norton Surface-type Closers is available for installations where concealment is not essential.



ARCHITECTS: Skidmore, Owings & Merrill



CONNECTICUT GENERAL gets lifetime premium value

医周初

日間

STAC TATES

11.20

TRIB

10 01

2.0

with VICRTEX V.E.F

everlastingly beautiful WALLCOVERING FABRICS

For walls no less dramatic than their exciting surroundings, Connecticut General's architects and designers used VICRTEX VEF wallcoverings . . . to give smart textural interest to vast sweeps of wall . . . add rich color and sparkling freshness from floor to ceiling. VICRTEX VEF provides a complete answer to the designers' needs: imperishable good looks—no maintenance costs.
Follow your inspirations in design and decoration with complete freedom . . . plan your walls with Vicrtex VEF for lasting beauty.

L.E. CARPENTER & COMPANY, INC.

Empire State Building, New York 1 • LOngacre 4:0080 Mills: Wharton, New Jersey

* Vinyl electronically fused, needs no backing however used.

Write NOW for samples, prices, helpful color brochure — Viertex VEF "Walls of Fame."

another

for

assured visual flatness . . .

positive structural soundness

use



porcelain enamel

CURTAIN WALL PANELS

PORCELAIN ENAMEL

U-20 Curtain Wall Panels U-16 Curtain Wall Panels Special Curtain Wall Panels Veneer Panels Copings, Mullion Covers, etc. Industrial Porcelain Enamel Finishing For that most desired combination of panel flatness with the structural security of mechanical assembly in your curtain wall panels, look to ERIE. More than 30 years' experience in architectural porcelain enamel has perfected these attributes in the ERIE U-20 and U-16 insulated porcelain enamel finished curtain wall panels.

ERIE production methods and size recommendations assure excellent visual flatness. The cutaway view and section below clearly show the overlapping-flange construction and mechanical fastening which secures the closure permanently.


You can rely on the ERIE method when you want a flat, structurally *permanent* curtain wall panel with *permanent* porcelain enamel finish and color. No other panels now marketed fill the bill quite so completely.

> WRITE for "ERIE Insulated Porcelain Enamel Panels"—a 20-page brochure with all the answers.

The

Alexandrate the

ENAMELING COMPANY ERIE, PENNSYLVANIA CHICAGO, PHILADELPHIA Representatives in Principal Cities



Here's Customer-inviting beauty that lasts longer with less care

Bolta-Floor's rich decorative colors and patterns help "dressup" stores . . . make them more appealing to shoppers. Best of all heavy store traffic has little effect on Bolta-Floor. Its smooth, non-porous surface resists soil, scuffs and stains . . . keeps its lustrous "just-polished" appearance with far less care than other types of flooring. Bolta-Floor is dimensionally stable . . . won't crack, chip or shrink. Exceptional beauty and outstanding performance makes Bolta-Floor the wise choice for modern stores, buildings and institutions.

GENERAL PLASTICS The General Tire & Rubber Company

SPECIFICATIONS:

Bolta-Floor is available in 23 marbleized, 24 "Terrazzo," or 5 solid colors, in standard 9" x 9", or 6" x 6", 12" x 12" and 18" x 18" tiles on special order, in .080", and $\frac{1}{2}"$ gauges. Solid or marbleized are also offered in $\frac{3}{2}"$ and are produced in 27", 45" and 54" roll widths for floors, walls and countertops. See Sweet's 13i/Ge.

THE GENERAL TIRE & RUBBER COMPANY FLOORING DIVISION + AKRON 9, OHIO



SOLID VINYL FLOORING

THE FINEST QUALITY FLOORING FOR . . .

Stores, Restaurants Hotels, Motels Banks, Offices Hospitals, Homes



VERSATILE...ATTRACTIVE...LOW-COST K&M ASBESTOS-CEMENT DECORATIVE PANELS OFFER EXCITING NEW POSSIBILITIES IN DESIGN!

Here's how one architect utilized K&M Asbestos-Cement Decorative Panels to form striking combinations ... at reduced costs.


On the left side of the house, he used K&M Ribbed Decorative Panels . . . with K&M Linabestos Flat Sheets forming the lower half. At the right, he installed K&M Fluted Decorative Panels. These combined with K&M Asphalt Roofing Shingles to give an attractive contemporary appearance to this medium-priced house.


Decorative Panels have many client-pleasing features. Cost is low. Construction is inexpensive. Installation

Cement Decorative Panels are vermin-proof and weather-resistant. Never need protective painting.

Won't burn, rot, or corrode. Consist of asbestos fibers and portland cement.

K&M Asbestos-Cement Decorative Panels offer you a good-looking, economical material that can enhance any design ... regardless of the price range of the house. Write to us today for complete information.





An actual example of Rusco Window Modernization: a midwest department store, with 196 openings.

RUSCO Window Modernization

Improves Appearance, Comfort and Maintenance In 1 to 2 Hours Per Opening

Custom-fitted Pre-assembled Windows and Frame Liners Eliminate Scaffolding, Gutting . . . entire instalation is made from inside. Interior trim is undisturbed.

Tenants are happier with cleaner, more comfortable space. Rusco's "Easy-slide" feature eliminates window operation complaints. Optional insulating sash helps maintain a 15° differential in summer, draft-free comfort in winter, and provides draft-free ventilation. Heating—cooling—maintenance costs go down because Rusco's felt weatherstripping stops infiltration. All glass is removable for washing inside.

There is a Rusco Replacement Window to meet your architectural requirements. Satin finish aluminum or hotdipped galvanized steel with baked-on enamel for low maintenance and long wear.



THE F. C. RUSSELL COMPANY, Columbiana, Ohio

In Canada: Toronto 13, Ontario





■ Buildings go up faster . . . construction costs go down . . . floor space increases with versatile Haskelite building panels on the job.

Along with being prefinished, Haskelite plastic laminated panels are structurally strong, moisture-proof, noncorrosive, rot-proof, vermin-proof, lightweight and provide a constant insulating value. They add a modern appearance to curtain and window wall buildings . . . are easily installed with a minimum of labor.

Haskelite panels are available in a wide range of stock sizes and thicknesses, or in special sizes when specified. For the complete story on the advantages of Haskelite panels, write: Haskelite Manufacturing Corporation, Department BO, Grand Rapids 2, Michigan. Monsanto Chemical Company's new laboratory in St. Louis represents the most thorough use of plastics in a commercial building in the world. Haskelite panels played a basic structural role in this new building. Architect—Holabird & Root & Burgee, Chicago.



The modern, attractive appearance that can be gained with Haskelite panels is shown here in the students' dormitory at Marion College, Marion, Ind. Architect—Orus O. Eash, Fort Wayne, Ind.

New student housing project at Michigan State University goes up rapidly with Haskelite panels. Entire wall can be installed without using expensive erection equipment. Architect—Manson Carver Associates, Lansing, Mich.



These lightweight panels incorporate Haskelite's own Polyester Resin impregnated fiberglass cloth faces, bonded to cement asbestos interbands, and a foamed polystyrene core.



Haskelite is a registered trademark

So beautiful...and yet so practical...



6

bathroom accessories in sparkling **chrome**

Electric Warm-Dri Rack keeps towels dry and warm.

> Attractive Extendo-Bar adds utility ... retractable extensions pull out instantly for extra drying space.

Concealed Vanity Shelf. Chrome trim, sliding mirror glass doors. Has electric outlet, tooth brush holder – lots of space for bottles, medicines, etc.

Sold by leading plumbing, tile, and hardware dealers everywhere

Life can be beautifully practical for those who have Hall-Mack bathroom accessories in their homes . . . because these choice fixtures have an inherent quality that equals their attractive appearance. Sparkling with real originality and blending smoothly with any decor, these deep-quality, chrome-plated accessories are styled in various price ranges to meet your taste and needs. For solid convenience and the extra glamour that creates satisfied customers . . . always specify and install Hall-Mack . . . the world's finest accessories.

	IPANY Division of TEXTRON I	NC.
1380 W. Washington BI	vd., Los Angeles 7, California	
Please send your Fl ideas	REE color booklet of new bathro	om
NAME		
ADDRESS		
CITY	ZONESTATE	
		AR-3

Prestige Photographers — One of a series. At the right, Photographer-Illustrator Bob Christiansen, who has carved for himself a reputation for brilliant concept and daring execution, captures some of the sleek, warm character of Rhodesian Walnut in the Stem veneer that backs this self-portrait.

PRESTIGE VENEER THE CHARM OF RHODESIAN WALNUT

Capture Rhodesian Walnut's charm and beauty fully by specifying STEM veneer from log samples

Walnut, from many parts of the world, brings to mind gracious living, a comfortable warmth, surpassing in elegance nevertheless. The world's finest furniture pieces are made from walnut. Veneers, in Rhodesian Walnut, manufactured by Stem, provide a perfect background of elegance for whatever is the finest. On any project requiring 1,000 square feet or more of fine wood wall paneling, Stem affords the important and additional means of capturing fully this lovely warmth by specifying from actual log samples the veneer of your choice. You can be sure then of just the right color gradation, just the right configuration of grain, the perfect background. Stem offers the *world's largest collection* of architectural flitches (a log or part of a lot cut into veneers) from which you can choose Rhodesian Walnut and many other fine, rare architectural veneers. If you identify in your original specifications the selected flitches by wood specie and flitch number, only then can you be comfortable in your confidence that the finished installation will achieve the full warmth and beauty to which you are entitled when you select a decorative background with a magnificent tradition.


CHESTER B. STEM, INC., NEW ALBANY, INDIANA







STRUCTOGLAS area walls and relight panels flood school room with cooled natural light.



STRUCTOGLAS adds shatterproof exterior beauty to this distinctive contemporary design.



Daylight never takes a holiday in this sun-oriented school by Charles W. Johnston, A.I.A. Colorful Structoglas reinforced plastic panels were used in skylights, window walls, roof over-hangs and relight panels—to let natural light in, filter out hot infrared rays. And shatterproof Structoglas adds functional beauty to walk coverings, shower and lavatory partitions. Sunlight is free. Put it to work with Structoglas.

specs a	nd samples-	olete Structoglas STRUCTOGLAS I	DIVISION,	structogias
	nd 9, Ohio.	Plastics, Inc., D	ept. ARS,	duta tile



picked professionals

Reach for a Venus drawing pencil ... and get the clearer, consistent, precision line blueprint and drafting work demands. The lead in all 17 degrees of Venus drawing pencils is homogenized by the exclusive Venus Colloidal Process. Result: sharper prints . . . smudge-free tracings. Clean erasures are easy to make.


And because Pressure-Proofing seals the lead to the wood along its entire length, the Venus is stronger, holds a needle point longer. See why Venus sets the standard for fine drawing pencils. Also try Venus Refill drawing lead that fits all holders.

SEND FOR the Venus Technical Test Kit. State degree wanted-also choice of pencil or refill lead.





OVENUS PEN & PENCIL CORPORATION, HOBOKEN, N. J.






Maximum Security Narrow Stile Locking Devices

For New or Replacement Installations

Whether you specify, install, or sell narrow stile locking devices, you can be confident that Adams-Rite offers the utmost in design, construction, simplicity and safety. Check these advanced ideas that insure top performance and lasting customer satisfaction:


Illustrated above - Maximum Security 1850 Deadlock:

This is the unit that provides Maximum Security for modern narrow stile swinging glass doors. The pivoted bolt actually bridges the opening with a bar of steel, retaining as much bolt within the lock stile as is projected. Its protection is so great that forced entry is impossible without destruction of the door itself.



MS 1849 Two-Point Door Bolt:

The modern method for locking the inactive door of a pair of narrow stile doors. Top and bottom bolts are locked or unlocked by natural operation of an attractive turn conveniently located on the inside surface. Positive deadlock of both doors is automatically provided when cylinder deadlock is thrown.



970 Minimum Backset Deadlock:

This unit provides economical deadlocking for rigid narrow stile swinging doors. Like all Adams-Rite narrow stile locks, the 970 Series operates with standard mortise type cylinders of any make.





Complete specifica-

tions and information on request.

1450 Deadlocking Latch:

Traffic control is made possible in a narrow stile swinging door entrance by use of the 1450 Series Deadlocking Latch. Two-way traffic flow or restricted entrance is achieved by a simple selector. Ideal for any public area with a closing-hour problem, such as banks, markets, apartment houses, etc. It satisfies building and safety regulations.





1848 Deadlock for Narrow Stile

the same protection demanded of any other exterior door. The 1848 gives security with an adjustable heavy hook type bolt with which turn and cylinder controls are used. For added safety, the bolt collapses if the door is accidentally shut while bolt is projected.


1340 Series, Deadlock and Latch:

Combination deadlock and latch for narrow stile swinging doors. A simple selector changes the unit from free swinging to latch action. The positive latch action helps prevent air losses when temperature control systems are used.

Specify, Sell, Install the Finest



Specialists in Narrow Stile Locking Devices



Steel-Framed Home of the Future



Built with an eye to the future is this steel-framed house in Oakland, California, designed to serve as a home heliport. And for this function, the house had to be so solidly built that only steel could do the job.

There were other advantages in using steel framing. Since the steel frame carries the load, curtain walls are lightweight material including large glass panels. All supporting elements of the house are incorporated in a series of six continuous rigid steel-framed bays. The steel won't warp or rot, and where left exposed, it is attractive to the eye. And it took just two hours to put up the entire steel frame!

Bethlehem structural shapes were used in the building of the spacious house and its attractive patio.


Owner-builder: Roy D. Nichols; Architect: David Thorne; Structural Engineer: Donald H. Moyer; Steel Fabricator: Herrick Iron Works.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

On the Pacific Coast Bethlehem products are sold by Bethlehem Pacific Coast Steel Corporation, Export Distributor: Bethlehem Steel Export Corporation



BETHLEHEM STEEL




Quality Accommodations

HOUSING BY BREUER THE INSTITUTE FOR ADVANCED STUDY, PRINCETON, NEW JERSEY

For A Community Of Distinguished Scholars



Continental Air Views



The membership of the Institute For Advanced Study is composed of scholars selected for their attainments in mathematics, physics, or historical study. Their ages vary; some are unmarried; the majority have families. But all have in common an ardent devotion to the pursuit of learning, and all are situated in a semi-retreat away from the town. In designing housing for such a group, individual comforts and amenities were of course a basic requirement for the units and their siting. But the provision of an environment and facilities for the community spirit of the membership was the factor that weighed heavily in planning the arrangement of the plot.

The dwelling units-of five types ranging from bachelor singles to 3 bedroom plus study units-were grouped to form a series of courts where children at play may be watched. All dining-kitchen and living

> rooms face the courts for this reason, as well as for favorable outlook upon no-traffic areas. Bachelor units (designated B) are placed on the periphery, closing the courts at these points

and providing convenient access to the Institute dining facilities across the road. Note that the courts are not closed quadrangles but are suggested enclosures, free at their corners and visually open where carports cut through the buildings.

The focus for the plan is the common, or "village green," dedicated to adults and community affairs. It is ringed by the main access road, called Einstein Drive. Through travel is discouraged by bending or narrowing through roads ; service traffic is kept away from courts. Where units are shown dotted, several existing cottages will remain temporarily for added housing, community use, and expansion.

The natural configuration and character of the land were carefully maintained; trees were saved wherever possible. Buildings were placed with their lengths paralleling existing contours in order to minimize excavation and grading.

Architect: Marcel Breuer: Associate. Robert Gatje. Engineers: Slocum & Fuller, Consulting; Wiesenfeld, Hayward & Leon, Structural. Landscape Architect: Bryan J. Lynch. Builders: Sovereign Construction Co.

AREA COMPUTATION-All Areas Gross

TYPE UNITS SQ.FT./UNIT SUB-TOTAL USE

Α	1	980	980	Caretaker's Apt., 3 BR's
В	32	515	16,480	Single Occupancy with Kitch.
С	20	755	15,100	LR, K-Dining, 1 BR, Study
D	20	1,035	20,700	LR, K-Dining, 2 BR's, Study
E	24	1,035	24,840	LR, K-Dining, 2 BR's, Study
F	10	1,130	11,300	LR, K-Dining, 3 BR's, Study

RECAPITULATION


Floor Areas, 107 Living Units	89,400 sq ft
Porches and Carports	24,900 sq ft
Service Areas (Laundry, Boiler)	4,400 sq ft
TOTAL PROM	CT 118,700 sq ft


TAL PROJECT 118,700 sq ff




In the aerial views above, one can see the Institute building in the foreground, lower picture; the new housing across the road, center; and the golf course beyond, top. The town of Princeton and the University lie in the distance beyond the golf course-roughly a 10-minute drive away.

Housing, Institute for Advanced Study










Type E; one-story unit



Type D; ground floor at left, upper floor at right



At the beginning of the design process, dwellings in a variety of shapes were considered, but the decision was for the restful horizontality of one and two-story row houses; modified from the conventional to rob them of the monotony so often associated with that kind of building. This was accomplished by means of changing roof overhangs, sunshades, screen and terrace walls of contrasting


	n and	WHE .	6.0.44	1
_0				

masonry, open stairways, balconies, and open carports. The carports prove especially effective in breaking the "row" impression, and as they occur, provide vistas through and beyond the houses. Also, their roof decks serve double duty as porches for the occupants of the upper floor at that location. There are five types of apartments, B through F, and they are shown on these two pages by means of the




architect's presentation plans and elevations. The type A unit-of which there is only one—is pictured on the following page; a tabular summary of the occurrence and areas of types is printed on the preceding page.

Study of the plans will reveal certain features-unusual in the design of institutional housing-that are common to all the apart-




ments. In a given unit, all the rooms are on one level; the living room and dining-kitchen areas open to the garden court, either by terrace or protected balcony; the dining area is adjacent to the living room, either opening to it or screened off; the bedrooms are of sufficient size to accommodate two beds plus an area for study; the study proper is designed to be used alternately as a bedroom




for a guest or an additional child; kitchens are located near entrance doors; and every apartment boasts a fireplace!

On the exterior, high strip windows in the entrance façades of the buildings provide privacy for the rooms facing this way; and sun protection is furnished either by roof overhangs or wood louvers for all glass areas that are exposed to strong sunlight.



Type B; ground floor at left, upper floor at right





The single type A unit, top, houses the superintendent's apartment


The single type A unit, top, houses the superintendent's apartment and central heating plant. A typical carport is shown above. Exterior materials and colors: light orange-rose brick; natural cedar siding; trim and fascias painted white with black accents; free-standing electric distribution boxes variously painted in vivid colors. The construction is conventional wood frame with brick veneer; the sliding sash are of special design.




A fireplace for each apartment

Type E, court side














Type F, entrance side





Housing, Institute for Advanced Study



One can note, in the above picture of a typical terrace, how screenwalls of concrete block are employed to secure privacy. The block —which are painted light gray—are laid in a pleasing pattern of solids and voids that robs the screen of apparent heaviness. The louvered sunshade—in addition to serving its prime function—lends also a feeling of shelter to the terrace space.








American Design to Brighten Bogotá


Edificio Esso for Colombiana, S. A. Bogotá, Col.

Architect: Lathrop Douglass Structural Engineer: Leon Selzer Mechanical Engineer: Sidney W. Barbanel General Contractor: Martinez Cardenas y Cia. Interventores: Pizano, Pradillo y Carlo

While exporting some solid American know-how on large office buildings, this one also exerts a bit of leadership toward brightening the local scene. As it happens the architect was first retained as consultant to review the company's space requirements, analyze building economics, and select a suitable site. But he was also thinking in environmental terms, and the site chosen offered good possibilities in this regard. It is on one of the main avenues leading toward the residential section, in the path of business expansion; more importantly it faces a handsome park with a grand view of the Andes. As for the







166 ARCHITECTURAL RECORD March 1958


Esso Building, Bogotá



brightening effort, beyond the normal development of the scenic possibilities, the local climate is given to almost continuous overcast skies. The temperature is equable, with virtually constant year-round readings of around 50 degrees, but the cloudiness tends toward drabness. Most local buildings, moreover, were colorless and drab. Hence the architect hoped to establish a new trend toward color: opaque glass spandrels are deep blue; metal fenestration grid is dark brown with white sash; tile end walls are in a variegated pattern of white, tan and dark brown. Other spots of color enliven the overall effect.

In some other locations near the equator the architect has made much of orientation to keep hot sun out of the building, or to obviate a glare






Esso Building, Bogotá




situation. Here, however, the normal scheme would be to run the building east and west, to catch the heat from occasional sunlight. But this was scarcely important—a simple hot water heating system is provided—and the company wanted the display value of frontage along the street, and the mountain view; hence the building runs north and south.


The masses of the building express three main types of space in the program. At ground floor level there is a two-story unit for medical and personnel departments, and a rental unit of similar size for a branch bank. The main office building straddles these two bases, leaving an open space through the building to develop a sense of enjoying the views from either side.




Esso Building, Bogotá


The frame is reinforced ribbed concrete designed closely for lightness and economy. Forms are of bamboo and are left in place after the pouring. The bamboo is woven together to form small boxes, like metal pans, and saves importantly in weight as against the tile filler commonly used. The bamboo need not be removed, can in fact be used as lathing where plastering is necessary.





A PILGRIMAGE: Ronchamp, Raincy, Vézelay







Credits: Top, Raincy, photo by Chevojon; bottom, Vezelay, Samuel Chamberlain. Except as noted all photographs of Ronchamp are taken, with permission, from "Le Corbusier Oeuvre Complete, 1952 to 57;" Wittenborn & Co.; Photographers: Bernhard Moosbrugger and Robert Winkler

by John Ely Burchard Last summer, along with hundreds of others, I made my pilgrimage to Notre Dame du Haut on the little hill outside Ronchamp. It is a little hill; Notre Dame is a little chapel; but the experience is not little.

> Most comment about the work of Le Corbusier tries to sound objective. It affects the impersonal language of analytical criticism or adopts a mystic aureole of high-sounding words to conceal subjective praise or blame. The praise sounds particularly eloquent in French:

"La Chapelle? Un vase de silence, de douceur." LE CORBUSIER

"Ronchamp? Un sourire, un rayon de soleil pétri de douceur et de silence . . . Ronchamp est lumière . . . les lumières de Ronchamp . . . sont d'espérance et d'amour."

JEAN PETIT

I do not plan any such hocus-pocus here. No man of our day can be really objective about this remarkable and puzzling architect or his persuasive and disturbing chapel. I do not pretend to be and so write in the unabashed first person.

There is an excellent injunction on the fly-leaf of the official book of Ronchamp, "Il faut toujours dire ce que l'on voit, surtout il faut toujours, ce qui est plus difficile, voir ce que l'on voit."

There are a number of postures that make it impossible to see. You cannot see Ronchamp if you are the single admitted native American architectural genius sitting on Parnassus, ignoring with Olympian disdain the architectural work of every other living man. In that posture you have no occasion to go to Ronchamp at all.

You cannot see Ronchamp if you approach architecture with austerity and a desire that the world should settle down to its main business of refining an already excellent, almost classic, form of steel and glass. You may go to Ronchamp, but its plasticity, its lack of precision, its spontaneous imperfections will offend you and confirm you in your previous conviction. You cannot see Ronchamp if you have an anticontemporary philosophy, if you have concluded, after modestly sophisticated study, that "modern is washed up" and that we need to find a new Richard Morris Hunt as soon as possible.

You cannot see Ronchamp if you are a lady correspondent, who thinks that her personal preference for or against coral pink has anything to do with architecture, and who has reached the astounding conclusion that a layman is about as likely as an architect to design a good building.

You cannot see Ronchamp if you have been brought up in a small Protestant village church, have traveled little, continue to judge what is a "good" chapel by the standards you acquired in your impressionable rural youth and are now a member of a committee of Congress trying to decide what kind of chapel will be good for an Air Force Academy.

If you are any of these people, you cannot see Ronchamp or you will detest what you think you see. The resemblance of my characters to anyone, living or dead, is quite intentional.

But it is also possible not to see Ronchamp because your eyes are too wide open. You will not see it if you are in a state of uncritical euphoria about everything "modern." You cannot see it if you are more discriminating than that but believe that everything by a master must be a masterpiece. You cannot see it if you are over-zealous to find a plastic architecture to confront the solid phalanx of the Miesian idiom.

Finally, you may be able to see but not be able to speak. This may happen if you have been an advocate of what was once a revolutionary avant garde but cannot now believe the revolution is over, or see how pitiful the ranks of the "enemy" now are!

Of course I have my limitations, too. Let me admit the ones I recognize: First, I am not a Catholic. I know intellectually the differences between a chapel, a basilica, a church and a cathedral; between a place of pilgrimage and a place of regular worship. I know what happens in the Mass, pretty fully on the intellectual side and partly, I think, on the emotional, though I do not participate in it. Though I believe that practically all the greatest art in the world has been made in the service of religion, the statue of the Virgin is yet, for me, a statue. I do not know how much one's eyes are closed to the ultimate meanings of Ronchamp if he has the bad luck not to be a Catholic, but I have to believe that something important goes unseen.

I am a country boy from the Middle West and was brought up in a modestly ugly Congregational church, under what I now realize was a bad stained glass memorial to my grandfather. During the First World War, almost by accident I wandered into Winchester, looking for the Round Table. This was the beginning of a long love affair.

It was hard to carry on a love affair like that in the architectural school of M.I.T. in the early twenties. You did not design in Gothic until you were well along and I couldn't even master the design of the Petit Trianon to get along. The historical explanation of Gothic was the mythical one of Cram and Henry Adams. It did not explain why Cram's churches were unconvincing, why they did not lift up the heart as the smallest Burgundian or Auvergnat church might do.

This was nothing simple like the absence of iconography on one and the presence of a rich book on the other; it was nothing complicated and intellectual like the missing relation of Thomism to plan and structure or pragmatic like the hunch that the real Gothic builders would never have worked so hard to make a stone vault if they had had structural steel. No, it was simply visceral. I am only happy that what I later knew did not deny what I then felt. The point of this is that I still feel better about French Romanesque than about any other Christian architecture I know, and this means Poitiers, Moissac, Conques, Tournus, Saulieu, Avallon and Vézelay. Behind these in my heart are Bourges, Amiens, Chartres and Paris.

I can hope that we may contrive, within the convictions of our day, something not the same but as excellent. To manage it we shall have to have as powerful convictions and as much skill. One without the other will not be enough. I hope I can recognize it when it is made, but I don't covenant to love it as much.

I think we may have come pretty close to such an excellence in a few contemporary churches, though many are empty, displaying no vigor, providing no peace in their sterile little laminated-truss sheds. When I say "a few" churches, the reader has a right to wonder what sort. Perhaps a list will offer the neatest revelation of prejudice. Of churches I feel I know, here is my "first ten":

St. Engleberts at Riehl, by Dominikus Böhm

- Notre Dame du Raincy, by Auguste Perret
- Dominican Convent at Vence, by Matisse
- Church at Assy, by Novarino and Malot
- St. Antonius at Basel, by Karl Moser
- Reformed Church at Zürich-Altstetten, by Werner Moser
- Christ Lutheran Church at Minneapolis, by Eliel Saarinen
- Interdenominational Chapel for M.I.T. at Cambridge, by Eero Saarinen
- St. Mauritius Church at Saarbrücken, by Albert Dietz
- Swedenborgian Chapel at Palos Verdes, by Lloyd Wright

From the photographs I thought that Ronchamp would have to push something off the list, and the question was what, since very exciting things like Maurice Novarino's Church of the Sacred Heart at Audincourt were already left out.


Then there is possible prejudice about architects. I admit to the conviction that I can predict which six living men over fifty will most surely be in the history books. They are Wright, Niemeyer, Gropius, Aalto, Mies van der Rohe and Le Corbusier, and of these I believe Le Corbusier is the most provocative, the most inventive, but not the most classic, refined, gay, sensitive, or human. None of these men hits the bull's-eye every time. A genius must be judged by his best work, not by his high average performance. I felt before going to Ronchamp that Corbusier would be regarded in the long run of history as the foremost influence on his architectural time, but not as its greatest artist or architect. For this highest accolade I thought he was too careless. I came back from Ronchamp feeling the same way.

These were the prejudices I brought to Ronchamp. I made some special preparations and visited or revisited in a rather deliberate order the Ste.-Chapelle, the little Benedictine Church of Saint-Pierre de Montmartre, the basilica of St.-Denis, Notre Dame du Raincy, the Cathedral of Saint-Etienne of Sens, the church of Saint-Lazare at Avallon, St.- Andôche at Saulieu, the monastic church of the Madeleine at Vézelay, and the Cathedral of Saint-Lazare at Autun. After the event I returned for a brief and disappointing reunion at Rheims. Though each of these had a purpose in my plan, I mention them only to suggest a background. Here, except for Ronchamp, I shall adduce only Le Raincy, Saulieu and Vézelay.

Le Raincy was a revelation. It sits on a dull site on a drab street. You cannot really walk around it, and there is little or no important sense of the exterior. Its greatness is entirely inside, for which no photograph has prepared you. When you are in it you no longer care that it was a pioneer in the overt use of steel and concrete in a church. You are not very interested in the basilica-like choirless plan. You notice that Perret brought the altar down on the floor, but it does not seem important that this was an early example of a now common liturgical de-emphasis of the gap between ministrant and people. Of course you feel the slenderness of the piers and how smoothly they flow into the slightly arched roof. But the overwhelming single impression is of the prismatic light which runs the gamut of the spectrum from narthex to altar. This light permeates all the walls and filters on to all the floor through the consistent and orderly honeycomb of concrete. It makes our little, much admired, tries at blocks of light in church walls seem timid and tepid. It is a Ste. Chapelle but with a difference. It has no serious iconography and no imperial symbols; it is simpler than the great chapel of the saintly Louis IX; it reads at once, it has unity, serenity, peace and sanctity. It achieves all this with no sense of shock. It was comprehensible to my cab driver who had never seen a modern church before. Le Raincy asks of Ronchamp, do you promise as much?

Ronchamp's billing as the hall of light is false. It uses light well and mysteriously in its own way, it has its own and different unity, but its light is neither so brilliant nor, paradoxically, so serene as the light of Le Raincy. I cannot judge of the sanctity.

Saulieu, like many old buildings, is incomplete. Its transept and its Romanesque choir were burned away in the mid-fourteenth century. The present small choir was badly added in 1704. It almost slumps, just off National Route VI, near a restaurant that is presently more famous. The eighteenth-century dome sits on top of a Romanesque tower like one of the helmet hats girls wore in 1928. Again you have to go inside. Then you find a simple Cluni-



sian nave, only five bays long, enclosing one only moderately high and quite narrow space. There is no intricate vaulting, only heavy ribs springing rather flatly from uncolonetted supports. The blind arcade with four semicircular arches in each bay provides no light. Above in each bay a single arched window, very near the springing of the vault, offers a reveal, deep as the embrasures of Ronchamp. But at Saulieu the windows are evenly spaced, the rhythm is one that is sensed at once. Some of the rhythms of Ronchamp are not so easily connected. Saulieu is not a light church, albeit not much darker than Ronchamp. The light has reverence, it is not startling, it never hits you in the eyes, it moves rhythmically and hieratically with the path of the sun. It is a light that is always in order and never in chaos; for Saulieu was not built to proclaim that God had established a universe of chaos.


The important comparison from Saulieu, though, is to be found on its capitals. If Ronchamp had no iconography this would not matter. But Ronchamp does have iconography and must stand the comparison. It is fair to compare it with the work of another time and place. The work of Saulieu is worth pondering for its meaning to us now, not so much for its explicit texts, or as an example of a Romanesque style, or for its quaint charm or even its macabre quality, but for its living contemporaneity. The blinded eyes and the bended knees of Balaam's donkey are more than touching. They carry all the messages of the horses of Guernica and a few others. Joseph's expression as he thrusts his sack over his left shoulder and, rope in right hand, leads his wheelmounted donkey around the corner of a capital is an expression of eternity. The face of Christ in the resurrection capital goes beyond the capacity of later sculptors towards a divinity that was lost when they tried to make Christ simply "the most beautiful of the children of men." The little dashes of paint that Le Corbusier has seen fit to throw upon his glass are simply not in the same class. The inscription of the Magnificat spread through the windows, even in the personal calligraphy of Le Corbusier, is not as moving as the sightless eyes of Balaam's ass even if the eyes were carved long ago by a naïf and anonymous artist and the writing is by one of the most famous and sophisticated men of our day. Perhaps the word is too respected in our world; perhaps Le Corbusier is too much with the word; perhaps the word, perhaps the complete abstraction, is not yet a substitute for the picture. Perhaps the unknown carver believed more in what he carved than the acknowledged genius did in what he wrote. I do not know the reason. I can only report the fact as it appeared to me. Ronchamp would have lost nothing important by the loss of its iconography; Saulieu would.

Then we came to Vézelay. Like Ronchamp, it is on a prominent hill in hilly country. Its country is more pleasant than that around Ronchamp, but the backdrop of the Vosges is more impressive than the backdrop of Vézelay. Vézelay can be seen for longer and from farther and is altogether bigger, but these are not the useful comparisons.

The buildings are separated by eight hundred years in time but not by as much in purpose. Each was in its day intended to be an important place of pilgrimage, though Vézelay no doubt had the wider fame. The descriptions of the concourses of pilgrims, where they slept, how they ate, what miracles of healing were concluded, sound much the same through the centuries.


Vézelay is a remnant of what was once one of the most important abbeys in Christendom; despite all the publicity, Ronchamp is a minor shrine, built as a whole with not much money, springing from one mind and in a single jump albeit on an ancient foundation. You must discount the size of Vézelay, its portals, and forget the iconography, too. Ronchamp has no sculpture; Vézelay has some of the finest in the world. But Ronchamp is its own total sculpture and Vézelay is only architecture. Whether architecture should be sculpture you will have to decide for yourself.

Places of pilgrimage they are, however, built on



different concepts. At Vézelay the pilgrim is expected to get into the church. This is splendid in bad weather and the weather in sunny France is bad a good deal of the time. At Ronchamp the pilgrims, when they come in large numbers, are expected to worship from outside and the east front is designed for them, the east front and half a hill. This has the advantage of being less confining but has one important disadvantage.

A major problem of pilgrimage architecture is to focus the attention of the worshippers on the shrine. Vézelay does this to perfection. The usual verticality of the Gothic and even of Romanesque churches has been disciplined by a magnificently apparent hori-









"Le Raincy (across page) was a revelation ... the overwhelming single impression is of the prismatic light ..." "Vezelay (center) is a remnant of what was once one of the most important abbeys in Christendom ... to focus the attention of the worshippers on the shrine. Vezelay does this to perfection ..." "The important comparison from Saulieu is to be found on its capitals ..."

Credits: Raincy, G.E. Kidder Smith; Vezelay, Samuel Chamberlain, Saulieu, Pheliphot, via Zodiaque, January, 1955 zontality. Three sets of capitals on every pier establish three horizontal lines. Many more are provided by the alternating pink and white stones in the ribs of the barrel vault. Together they combine, autocratically to be sure, to lead the eye to the ribs of the choir which then draw it down inexorably to the altar. Ronchamp has no such obvious external discipline and indeed deliberately denies it. There is even competition between the pulpit and the statue of the Virgin, but the east wall remains impressive and eye-arresting. Since what happens before this wall serves the main purpose of the shrine, we might ask no more.

It is not quite so simple inside if we stick to architecture. The many interests of the interior encourage perhaps too much democratic or even anarchic dissipation of interest. Vézelay permits no such byplay. It has a magnificent and convincing order. Of Vézelay's interior you instinctively think of the words "simplicity," "clearness," "unity." You shrink from using them for the interior of Ronchamp and then you hesitate and are not sure.

How impossible it is, then, to talk of Ronchamp in black-and-white terms. There are the semantics. There are the prejudices. I brought prejudice against the photograph which I think is the biggest potential lie-teller in architecture. I had seen fine photographs before I went to Ronchamp and had rejected them as fantasies. I came away from the reality confused, satisfied that the building did lack essential unity and that there was too much personal caprice, interesting or not, but also happier than I had been among the photographs. Now that I am back and have some new photographs, I look at them again and find the order that I missed when there, but miss the happiness. Which is the reality?

Of course the photographs show no people, and when we were there the place was full of people, not worshippers but tourists like us. They dragged their gritty shoes over the pavement in a monotonous contra-bass. They were always standing in front of everything; not many were worshipping. In Saulieu there were only a few worshippers and they were quiet and kneeling. We never saw Ronchamp that way. At Vézelay there were lots of tourists, but they were quiet and mostly organized, and the place was big enough to absorb them easily. But Ronchamp is not big enough. Do you judge it, then, by the repose of the photographs when no people are there? Might it be that way in mid-week? Was it our bad luck to come on a Sunday? Or were the people part of the glory of the edifice? A building for people ought to be able to stand the presence of people, but were these the right people?

The approach from the west toward the Vosges on National XIX is full of expectation. Suddenly you see it quite far away on the right, unexpectedly white. The mass might well be taken for that of a large and well-ordered farmstead, but that does not

seem inappropriate. You see it for a while, but as you near the town it falls from view and as you round the hill it is so obscured that you are surprised to find on entering the town that the road up is at your left. All the way to the top the hill is in the way. As you drive up the dusty, somewhat rough, road, you pass people walking down; you debouch not on a parvis but on a sloping, grassy, rurally informal parking place. Then you walk straight up the road, pause to pay your hundred francs to a boy at the gate. All this time you can see only the top of the shrine because there is another building in the way. This turns out to be an unimportant concession also built by Le Corbusier. You must not be put off by this or the other concessions with their competing signs, advising you that each is the only one whose profits will positively go to the benefit of the shrine. You must not be put off by the accordion player or the beer drinkers. You must not be put off by the café beyond the west wall where you can lunch moderately and more usually have your beer or your wine or your aperitif and some family conversation. None of this is sacrilege. It is part of the ambiance of any Continental shrine of this sort. In this environment the shrine does not draw her skirts away from the normal human life around her.


There could have been a better approach. We should have walked up the hill in the company of the other pilgrims on one of the two annual days of pilgrimage and stood before the east wall in contemplation of the ancient icon of the Virgin. Given choristers, vested priests and a multitude before that wall, I have no doubt of the result. That is the primary purpose for which Notre Dame du Haut was designed; that is the first criterion by which to judge it. It comes off well.


The exterior is a cameraman's paradise, for every change of position proposes a quite different view. You feel no compulsion to go in but are rather drawn to circle around the edifice two or three times; you feel moved to stroke its sinuosities; you cannot but be enamored of its shadows and the amazing way the roof meets and hovers over or disappears behind the wall. You move around the building without realizing always that you have changed sides, for there is nothing of the separation of sides and ends that you sense when you observe first the chevet and then the abside and then, say, the west front of a Bourges. The movement is steady and you find it unnatural to think in terms of west walls or east walls. The whole thing swims in space and each step or two provides you with a different impression; the portholes, the wonderful roof, the free-standing column within its horseshoe sleeve at the east, the towers, the downspout, all the well-known features lead you from one to another, now dominant, now recessive. The forms cast evanescent shadows on each other, and when the sun is playing with the clouds, as it was this day, the effects are subtle and ever-changing. They also











Credits: photo right center by Rene Burri, Magnum change rapidly as the sun moves down the horizon. At this level Ronchamp seems alsmost impeccable, or certainly would seem so as soon as surprise and shock had worn away. As a backdrop for biannual pilgrimages or as a piece of outdoor sculpture, religious or secular, Ronchamp is an overwhelming success.

The interior raises more questions. It must be remembered that it is not intended often to serve for ordinary masses or services; down in the village there is a very decent and old church to care for that. Still the circulation of this church is *very* strange. There is a "porte principale," but it offers no particular invitation to enter. There is another door opposite on the north side and that is where the bookseller sits, so this seems like a main entrance. Then there is a third door right alongside the altar and usually open to throw a blinding ray of light into your eyes. People go in and out of all these doors. Thus the pious sit in pews athwart the circulation and have no privacy. In more conventional churches visitors obtrude less on devotees.

We happened to go in by the north door. This brought us face to face with the great south wall and the overwhelming impressing of the magnificent piece of three-dimensional cubism, recalling to me more a reminiscence of a street scene in the cubist movie, *The Cabinet of Dr. Caligari*, or a wall in the Casbah than a reverent reference to Marie. At least it seemed a thing that would have been equally at home on a law court in the Punjab; the only difference was the message carried on the glass. This did not seem enough.

Had we entered by the intended door we might have had a better feeling, but later when we stood in that position I was again disturbed by the massive and coarse pulpit. Its coarseness is deliberately emphasized by the absence of the otherwise ubiquitous whitewash.

When you turn to the back, away from the altar, by standing near it, the space comes alive. Here you have a sensitive view of all the volume except that concealed in the little chapel under the tower. It is truly plastic space, marred only by inappropriate confessionals. The catenary roof makes a wonderful junction with the wall. Save for the intrusion of the pulpit, the view from the rear towards the altar is also impressive. Now the single curve of the roof offers a foil to the remembered reverse curve at the rear. Again the space as a whole is a plastic unity with no conventional direction lines to tell you that it is so. But the pulpit is an offense at the left, confessionals are an offense at the rear, the window of the Virgin is an offense at the front because it pours too much light through its little rectangular porthole. And it is so carelessly placed (even if located by a modulor) that its light impedes vision of the altar and destroys any pretension to what Tillich calls "holy emptiness." Finally, there is the charming and to me the most reverential detail of the interior, the little altar at the foot of the tower which you can see only after you have moved to the rear.


I have deliberately fragmented this description of the interior as I have not fragmented that of the exterior to emphasize that this may be precisely the greatest defect of Notre Dame du Haut. You end with a feeling that there was a unity, but you can never quite remember what the unity was. You are driven back, as you sometimes are with a fine Baroque building, upon the recollection of brilliant but quite contrasting and separate details.

Ronchamp boasts of its spontaneity. I suspect this is at once its strength and its weakness. If Le Corbusier had niggled over proportions and curves something would have gone out of the sculpture. But this "spontaneity" is also its weakness. I know of no truly great artist of the past who was ever careless about his details. To care about finish, now, seems in many quarters to be the sign of decadence. In this matter Le Corbusier, as an architect, is a major offender. He does not build well; he has no respect for the finest craft of either the machine or the hand. Perhaps he even chooses to exaggerate their ineptitudes. He would rather toss off a brilliant galaxy of speculative notions and go on to something else. To be able to do this is enough mark of genius. Perhaps we should not demand more. Ronchamp is just such a galaxy of suggestions. Its threat is that it encourages the unimaginative and the insensitive also to have their flings at innovation.

And in the end Ronchamp is confusing, too exciting, too theatrical. It does forge its way onto the list of ten, but where I am not quite sure. It is superior to most religious edifices of our day. It may point the way for careful men to find a new apotheosis of religious architecture. But it does not provide the apotheosis. Great poets are, like great men, simple. Great architects are, like great poets, simple. "Great poets mean what they say." Great buildings mean what they say, and they say it so you can hear it clearly very soon. This comes from an order which has finally emerged from the chaos of innovation. Ronchamp does not speak in quite so clear a voice. Vézelay does.

Whether this is because our best-known architects do not have the sincere and humble skill of the builders of Vézelay or whether something has gone out of the religion itself, I would not pretend to know. Whether it is because we underprize stability and overprize novelty I do not know. I suppose the artists must keep on trying to understand the religion, and the religion to use the artists.

It is pretty clear to me that I would find it simpler to worship at Vézelay. Yet I prefer the life of Ronchamp to what I imagine the life of Vézelay must have been. If anyone knows where that leaves an observer of the contemporary scene, it would be good to hear.



Villa Tesdorpf Skovde, Sweden

Ralph Erskine Architect

Arne Larsson and Tore Greger, Engineers


Byggnadsfirma Carl Tesdorpf **Contractors**

All photographs by the architect

The new philosophy holds that a house in a forest that appears "rustic" or attempts to "harmonize" with the woods is ill-conceived. The design for this villa makes capital of contrasting man-made construction against nature, with the result that the house thereby gains in integrity, while a measure of life and interest is added both to villa and setting.


The machine-like regularity of the second-floor sheathe-composed of pine boards as they come from the saw-plays effectively against the random verticality of the trees; yet boards and trees-organically one -are peculiarly sympathetic in character. The concrete block groundfloor enclosure appropriately expresses the idea of foundation for the lighter, "floating" element above. In brief: an outstanding design particularly suitable in an environment that has a bold quality of itsown.

Due to the relatively small plot, two stories were required to fill the needs of the owner-builder. The second floor is given over to sleeping; the ground floor to living, dining and service areas. Architect Erskine says, "The villa had to have good contact with the garden and provide protected outdoor space. All building is of course a matter of space enclosure. This scheme resolved itself with a system of continuous screenwalls, built into the free space of the site to enclose within and between continued on page 181











Swedish Villa

them different zones for the various activities of the family. While these screens give a feeling of enclosure, they also convey—at each point of termination—a sense of contact with the garden by way of large windows and glass doors; this emphasized by forming house and garden into a continuous composition in which the walls reach out into nature."

The plan above explains graphically how ground level spaces are grouped within four screen-walls: first, an inner one enclosing living, dining, hall spaces; the second about the kitchen-dining space, serving room, entry, cloakroom; then the two back-to-back forming the maid's room and garage—these last linked to the kitchen by a utility passage.







Swedish Villa

The ground floor walls are of lightweight concrete block, plastered inside and painted outside. Laminated wooden beams carry the upper bedroom floor, which is constructed entirely of wood, its exterior having the character of a continuous screen of sawn boards set vertically. Note at left the manner in which the floating second floor effect has been achieved by means of a continuous strip of glazing that clearly states-visually-the articulation of the two elements; upper and lower floors. The boarding pattern is interrupted on the north by perforations serving to light halls and baths; on the south by bedroom windows. Walls and ceilings of the second floor are pine-board paneled, lightly stained except in the bathroom, where they are painted. The wall boards are planed smooth, while those for the ceilings are left as they come from the saw.

On the ground floor, the plaster walls are painted in white and shades of gray; the ceilings are made of sawn pine boards lightly stained; the floors in principal areas are of selected native pine. The staircase is supported on pine stringers and has treads and handrails of teakwood.



THE RANGE OF GAUDI


by Henry-Russell Hitchcock


Compared to the ease with which the essential characteristics of the architecture of Wright-at least in the period of his Prairie Houses-can be epitomized, or that of Le Corbusier in the 1920's, the variousness of Gaudi's buildings is bewildering. His most conspicuous extant work, the transept facade of the church of the Sagrada Familia (page 188), is by no means typical of his achievement. Erected as a portion of a scheme originally quite archaeologically Gothic, to a limited extent it does illustrate, from top to bottom, the development of his style from the early 1890's to his death in 1926. But many conspicuous aspects of this façade are not to be found at all-or very rarely-in his completed work of those years: the profusion of sculpture, including much figure work; the basically Gothic ordonnance of the portals; the execution throughout in cut stone. What is perhaps his most idiosyncratic treatment of surfaces, moreover, irregular mosaic work of various different materials, is hardly found here at all except on the finials (fig. 20), which were executed after his death; hence they quite lack his special authority as a sort of abstract painter in architectural materials. Although this fragment of a vast project gives evidence of a highly personal approach to structure, particularly in the openwork masonry of the tremendous spires, the virtuosity and versatility of his techniques as a constructor are only suggested. Most notably, his special approach to the isolated support or "column" is hardly to be apprehended at the Sagrada Familia, in the executed portions.

The Casa Battlo (at left) of 1905-1907, although it was not a new building but only the remodeling of an existing apartment house, actually displays more aspects of his virtuosity than does the transept facade of the Sagrada Familia. By an over-all mosaic of pieces of broken colored glass, interspersed here and there with mottled disks of glazed ceramic, the whole wallsurface, flat because inherited from the existing edifice, is turned into a sort of gigantic "action-painting." In the lower two stories, at the roof crest, and in the ironwork of the balconies, the plastic interest, absent from the rest of the façade, is supplied in profusion. But there is nothing that can be called sculpture, as on the church; rather the architectural elements themselves are executed in various materials, from the chiselled stone of the ground-story piers to the scaled tiling of the roof crest, in an exaggeratedly plastic manner. There are, however, no major structural problems here; and the isolated supports, particularly in the second story (fig. 11), are at least as much ornamental as constructional.

The following pages bring together under four headings: Structure, Supports, Masonry, and Tiled Surfaces, a few examples only of Gaudi's variousness. The illustrative material has been selected from that brought together by the Museum of Modern Art for its Gaudi Exhibition and is used here thanks to the generous cooperation of the Museum's Department of Architecture. Further acknowledgment should be made also to the Amigos de Gaudi, the Barcelona organization which prepared the exhibition held there of Gaudi in the summer of 1956 and which supplied to the Museum a very large part of their Gaudi material.







The best known of Gaudi's structural schemes, perhaps, is one that he was never able to carry to execution. The final project for the vaulting of the Sagrada Familia, worked out just before his death in 1926, would carry to fantastic extremes of articulation the skeletonization found in Late Medieval masonry construction (fig. 3). In the statical studies on which this was based Gaudí made use of three-dimensional diagrams of wire loops loaded with weights (fig. 6), analogous upside-down to the forces with which his structure would have to cope. His extreme sort of ribbed masonry construction appears in executed form at the church he began at Santa Coloma de Cervelló, begun in 1898, and the Casa Milá, begun in 1905. The interior of the completed crypt at Santa Coloma-the upper church was never built-is so dark that photographs do not clearly reveal the basket of ribs and the nearly flat web of vaulting that the ribs support. The same system, however, can be apprehended, if not perhaps completely understood, in the porch (figs. 7 and 17). Figure 2 shows similar construction in the attic of the Casa Milá.

A quite different approach to structure can be seen in two instances where Gaudi worked not with masonry but with concrete. In the Ippostilo below the large terrace of the Park Güell (1900-14) the stylized Doric columns are built up of precast blocks, still therefore in the masonry tradition. But the reinforced slab of the ceiling (fig. 5), lightened by circular concavities like shallow



domes, closely resembles the ceiling of Frank Lloyd Wright's carport at the Johnson Wax Building in Racine.

Perhaps the most fascinating piece of Gaudian concrete construction in the light of later developments is the corrugated roof of the tiny parochial school built beside the Sagrada Familia in 1909 (fig. 4). Here the scallops of the plan are repeated in the roof but the two sides are, as it were, syncopated, so that the convexities of one side fade gradually into the concavities of the other.

Other examples of structural invention or modulation are less readily illustrated. For example, by using an interior skeleton of isolated piers at the Casa Milá, not of the regular American grid order but as varied in disposition as the curves of which the facades and the court walls of the apartment house are made up, he was able to introduce quite different apartment plans in successive floors.

On the next two pages the galleries at the Park Güell illustrated in Figures 8 and 9 give examples of the slanted supports, half pier and half buttress, that he frequently employed (see also fig. 7). The statical diagram in Figure 9 makes plain that this is not wilful naturalism in imitation of treetrunks or rock-forms but the result of thorough analysis of the forces acting upon galleries cut out of a hill-slope and terraced above.



After the conventional Gothic piers in the crypt of the Sagrada Familia, executed in the 1880's largely from the designs of the original architect Francisco de Paulo del Villar, almost the only example of traditional columnar forms in Gaudi's work is provided by the Doric columns of the Ippostilo (fig. 5).

For all their somewhat Moorish air, the most refined of his supports, the marble colonnettes in the Palau Güell of 1885-88 (fig. 10), are pure cylinders whose capitals are pure cones interpenetrating the base of the delicate arches-already, it will be noted, parabolic, not round or pointed-that rise above them. At the furthest extreme from this elegance, which is not so much "palatial" as in the spirit of twentieth-century industrial design, are the stone piers used inside and out on the crypt at Santa Coloma (figs. 7 and 17). Monoliths crudely hacked to shape, these are extreme examples of the freehand quality so characteristic of Gaudí. For all their crudity they are marvellously expressive of the work they are called on to do.


As ornamental and as finished in execution as the colonnettes in the Palau Güell are those in the second story of the façade of the Casa Batlló. Here a relationship to the Art Nouveau of Northern Europe might be suspected; but for the linear plant-forms of Horta's and Guimard's ironwork, Gaudi has substituted a bony member which is

completely three-dimensional.

The finest Gaudian supports are less decorative and more directly expressive of structural purpose. The slanting piers of the galleries at the Park Güell (figs. 8 and 9) have already been referred to as examples of Gaudian structure. Although these are not imitations of nature they do possess in their rough twisted surface of rubble, which spread with no break into the vaults above, something of the organic feeling of treetrunks although nothing of the attenuation characteristic of Art Nouveau forms modeled from flower-stems. The close interrelationship in materials and forms between supports and what is supported is found also at the base of the Casa Batlló (page 183) and, at its best perhaps, at the Casa Milá (figs. 12 and 16). The local nickname of this apartment house, La Pedrera (The Quarry), well expresses the effect which these piers and the surfaces of the balconies above them present of natural rock-formations eroded by time and water, although they are made actually of cut stone laid up in broad courses.

Besides the monolithic stone shafts, there are also piers that are slanted like those of the Park Güell galleries but built up of brick and even of slag (figs. 7 and 17).

SUPPORTS



10


11

MASONRY

17

With the exception of his especially characteristic use of tile mosaic, most of Gaudi's buildings have exposed masonry surfaces and a good part of the range of the materials and treatments that he exploited are illustrated in the supports shown on the previous page. The additional illustrations on this page chiefly show more extensive use of similar materials. Again and again he employed a rough brownish rubble, not laid up in courses but forming a sort of irregular surface mosaic. In his earliest work of consequence, the Casa Vicens of 1878 (fig. 13), the rubble walls were varied and presumably strengthened by raised bands of polychrome tile. More appropriately in the Teresian College of 1889-94 the rubble walls were paneled with raised bands of brickwork. Later, at the Park Güell (figs. 8, 9 and 18) there is no intermixture of other materials in the rubble walling, although in the gate-lodges of the park (fig. 18) the roofs are of tile mosaic and tile mosaic also forms the frames around the windows. On the lantern of the Palau Güell of 1885-88 (fig. 15) tiny lumps of rubble provide a sort of rough incrustation.

Gaudi also used cutstone in several different ways. Less conventional than the stonework of the Sagrada Familia, and without the sculptural exuberance of the portals there, is the quarry-faced ashlar laid up regularly in rather large oblong blocks at





the Palau Güell (fig. 14). Solid and businesslike, with none of the slick elegance of the marble detailing used in the interior (fig. 10), this is associated with very plain smooth-cut trim for the windows and doors.

In a major late work the treatment of the ashlar is very different. The stone blocks of the Casa Milá (figs. 12 and 16) are all shaped as if by a sculptor's hand to continuous curved forms, and the hammered surfaces, suggesting natural erosion as has been noted already, minimize the individuality of the separate blocks.

The most extraordinary sort of Gaudian masonry is that of the crypt at Santa Coloma (fig. 17). There the walls seem to have been heaped up, rather than laid, out of the most irregular of discarded klinker bricks combined with lumps of blackish slag.

Increasingly as his career went on Gaudí seems to have sought, like so many midtwentieth century painters—or for that matter Monet in the same early decades of the century—to make every inch of his surface alive. His approach to materials is consistently that of the freehand craftsman who selects each piece of material by eye, composes what he has selected by eye, and finishes the surface with simple hand tools, rather than the conventional architectural approach to materials as a mechanical realization of effects predetermined in drawing.





The use of azulejos, glazed tiles, for exterior as well as interior wall finish is a very old tradition in the Iberian peninsula, lately revived with considerable success in Brazil and Spanish America. Peculiar to Gaudí is the use of this treatment on elaborately curved surfaces, the tiles being generally broken into rather small and irregular fragments so that they may be accommodated to the curvature. Least unconventional is the tiling used in the court of the Casa Batlló (fig. 21). Specially formed tiles enframe the windows and some tiles with simple relief patterns are also used, but the larger areas are covered with plain square tiles set diagonally, most of them white but some of them in several shades of plain blue. Lapped roof-tiles of a fairly conventional type are used on the front surface of the cresting of the façade of the Casa Batlló (fig. 23) but very special bulbous and fluted shapes cap the ridge and crown the turret whose wall is covered with the same mosaic of broken colored glass as the main façade below (page 183). On the rear of this roof crest and in the other examples (figs. 20-23) one sees Gaudi's more usual treatment, with the tiles broken into small pieces and fitted to the undulating surfaces. In the case of the ventilator on the roof of the Casa Milá (fig. 22) the tile-fragments are all white in keeping with the almost completely monochrome treatment of the whole exterior, although these surfaces are naturally lighter and brighter than those of the grey stone walls below.

A much, much richer effect is obtained on



the roofs of the gate-lodges at the Park Güell (fig. 18) by employing tiles of various brilliant colors, some even patterned, arranged in sharply defined shapes. The extreme of Gaudian fantasy is to be seen in the incrustation of the serpentine benches that surround the great terrace of the park above the Ippostilo (fig. 19). The ceramic material employed here is of the most varied origin, including kinds of domestic chinaware, and it is arranged in an almost endless succession of compositions resembling Dada or Surrealist collages. Small sections of this ultimate display of Gaudi's virtuosity, when seen isolated in color photographs, resemble the work of various artists of the early twentieth century-Klee, Ernst, Schwitters, etc. Here the necessity for the direct intervention of the architect in the execution of the work is especially evident. But to carry out so extensive a work Gaudí must in fact have trained others to assemble these mosaics with something approaching his own sensitivity to shape, to

TILED SURFACES






19





20





color, and even to the subtle connotations that the patterns on many of the fragments suggest.

How important was Gaudi's personal supervision, if not actual execution, of this sort of mosaic-work is suggested by the finial of one of the towers of the Sagrada Familia (fig. 20) which were carried to completion only after his death. The flat mechanical quality of the tiling here is unimportant since the finials are hundreds of feet up above the observer, but the lack of the sensitivity which controls even the plain white tiling of the Casa Milá ventilator is evident in the detail photograph.

Thus to separate the aspects of Gaudi's work and consider them in partial isolation is to belie the essential nature of his work to a serious degree. It was basic to Gaudi's architecture that it should always be very richly orchestrated. The parochial school (fig. 4) and an early warehouse at Mataro are almost the only simple buildings he ever produced. But so rich are the meals his works offer that it may make them more digestible to divide up those meals, so to say, into some of their main courses. We are so little accustomed to looking at twentieth century buildings in this way-although we are ready to do so for those of the great ages of the past-that a special effort has to be made. That special effort can, however, be rewarding; at least it leads away from the unfortunate critical tendency to reject or to swallow the work of this extraordinary architect en bloc.

PHOTOGRAPHS

- 1. Casa Batlló, 1905-07 street elevation
- 2. Casa Milá ("La Pedrera") 1905-07 attic
- 3. Sagrada Familia, 1903-26 section
 - 4. Sagrada Familia Parochial School, 1909 elevation
 - 5. Park Güell, 1900-14 Ippostilo
 - 6. Sagrada Familia, 1903-26 statical studies of vaulting
 - 7. Santa Coloma de Cervelló, 1898-1914 porch of crypt
 - 8. 9. Park Güell, 1900-14 colonnade
- 10. Palau Güell, 1885-88 colonnettes
- 11. Casa Batlló, 1905-07 window detail
- 12. Casa Milá ("La Pedrera") 1905-07 entrance
- 13. Casa Vicens, 1878-80 street elevation
- 14. Palau Güell, 1885-88 street elevation
- 15. Palau Güell, 1885-88 roof
- 16. Casa Milá ("La Pedrera") 1905-07 street elevation
- 17. Santa Coloma de Cervelló, 1898-1914 entrance to crypt
- 18. Park Güell, 1900-14 roofs of gate lodges
- 19. Park Güell, 1900-14 serpentine benches 20. Sagrada Familia, 1903-26 finial of tower
- 21. Casa Batlló, 1905-07 court detail
- 22. Casa Milá ("La Pedrera") 1905-07 ventilator on roof
- 23. Casa Batlló, 1905-07 roof detail
- 24. Sagrada Familia, 1903-26 transept of the nativity

PHOTOGRAPH CREDITS

MAS, Barcelona, 1-4, 6, 7, 10-12, 14-17, 21, 23; F. Catala Roca, Barcelona, 19; Zer-kowitz, Barcelona, 20, 24; Leslie Gill, New York, 13; Herbert Brooks Walker, New York, 22.

24

Horizontal Separation Of Occupancy


Offices of Louis G. Redstone, Architect and Allan G. Agree, Associate Architect, Detroit, Mich. Milton Baron and Hrand Hampikian, Landscape Architects.


In this horizontal scheme, rental offices are shielded from the architect-owner's quarters by an extended wing wall, have separate entrances directly on the sidewalk, and share the joint offstreet parking lot. The architect's office—with a walled graden centers on a reception-exhibit gallery entered either from the street or from the rear.

The exterior is of face-brick, aluminum sash, and plate glass; the frame is wood; the floors generally asphalt tile except for carpeted offices; interior walls are of painted lightweight concrete block.

The inviting, brick wall enclosed patio-garden at the rear makes generous use of sculpture; a bronzed-steel gate by Julius Schmidt; a ceramic fountain piece by Samuel Cashwans; and ceramic bas-relief wall inserts by Walter Speck.








Vertical Separation Of Occupancy

Offices of Harold Sptiznagel & Associates, Sioux Falls, S. Dakota. Franz Lipp, Landscape Architect. Terra Cotta Sculpture, Margaret Schnaidt.

The requirements for this building were the same as for the preceding example—the provision of rental space plus architect's office. But here, the two occupancies were separated vertically, with the architect on the second floor. Rental offices at ground level use a portion of the basement for laboratories. All offices enjoy the amenity of an adjacent public park.

The second floor is sheathed with redwood stained gray; the lower portion is pink brick. The stock wood sash is all glazed with sealed double glass to reduce the load on the air-conditioning system. Bar-joists provide clear spans so partitions may be moved or removed as necessary. Ceilings are acoustical tile; floors are vinyl or rubber tile; interior walls and partitions are plaster, finished either by painting or by vinyl covering.



190 ARCHITECTURAL RECORD March 1958






An Office Added To A Factory

Offices for T. J. Cope, Inc., Collegeville, Pa. Jules Gregory, Architect. Robert E. Lamb & Son, Engineer & Contractor, Ethelbert E. Furlong, Landscape Architect


This smartly styled office structure was built against the blank block wall of an existing factory to provide the 3,200 sq. ft of space required by the owner; a manufacturer of electrical equipment. The plan is simple, providing executive offices, reception, services, and connection to an aisle in the factory through the large general office.

The building is placed over a crawl space to furnish flexibility of electrical, telephone, and airconditioning facilities. The space is spanned by open-web joists which are supported on light steel beams and columns. The steel curtain-wall panels were fabricated in regular duct forming equipment by a heating contractor, then finished in an automobile paint shop. The $1\frac{1}{2}$ in. thick sandwich panels contain glass insulation plus an air space to prevent the transmission of condensation.









Lawrence S. Williams

Remodeled Floor In Old Building

An office building floor in Atlanta, Ga., redesigned by Toombs, Amisano & Wells, Architects, for their own occupancy.


This floor in an old mill-construction office building in downtown Atlanta was remodeled to provide three principal areas: the drafting room (for 18); the office-conference group; and a central service area for secretaries, files, supplies, drawings, samples, etc. New wood studs are faced with insulation board, colored burlap, pegboard, and gypsum board. A 6 ft 6 in. line carries throughout as a change of materials point.



Photos by Bob McGinnis







MEDICAL BUILDINGS

BUILDING TYPES STUDY 256

R


It is not news that the health needs of a community, as far as buildings are concerned, are quite diverse: most communities require a considerable variety of facilities, some of which might be highly special. Only fairly recently, however, have newer types been seriously studied. In 1954 the Hill-Burton program was revised to provide financial encouragement for the building of some special types: nursing homes, chronic disease hospitals, diagnostic and treatment facilities, and rehabilitation centers. Since then federal financial support has been given to projects in these types, total cost of which runs over \$210,000,000. The need is great: in the two long-term categories the total need has been estimated at more than 500,000 beds.

Beyond mere volume, there has been significant advance in concept and design of such buildings. Architects have had new programs to interpret and develop. The architectural unit of the U.S. Public Health Service has carried out a considerable program of research in the requirements of these special types, and has developed a great volume of background information.

Private enterprise has also been active in developing facilities not included in government programs: especially small buildings for the group practice of medicine, or perhaps merely medical office buildings for individual practice, and health insurance offices and outpatient clinics.

This Building Types Study is essentially a report on what's new in these more specialized types of medical facilities. No two buildings are directly comparable, no two programs alike. But all were chosen as representing good solutions to more or less typical problems in the area of specialized medical buildings, facilities vitally necessary for our new health goal—keeping people out of hospitals.

-EMERSON GOBLE



Medical Clinic with Non-Medical Look

A nice bit of gospel is expressed in this little building for a group of doctors: a medical-oriented building doesn't have to express the more hygienic aspects of the association; it might emphasize more human ones. The program here called for "clinic space for five doctors on an interior lot in a residential district, with a maximum amount of off-street parking, and avoid a sterile, clinical appearance and create a building with an intimate and inviting atmosphere." The waiting room was developed to create that inviting note; the fireplace provides a center of interest and was designed with a minimum mass to give the receptionist a good view into the room. The building was placed on the front of the lot, to minimize the prominence of the parking facility.


The building is a wood frame structure on concrete perimeter foundation. There is a four-foot crawl space under the entire building to permit easy access to piping. Materials were selected to minimize medical suggestions: natural woods and gay colors wherever possible. Walls are vertical grain hemlock in interiors; exterior siding 1 by 4 cedar; cabinet work natural birch. Hoyt Street Clinic Portland, Ore.

Architects: Skidmore, Owings & Merrill

Mechanical Engineers: J. Donald Kroeker


Electrical Engineers: Grant Kelley & Associates


Landscape Architects: Florence and Walter Clarke











9. Mechanical

Equipment

10. Hygienist

11. Sterilization

Prestige Values in a Dental Clinic

This is a dental clinic building with a considerable quantity of built-in appeal to patients as well as doctors. It has actually contributed to doctors' work by permitting them to do a larger volume of work with less effort, and patients have commented that the building takes some of the pain out of dental visits. Since some of the dentists are tenants, the result is particularly happy, and the prestige value noticeable. The building (actually two buildings) is disposed along the long side of a narrow deep lot, allowing the parking to be in "front" of each office. For privacy the "fronts" are relatively closed, the operating rooms having a full wall of glass overlooking a landscaped court. These rooms are aligned for great convenience, and are well separated from waiting rooms. The courts were designed to enchance the open feeling in what is really a tight plot. Buildings are connected with covered walks, the design of which was intended to produce sufficient interest to tie together visually the three façade elements of the buildings. Framing is light steel columns and beams, with steel bar joists. Exterior walls for the most part are non-load-bearing curtain walls; floor is concrete slab on grade, independent of roof framing; thickened edges support the walls. Interiors are a collaboration between the owner-dentist and the architect, in a generally Mayan note. The mural was designed and executed by this owner-architect team.


Dental Arts Building Gainsville, Fla.

Owner: Dr. Lewis J. Marchand

Architect: David Reaves

Landscape Architect: J. M. Crevasse, Jr.






Large Clinic Screened from Traffic Noise

Medical concept for the clinic group is the now familiar one of several doctors banding together to provide a comprehensive medical service. Architecturally, the concept takes off from a desire to produce amenity values for a site on a noisy, heavy-traffic boulevard. The medical services include: internal medicine, gynecology, chest and general surgery, general practice, ear, nose and throat, psychiatry and dentistry, with supplementary services including laboratory, radiology, pharmacy. The site is on Ventura Boulevard, with heavy noisy traffic. For a visual and acoustic barrier the architect placed most of the building behind a concrete block screen wall, with an enclosed landscaped patio area. The wall and the courts are relied upon for the adornment of a very simple building. The separate office units are fairly large, the largest of 1100 sq ft. Some of the suites are combined, with two doctors sharing reception space. The doctors have a get-together lounge, actually a penthouse. The building is of stud and plaster construction, concrete slab on grade. Ceilings have acoustical tile and treatment room walls are soundproofed. Square foot cost was under \$15.

Gordon Sommers photos



200 ARCHITECTURAL RECORD March 1958

Woodley Medical Center Los Angeles, Cal.

Architect: Victor Gruen


Partner in Charge: Ben Southland

Engineer: Dan Alvy


















Doctors' Collaboration for Investment

In this instance the collaboration of doctors was not so much in the realm of medicine as that of investment, for the doctors are two eye specialists and an obstetrician. They agreed, however, as to the type of building they wanted-something warm and pleasant. The site is within a block of the hospital but in an otherwise residential neighborhood. Since the district is old and a bit rundown, the architects proposed an enclosed, top lighted, garden courtyard which would serve as spacious common waiting room and would tend to create its own environment. The clients liked the courtyard but felt the need for more individual identity. Accordingly the courtyard as an element was retained to establish the desired atmosphere, but arranged to give nearly equal access and importance to each individual suite. Actually it serves, during pleasant weather, as an overflow waiting area. The building is done in essentially residential construction, with a considerable variety of interior furnishings.

McLymar Medical Building Eugene, Ore.

Architects: Wilmsen & Endicott


Associate Architect: James C. Longwood

Mechanical Engineer: Thomas C. Jamieson

Electrical Engineer: Fritz Klawa


Landscape Engineer: Lloyd Bond


















Rehabilitation Hospital-School for Children


A specialty among medical facilities, this cerebral palsy hospital school represents the consolidation, in a new building of its own, of a development which began years ago. For several years the State Department of Education operated a school of about 40 beds capacity housed in rebuilt army surplus buildings. Necessity of removing the old building, to make way for the University Medical School and Teaching Hospital, forced a move, and the need to continue the work was obvious. Perhaps a more accurate description of the facility would be a "children's rehabilitation hospital school." Treatment of a case frequently extends over several years, and prognosis as to treatment time is difficult, though the present hospital is planned for treatment of other types of children's illnesses, such as polio or orthopedic cases. As the plan indicates, children are housed largely in wards, as children need company and profit from the example and stimulus provided by others. While there are some classrooms, the bulk of the space in the school portion is devoted to physical and occupational therapy.

Mississippi Hospital School for Cerebral Palsy Jackson, Miss.

Architects and Engineers: Biggs, Weir & Chandler

Structural Engineers: Post and Witty














Rehabilitation Hospital-School


In both ward section and school and therapy rooms the building is kept scaled to children, though in general areas are quite large. The influence of the group is quite important, and children are encouraged to retrain their bodies by watching others. The scheme puts great stress on the enclosed courtyard for play of a therapeutic nature

















THIRD FLOOR PLAN



SECOND FLOOR PLAN

STORAGE SPEC

FIRST FLOOR PLAN

- 1. Control
- 2. P & C Research
- Physical Acoust. 3. Research
- 4. Elec. Equip. Test.
- 5. Test Chamber
- 6. Research Dir. Off.
- 7. Elect. Engr. Off. 8. Animal Surgery
- 9 Secretaries
- 10. Med. Director
- 11. Staff Seminar
- 12. Acoust, Super.
- 13. P.G. Skin Respon.
- 14. Audiom'c Test 15. Clinical Audio
- Logist
- 16. Psy'tic & Test
- 17. Audio Lab.
- 18. Interview
- 19. Pediat'c Exam.
- 20. Dental Operat.

22. Otol. Exam.

- 23. E.N.T. Dr's. Off.
- 24. Waiting
- 26. Psyco. Test.
- 28. Game Storage
- 29. Clin. Voc. Rehab.
- 30. Repair
- 33. Upper Physical
- 34. Cerebral Palsy
- - 35. Observation

- 21. Dental Lab.

25. Psychologist

- 27. Play Therapy
- 31. Kitchen
- 32. Projection

 - Acoustic Research
- Nurserv
- 36. Recovery & Rest
- 37. Teacher
- 38. Special Therapy 39. Social Worker
- 40. Playroom
- 41. Audit. Training

 - 42. Articulat. Test.

- 43. Artic. & Psychom.
- 44. Artic. Testing
- 45. Artic. & Audio.
- Test.
- 46. Clinician
- 47. Staffing
- 48. Speech Direct.
- 49. Recording
- 50. Reception
- 51. Business Manag.
- 52. Director
- 53. Dir. Stud. Train.
- 54. Grad. Stud. Work
- 55. Stud. Coat Room
- 56. Central Files
- 57. Group Therapy Speech
- 58. Stud. Therapy
- 59. Air Conditioning
- 60. Clinician Lounge
- 61. Demonstration
- 62. Group Therapy
 - Hearing

Hearing and Speech Center

Bill Wilkerson Hearing and Speech Center, Nashville, Tenn. Owner: State of Tennessee. Architects: Brush, Hutchinson & Gwinn. Structural Engineers: Barge, Waggoner & Sumner. Consulting Structural Severud-Elstad-Kreuger. Engineers: Mechanical Engineers: Lindstrom, McLendon & Holbrook, Inc. Electrical Engineers: Bush-May & Associates. Acoustical Consultant: Robert W. Benson. Interior Designers: Ken White Associates. Sculptor: Julian Harris.

An interesting medical specialty, this building is hurriedly included in this group, though it is too early for adequate presentation. Functionally it is an agglomeration of highly interesting rooms bearing such titles as anechoic chamber, audiologic laboratory, sound room, speech research chamber, electronics shop, psychogalvanic skin response chamber, and so on, all devoted to speech and hearing problems. The building itself is interesting in its provisions for acoustical isolation. There are double masonry walls in some places to insulate against outside noises, sand-floated floor slabs, heavy partitions, and a great variety of measures to prevent transmission of sound through air conditioning ducts. Medically the building includes a great range of facilities for diagnostic and therapeutic work in the fields of audiology and speech pathology. Preschool training plays a large part in the work, in the hope that the deaf, cerebral palsied and aphasics can be prepared to enter the special education facilities in the public schools. When the building is completely equipped and in service a more adequate description will be carried in a future issue of the RECORD.





Comprehensive Rehabilitation Center

For some years now medical authorities have hoped for the establishment of rehabilitation centers; since the doctrine of effective rehabilitation has spread so widely, facilities are necessary for carrying on the work. Who was to sponsor and finance such facilities was not as obvious as the need. This is just such a facility as was envisioned; the sponsors in this case comprise a considerable group of voluntary organizations starting with Rotary Clubs and continuing the Alabama Society for Crippled Children and Adults. Many other organizations participated in the study as well as in financing plans.


The building will house both in-patient and out-patient departments. Principal medical services will include physical and medical evaluation, physical therapy, occupational therapy, speech therapy, audiological services, prosthetic appliances, psychiatric services, and dentistry. Out-patient clinics will be operated for: orthopedic clinic; cerebral palsy clinic; cleft palate clinic; eye clinic; hearing clinic; epileptic clinic; muscular dystrophy clinic; amputee clinic; plastic clinic.

The center is located within reasonable distance of four hospitals, so that other medical services, such as x-ray and laboratory, will be available close by. There will also be vocational counseling, psychological service, and social evaluation along with the medical.

As for the building, it is poured-in-place concrete frame resting on spread footing foundation. Twenty year built-up roof with copper gutters and downspouts. The exterior walls are a combination of pink face brick, limestone and porcelain enamel panel walls. All public areas in the interior are structural glazed tile with structural Rotary Foundation Clinic and Rehabilitation Center Mobile, Ala.


Architects: Platt Roberts & Company





Comprehensive Rehabilitation Center


glazed tile hand-rails for handicapped persons; except the lobby: it is marble, metal panel and aluminum frames. All ceilings are acoustical treated with 12 by 12 perforated acoustical tile hung by metal suspension system. All floors, except for the lobby, are vinyl tile; the lobby floor is terrazzo. All doors are hollow-core formica covered, 3 ft 10 in. in width to allow for wheel chairs and stretchers. The hydrotherapy room is tile throughout. The gymnasium is concrete block, painted. The building is air conditioned throughout.












Health Insurance and Outpatient Clinic


The triangular lot utilized for the site of the Group Health home office and clinic is responsible for the most interesting aspects of this building's design. A significant geometrical pattern, dictated by the equilateral dimensions and angles of the property, is evident in the plan view, where two separate functions within the building are represented by two different geometrical shapes—a parallelogram and a triangle. The restrictions imposed by the site were turned to advantage in creating a natural, though arbitrary division of space utilization. The wedge-shaped elements of structural design are subtly transferred to other parts of the building, as in the undulating exterior wall of the clinic, the triangular shaped reception desk, the bent angle of the free standing wall in the lobby, the "flying wedge" shape of the clinic office desk and the clean, simple interpretation of pine trees in the firm's symbol over the doorway.

The building is of reinforced concrete construction with exterior of brick, alumilited silicone panels and insulated glass. Walls are plaster except in special areas, such as toilets, where glazed structural tile is used, and in mechanical areas where lightweight concrete blocks are left exposed. Ceilings in all work and public areas are acoustical plaster with the exception of the large general office which is sound conditioned with a fiberglass insulated, perforated metal acoustical ceiling. Group Health Office and Clinic Building St. Paul, Minn.

Architects and Engineers: Haarstick Lundgren and Associates, Inc.








Home for the Aged, Modern Version

The architect who sparked the competition for homes for the aged* gives here a glimpse of one of his own efforts in this area. This is a proposal for a Baptist-sponsored home in the Washington area, presently planned for some 65 guests, with an addition possible for the future. The architect stresses the fact that the site is close to a major business street, a church, and convenient to public transportation. It is in a nice residential area, and enjoys a view of a wide valley, but is not isolated from life and activity. As for organization, the basement includes all staff and service elements; the first floor contains all elements to be used by residents in common. along with the administration area and a small "health-maintenance" suite along with the infirmary section. On upper floors, most of the rooms will be singles with bath, although some of those shown on the plan have since been converted as doubles. Each resident floor has a nurses' station and utility space; although most guests here will be ambulant, in a home for the aged some nursing care will always be required.

"An architectural competition for homes for the aged sponsored by the National Committee on the Aging in collaboration with ARCHITECTURAL RECORD and *The Modern Hospital*. (January 1957 ARCHITECTURAL RECORD) Proposed Baptist Nursing Home District of Columbia

Architects: Noakes and Neubauer





William E. Bradley photos from Smith Bros.-Amer. Comm

Old Hotel Becomes Home for the Aged

This mammoth remodeling project represents break-throughs in several respects. As a home for the aged it is probably the largest in the world; it is at any rate the largest current effort to break a jam in housing for old people. It is definitely the first project under the FHA's special authority to underwrite mortgage commitments in this field; the mortgage here is \$4,000,000. The building is the old Hotel Detroiter, built in 1926; when the building became available the local Diocese plunged into the remodeling project even though the costs could not be closely estimated in the beginning. Actually early estimates proved very low, for the mechanical and electrical installations were old and full of violations. Plumbing, heating and ventilating systems were completely rebuilt; the electrical system contained so many violations that it was decided to replace it entirely, this involving a change from direct to alternating current. Replacement of mechanical and electrical systems represented 45 per cent of the total cost. As for the exterior, the building remains substantially as it was, except for the addition of chapel at second floor level extending out into the court, this raised on stilts to cover an outdoor recreational area in the garden. The interior of the building shows virtually complete renovation and refurbishing; Carmel Hall now represents a new high in facilities for the care and happiness of older people. It houses 450 persons, at an average total charge of \$150 per month, and has a waiting list of around 4000.


Carmel Hall Detroit, Mich.


Owners: The Carmelite Sisters for the Aged and Infirm


Architects for the Remodeling: Leo M. Bauer and Associates

Mechanical Engineers: F. O. Jordan Engineering Co.

Electrical Engineers: Richard Klees, Jr. & Associates







Old Hotel Becomes Home for the Aged

First and second floors contain most of the communal use facilities, and no home for the aged ever had more. Entertainment rooms include: game room, little theater, lounge, coffee shop, garden, private dining rooms, meeting rooms, TV rooms, men's recreation room, library, and crafts areas. Food service arrangements are especially comprehensive; in addition to the main kitchen and dining room, there are four major and two minor sub-kitchens plus smaller diet kitchens, each floor having one or more of these.



















SITTING

THIRD FLOOR

1YA

Old Hotel Becomes Home for the Aged

URSES STATE

No

Las -

ROOM

TL

T

The infirmary section is divided into two parts, on the third and fourth floors. The fourth is devoted exclusively to residents needing custodial care, while the third is allocated only to bed patients. Third floor contains medical offices and examination rooms, plus a large section for therapy and rehabilitation, devoted largely to exercises and retraining instructions for cardiac cases. There is also a roof terrace at this level for wheel chair patients.

F

t

H


E

Accent: Engineering

Pan-American World Airways hangar, New York International Airport: Chester L. Churchill, Architect; Ammann & Whitney, Structural Engineers

Trans World Airlines hangar, New York International Airport: Ammann & Whitney, Engineers

National Airlines hangar, Miami International Airport: Weed, Russell & Johnson, Architects; Ammann & Whitney, Engineers



Charles Payne

Folded Plates Roof New Hangars




The rapid evolution of the flying machine from the frail mechanized box kite of the Wright brothers' day to the sleek skyborne giants of today has demanded equally rapid progress in the design of structure to house them. Converted barns long ago gave way to the more elaborate hangars currently prominent in our airportscapes. Now, with jets on their way into commercial use and who-knowswhat to follow, these too are being waved aside to make room for such mammoth symbols of the coming Jet Age as the hangars shown here.

For all the simplicity of these structures, the problem is a complex one. Its most critical aspect from the hangar designer's point of view is the size of the new aircraft. Hangars to shelter them must be large. To accommodate varying sizes and shapes of planes—they must be free of space-stealing supports. And because hangars are still essentially utility structures, they must be economical.

Within the last two years, a new type of hangar has appeared which seems to offer maximum clear spans at minimum cost. Developed by New York structural engineers Ammann & Whitney for a Trans-World Airlines hangar at Kansas City, the scheme is being used for four other hangars now under construction. The Kansas City hangar consists, in essence, of a cantilever span cablesuspended on both sides of a central office core. Two of the hangars now


Accent: Engineering



Before slabs are poured, cables are pin-attached to each end of anchor walls. Stresses go through walls via heavy plates welded to tension bars at top




When concrete reaches a compressive strength of 2500 psi, hydraulic jacks are set up to tension the cables to an average stress of 176 kips in each



Outer ends of cables, with sockets attached, are drawn through sleeves in the valleys of the roof. Sixteen cables, 8 on each side, are tensioned at a time



As cables tighten, slabs are lifted to final position. Lateral ties prevent sag before construction joints are poured between adjacent sections



being built—one for National Airlines at Miami, the other for Mohawk Airlines at Utica, N. Y. (still in the early stages of construction—depart from the original in that their corrugated roofs are pure cantilevers. Shorter required spans made it possible to omit the suspension cables; nose pockets in the center section and canopy-type sliding hangar doors added enough depth to accommodate even large planes.

At New York International Airport, however, the Kansas City scheme has been borrowed intact for two hangar-office buildings which sit side-by-side just off the approach road to the main terminal area. Although the buildings for TWA and Pan-American World Airways differ slightly in size and shape, and in the arrangement of administrative facilities, they both closely follow the structural pattern set by the Kansas City prototype. Their cantilever roofs are suspended with the 6 ft deep corrugations running 30 ft on center perpendicular to the long axis of the building so that the beam action of the folded section supports loads parallel to the direction of suspension. To increase the strength which the corrugations give to the thin (43/4 in.) concrete deck, the cables are anchored in the valleys. The horizontal component of their thrust thus produces a negative moment which helps to counteract the positive moment from loads on the folded slab. At the other end, the cables are anchored to walls at 30 ft on center.

At Kansas City, where two floors of the center section were hung from these anchor walls, the combined loads from cable, roof and suspended floors were used to counter-balance each other. The unbalanced moments possible under certain conditions of loading (e.g. when the floors are not carrying a full load) were taken care of by reinforcing bars in the bottom of the wall, and a combination of reinforcing bars and post-tensioning wires at the top. At Idlewild, the floors-except in a part of the PAA hangar-are supported from below. The anchorage assembly was modified to include a tension tie made up of 24 square bars welded to steel plates which receive the four suspension cables at each end of the wall. Thus when the cables are tensioned, their horizontal force is carried through the wall.


To give access to the whole length of the hangars, the horizontal sliding doors along the sides roll on several tracks, stacking to leave about twothirds of the hangar open if desired. Their design was complicated by the inherent flexibility of the roof and the deflection of its free edge under variations in temperature and loading. (Before the construction joints between adjacent sections were poured, it "gave" noticeably even under the weight of a single man.) To prevent the door leaves from restraining the vertical motion of the roof edge, the doors were made in two sections joined by a horizontal hinge. The lower vertical section is set out 10 ft from the roof edge; a short sloping upper section spans the gap between it and the roof. The roller assembly at the top, the wheels at the base, and the hinge at the break form a three-hinged arrangement which permits free vertical deflection -and adds 10 ft to the usable span.

Once the hangars were out for bid, the contractors took over where the engineers left off. Their problem was the same: The size of the buildings demanded the use of some sort of traveler rather than rigid falsework to support the forms; the folded plate roofs demanded the use of forms that could be lowered to clear the corrugations, raised for pouring. They came up with solutions as different as the hangars themselves are similar.


The roof for Pan-American's hangar was formed with a "piggyback" traveler devised by Corbetta Construction Co.'s vice president, Charles J. Prokop. Made up of two sections of timber falsework with an inclined rail system between, the traveler is big (two bays wide), awkward and complex in appearance. Actually it is as simple and efficient as the wedge principle on which it operates. The bottom wedge, 75 ft wide, is topped by heavy timbers which carry the sloping rails. To raise or lower the upper section, double flanged wheels at four "carrying trusses" along its length are rolled up or down the inclined plane.

When the form is in pouring position, the lower section is secured by sills wedged under vertical jacking posts. Similar jacking posts in the upper section line up with those below, and screw jacks set along the plane of movement between the posts of upper and lower wedges lift the top section clear of the rail. By adjusting the jacks, the forms are brought to the exact height required.

Using four of these travelers, the roof for the Pan-American job was concreted in double 60-ft sections, one on each side of the center core, starting at both ends and working toward the middle. After the slabs were cured, they were loaded by tensioning the cables in both sections simultaneously, thus lifting the outer edge of the roof about $6\frac{1}{2}$ in. off the form. This started the stripping,




"Piggy-back" traveler for PAA hangar at Idlewild is made up of two sections of timber falsework with an inclined rail between. To lower forms, bottom wedge is allowed to slide forward under downward thrust of top section. Its primary advantage: lumber can be salvaged



Similar hangar for TWA was formed using travelers made up of laminated timber trusses on eight posts braced by cross beams and steel rods. Hydraulic jacks at each column raise forms and lower them 6 ft to clear corrugations; sand jacks support them during pouring

Accent:Engineering




Tapered folded plate for National Airlines hangar at Miami is cantilevered-sans cablesfrom a 2-story center core. Offices are on top level; shops in open nose pockets below



Wall at end of hangar (far left in photo below) indicates outset of hinged, canopy-type sliding doors which enclose two of six hangar positions, add 20 ft to their total usable depth



Giant "earthworks" shows scale of double span. Total hangar width is 270 ft; cantilevers extend 110 ft on each side of 50 ft center core, taper from 12 ft at roof to 3 ft at free end



which was helped along by driving wedges under the slab at its outer edge and along the sides. At the hinged end, where the tensioning lifted the concrete very little, the forms had to be stripped by removing the screw jacks that supported the upper sections.

To prevent movement when the wheels came in contact with the inclined rail, the top wedge was first anchored to a deadman in the ground. The bottom wedge was then released and allowed to slide forward under the downward thrust of the top section until the form had dropped enough to clear the valleys of the roof slab. When the upper and lower wedges had been locked to prevent further relative movement, the traveler was hitched over 60 ft to the next position, the top section re-anchored, and the bottom section pulled back until the jacking posts on both sections were again lined up. The form was then jacked up to a pouring position and the forming cycle repeated. Joints between sections were poured after the cables had been tensioned.

Although the forming method used by Grove, Shepherd, Wilson & Kruge for the TWA hangar was essentially the same as that used by Corbetta, the travelers themselves were not. In this case, the double wedge was replaced by laminated timber trusses supported on columns and braced in both directions by 3/4 in. diagonal rods. Single-acting hydraulic jacks mounted on each column were used to raise and lower the forms; tripod sand jacks supported the concrete loads. Once the travelers were rolled into position, they were lifted clear of the rails by the hydraulic jacks, which also supported them while sand jacks were slipped under each vertical post. The hydraulic jacks were then retracted, and the form was allowed to settle onto the sand jacks during pouring.


When the slabs had set and had been raised to their final position by tightening the cables, the hydraulic jacks were again lowered onto chairs on each side of the rails and used to lift the traveler enough to permit removal of the sand jacks. They were then released slowly until the wheels at the base of the column had come to rest on the rails and the traveler could be moved to its next position.

A variation on the same theme, the nose hangar for National Airlines at Miami International Airport is similar to the pair at Idlewild in approach —different in detail.


In this case the largest plane to be housed was the 140 ft DC-8. Because engine overhaul facilities were to remain in an adjacent building, the 50 ft wide, single-story office core could be lifted to second floor level, leaving the shops below and freeing enough ground space to provide a nose pocket 25 ft deep on each side of the hangar. With this added usable depth, the necessary roof span could be reduced to 110 ft. Thus while column free space along the entire 630 ft length remained a design criterion, the hangar depth became a less critical problem, and the folded plate roof-which had been proved economical for spans of 120 ft or less-was used as a pure cantilever on both sides of the twostory center section, giving a total hangar width of 270 ft and a usable depth of 135 ft on each side.

Although enclosed hangars are not necessary in Miami's mild climate, two of the six hangar positions were fitted with hinged canopy-type doors to form a sheltered area for certain maintenance operations and for storing disabled planes during hurricanes. The outset doors add 20 ft to these sections, making them 15 ft longer than the longest planes. In consultation with the engineers, the architects' original design for a simple folded plate with points at top and bottom evolved into a tapered folded plate with the ridges flattened to give a more efficient section at the lightly-loaded outer end. Because of the absence of supporting cables, the depth of the corrugations was increased to 12 ft at the roof of the cantilever, tapering to about 3 ft at its outer edge.


Fred Howland, Inc. contractors for the Miami job, escaped the problem of suspending the cantilevers, but forming was complicated by the extra depth of the corrugations, which made it necessary to raise and lower the forms in two stages. The laminated truss-type travelers, similar to those used for the TWA hangar in New York, were supported on vertical timber posts over steel jacking chairs made up of four perforated steel posts connected by cross braces on two sides. Two more steel beams placed crossways over the first two braces seated the sand jacks on which the traveler post rested; a third brace along one side of the frame seated a double-acting hydraulic jack which met a jacking seat on the post. When the traveler was being lifted, the hydraulic jacks raised it 6 ft and held it in place while cribbing and sand jacks were moved up and pinned to the perforated posts. The traveler load was then transferred to the sand jacks while the hydraulic jacks were moved up on cribbing and used to lift the forms another 6 ft. At this point, the sand jacks were again moved up to support the load during pouring.



Traveler for nose hangar at Miami closely resembles that used for TWA hangar, but extra depth of corrugations made two-lift jacking necessary. Hydraulic jacks were used to lift and lower; sand jacks supported traveler between 6 ft lifts and during pour



National Airlines



H. H. Robertson Co., Ambridge, Pa. Oscar F. Wiggins, Architect Rose, Beaton & Crowe, Engineers

Air handling equipment for the new H. H. Robertson Co. office building in Ambridge, Pa., is stacked on three levels in a narrow utility wing (photo above, section at right) which also forms a focal point in the exterior design. So that varying conditions could be set up for environmental studies, each floor was given its own independent system

In-Floor Duct System Saves Space, Cuts Cost


If architects could have their way about it, they would squeeze air conditioning ducts down to a ribbon. In a sense, this is what has happened in a new dual duct distribution system that is having its first full-scale try-out in a new building of the H. H. Robertson Co., developer of the system, in Ambridge, Pa.

While buildings are demanding more and more air conditioning, architects are asking that less and less space be taken by mechanical components—thus the trend to high velocity air distribution, and consequent decrease in duct size. For the same reason, architects and engineers at various times have used the floor as ducting for air distribution systems.

For some years now the Robertson Co, has sold its cellular steel flooring for both a load bearing element and raceways for electrical flexibility within the floor system. It was a logical next step to consider the possibility of using some of these cells for transmission of hot and cold air to rooms either above or below the same structural floor. This has been done now by Robertson in a steel cellular floor especially designed with certain of the cells intended solely for carrying air. They say that initial costs can be cut by five per cent, and that from 8 to 16 in. can be trimmed off floor-to-floor height.

One of the earliest experimenters in the use of cellular steel flooring for air ducts was the late Richard P. Goemann who set up a small test installation seven years ago in his garage at Port Washington, L. I. (See ARCHI-TECTURAL RECORD, Oct. 1951, p. 252.) Following this, he had a chance to try out his ideas in a good-sized, onestory office building with basement using the standard cellular flooring. Then several years ago, Robertson became sufficiently intrigued with the idea to ask Goemann to develop a new system for them starting from scratch. Under their sponsorship, he set up a laboratory fully instrumented with sound, volume, pressure,





Although primary distribution is essentially the same as for conventional dual duct systems, the new Robertson system uses a cellular steel floor—which also provides electric raceways—for secondary air distribution. A major advantage is that both the hot and cold ducts can be used to carry cold air thus reducing the amount of ductwork required

and temperature recording and indicating devices for a large, special section of Robertson flooring, modified to provide reasonable air-handling capacity. After several years of closely coordinated work between the Port Washington laboratory and Robertson's people at the Ambridge plant, Robertson decided to erect a building which was to act as a practical workshop for determining the actual operating characteristics of the newly developed system. This building is not only a laboratory; it houses certain executive functions of the Robertson organization, parts of their engineering and sales staff, and was designed with the comfort of the occupants and the efficiency of the system in mind.

In consultation with Robertson officials, the engineers, Rose, Beaton and Crowe, established certain criteria to guide them in the design of the air conditioning system. They were:

1. Each floor of the building had to have a separate air conditioning system, completely flexible within itself so that various conditions could be maintained on each floor, and environmental studies made.


2. The system had to be fully controlled in every respect—that is, the volume, temperature and relative humidity of the air introduced into each space had to be individually controlled. (Mixing boxes installed in the new building were designed by the company engineers at Ambridge.) 3. There had to be a central graphic control panel where all significant temperature and pressure relationships would be indicated and also recorded over long periods of time.


4. The central refrigeration was to be steam absorption type, steam coming from the plant steam system.


Actually the new system is a secondary distribution network for high velocity air. Hot and cold duct risers and supply header ducts are necessary, just as in conventional dual duct systems, to feed air to the cells. Rec-

Technical Roundup

To allow full control of the air introduced to each space, a graphic control panel was set up which gives current readings of significant temperature and pressure relationships, and records them over long periods







As shown in the plan at right, hot and cold air for office spaces flows through conventional risers and supply header ducts to secondary ducts in the cellular floor. Thermostats, and temperature and pressure transmitters at various points throughout the system permit accurate control

TYPICAL FLOOR PLAN

ommended air velocity in the cells is 2000 fpm, maximum, giving each cell duct a capacity of 400 cfm. Based on the figure of 1 cfm of air being supplied per sq ft of floor space, the maximum length of cell duct running laterally to the building would be 133 ft. (One side of a corridor, for example.)

A unique feature of the system is that it is designed to use the hot duct as well as the cold duct for cool air in summer. Conventional dual duct mixing systems generally are designed so that the cold side of the system is sized to transport the full air volume required for cooling. The hot side is sized to transport the full air volume required for heating.

This is how the Robertson system is different: In winter, volume control damper blades of the mixing box are positioned 90 degrees relative to each other. Thus as the hot duct damper opens, the cold duct damper closes. Volume of air supplied is relatively constant, but no more than the total capacity of one of the two ducts. In summer, when the outside air temperature goes above a certain point (62 F at Ambridge), position of the hot damper blade is changed by a geared mechanism so that both hot and cold dampers act in concert to increase or decrease the air to the space. Volume of air is not constant,

and there is a fixed stop within the mixing box to prevent dampers in summer from going below minimum ventilation requirements. Maximum capacity is equal to the sum of both the hot and cold duct capacities.

Since the volume of hot and cold air supplied to rooms varies in both summer and winter, static pressure regulation is necessary to insure accurate control. This is accomplished by means of static pressure control dampers which are also a part of the mixing box. Static pressure sensing is provided in the duct system to cut down fan speed if such is indicated by the measuring device.

more roundup on page 242

Prefab Walls Cut Health Unit Costs

The prefabricated wall has in recent years become as much a part of office building interiors as has the fluorescent lamp. Now cost data on the first sizable installation of prefabricated interior walls in a U.S. hospital indicates that such walls may merit similar acceptance in health unit design. Two and a half years ago, 7350 linear feet of prefabricated interior steel walls were installed in St. Alexis Hospital, Cleveland, Ohio. On the basis of installation and maintenance cost figures compiled since that time, a saving of \$150,000 over a ten year period has been estimated for this \$3 million, 225-bed hospital.

The prefabricated wall system at St. Alexis includes all of the interior wall surfaces, doors, utility access panels, hardware, glazing and accessories-and comprises almost the entire interior of the building. The cost study shows that the ease of maintaining the baked enamel-finished walls and their stainless steel accessories accounts for a sizable chunk of the estimated savings. They can be washed twice as fast as plaster walls, and never need the repainting which must otherwise be done every third year. A second major saving shows up in the inevitable remodeling costs. Prefab walls can be moved with little or no loss of materials, at a labor cost about one fourth that of tearing down and rebuilding equivalent fixed plaster walls. Because they also lend themselves to simple, rapid utility changes, utilities can be relocated or installed at a fraction of the cost for the same change in other types of walls.


Still another advantage of the prefab walls lies in the speed with which they can be placed. With plaster walls, which require room-by-room installation of floors and ceilings, it takes about 21 months to complete a health unit comparable to St. Alexis. However the new building was ready for its first patient only 15 months after the first excavation. According to the architects, George S. Rider Company of Cleveland, this time saving was primarily due to the use of prefabricated walls.

Special accessories for the medical walls—including stainless steel sink units, shelving, dresser tops and corner shelves—were supplied by the Just Manufacturing Co. of Franklin Park, Ill. The walls themselves were fabricated and installed by *E. F. Hauserman Co.*, 6800 Grant Ave., Cleveland 5, Ohio.

more products on page 260

Right: Pre-assembled, pre-finished *Medical Walls* are quickly and easily installed by slipping the panels into ceiling channels and anchoring them to the floor with floor stampings. The workman in the top photo is clipping adjacent wainscot sections together over the rough masonry exterior wall; the lower photo shows a utility access panel being installed. This panel may later be removed to make additions or repairs to utility lines

Below: Built-in stainless steel accessories designed for St. Alexis include a dumbwaiter (far left), and a combination sink and utensil storage cabinet (center). For the patients' rooms, the architect provided a double clothes closet and built-in dresser with stainless steel top. If specialized equipment is moved, the original flush wall can be restored by replacing one or two post caps and the three-inch vertical member between panel units





A Study of the Corrosion

... of Vaporizing-Liquid Type Fire Extinguishers evaluates factors affecting the corrosion behavior of pump-type vaporizing-liquid fire extinguishers. Bulletin of Research No. 50, Underwriters' Laboratories, Inc., 207 East Ohio St., Chicago 11, Ill.

Hanley Industrial Products

Describes the *Impervo* line of brick, floor brick and quarry tile designed for industrial and heavy commercial applications. 8 pp. A second brochure, *Hanley Brick and Tile*, covers glazed and unglazed facing materials. 12 pp. *Hanley Company*, One Gateway Center, Pittsburgh 22, Pa.*

Bolta-Floor Catalog (A.I.A. 23-G)

Illustrates patterns and colors in the *Bolta-Floor* line of resilient flooring. Information on sizes and recommended applications is included, as are guide specifications. 12 pp. *Flooring Div., General Tire and Rubber Co., Akron, Ohio**

Kentile Design Booklet

Illustrates 48 new designs in resilient tile floorings. *Kentile*, *Inc.*, 58 Second Ave., Brooklyn 15, N. Y.*

Non-Combustible Acoustic Products

(A.I.A. 39-B) Presents complete characteristics, including sound absorption coefficients, light reflectance values and flame-resistance ratings, for *Styltone* mineral wool tile and *Panatone* perforated metal panels. Specifications and installation methods are also covered. 4 pp. Acoustical *Products Div., Baldwin-Hill Co., 500 Breunig Ave., Trenton 2, N. J.**

Commercial Huckbolt Fasteners

... Blind Rivets and Driving Tools discusses features, specifications and uses of the full line of Huck Commercial fasteners, and illustrates the driving cycle for each type. Manual, pneumatic and hydraulic tools for driving the fasteners are covered briefly in the new catalog, which also contains photographs showing typical applications. 12 pp. Huck Manufacturing Co., 2480 Bellevue Ave., Detroit 7, Mich.

Fluorescent Lamp Ballast Data

Contains information on ballast circuits, ballast construction, supply voltage and frequency, radio interference, ventilation and cold weather operation, and testing, along with a complete "quiet-rating" chart and other pertinent data on fluorescent lamp ballasts. Advance Transformer Co., 2950 N. Western Ave., Chicago, Illinois

Multi-Weathermaker System

Brochure describes and cites advantages of Carrier's *Multi-Weathermaker* plan for air conditioning multi-story buildings, covering such topics as the survey of total cooling needs, location of individual units, centralization of utility services and sequence of emplacement. *Weathermaker Dept., Carrier Corp., Syracuse* 1, N. Y.*

Guard Window Detention Systems

(A.I.A. 16-E) Gives complete data on Bayley's single-unit detention guard, ventilator and screen. Layouts and dimensions, detail drawings, and specifications are included. 20 pp. *The Wm. Bayley Co., 1200 Warder St., Springfield, Ohio**

Lightweight Structurals

Contains data on design properties of J&L 10- and 12-inch joist sections, Junior Beams, Junior Channels and Light Beams. Public Relations & Advertising Dept., Jones & Laughlin Steel Corp., 3 Gateway Center, Pittsburgh 30, Pa.

Plastic-Finished Paneling

Covers complete line of *Marlite* predecorated hardboard panels, tongueand-groove planks and blocks, and rigid hollow-core paneling, as well as installation accessories and moldings. Available patterns and styles are shown in color. 8 pp. *Marsh Wall Products, Inc., Dover, Ohio**

Package Passing Doors

(A.I.A. 30-F-61) Sixteen page catalog presents data on selecting and specifying cold storage package passing doors and tunnels. Doors are recommended for all standard operating conditions, with information on temperature ranges, door styles and types, insulation and ice-free gasketing. Jamison Cold Storage Door Co., Hagerstown, Md.*


Freight Elevator Hoistway Doors

.... and Vertical Lifting Car Gates (A.I.A. 33-G) covers operation and design features, and layout and installation data on Otis hoistway doors and car gates for freight elevators. 12 pp. Otis Elevator Co., 260 11th Ave., New York 1, N.Y.*

Architectural Lighting

Pocket size (4 by 7¼ in.) catalog highlights Lightolier's architectural light forms with detailed close-ups and interior sketches of actual installations. 32 pp. Lightolier, Inc., Dept. AP, Jersey City 5, N. J.*

*Additional product information in Sweet's Architectural File, 1958 more literature on page 298



complete line of *Rilco* glued laminated wood structural members, including arches, beams, purlins, trusses and formwork. Each type is treated in a section which contains connection details and technical data as well as illustrations of typical uses. Specifications are included, as is a special section dealing with solid wood decking. *Rilco Laminated Products, Inc., W-818 First National Bank Bldg., St. Paul 1, Minn.**

(A.I.A. 19-B-3) describes and illustrates

<u>AKE</u> **America's Finest Windows**


Only Adlake combines these 6 basic advantages

- . No warp, no rot
- Minimum air infiltration
- No painting, no maintenance
- Fingertip control
- . No rattle, stick or swell
- Guaranteed non-metallic weather stripping Also, Double-hung Windows with Patented Serrated Guides

See our 36-page listing in Sweet's Architectural File.

Building: Corning Glass Works, Corning, New York Architect: Harrison & Abramovitz Contractor: Geo. A. Fuller Co. Type: Adlake Reversible Windows

The Adams & Westlake Company NEW YORK ELKHART, INDIANA CHICAGO



Patterns shown approximately one-half size.

Blue Ridge Introduces... TWO MORE CREATIVE IDEAS IN GLASS


Blue Ridge contrasts the lustrous textured beauty of its Patterned Glass with the geometric symmetry of its Nuweld[®] wire mesh. The result -a *decorative* material that's handsome and crisply

contemporary. It's available in hammered or ribbed patterns (shown here), and in polished. Write today for samples to Libbey • Owens • Ford Glass Company, Toledo 3, Ohio.



WATERPROOFING FOR CONCRETE AND MASONRY: 1

By ELWYN E. SEELYE, Seelye, Stevenson, Value and Knecht, Consulting Engineers, New York City




to drainage action.

material from under footing.

1. DRAINAGE OF BASEMENTS

Baesment drainage must be taken care of by gravity drainage, assuming that extremely high ground water is not safely below the lowest basement. In general it consists of a system of footing drains and/or sub-floor drains.

Footing drains should be low enough to keep the water from coming up on the concrete floor on the inside, but not so low as




2. REINFORCED CONCRETE MAT OR RAFT

Reinforced concrete mats or rafts are reinforced concrete floor slabs or walls designed to resist the head of water expected. They are usually waterproofed.

In some cases expensive waterproofing may be omitted if construction joints are properly caulked and if a slight amount of seepage can be taken care of by floor gutters and sub-drain. a) Hydrolithic methods consist of the application of coats of


b) Membrane Waterproofing-As it must be installed on the



3. VAPOR SEALS

A great deal of attention has been drawn to condensation due

to water vapor hitting a cold surface.



Unobstructed outfoll

to cause the possibility of loss of material under the footings due


give satisfactory slope from high point. Lower footing bottom, if re-

quired, to keep drains above bottom of footing to avoid loss of

Locate invert low enough: a. To drain underside of floor; b. To

cement plaster containing iron filings or a similar type of waterproof plaster to the inside surfaces of the floors and walls.

outside of walls and under floors, a membrane may be subject to a leak which will be neither accessible nor easy to locate. This membrane also has the disadvantage that secondary walls or floors must be provided for its application.





Look down the aisle and see for yourself...

THIS UNIQUE VINYL TILE FLOOR STAYS BEAUTIFUL DESPITE: * SPILLED FOODS

★ SPILLED FOODS
★ HEAVY TRAFFIC
★ TRACKED-IN DIRT
★ STRONG CLEANERS
★ GREASE, WATER

Aisles always betray first signs of wear. But at New York's busy Hotel Commodore Coffee Shopwell-see for yourself.

This floor is Gold Seal Nairon[®] Custom vinyl plastic tile in the exclusive Venetian^{*} pattern—the one that looks like fine marble. And every day it defies all the forms of abuse listed.

But here, even seam lines are all but invisible. And cracks, furniture dents and dull spots simply don't exist. Because this full-thick homo-

SPECIFICATIONS: Nairon Custom Plastic Tile— 9" x 9" tile, ½" or .080" gauges—3 patterns, "Venetian," "Sequin," "Marble"— total of 49 colors. May be installed over, on, above or below-grade concrete floor or over suspended wood underfloors,

†FOR HOME/BUSINESS/INSTITUTIONS:

By the yard and tiles—Inlaid Linoleum • Nairon® Plastics • Vinylbest* Tile Cork Tile • Rubber Tile • Asphalt Tile Printed Floor and Wall Coverings—Forecast ® Vinyl, Congowall® and Congoleum® Satisfaction Guaranteed or Your Money Back *Trademark geneous plastic tile defies the most rugged kind of wear.

No other vinyl plastic tile floor offers so much value or luxury. It's quiet, comfortable and totally unique in design. And it's available in nine colors. So before you write your next flooring specifications —for new or replacement, commercial or institutional flooring—see Nairon Custom "Venetian." It's just one of the many remarkable floors in the complete† Gold Seal line.



Congoleum-Nairn Inc., Kearny, N. J.


WATERPROOFING FOR CONCRETE AND MASONRY: 2

By ELWYN E. SEELYE, Seelye, Stevenson, Value and Knecht, Consulting Engineers, New York City

3. Vapor Seals continued from page 235

Even such a brief description as this must start with certain principles, as follows:

By Dalton's Law, in the case of two adjoining rooms, one containing a high degree of humidity and the other a low degree of humidity, the humidities will tend to equalize themselves through the partition, if it is not waterproofed or vapor sealed. This, naturally, applies to a top story room and the outside air. If the vapor seal for the roof is applied underneath the insulation the moist air coming up against the vapor seal will find a relatively warm surface and will not tend to condense. If the vapor seal is placed on top of the insulation the moist air coming up against the roof fabric will tend to condense and come back into the insulation as free water, with unsatisfactory results.



Rusting steel Pressure of rust explodes off section of conc. slob

OVER UTILITY SPACES The membrane is to be preferred for structures where the seepage is downward, such as sidewalk vault ceilings. The danger here is


5. CORRECTION OF LEAKY WALLS


Driving rains may come through walls, even if flashings are correctly inserted. Leaky walls may be waterproofed by paraffin or colorless coating similar to silicone.

that the membrane which lies between the finished surface and the

main supporting slab will trap water and cause the protective slab

The most difficult type of leak to control seems to be one where the water comes down in or on the inside face of the wall and reaches the floor where it spreads out on the floor staining the ceiling or wall below.





PROPOSED REMEDY

to freeze and heave, perhaps breaking the membrane.

To avoid this, drains must be installed at the membrane level and gravel or porous fill should be placed on top of the finished membrane befare the finish surface is placed.

Attempts to meet this with a spandrel flashing have not been entirely successful because of:

a) Failure to provide weep holes in the wall to assist in draining the water out. b) Failure to provide an adequate continuous watertight gutter clear of mortar droppings to catch water coming down the inside face of the wall.



Keep terrazzo floors beautiful for the life of your clients' buildings. Proper sealing solves most maintenance and deterioration problems. Learn how Huntington Terrazzo Seal helps assure long, trouble-free life.

This Man Knows how to protect Terrazzo



KEEP IT BEAUTIFUL, SAFE AND EASY TO CLEAN

One step now will help to keep your clients' maintenance costs low —consult your Huntington Representative about proper protective sealing. He knows hard floors, and he knows finishing and maintenance. His experience can be helpful to you because nearly all of his work deals with the maintenance of institutional and industrial buildings. The problems of heavy traffic, special safety factors, or even undertrained maintenance help are not new to him—he knows how to work with men and maintenance materials to get the most from each. With this experience behind him, he is willing to job-captain the crew and advise and counsel in the proper methods and materials needed to finish any flooring material.


Want to know more about this service? Then write today... find out how valuable The Man Behind the Drum can be to you and your clients!

HUNTINGTON LABORATORIES


Huntington, Indiana • Philadelphia 35, Pennsylvania • Toronto 2, Ontario

WATERPROOFING FOR CONCRETE AND MASONRY: 3

By ELWYN E. SEELYE, Seelye, Stevenson, Value and Knecht, Consulting Engineers, New York City



If this or something like is, is not provided, water running down the inside of the woll, will be trapped on top of the floor slab



6. WALL WATERPROOFING

Regarding the question of waterproofing walls, a checkup on the situation at this time leads us to conclude that the following are the best thoughts for obtaining waterproof walls:

a) Thorough workmanship in laying the brick, full beds, no voids, etc.

- b) Lime cement mortar, that is, 1-1-6.
- c) Reasonably porous face brick for bond.
- d) Parging back of face brick with mortar.
- e) Continuous spandrel flashing at floors.
- f) An independent furring.

g) Coating back of wall with hot asphalt emulsion applied with a spray or troweled.

h) Drips on all overhanging edges.

i) Sills projecting beyond the jambs, not ending flush at jambs.

i) Pointing of face with "weathered" or "concave" joints.

k) Lintel flashings turned up at ends.

 Preformed bituminous waterproofing units may be built into the wall.

m) Pretest—hosing water between furring and wall may be required as a test.

7. PARAPET WALL WATERPROOFING


Suggestions to obtain waterproof parapet walls:


a) A through wall cap flashing to seal off and lead down the water in the upper part of the parapet.

b) Shear anchorage of dowels or masonry offsets to prevent creeping, particularly under corners, of the parapet wall relative to the main wall—a common defect.

c) Avoidance of sealing in the water in the parapet wall with a bituminous coating. It will cause the wall to freeze and scale off brick.

d) Use of face brick or a hard burned brick in the rear of parapet walls.





8. PRECAST MASONRY UNITS

Problems in connection with precast masonry units include: The exposed concrete should be waterproofed with integral waterproofing to avoid wet diaper appearance after a rainstorm. Horizontal joints should be tongue-and-grooved in such a way as to throw out the water coming down the surface. Vertical joints must depend upon mastic or cement and as there are considerable volumetric changes due to temperature and shrinkage, reliance must be had on an elastic mastic to caulk the joints. Perhaps vertical joints might be set up with compressed live or foam rubber between them.



Intricate ceilings at Moody Center have SPRAYED-ON ACOUSTICAL QUIET

The saw-tooth ceiling in Galveston's new Moody Center has acoustical value as well as unusual beauty. Gold Bond Sprayolite Acoustical Plaster was sprayed on the irregular surfaces to give this auditorium a Noise Reduction Coefficient of .55, plus high light-reflection...important features when 3000 people are watching a Broadway production.

Sprayolite goes on fast, leaves no joinings and dries to form a highly efficient acoustical ceiling of uniform color and texture. No additional finishing or painting is needed. These special plaster properties *cost only a few cents more than conventional plaster application*.

For more detailed information on Sprayolite see Section 12d/Na in Sweet's, call your Gold Bond® representative or write Dept. AR-38, National Gypsum Company, Buffalo 2, New York.





NATIONAL GYPSUM COMPANY

now Barrett stretches roofing shingles to ranch-house proportions

Should the shape of a shingle be the same on a high, colonial home and a long, lean ranch type? Obviously not. Ranch

Should the shape of a shingle be the same on a high, colonial home and a long, lean ranch type? Obviously not. Ranch shingles should be proportionately longer, to accentuate the horizontal lines of the house. Recognizing this fact, Barrett now produces Ranchline' Shingles with two tabs that are 18" long instead of three that are 12". On the roof, the proportions of new "Ranchline" Shingles are 18" x 5". This gives the roof a longer, lower look and the entire house an extra sweep. Next ranch house you design, write *Barrett "Ranchline" Shingles* into your architect's specifications. Barrett Division, Allied Chemical & Dye Corpora-tion, 40 Rector Street, New York 6, New York. In Canada: The Barrett Company Ltd., 5551 St. Hubert Street, Montreal, Quebec.





Shape of new "Ranchline" Shingles' tabs is designed to emphasize the horizontal lines of the ranch house.

Shape of conventional shingles' tabs was designed for multi-story homes ... too narrow for ranch houses.

Technical Roundup

continued from page 230


AUTOMATIC PARKING GARAGE TO BE RUN BY CASHIER'S KEY


The latest advance in mechanized offstreet parking facilities is a completely automatic parking system which will be installed in an eightstory garage near New York City's Times Square. According to its developers, the garage will be the first to use "high-speed automatic machinery for what is obviously a machine's job," parking and discharging automobiles at the rate of three a minute with only a single attendant.


When a car arrives at a street-level platform, the lone attendant, a cashier, removes a numbered key from a central control panel and hands it to the driver as his parking "receipt." An individual meter begins ticking off the time and charges for the assigned space and the motorist is free to go on his way. His car, however, becomes the subject of a whole series of automatic operations triggered by removal of the key from the panel. An elevator door opens at one side of the car, and a steel fork-lift conveyor edges from the shaft into floor grooves under the car wheels, lifts the car, pulls it into the shaft, and whisks it up to the floor where it is to be parked. When the car reaches the proper vertical level, the conveyor "switches gears" and travels horizontally to the assigned locker space. There it forks the car onto stationary parking blocks, sinks below the tires, and retreats into the shaft to await further instructions from the master control panel.

The returning motorist initiates the un-parking process by presenting his key to the cashier. When the key is replaced in its original position in the control panel, the conveyor instantly goes to the locker space indicated, and, operating in reverse, brings the car to the outgoing driveway. Delivery takes an average of 57 seconds—just time enough for the cashier to collect the metered fee.

The system was invented by Mihai Alimanestiano, now president of







6. Used with either wood or metal doors and frames. Complete Catalog on Request—No Obligation or See Sweet's 1958, Sec. 18e/La

LCN CLOSERS, INC., PRINCETON, ILLINOIS Canada: Lift Lock Hardware Industries, Ltd., Peterborough, Ontario

Neville, Sharp & Simon, Architects

•

MODERN DOOR CONTROL BY LCN. closer concealed in head frame

JANE G. PHILLIPS MEMORIAL HOSPITAL, BARTLESVILLE, OKLAHOMA LCN CLOSERS, INC., PRINCETON, ILLINOIS


Construction Details on Opposite Page

HIFMIN

王的

1

be Th



announcing...

Two new Robertson

Long-Span Deck Types.


H. H. Robertson Company


2404 Farmers Bank Building • Pittsburgh 22, Pennsylvania

Please send additional information on Long-Span Q-Deck.

NAME	TITLE
COMPANY	
ADDRESS	CITY

Because Long-Span Q-Deck is manufactured with exceptional accuracy, rib lines are clean and straight—make ideal exposed ceilings. And because the fluted shape has demonstrated a marked degree of noise reduction, further acoustical treatment is not necessary in many cases.





The basic cross-section of Section 5-45 and 5-30 is the same as standard long-span Section 5-75. Only the vertical dimensions are different.

for new roof design freedom

Robertson's Section 5 Long-Span Q-Deck has enjoyed wide acceptance since its introduction two years ago. It has filled the requirements for economical long spans in the construction of schools, supermarkets and other building types. Now, two new variations have been added to further increase cost-savings and add to design latitude.

You will notice from the drawings above that the basic cross-section is the same—only the vertical dimensions have been changed. The underside of the decks retain the same appearance making practical the combination of all three types for greater economy for varying load and span requirements.

As with all of Robertson's five Q-Deck types, the new Long-Span designs are weight-saving, strong, precisely made and easily erected. Lighting fixtures can be recessed, surface mounted or suspended. Any type of insulation (1" minimum) and built-up roofing can be applied. Write for literature which includes complete details, load and property tables.

ROBERTSON LONG-SPAN



Technical Roundup

continued from page 242

Speed-Park, Inc. Equipment and controls for the 276-car New York City garage—and for the remainder of a series of similar facilities to be constructed in principal cities here and abroad—will be manufactured, installed and maintained under a contract agreement with the Otis Elevator Company. In each instance, the basic Speed-Park design will be adapted, foundation and façade plans prepared, and actual construction supervised by a local architectural or engineering firm.



New Bank to Replace Old One: Same Site, Business As Usual

A shiny glass and aluminum office tower is rising on the site of the Bankers Trust Company building in New York City—but the banking and vault facilities which extend from the sub-basement through the second floor of the existing 11-story structure will suffer nothing more than a thorough face-lifting while the new tower is erected around and over them.

From the third floor up, the building will be stripped down to a skeleton and its framework used for the new structure. To permit bank services to continue uninterrupted, the building was designed so that major construction activity would take place on an adjacent property which was incorporated into the total building site. On this section of the site, a new steel superstructure will rise the full 19 stories, capped by 12 ft deep trusses cantilevered over the existing structure. The three top floors and the roof of the new building will be continued on page 248



Four handsome plastelle colors with lifetime baked-on enamel finish: canyon coral, mist green, office gray, and sandalwood. Other colors to your specifications.

FLEXIBLE—Deluxe boltless steel shelving can be adjusted on 1" centers. Add sections as you need them—no tools required. FINISHED APPEARANCE—Correctly proportioned, simple, functional lines with corniced top. SHELF SERVICE—Your local Deluxe Steel Shelving Dealer will help you lay out your library and provide quick service when adding sections. Call your Deluxe dealer or write the factory for full-color library shelving bulletin *503.

DELUXE METAL FURNITURE CO. Warren 11, Pa. A division of Royal Metal Mfg. Co.


ROLLING DOORS Require




Serving the Construction Industry Through Fabrication of Structural Steel, Steel Plate Components, and Building Products

No Operating Space ... Roll-up Action Eliminates Overhead Obstructions!

Check Specifications . . . You'll Find that Mahon Doors are Built Better to Give Better Service Over a Longer Period of Time



MAHON STANDARD POWER OPERATOR 920-P



of Steel and Aluminum

MANUALLY, MECHANICALLY, or POWER OPERATED

OTHER MAHON BUILDING PRODUCTS and SERVICES:

- Insulated Metal Curtain Walls
- Underwriters' Rated Metalclad Fire Walls
- M-Floors (Electrified Cellular Steel Sub-Floors)
- Long Span M-Decks (Cellular or Open Beam)
- Steel Roof Deck
- Permanent Concrete Floor Forms
- Acoustical and Troffer Forms
- Acoustical Metal Walls and Partitions
- Acoustical Metal Ceilings
- Structural Steel—Fabrication and Erection
- Steel Plate Components—Riveted or Welded
 - ☆ For INFORMATION See SWEET'S FILES or Write for Catalogues

THE R.C. MAHON COMPANY • Detroit 34, Michigan Sales-Engineering Offices in Detroit, New York and Chicago Representatives in all Principal Cities




IN CANADA: Scarborough, Ontario 1160 Birchmount Road

Technical Roundup

continued from page 245

suspended from these trusses; the intervening floors will be supported from below. To develop the load-bearing capacity for carrying these additional floors, the present steel framework will be strengthened by erecting new columns around the existing ones and replacing two massive masonry columns with steel.

Construction plans were developed by Emery Roth & Sons, and James Ruderman, consulting engineer. The Bankers Trust Company was represented by Shreve, Lamb & Harmon, architects, and Purdy & Henderson, engineering consultants.



more roundup on page 254


Dept. AR BRIDGEPORT 2, CONNECTICUT

Are you building a new school or renovating an old one?

New

ANEMOSTAT School Catalog

contains necessary application and selection data





DRAFTLESS Aspirating AIR DIFFUSERS ANEMOSTAT CORPORATION OF AMERICA 10 EAST 39TH STREET, NEW YORK 16, N. Y. Representatives in Principal Cities

AC-1359

JUST CLIP AND MAIL


ANEMOSTAT CORPORATION OF AMERICA

BI

Gentlemen:

Please send me, without obligation, a copy of your new School Catalog.


Name	 •		•		•		•	 					ļ		1		F	2	s	i	i	o	n				•	•		•	•	•	
Company			+				4			•	•					•			•	•			•	•	•			•	•		•	•	
Address.		•		-		•	•					•					•		•			•	100						٠	•	•		
City															1	Z	01	24	2.							S	it	a	e				



This distinctive ashlar-parquet ceiling design was achieved with 24" x 24" Armstrong Crestone installed in a four-sides-exposed grid system. Dumbarton Junior High School, Towson, Maryland.




Registered trade-mark of the Champion Paper and Fibre Company, one of many distinctive custom designs possible with Armstrong Crestone,



Design 021 Design 022 For the complete booklet, "Design Concepts in Acoustical Ceilings," write the Armstrong Cork Company, 4203 Rock Street, Lancaster, Pa.





Design 028 (with Travertone)

Armstrong Crestone provides unlimited freedom in ceiling design

No longer is the ceiling the forgotten element of interior design. The growing use of attractive new acoustical materials has brought the ceiling forward as a design element to be seen and admired.

No other acoustical material offers you greater design freedom than Armstrong Crestone. Crestone is striated—grooved—to create a textured surface of contemporary beauty. The ridges and valleys form strong directional lines of high light and shadow that can be used in an unlimited number of combinations to create truly distinctive ceilings.

Mineral-fiber Crestone is rated Class A (Incombustible) under Federal Specification SS-A-118b. It carries the Underwriters' Label. Finished with a washable white paint, Crestone can be easily cleaned and, when necessary, can be repainted without appreciably affecting its sound-absorbing qualities.

For full details and samples, call your nearest Armstrong District Office, your Armstrong Acoustical Contractor, or write the Armstrong Cork Company, 4203 Rock Street, Lancaster, Pennsylvania.





HAVE YOU SEEN



Rail and stile doors in recessed and flush panel designs for commercial and institutional applications

AMWELD'S NEW Commercial Line?





ARCHITECTS • CONTRACTORS • DEALERS

Write today. Let us send you complete information about Amweld or the Amweld line of doors and frames...or have our representative call.



ANOTHER BIG REASON WHY YOU GET MORE with a



Look for your nearest Cordley Distributor in the Yellow Pages.

Q)

CORDLEY & HAYES 443 Fourth Avenue, New York 16, N. Y.

254 ARCHITECTURAL RECORD March 1958

Technical Roundup


United States, Britain and Canada Agree on Unified Drafting Practices Early last fall, representatives of the national standards bodies of the United States, the United Kingdom and Canada (the so-called ABC countries) met in Toronto at a five-day conference on the unification of drafting practices in the three countries. They went home in a rare state of international accord.

According to conference chairman Lt Col A. N. Huddleston, the agreement reached represented "the successful culmination of a project which has been patiently pursued for twelve years." The recommendations of the delegates, when incorporated into the national standards of their respective countries, are expected to eliminate differences in their drafting practices, and to permit drawings prepared according to the standards of one country to be readily understood and used in either of the others. The areas in which specific changes are to be recommended include size and format, projection, line convention, sections, screw thread representation, and various miscellaneous practices.

NBS Study Measures Crack Widths in Reinforced Concrete

Recent evidence uncovered at the National Bureau of Standards indicates that cracks in reinforced concrete are narrower near the surface of the reinforcing bar than at the outside concrete surface, thus exposing less of the bar to corrosion than was heretofore believed. The crack width measurements, made by D. Watstein and R. G. Mathey of the Bureau's structural engineering laboratory, are expected to be of value to the structural engineer in making better use of existing design data-with consequent savings in materials. They were made on tensile bond specimens designed to simulate a portion of the tensile zone of a reinforced concrete beam between two successive cracks. To provide the engineer with the necessary design information, measurements taken when a tensile force was applied were broken down into a ratio between the crack width at the surface of the reinforcing bar and that at the exterior surface of the concrete, and plotted against the applied stress. The reduction of crack width near the surface of the reinforcing steel was observed only for deformed bars; no noticeable reduction of crack width was observed with round smooth bars. more roundup on page 256





also manufactures

COLORFUL PERMANENT PORCELAIN ENAMELED ALUMINUM

FORMED ARCHITECTURAL PARTS

EXTRUSIONS

LOUVRES

TRIM

SPANDREL and MULLION PANELS Insulated – Laminated with a variety of core materials to render specified "U" factors.

reaporcel

ARCHITECTURAL PORCELAIN

SEAPORCEL METALS, INC. 28-20 Borden Ave., L. I. City 1, N. Y.

PARK AVENUE HOSPITAL FACED WITH SEAPORCEL AND SEAPORCLAD PANELS



Rogers & Butler, New York archi-tects, have used a unique design approach for this \$4,500,000 addi-tion to the Lenox Hill Hospital, New York City. They have incor-porated extra-large Seaporclad porcelain enamel panels contrasted dramatically with new, custom-made, Seaporcel formed panels exhibiting in full third dimension a prismatic configuration.




Used for the first time are two-tone, dusty pink lami-nated-insulated panels, 7 ft. x 10 ft. fitted into 10 ft. x 13 ft. modular aluminum frames. The sandwich con-struction includes an insulating core providing complete incombustibility, insulation and sound deadening quali-ties. Contrasting with the flat-surface curtain wall facade are the new Seaporcel formed panels, used as a vertical accent and as a decorative band course above the second floor.

Said Rogers & Butler of the two new panels: "This development represents a forerunner in the search by contemporary architects to achieve greater interest, variety, color and texture in new buildings designed for today's needs. They offer a means to practical economy, since they bring larger, prefabricated components, with factory-assembly precision to the building site."

For more information about Seaporcel and Seaporclad write for brochure 23.

The second	
T FIT COLUMN	
Lun Dap	TANKE AND ADDRESS OF TANKEN
T AND AND	CANNAN DARAMENTA & .

Lenox Hill Hospital-\$4,500,000 addition-located at Park Avenue and 77th Street, New York City.





ARCHITECTURAL PORCELAIN

SEAPORCEL METALS, INC., 28-20 Borden Avenue, Long Island City 1, N. Y. Boston, Mass. • Philadelphia, Pa. • Washington, D. C. • Newark, N. J. • Agents in principal cities



Complete Engineering and Erection Departments. A. F. of L. Metal Fabricating and Enameling Plant. Member: Porcelain Enamel Institute.

These licensed manufacturers fabricate SEAPORCEL products in the countries listed below. Personnel trained in SEAPORCEL's U.S. plant IN GREAT BRITAIN: Edward Curran Engineering, Ltd., Cardiff, Wales

IN AUSTRALIA: Metters, Ltd., Sydney, New South Wales A. Simpson & Son, Ltd., Adelaide, South Australia IN AUSTRIA: Kleiner & Fleischmann, Moedling, N. Oe. IN BRAZIL: Rheem Metalurgica, S.A., Rio De Janeiro IN CANADA: General Steel Wares, Ltd., London and Toronto, Ont IN CHILE: Fabrica de Enlozados, S.A., "Fensa", Santiago

IN DENMARK: Glud & Marstrands Fabriker, Copenhagen

IN FRANCE: Societé Equipement Menager Japy, Paris

IN HOLLAND: N. V. Emailleerfabriek "De Ijsel", Dieren IN ITALY: S.I.L.T.A.L. & Filiberto Crespi, Milan IN NORWAY: A/S Teknoglass, Sub. Co. of A/S Moss

Glasvaerk, Moss

IN SWITZERLAND: Metallwarenfabrik Zug, Zug IN TURKEY: Madeni Esya Sac ve Emaye Fabrikalari


T.A.S., Bakirkoy, Istanbul



More architects and builders each year are specifying Thermador "Bilt-ins" in the kitchens of their finer homes. They've learned that discriminating buyers who look to their new homes as lifetime investments want the finest electric ranges and refrigeratorfreezers at so little extra cost.

The best time to talk Thermador to your client is right now, at the blueprint stage. Point out the advantages of Thermador "Bilt-in" cooking tops and ovens...the matchless quality, the Lifetime stainless steel (or decorator color) finish, the ease and low cost of installation during construction, and the Thermador "Bilt-in" reliability that pays for itself in minimum service and repair.

Do yourself a favor. Specify when you can, install when you make the choice...Thermador "Bilt-in" electric cooking tops and ovens and refrigerator-freezers...the "Bilt-ins" that make the builder look better.






Air-cooled oven door has over-sized, easy-grip handle to avoid finger burns. Fully automatic. Threespit rotisserie.

Most happy couple loves their handsome Thermador "Masterpiece" Electric Range and their builder for recommending it.






256 ARCHITECTURAL RECORD March 1958

Technical Roundup

Nickel-Copper Alloy Roof Promises Long, Maintenance-Free Life

For the past ten years, crimped sheets of *Monel* nickel-copper alloy have been gradually replacing the old metal roofs of New York's Metropolitan Museum of Art. According to Superintendent of the Building, Robert M. Chapman, the installation has since required virtually no sheet metal or roofing accessory maintenance.

Part of its success can be attributed to the basic properties of the metal; part is due to the crimping process. The weather resistance of the alloy is indicated by the fact that for ten years it has withstood the salt, smoke, soot, rain, winds, industrial fumes and temperature extremes characteristic of New York air. A property of similar significance for roofing applications is its low coefficient of linear expansion-close to those of both steel and concrete. In addition Monel has enough tensile strength, toughness and ductility to take the fabrication stresses imposed by the crimping process, which produces about five .031 in. deep "crimps" per inch. Because the crimping makes the sheet itself, in effect, one continuous expansion joint, it reduces the need for conventional expansion joints, thus cutting installation and maintenance costs. It virtually eliminates seam failure and lessens overall maintenance by reducing the number of seams required. And it adds enough rigidity to permit the use of lighter-weight sheets which can be more easily fabricated and installed.







WEIRKOTE[®] - THE RIGHT CHOICE BY EVERY MEASURE

No matter what the specifications of your heating or air-conditioning duct work, Weirkote will meet them as only a quality zinc-coated steel can. No other metal can match it.

Take, for instance, the strength and rigidity of Weirkote. It's a natural for spanning large areas without bending or buckling and with a minimum use of supporting brackets. Consider, too, its fire protection. Its higher melting point makes it provably safer than competing metals. Since ducts sometimes carry volatile matter with a low flash point, this protection can be vital.

Important, too, is Weirkote's economy. Made by the continuous process which integrates zinc and steel, Weirkote can be worked to the very limits of the steel itself without flaking or peeling. Permanent corrosion resistance is provided in every seam and surface. Which, of course, all adds up to longer, maintenance-free life for Weirkote ducts. And its ease of installation cuts cost still further.

After a Weirkote duct installation is in and operating, your clients will find still another reason to be glad you specified Weirkote—it's quiet. Noisy creaks and cracks of expansion and contraction are minimized. With all these advantages plus economy, you just can't go wrong with Weirkote. *Free Weirkote Booklet*

Send for the new booklet on Weirkote today. Write Weirton Steel Company, Dept. Q-4, Weirton, W. Va.





3 Twice as much surface protection The diagram shows **ELECTRO-PLATED** how Acme's hot-dip galvanizing deposits twice the thickness of .002' 16 GAUGE STEEL zinc that ordinary electro-plating does. By dipping all assem-.002" .004" OF ZINC blies after fabrication, HOT-DIP GALVANIZED no surface is left ex-AFTER FABRICATION posed. With twice the .004" protection against rust 16 GAUGE STEEL and corrosion, Acme .004" units provide unexcelled long life . . . never need painting. 008" OF ZINC

4 Easily serviced external sump

On both cooling towers and evaps, Acme's external sump provides easy access. Sedi-

ment screen, float valve, and water treatment facilities are all quickly reached without removing panels, baffles, or screens. Just lift cover, and sump is open for easy servicing, cleaning, or draining.



NEW Plastic Pak weighs 90% less in NEW FLOW-MIZER Cooling Towers!


The new allplastic Acme-Pak offers further proof of Acme's progress in

cooling tower design. Where a steel pak would weigh 2300 lbs. (as in the 100-ton tower), the Acme-Pak now weighs 180 lbs! This means less weight on roofs, easier installation, lower freight costs.

What's more, this remarkable new pak cannot rot like wood nor rust like metal. Water deposits cling less, are easily washed off. The new Acme-Pak cuts tower costs two ways: lower installed cost, lower maintenance cost.




2 Zig-Zag Coil Spacing means Greater Capacity, Less HP in NEW FLOW-MIZER Evaps.



Acme's zig-zag spacing improves coil efficiency in two ways. First by staggering the tubes cross-sectionally, both air and spray water are forced to travel a longer zig-zag path through the coil effecting greater turbulence and better heat transfer.


Secondly, Acme coils are pitched to form a continuous zig-zag slope longitudinally. This keeps the falling spray water in longer contact with the tubes, also allows the condensed refrigerant to drain more rapidly. The result is more efficient evaporation . . . which means greater capacity in less space with less blower horsepower required.

Full access to coils or pak



The new Acme Flow-Mizers are

designed for full accessibility . . . fast, easy maintenance. In addition to sliding inspection doors, full-width panels are readily removed for convenient servicing of spray nozzles, eliminators, coil or pak. "File-drawer" pak and eliminators (see above) slide out for easy cleaning.



Balance where it counts

The complete blower assembly of an Acme cooling tower or evaporative condenser is electronically balanced after final assembly. Perfect balance is attained for quiet smooth-running operation under all conditions, less wear on blower shaft bearings, longer trouble-free service.



OK: Send me details:

New Flow-Mizer Evaporator Condensers, thru 200 tons New Flow-Mizer Cooling Towers, 20 thru 175 tons New Flow-Cold Cooling Towers, 3 thru 20 tons

Product Reports

continued from page 231

Pennsylvania Industrial Plant First Aluminum-Clad Building to Receive New Weather Resistant Coating

The two-stage construction of a new plant for the American Sterilizer Company of Erie, Penn., pointed up the need for effective protection of its aluminum-clad walls. By the time the second section of the building was completed in 1956, the walls built three years earlier were already showing the effects of weathering, and the builder began a search for a coating that would preserve the appearance of the new metal walls. Accordingly a series of tests were begun using a then newly-developed butyrate lacquer on sample wall panels which had a southern exposure and were subject to attack by dust, fumes and contaminated air from the nearby plant foundry. After the most effective method of cleaning and restoring the aluminum surface had been determined, the butyrate lacquer was applied to the panels and subjected to nine months' exposure. The tests showed it to be non-yellowing under constant sun exposure, and to have completely prevented oxidation of the surfaces. As a result the entire building was cleaned and coated with Pyroxcote 26-105, a butyrate lacquer formulation. The wall surfaces were first prepared by brushing them with a chemical cleaner and brightener which removed dirt and grease, and dissolved the graywhite oxide film. They were then treated with a passivating agent which prevented the rapid recurrence of oxidation. Finally a single coat of lacquer was sprayed onto the cleaned and brightened aluminum to achieve a coating about 0.3 mils thick. The butyrate component of the lacquer was developed by Eastman Chemical Products of

DESIGN TESTED AND VERIFIED -ILM 80775 0 in the Westinghouse CONTROL CENTER BUS 8.15.55 HIGH POWER LABORATORY \$3. BUS 3 CURRENT 61,200A1 CURRENT 62.100 A/ii Busi \$2: 61,900 A/in CURRENT ØI Bus 2

-

-

-

Los Angeles Statler Center - 1/16" scale - Holabird & Root & Burgee

LEADING ARCHITECTURAL MODEL MAKERS SINCE 1946

FORWARD SKETCHES FOR PROMPT ESTIMATE

We ship anywhere by rail or air

MAKE OUR STUDIO A PART OF YOUR OFFICE

Telephone YUkon 3-5893 2930 NILES AVENUE • SAINT JOSEPH • MICHIGAN

odels


itchell

Kingsport, Tennessee; the coating itself was supplied by *Pyroxylin Products*, *Inc.*, 4851 S. St. Louis Ave., Chicago 32, Ill.

more products on page 264



Typical wall section above was used to test methods of cleaning metal surfaces and applying protective coating. Method finally adopted was tested on panel at extreme right. Close-ups below show condition of original siding before and after lacquer application.







Westinghouse CONTROL CENTER design tested at 25,000 amperes to insure safety for personnel and equipment

At the Westinghouse High Power Laboratory, the new Westinghouse Control Center design has been thoroughly tested under maximum fault conditions with no damage to equipment ... conclusively proving it industry's safest control center.

With complete interchangeability between 9½-and 14-inch modular units, simplified installation and increased safety, Westinghouse Control Centers make possible the most compact, economical, centralized control systems.

For complete information on the Westinghouse Control Center, call your Westinghouse sales engineer, or write Westinghouse Electric Corporation, P.O. Box 868, 3 Gateway Center, Pittsburgh 30, Pa. J-22102






ARCHITECTURAL RECORD March 1958 261

COMPLETE AIR CONDITIONING SYSTEM American Blower offers air

CENTRIFUGAL REFRIGERATION MACHINES



American Blower Tonrac[®] maintains constant chilled water temperature . . . regardless of load. Its advanced single stage design and hermetic construction provide improved

You can pinpoint responsibility for equipment performance, delivery dates, user satisfaction on *any* air conditioning system you plan by using American Blower equipment . . . the *complete* line that's designed, engineered, and manufactured to work together.

Remember, when you think in terms of American Blower, you think in terms of a


performance and quieter operation. TONRAC comes as a compact, self contained unit, easier and less costly to install with its single level construction.

manufacturing organization that supplies more of the vital components for air conditioning, refrigeration, heating, and ventilating, than any other in the world.

And 73 branch offices offer local product help or nationwide sales-service coordination. Call *your* American Blower man. In Canada: Canadian Sirocco products, Windsor, Ontario.


or component part conditioning equipment for any job!

ALL COMPONENTS FOR ANY TYPE OF SYSTEM




Type AB Multi-Zone Unit is in one arrangement for either horizontal or vertical air flow. A diffusion section is furnished between the fans and coils to distribute the air evenly over the entire face of the cooling and heating coils.


For further information, write: American-Standard,* American Blower Division, Detroit 32, Michigan



New Fancoil Units cool or heat individual rooms in multi-room structures. Operate on "flo-thru" principle. Save space – only 91/4" deep. Vertical or horizontal mountings.



Packaged Air Conditioners sizes from 3 to 20 tons; soundinsulated — a unit for every business! Air or water cooled models, for use with or without ductwork.




Inductor Units for cooling or heating multi-room buildings. Can be connected in series, Mounted vertically or horizontally (without excessive casing depth). Wide range of sizes.

*AMERICAN-Standard and Standards are trademarks of American Radiator & Standard Sanitary Corporation.







The Phoenix Towers, Phoenix, Arizona, demonstrates these several advantages in Miller sliding glass doors: 1. Heavy tubular sections allow complete freedom of design, and provide added strength to withstand abnormal wind loads. 2. Every aluminum frame is Alumilited for lasting beauty and resistance to elements. 3. Section (at right) shows how Miller double-seals vents on all four sides with Schlegel Certified woven pile (silicone treated). 4. Three complete lines in aluminum and steel provide design and cost latitude-for commercial, institutional and residential. 5. Distributors and dealers in most principal cities carry stock for immediate delivery. 6. Design assistance offered at no charge by Miller engineers. Write for dealer's name and free catalogs. Also see Sweet's Arch. File 16d/Mi





View from one of the 60 cooperative apartments in Phoenix Towers.

Other large-scale Miller installations: RENO, NEVADA LITTLE ROCK, ARK. PITTSBURG, PENNA. GARDEN GROVE, CALIF. CHICAGO, ILLINOIS NEW ORLEANS, LA.

HOLIDAY HOTEL U. OF ARKANSAS WOMEN'S DORM. WARWICK APARTMENTS ALAMITOS INTERMEDIATE SCHOOL SCHUTZ OFFICE BUILDING UPTOWN NEGRO HIGH SCHOOL



Frank B. Miller Mfg. Company, Inc., Dept. AR, 3216 Valhalla Drive, Burbank, California

Product Reports

Asbestos Core for Curtain Walls

Cell-Air-Core, a new type of core material for use in curtain wall panels, consists of an asbestos honevcomb impregnated and coated with a portland cement compound. Described as being superior to untreated asbestos cores in compressive strength, thermal-acoustical insulation, and resistance to moisture and combustion, it is made in thicknesses of from 1 to 4 in. The honeycomb core may be faced with a variety of skins for exterior and interior applications, and can be easily cut to allow conduits to run inside the panels themselves. When used to form outside panels, its cells are filled with vermiculite, which increases its insulation value and combustion resistance. The Bettinger Corp., Waltham, Mass.



Indoor Lighting Control System

A new automatic indoor lighting control system is said to result in electric power savings of up to 80 per cent by preventing unnecessary use of artificial lighting. Known as Light Saver Controlled Lighting, the system automatically measures incoming daylight and turns artificial lighting on or off in proper amounts to maintain the desired illumination in work areas of office buildings, schools and factories. Heart of the system is the control panel shown above. The phototube at right-usually mounted outside the building-accurately measures the amount of light coming into a number of rooms in a particular area. Its signal operates a switching motor which increases or decreases lighting in three or more stages so that the adjustment goes virtually unnoticed by the occupants of the area. Minneapolis-Honeywell Regulator Co., 2753 Fourth Ave. So., Minneapolis 8. Minn.

more products on page 270

FRANK ADAM builds COMPLETE **ELECTRICAL DISTRIBUTION SYSTEM** for new RILLON hotel in record time! \$20,000,000

The Carillon at Miami Beach, Florida's ne control angest resort hole! Architects — Norman M. Giller & Associates Architect on Public Spaces — Melvin Grossman General Contractor — Cal Kovens Construction Corp. Electrical Contractor — B & W Electric

> **Recently Frank Adam Electric Company** was awarded the contract to build a complete electric power distribution system for the \$20,000,000 620 room Carillon Hotel, Florida's newest and largest resort hotel at Miami Beach.

111111

Because the hotel was scheduled to open December 21, necessary equipment had to be designed and produced in record time.

Responding to the challenge Frank Adam built a distribution system that included two @ Klampswitchfuz switchboards-Klampswitchfuz power distribution panelboards, Powerplugin busduct and QP Quicklag P lighting panelboards to handle the hotel's heavy load concentration safely, efficiently and economically.

Recommendations of Frank Adam engineers were promptly accepted and six days after the final "go ahead" order the last of the equipment was shipped.

What Frank Adam engineering skill and technical "know how" did for the Carillon they can do for you. Let your nearest @ representative listed in Sweet's tell you how Frank Adam equipment can fit into your next big job.

RANK ADAM

(A) Klampswitchfuz Switchboard Features a hinged type, horsepower-rated operating switch that combines both disconnect switch and fuse protection into one unit. Ratings, 30 to 600 amperes, 250 volts AC or DC 2 and 3 poles.

Powerplugin


The modern system of distributing power from service entrance to machines and light. Ratings 225 to 1500 amps. 600 volts AC or less with Klampswitchfuz. Shutlbrak or Circuit Breaker plug-in devices.

(A Quicklag P Panelboard A plug-in type thermal-magnetic circuit breaker panelboard that provides safe, dependable, automatic circuit protection against overloads and short circuits. Breaker capacities are 10 to 50 ampere up to 42 poles.



FRANK ADAM ELECTRIC COMPANY BOX 357, MAIN P. O. . ST. LOUIS 3, MO.

makers of busduct · panelboards · switchboards · service equipment safety switches . load centers . Quikheter





Proper orientation is important to any school building, and particularly so when warm weather comfort-and eventual air-conditioning-are considered. At the John Jay High School, the middle portion of south-facing wall is 50% glass, 50% light-colored panels to reduce glare and solar gain. Continuous glass in upper portion admits a maximum of useful light to the ceiling. As warm weather approaches, the shadow of the darkeningglass screen, shown below, covers more and more of the window until-in May and June-it is entirely covered. **CLASSROOM AIR CONDITIONING,** more and more is becoming a basic factor in school design. Architects everywhere are recognizing the trend in their structural considerations for school buildings.


Educators, too, are thinking—talking stressing air conditioning. They have found that classroom temperature, air movement and humidity have a direct bearing on learning and development. They realize that it is just as important that a child be comfortable in hot weather as it is in wintertime.

For these reasons, many schools are already air conditioned, or are planning for it in the future. Throughout the country, the need for air conditioning is being reflected again and again in basic school design. The building plan shown on these pages is an outstanding example.

Does the school you are planning include eventual air conditioning? Think it over. Chances are—it should.







Stanley Sharp designs school window wall completely compatible with air conditioning

In the John Jay High School, Westchester County, New York, architects Ketchum, Gina' and Sharp recognized window-wall as a key element in school design. Their approach was based on a conviction that control of solar heat is at least as important as admission of daylight to schoolrooms—and especially so in view of the likelihood of future conversion to air conditioning.

In the cafeteria, shown here, they developed a unique application of low-transmission glass, suspended vertically from the roof overhang—and a pattern of glazed and opaque panels in the window itself. Direct solar gain is greatly reduced in winter, completely eliminated in hot weather. Light distribution and visual comfort are actually improved.


If, at any time, warm-weather cooling is added to the heating and ventilating functions of the mechanical equipment, the building will be far easier to cool than if it had continuous, unprotected windows. Meanwhile, the design is paying off in greater thermal and visual comfort from the start.


air conditioned school design

Schematic section through south-facing window-wall shows how lowtransmission, glass screen blocks sun-heat, an important factor in economical air conditioning. Diffuse reflected light penetrates deep into the room.

The darkening-glass screen also reduces sky glare without obstructing the view. Location of the screen at a distance from the window shadows its middle portion. This allows absorbed heat to escape to the outdoor air on both sides of the glass, and admits reflected "ground light" to the entire ceiling area.

Stanley Sharp, who designed the building, feels that "the architect's obligation is to create a pleasant environment for people to live with and in. Our task is to arrive at a fine balance of many independent factors . . ." This window-wall treatment is an excellent example of his philosophy.







UNIT VENTILATOR with optional air conditioning



already selected by more than 100 schools

Will the school you are planning *ever* need air conditioning? The answer is definitely—yes. Architects and educators agree on the importance of the proper learning environment. And only air conditioning can assure that your school will have it when the weather outside is warm.

That's why today—less than a year after its introduction—the HerNel-Cool II unit ventilator with optional air conditioning has been selected for use in more than 100 schools, which are either air conditioned now or have planned for it.

HerNel-Cool II is the first unit ventilator to offer optional air conditioning, as well as heating, ventilating and natural cooling (with outside air). Units can be installed so the school enjoys the usual benefits of Herman Nelson unit ventilation, including the famous DRAFT|STOP system—the only type of draft control that is compatible with air conditioning. Then at any time—immediately, or whenever the school budget will allow it—the mere addition of a chiller in the boiler room is all that is needed for complete hot weather air conditioning.

This can be accomplished without disruption of classroom activities . . . without expensive alteration and installation charges. The cost is far less than for separate heating and air conditioning systems—both for installation and operation.

Want information? Write today to Herman Nelson Unit Ventilator Products, American Air Filter Company, Inc., 215 Central Ave., Louisville 8, Ky.



JUST HOW MUCH DOES PROVISION FOR FUTURE CLASS-ROOM AIR CONDITIONING COST? The answer is: probably far less than you think—when you install HerNel-Cool II air conditioning unit ventilators. Actually, it costs only fifteen to twenty cents per square foot more than the cost of basic heating and ventilating equipment in average new construction or between one and two percent of total building cost. Complete, immediate air conditioning is approximately fifty to fiftyfive cents more.

By using Herman Nelson unit ventilators, schools have held heating and ventilating costs—including provision for future air-conditioning—to a total of less than \$1.35 per square foot. Other schools have heating, ventilating and immediate air conditioning—for a total per square foot cost of less than \$2.00! (And, in many cases traditional design concepts were used.) These are current costs, too! HerNel-Cool II unit ventilators have been available for little more than a year.


Look at the costs shown below. They are particularly interesting when you realize that they are truly representative for Herman Nelson equipped schools in all parts of the coun-

TA	EN SCHO KEN ON HEATING	HERMAN	WHICH BIDS V NELSON UNIT	S FOR		E TAKEN		ATION PLUS	NITS FOR	WERE	TAKEN O	ON HERMA	AN NELSON UN TION PLUS CO	NITS FOR
School	Total Cost	Total Cost Per Sq. Ft.		Per Cent of Total Cast	School	Total Cast	Total Cost Per Sq. Ft.	Heating & Ventilating Cost Per Sq. Ft.	Per Cent of Total Cost	1	Total	Total Cost	Heating Ventilating & Air Conditioning	Per Cent o
A	\$ 659,000		\$1.15	7.6	School					School	Cost	Per Sq. Ft.		Total Cost
B	416,21		1.13	12.4	K	\$ 666,00 423,51		\$1.32	8.5		\$690,000	\$16.04	\$1.88	11.7
C	435,270		1.48 1.98 1.47 1.25	22.0		356,80		1.29	14.0	K	371,100	10.44	1.95	11.7
D	131,223		1.98	10.9	MN	2,813,00		1.55	11.5	2	406,463	14.38	2.41	16.8
E	1,013,960		1.25	11.1	0	2,745,38		1.76	10.7	ii.	360,700	13.11	2.22	16.9
5	577,19		1.07	12.9	P	1,311,00		1.55	14.9			1.0.0.00		
G	310,17		1.05	10.7	ò	500,00		1.72	11.0	Average	\$457,066	\$13.49	\$2.12	16.0
	344.29		1.11	10.7	and the second second									
j	118,14		2.09	16.6	Average	\$1,259,38	5 \$13.25	\$1.57	12.3		added cost	conditionin	A ANDRESS	
Avetage	\$ 426,56	\$11.05	\$1.38	12.8	Avg. gd	id, cost pro	visions for	future air condit	tioning0.19	101. 00	mpiere dit	conditioni		


try. Locations range from California to New York, from Wisconsin to Georgia.

Complete cost studies—for schools employing immediate air conditioning as well as for those which are planning for its installation later—are available upon request.

Get all the facts now. Classroom air conditioning-immediate or eventual-is being included in more and more school planning. You'll want to consider it in yours. Write today to Herman Nelson Unit Ventilator Products, American Air Filter Company, Inc., 215 Central Avenue, Louisville 8, Kentucky.



Product Reports




Combination Light-Air Diffuser


Air diffusion and fluorescent illumination have been integrated in a new troffer which provides high comfort light and air conditioning from a single fixture. Designed for installation in any suspended ceiling, the *Paraflo* troffers come in 1 by 4 and 1 by 8 ft models for rapid-start and slimline lamps. Conditioned air is diffused throughout the length of a center parabolic louver of perforated metal, which also helps to provide controlled brightness. According to the manufacturer, the units deliver up to 150 cfm, with low pressure drop and correspondingly low noise levels. Primary advantage is the flexibility of the system in which every light source is a potential air diffuser.



Low-cost, Dependable Power-Stand-by, Primary, Portable



OTHER MODELS FROM 500 WATTS to 100 KWall voltages and phases.




FOR HOMES ... ESTATES ... HOSPITALS ... SCHOOLS ... STORES...HOTELS...RESORTS ... THEATERS ... BUILDINGS!


Power failures always occur when you least expect them. When a WINPOWER Plant is on the job, it takes over instantly through automatic line transfer controls when regular power fails. No interruption to lighting, heating, refrigeration, elevator operation or other electrical services.

Get the facts about WINPOWER LOW COST STAND-BY GENERATOR PLANTS without cost or obligation. Attach this ad to your letterhead and mail today for illustrated literature and complete information.

WINPOWER MFG. CO., Dept. G-63, NEWTON, IOWA

The units were developed jointly by the Air Distribution Division of the Barber-Colman Co. and Day-Brite Lighting, Inc., 16 N. 9th St., St. Louis, Mo.





Compact Heating and Steam Boiler

The Thermodyne, a new automatic heating and steam boiler which requires less than a third of the floor space needed for conventional boilers of equal capacity, is said to be the most powerful and economical unit for its size ever built. According to its manufacturer, test units now in service have reduced fuel operating costs by a third and maintenance upkeep by 50 per cent. Its efficiency is attributed to a vertical arrangement of the boiler tubes which provides exceptionally rapid water circulation and high heat transfer. In addition, this "vertical bent-tube" concept has permitted design of a new "blowdown" system to assure rapid and easy removal of collected waste solids. Fourteen variations of three basic units, ranging from 5 to 1000 hp, are available for operation on gas, oil or electricity. All can be used for either low or high pressure and low or high temperature water circulation. Hercules Power Equipment Co., P. O. Box 49724, Barrington Sta., Los Angeles, Calif.

more products on page 274

Belt Drive Centrifugal Roof Ventilator

> Recommended for their high quality, ease of installation, low maintenance cost, trouble-free operation, space-saving features, and blower-like performance.

Peerless Electric Roof Ventilators...



Peerless Electric Roof Ventilators offer engineers, architects, contractors and users AMCA rated units that embody sturdiness, high performance ratings, and low noise levels. They are particularly suited for public buildings, industrial plants, hospitals, churches, schools, and other similar applications.

Direct Drive Centrifugal Roof Ventilator Sizes range from 12" to 60" wheels; 640 to 45,000 c.f.m., depending upon the unit selected. Peerless Electric Roof Ventilators are built of 16 gage steel, or heavier, to last the life of the building. They fit all standard curb sizes. Matching wheel cones accurately fit venturi inlet for quieter operation . . . smoother air movement.


Write for Complete Line Catalogs

A COMPLETE LINE OF AIR MOVING EQUIPMENT












Charter Member of the Air Moving and Conditioning Association, Inc. (AMCA) FAN AND BLOWER DIVISION









Shaughnessy, Bower & Grimaldi, A.I.A. design a

150-bed community hospital

During 1957, the value of construction-contracts* for hospital buildings in the U.S. reached an all-time high. In fact, the percentage gain in hospital building over 1956 was greater than any other commercial or institutional building type.

In their design study, Shaughnessy, Bower & Grimaldi have given today's community hospital a bright, new personality. Maximum use of natural lighting, the inclusion of exterior walkways and open courts, a unique solution to traffic flow and parking-all have helped replace the typical "assembly line" atmosphere with new-found comfort and convenience.

144 1 1



(ITIPETER). 14446

************* ILLIANNAL

We believe you'll find these design ideas both practical and appealing. Plan and detail sheets showing the wide variety of Carey products that could be used in this 150-bed hospital are also available. Just clip and mail the coupon.

*Source: F.W. Dodge Corp.

BETTER PRODUCTS FOR BUILDING SINCE 1873

ADDRESS PHILIP CAREY MFG. COMPANY, LOCKLAND, CINCINNATI 15, OHIO, DEPT. AR-358 Please send me plan and detail sheets on your hospital design study.

NAME

STATE.

COUNTY

SITY

Product Reports

Thin-Bed Cement Setting Compound

With the addition of water, *Crest Tile-Set* is transformed from a dry pre-mixed powder to a thin-bed portland cement compound which can be used for the dry installation of real clay tile, ceramic and glass mosaics, marble, terrazzo and similar materials. Available in either natural gray or white, the material is applied only $1/_8$ in. thick. Its principal advantages are the elimination of a number of steps in tile installation; its ability to bond directly to dry surfacesincluding brick, gypsum wallboard, old plaster and dry haydite block; and the reduction of wall weight due to the smaller amount of material needed for the thin-set installation. Kaiser Manufacturing, Inc., 2,000 Harrington St., Houston, Texas

Foam-Backed Aluminum Siding

Bak-R-Foam, a new aluminum lap siding produced in nine baked enamel colors, features a bonded backing of *Dylite* expanded plastic foam. The % in. thickness of foam is said to create a highly efficient insulating barrier, as well as a sound-deadening acoustical cushion. It adds rigidity without weight, permitting one-man installation of the 10 ft lengths of siding; and, because it is water-resistant, it helps to dissipate moisture dispersed through drip holes along the bottom edge of the panels. Siding Div., Alsco, Inc., 225 South Forge St., Akron 8, Ohio




In St. Louis, as in all of the nation's metropolitan centers, Halsey Taylor is the practical specification for drinking-water equipment. Whether it's a skyscraper or an institution, a school or a church, building authorities know they can rely on the unfailing health-safety and everyday dependability of Halsey Taylor fixtures. Find out how Halsey Taylor can best meet your building program.

The Halsey W. Taylor Co., Warren, Ohio


Porcelain top coolers, shown, were specified

rs by Halsey Taylor



Fluorescent Lighting Standard

Circa-Lite, a new fluorescent luminaire for outdoor lighting, makes it possible to vary output from 2500 to 20,000 lumens to meet various lighting requirements. As many as eight standard 40 watt circular fluorescent lamps can be installed on each standard by simply plugging the "modules" into each other. All parts are fabricated from aluminum, including the standards, which are highstrength aluminum extrusions available in mounting height up to 20 ft. Three base types are offered, one of which is hinged so that the luminaire may be serviced from the ground. The Kenworth Co., Winsted 1, Minn. more products on page 278



Now we can get rid of that stack"

New Petro FORCED DRAFT burner for smaller boilers (OIL, GAS OR COMBINATION GAS-OIL)

This advanced Petro forced-draft burner is as compactly built and service-free as your home oil burner; yet it delivers some surprising extra values.

First, built into it is a complete combustion system, with forced draft air supply, fuel systems and prewired integral control panel—all assembled and tested at the factory.

Second, it eliminates the need for a high stack, yet requires no induced draft fan.

Third, a burner head of new design cures the old problem of flame pulsation, in both gas and oil firing—in either natural draft or pressurized boilers.

Finally, it is available for either light oil or gas firing—or a combination of both—with instantaneous change of fuel under either automatic or manual control.


Available as a complete burner unit for easy application to any type of boiler, from 18 to 92 bhp. Also available in a complete boiler-burner unit (with Scotch boiler) delivered at site, ready for service connections. For full description and specifications, please mail coupon.

See Petro Catalog in Sweet's Architectural File

Makers of Quality Heating and Power Equipment since 1903



Forced draftno stack or induced draft fan required. No flame pulsation. Single or dual-fuel firing. Complete unit with Scotch boiler; or burner only for use with any type boiler.
PETRO 3216 West 106th Street Cleveland 11, Ohio (In Canada: 80 Ward Street, Toronto, Ontario.) Please send me information on Petro P-240 Forced Draft Gas-Oil Burner.
Name
Company
Address
Cier State



the pygmee rolling counter door


This is Balfour's new pygmee rolling counter door; it is a new concept in counter closure design.

From its extruded alumilited curtain to its ingeniously concealed hardware and minimum space requirements, the **pygmee** has been **designed** to blend with the dignity, elegance and grace of contemporary architecture.

From the exclusive security features of its guides and bottom bar to its "silent-glide" nylon bands and precision balancing, the **pygmee** has been **designed** to achieve the ultimate in utility and security.

The pygmee rolling counter door is custom built to your specifications for counter closures in ticket offices, banks, hotels, cafeterias, concession stands . . . wherever maximum security features must conform with the smart, clean lines of today's architecture.

You'll find full specification data on the new pygmee door in Sweet's Files. Or, for your personal copy of the pygmee catalog, write to Walter Balfour today.



Product Reports



Porcelain Enamel Facing Panel

Color Wall, a new laminated panel for facing building exteriors, is made up of a tempered, hardboard core, faced with porcelain enamel on steel and backed with a metal moisture barrier. Panels come in ten semi-gloss colors, and a stippled surface of pastel blue or mint green; sizes include 2 by 8, 2 by 10, 3 by 8 and 3 by 10 ft. A similar lightweight panel is also available for use in interior partitions and walls. Kawneer Company, Niles, Mich.



Constant Volume Control

A simple new control device, the R-316 Air Flow Controller, is said to greatly increase the accuracy and reduce the installation and operating costs of high velocity, double duct air conditioning systems. According to its manufacturer, the controller assures constant volume air delivery to each room regardless of the number of mixing units in the system, the length of duct runs or differences in pressure between the hot and cold air ducts. When installed in the mixing unit, it adds to the flexibility of room temperature control while permitting savings in initial fan costs, fan horsepower consumption and duct design. Additional savings result from eliminating the need for manual balancing of the system. Johnson Service Co., Milwaukee 1, Wisconsin.

more products on page 282



Cardinal Glennon Memorial Hospital for Children, St. Louis, Mo.

Children's hospital is designed for a century of service

u CAN BE SURE ... IF IT'S Westinghouse (W)




One of the two motor control centers with Type B wiring installed in hospital by Westinghouse. Each starter has 480-to 110-volt individual control transformer.




Contractor and engineers discuss metal-clad switchgear employing preferred-emergency incoming line transfer arrangement.

J-94094-2



Close-up shows components in air conditioning compressor hook-up. In the foreground is a Westinghouse 250-hp wound-rotor induction motor with Type SU double-helical-type speed increaser—1760 to 6750 rpm.



Transformer room view shows three of hospital's five Westinghouse dry-type self-contained power centers. 75-kva 208-volt wye to 120-volt delta ungrounded isolating power center is in the foreground, and two 225kva power centers are in the rear.

Scene in hospital conference room includes Norman H. Maas, Electrical Engineer for Maguolo and Quick, Architects; Joseph F. Dwyer, Manager of Hospital's Central Office and Coordinator of Building Committee; Sister Mary Vivian, S.S.M., Director of Occupational Therapy; Louis S. Sachs, S. C. Sachs Co., Inc., Electrical Contractors; (standing) W. L. Phiffer, Westinghouse Construction Sales Engineer; Walter R. Riechman, Westinghouse Electric Supply Co.; and Paul Olschner, Westinghouse Area Sales Manager.



New hospital covers 4½ acres —required 4,000,000 man-hours of labor during 3-year construction period

The Cardinal Glennon Memorial Hospital for Children, now in its second year of operation, is an example of architectural planning which looks beyond the immediate demands of hospital form and function to anticipate future hospital requirements. The man-hours of labor which went into the actual construction of the hospital reflect the many other hours which were devoted to careful design and engineering of the institution.

The design criteria for the building was established at 100 years, and all material and equipment was specified on that basis. Important in this long-range planning was the electrical distribution system which was required to provide failure-free service for the hospital and also required to be capable of expansion as needed.

YOU CAN BE SURE ... IF IT'S Westinghouse ()

Westinghouse equipment, including elevators, was selected for the entire hospital electrical distribution system, and after exhaustive studies by the architect's electrical engineers, in cooperation with Westinghouse engineers, it was determined that duplicate primary service system was best suited to the hospital's present and future requirements. Details of the Westinghouse equipment used in the hospital are illustrated here. Additional information about how Westinghouse helped meet the demands of this exacting hospital requirement and can help you in solving your electrical needs is available. See the Westinghouse Electrical Construction Engineer nearest you or write Westinghouse Electric Corporation, Box 868, Pittsburgh 30, Pennsylvania.

J-94094-3



Operator is adjusting rpm of one of two 250-hp compressor motors. On-off switch is on column at right and motor control components are in large enclosed cabinet.



Westinghouse Type NLAB Quicklag® breaker lighting panelboards. A total of 42 lighting panelboards and 10 power distribution panelboards are installed in the hospital.




Illustration shows the utilization of individual Westinghouse motor controls. The four vacuum pumps in the foreground are individually controlled by the motor controls being operated in the background.

The Cardinal Glennon Memorial Hospital cares for children between the ages of one to twelve, regardless of race, color or creed.



All-Westinghouse electrical system was unanimous choice for long-term service

The architect, electrical engineer, electrical contractor and building manager for the hospital all agreed on Westinghouse electrical equipment as first choice for continuous, failure-free performance, minimum maintenance and for the ease with which necessary future expansions can be accomplished.


Cardinal Glennon Memorial Hospital for Children Architect-Engineer: Maguolo and Quick Electrical Contractor: S. C. Sachs Co., Inc. General Contractor: John B. Gutman **Construction Co.** Westinghouse Distributor: Westinghouse Electric

Supply Co. J-94094-4



Over 275 Pages Westinghouse Data In Sweet's Architectural File.

SHERRON steel multiple telephone booths



Sherron Steel Telephone Booths are: **FIREPROOF** and free of all hazards ACOUSTICALLY TREATED for utmost privacy **ILLUMINATED** for easy vision VENTILATED for year-round comfort EASILY CLEANED with a wipe of a cloth **RECESSED** or **FREE STANDING** to fit readily into any architectural motif

.. belong in hospitals

Safe! Sanitary! Enduring! These are the big reasons why Sherron steel booths are prescribed for hospitals and other institutions.

They are fireproof. Their joined construction prevents dirt accumulation between booths. And they retain their original good looks indefinitely ... whether in stainless steel or in lifetime colors to harmonize with given interiors. They can be installed free standing or recessed, depending on the architectural motif . . . with electrical facilities in recessed booths serviced from within the booth, thanks to a convenient hinged ceiling. . . . Consult your telephone company or write us for technical data.




FREE STANDING BOOTHS WITH SEE-THRU GLASS PANELS AFFORD FULL VISION AT ALL FOUR SIDES ... AT ALL TIMES

LLIC CORP.





ARCHITECTURAL RECORD March 1958 281



Norman

Schoolroom Heating and Ventilating System

VERSATILE . . . adapts to any schoolroom. May be installed along part or all of exposed wall, then continued around corner if room has two exposed walls, or through wall into adjacent room.

TWO SIZES . . . choice of 85,000 or 100,000 BTU/hr. input to meet requirements of any size classroom.

UTIL-I-DUCT, WALL-I-DUCT . . . bookshelf sections add work-top and storage space to classrooms. Thin Wall-i-Duct sections save room space. Two types of ducts can be used together. **RIGHT-OR LEFT-HAND MODELS**... these individual central heating units can be installed at either end of exposed wall. Two systems can be used together in large rooms. Systems in adjacent rooms can be extended from a common partition wall with flues from both heating units housed in the same partition.

FLEXIBILITY ... individual schoolroompackaged heating and ventilating systems mean greater freedom in planning new schools, and important economy in planning future additions.

Products	NORMAN PRODUCTS CO. 1152 Chesapeake Ave., Columbus 12, Ohio We want to learn more about Norman Products for School Comfort. Please send complete information to: NAME
company	COMPANY NAME
	CITYZONESTATE See Sweet's Arch. File 29F, American Sch. and Univ. Annual C-1/no

Product Reports



Corrosion-Resistant Plastic Panel

The "Metal Gray" Resolite panel, a new type of structural plastic panel developed specifically for use in industrial plants, is expected to last over three times as long as standard metal corrugated panels in a corrosive atmosphere. Made of a specially formulated reinforced polyester resin, the panels are a dull metallic gray in color, and thoroughly opaque. They are currently available with standard 2.5, 2.67 and 4.2 in. corrugations in either standard or extra heavy weight, and can also be had in a special fire-resistant formulation. Resolite Corp., Zelienople, Pa.



Spot Fire Detectors

Three new fire detectors engineered by J. H. Scharff, Inc., make it possible to detect fire fast by a variety of methods-rate of temperature rise, fixed temperature or a combination of both. Known as Fyrindex detectors, these spot-type elements can be combined with other components to create a complete fire alarm system. If desired, they can cause doors or windows to close, shut off machinery, and automatically perform other functions in addition to triggering an alarm. All three units are self-resetting, 35% in. in diameter by $2\frac{5}{32}$ in. deep, and may be mounted on flat surfaces or on 31/4 in. outlet boxes. Walter Kidde & Company, Inc., Belleville, N. J.

more products on page 286



WILLIAM F. BERNBROCK, ARCHITECT

Bring out the beauty of modern materials with *Pella* wood folding doors Convenience is just one big point you can talk up with PELLA WOOD FOLDING DOORS. See too, how handsomely they harmonize with the wood cabinets and furnishings, dramatically accent the masonry wall, create an eye-catching interplay of textures among appliances and floor materials.

PELLA WOOD FOLDING DOORS are the truly decorative answer to builder's problems in organizing modern open-plan living areas. Supplied ready for custom-finishing, or factory finished in pine, oak, birch and Philippine mahogany veneers. Packaged...ready for fast installation.

MAIL COUPON TODAY

		R
1	> 11-	Pl
· P	ella	FIF
	®	AD
		: cn
		: AT


A PARTY AND A PARTY AND A PARTY	EN COMPANY, Dept. J-44, Pella, Iowa
	d me illustrated literature on PELLA WOOD FOLDING DOORS
FIRM	
ADDRESS	

ZONE

TTENTION MR.

WOOD FOLDING DOORS

STATE




Warm Welcome for the 1960 Winter Olympics

SQUAW VALLEY LODGE

Lifelines of CHASE




SNOW RAPIDLY DISAPPEARS on the outdoor terrace of Squaw Valley Lodge. Thanks to Chase Copper Tube, this snow-melting system was quickly, efficiently and inexpensively installed. These Lifelines of CHASE copper tube will provide indoor warmth...melt snow swiftly on terrace and walks...*remain* free-flowing indefinitely.



The Nation's Headquarters for Brass, Copper and Stainless Steel Atlanta Baltimore Boston Charlotte Chicago Cincinnati Cleveland Dallas Denver Detroit Grand Rapids Houston Indianapolis Kansas City, Mo. Los Angeles Milwaukee Minneapolis Newark New Orleans New York (Maspeth, L. I.) Philadelphia Pittsburgh Providence Rochester St. Louis San Francisco Seattle Waterbury

installs Radiant Heating

COPPER TUBE!



Architect: MALONE & HOOPER-San Francisco Engineer: GEO. BROKAW-San Francisco Contractor: BOOTHE RADIANT HEAT, INC.-Lafayette Wholesafer: GRIMSHAW PLBG. SUPPLY-Berkeley

CHASE copper tube is *known* for its superior quality and dependable, long-lasting performance. It was CHASE that pioneered copper tube and fittings. And over the years, more CHASE copper tube has been used in building than any other brand.

Whenever you want easy installation, troublefree service and long-range value—always insist on Lifelines of CHASE copper tube. It never pays to settle for substitutes!

BRASS & COPPER CO. WATERBURY 20, CONNECTICUT SUBSIDIARY OF KENNECOTT COPPER CORPORATION



LIGHTWEIGHT, bendable Chase Copper Tube is so easy to handle, mechanics save time; do a better job faster.



EASY-TO-SOLDER, too, Chase Copper Solder-Joint Fittings go on in a jiffy. Long tube lengths mean fewer fittings required.




FREE-FLOWING water travels unobstructed and at full pressure over the years through radiant heating Lifelines of Chase Copper Tube.



PRESSURE-TIGHT, these properly installed Chase radiant floor heating lines are going in *for good*.




SEE 1958 SWEET'S ARCH. 4h & IND. CONST. 3c



ECONO CAVITY-LOK* (For cavity walls of block and brick)

Two parallel reinforcing wires of $\frac{3}{16}$ " high tensile steel wire, control shrinkage cracking in the concrete block backup. Flush-welded rectangular ties, spaced 16" O. C., of $\frac{3}{16}$ " high tensile steel wire (to comply with building code requirements), tie facing to backup; permitting some movement between wythes. Made in 12' lengths and packaged 15 pieces to a bundle.



CAVITY-LOK* (For cavity walls of block and block)

Four parallel reinforcing wires control shrinkage and settlement cracking and add lateral and tensile strength to both inner and outer wythes of a cavity wall. (Flush welded cross ties spaced 16" O. C. tie inner wythe to outer wythe.) Made of all \S_{16} " high tensile steel wire to comply with building code requirements. Made in 10' lengths and packaged 10 pieces to a bundle.



ECONO-LOK* (For solid walls of block and brick)

Report G-585 from Armour Research Foundation of I. I. T. proves ECONO-LOK tied walls are stronger than two wythe walls using masonry headers. (Write for your copy of the full report.) Available in No. 9 high tensile steel wire, for curtain walls, and all $\frac{3}{16}$ " high tensile steel wire, for bearing walls, per A. S. A. Code requirements for metal bonders. Made in 12' lengths (9 rectangular ties each) and packaged 15 pieces to a bundle.



BLOK-LOK (For all masonry walls)

Flush-welded design controls shrinkage, settlement and temperature cracks by the principle of steel in tension and by increasing transverse strength. Also used with glass block and clay brick and to strengthen weak points of masonry walls. Available in various gauges. Made in 10' or 12' lengths; packaged 25 pieces per bundle; end-wrapped and marked for easy identification and handling.


ALL OF THE ABOVE AVAILABLE IN THE FOLLOWING FINISHES: All brite basic finish—Brite basic finish on side rods with cross ties of mill galvanized wire—All mill galvanized wire—Hot dipped galvanized after fabrication.



Product Reports

Unit Ventilator Control System

A new automatic control package for face and by-pass unit ventilators combines a dual element, unitmounted room and discharge controller with an oil-submerged spring return motor operator and a changeover thermostat to provide a precise control system for both room and discharge temperatures in today's classrooms. Change-over from heating to cooling is automatically controlled by the unit-mounted thermostat, which senses whether the supply medium is hot or chilled water and activates the unit ventilator controls accordingly. Both the motor and controller assemblies are prewired and equipped with plug-in cables to facilitate installation of the complete control system. Barber-Colman Co., 1300 Rock St., Rockford, Ill.



Plastic Foam Wall Covering

Decorative wall coverings of Curon, Curtiss-Wright's versatile new contribution to the plastic foam family. are said to provide an attractive, durable finish that also soundproofs and insulates. When applied to walls and ceilings, the rich-textured, colorful material reduces both noise reverberation within a room, and sound transmission between it and adjoining rooms. Its insulating properties are equal or superior to those of many common insulating materials, and its flexibility over a wide temperature range makes it effective for virtually every type of application. Available in 12 colors, the Curon wall covering comes in 10 in. squares or 24 in. wide rolls with plain or striated surfaces. Tiles or panels are easily applied with a special adhesive, and can be vacuum cleaned or washed with soap and water. Curon Section. Curtiss-Wright Corporation, 3 East 54th St., New York 22, N.Y.

more products on page 290


SAFWAY Telescoping Gym Seats

This 18-row installation telescopes easily and accurately

.. assure quick, easy changes for every gym seating event

YOUR GYM SEAT SET-UP may be changed several times daily for varied gymnasium events. With frequent opening and closing, *easy operation* of seats is vital to keep your handling time and costs low.

Safway seats roll smoothly-minimize friction-re-



FRICTION MINIMIZED BY ROLLERS; RIGIDITY INSURES STRAIGHT TRACKING

(LEFT) Rollers eliminate metal-to-metal friction at contact points. Top arrows show horizontal rollers in channel under foot boards; bottom arrows show vertical rollers between wheel assemblies.

(RIGHT) Standard 16-ft. section, showing vertical and horizontal bracing. Rigid structure keeps rows always parallel to insure straight, in-line tracking as rows telescope in or out. duce effort. Complete 16-ft. sections move straight in and out, without binding or cocking. The simple telescoping design eliminates jointed levers and crossarms.

Advanced Safway engineering also gives you these important advantages:

STRONG, SAFE CONSTRUCTION—8 steel columns under every row; uniform load distribution through vertical and horizontal steel bracing; 3 automatic locking devices.

SIMPLE, EFFICIENT DESIGN—Minimum of moving parts. Stable support with extra-long wheel carriages and 8 self-lubricating wheels under each row.

NO POWER EQUIPMENT NEEDED — With binding eliminated and friction minimized, there is no need for costly power equipment.

HANDSOME, FURNITURE-LIKE APPEARANCE — Seat and foot boards have a rich, glossy Golden Oak finish.

Write today for free Bulletin 163!





The "Right Angle" in This Steel Joist's Web System

This inspector from an independent testing laboratory is measuring the slope of a joist web produced in an SJI member plant. In open web steel joist manufacture, deviations from the design angularity could seriously undermine the strength of the joist.

To insure quality and dependability in the joists manufactured by its member companies, the Steel Joist Institute subjects the joists to 16 such searching tests and measurements. Only after the joist has "proved its worth" in this rigid examination is it granted the SJI seal of approval.

STEEL 10 5 T I T U T E .

BUILDERS STRUCTURAL STEEL CORP.

JOHN HANCOCK, JR., INCORPORATED

COLORADO BUILDERS SUPPLY CO.

AMERICAN BRIDGE DIVISION United States Steel Corporation

BETHLEHEM STEEL COMPANY

CECO STEEL PRODUCTS CORP.

CONCRETE STEEL COMPANY

Steel joists of the designations adopted by the Steel Joist Institute and manufactured by the following companies have been investigated and approved by the Steel Joist Institute:

DuPont Circle Building WASHINGTON 6, D. C.

LACLEDE STEEL COMPANY MACOMBER INCORPORATED SHEFFIELD DIVISION Armco Steel Corporation SOUTHWEST STEEL PRODUCTS TRUSCON STEEL DIVISION **Republic Steel Corporation** VIRGINIA STEEL COMPANY

Means Better Construction Here...



Can Make a Lot of Difference in This Building's Strength

Because the Steel Joist Institute will approve only joists which meet its standards of design and construction, steel joists manufactured under the SJI quality verification program may be specified and used with confidence.

Quality of open web steel joists is especially important today, when more and more is expected of these versatile structural members. Among the many advantages offered by open web steel joists are high strength, light weight, fast placement, economy and adaptability to varied architectural styles.

APPROVED	FREE Write for technical bulletins	STEEL JOIST INSTITUTE DuPont Circle Building Washington 6, D. C. Please send technical bulletin(s) checked below: 1BR-BRIDGING 1QVP-QUALITY VERIFICATION PROGRAM
THE STATUTE SIT	See our insert in Sweet's Architectural File <u>2c</u> St	Name Company Address City Zone



Now available free of charge


"DESIGN TECHNIQUES FOR CONTROLLING MOIS-TURE & CONDENSATION IN BUILDING STRUCTURES"

Modern developments in building construction, with trends toward a more monolithic structure, the increased use of insulating materials, and the use of glass and other impermeable materials in the shell area, have introduced new problems in the form of condensation and the uncontrolled migration of free water. Some of the more common types of damage resulting from condensation, are the blistering and peeling of paint, loosening of plaster, efflorescence of masonry, interior dirt patterns, mechanical destruction of structural elements, warping and rot-ting of floors and the incursion of termites.


Many past studies have treated vapor

problems symptomatically, attempting to deal with a manifest difficulty. Here is a technical manual, the first of its kind, explaining in the architect's and engineer's own language, moisture movement, condensation problems and modern control methods for moisture and vapor movements. The manual gives factual proof of the effectiveness of impermeable materials in restraining moisture migration.

This book, now available free of charge through the courtesy of W. R. Meadows, Inc., has been specifically prepared to assist architects and engineers in protecting structures from migration of water in its various forms. Write today for your copy.




Product Reports



Translucent Wood Light Fixtures

A new line of brass-trimmed lighting fixtures features "shades" of Luxwood, a cabinet grained wood which is translucent when the fixtures are lighted. Available models include a reel pull-down and a single pendant unit, as well as the three-light cluster and the two close-to-ceiling units shown above. Thomas Industries, Inc., 410 South Third St., Louisville, 2, Ky.



Radiant-Acoustical Ceiling

The newly developed Airtex ceiling system features an aluminum radiant panel that can be used in conjunction with standard acoustical tiles for radiant heating and cooling, and noise reduction. Made of solid aluminum in a standard 12 by 24 in. size, the panels are designed to fit into conventional "T" bar suspension systems. Heat from water pipes connected to special square headers above the ceiling is transmitted to the radiant surface via thermal heat bridges spaced 6 in. apart and 3 in. from each side of the panel. An acoustic-thermal blanket placed over the heating-cooling pipes provides thermal insulation and supplements the noise reduction properties of the acoustical tile. The system comes complete with "T" bar clips, coil clips, square headers, suspension channels, and radiant panels in a choice of 400 colors. Airtex Corp., 9200 North Western Ave., Chicago 18, Ill.

more products on page 294

TAYLOR MEMORIAL LIBRARY

CENTENARY COLLEGE FOR WOMEN HACKETTSTOWN, NEW JERSEY





AWARD WINNER-1955 Award of Merit, AIA

"Our task was to design a library building for a college campus which, through its convenience of arrangement, and lively and inviting spirit would attract the students.

"A combination of brick bearing walls and a steel frame allowed generous, uncluttered interior spaces and large glazed areas. Open-web steel joists provided light-weight roof construction and wide, glare-reducing overhangs. Joists and girders were protected by a fireproof acoustical ceiling. The steel columns, on the other hand, were left exposed. Thus they relate better to the expression of the steel window walls and metal book stacks, and by their slimness they add to the light spaciousness of the reading room.

"This system was accepted after an analysis of comparative fire insurance rates and construction costs proved it to be the optimum solution."

Jan Hird Pokorny, Architect, New York City

Structural Engineer: A. D. Ateshoglou General Contractor: Fred J. Brotherton Steel Fabricator:

Albert Smith's Sons

Structural Shapes: Bethlehem Steel Company


A SIGNIFICANT NEW STRUCTURE . . . FRAMED WITH STEEL This is the third in a series by Bethlehem Steel Company, Bethlehem, Pa.







MOST FOR YOUR MONEY! Republic Steel Kitchens complete your client's home Ec Department. At minimum cost. Blend with all latest appliances. Easy to install, easy to maintain, built to serve. Wide choice of styles and sizes for design flexibility. Cabinet sinks, wall, base and special-purpose cabinets including built-in range and oven cabinets. White, Yellow, Turquoise, Pink. Send coupon,



THE BEST COSTS LESS INSTALLED. That's the capsule story of Republic ELECTRUNITE[®] E.M.T.—the original lightweight threadless rigid steel electrical raceway. Easiest of all the install. Adequate-size ELECTRUNITE E.M.T. means electrical flexibility—a pull-in, pull-out wiring system that can be expanded as future electrical requirements, and circuits, grow larger . . . without costly remodeling. Send coupon for facts. Photo: ¾-inch and 1-inch ELECTRUNITE E.M.T. in Emory University, Atlanta, Ga. Robert & Co. Associates, architect and engineer.

BEST VALUE PER CONSTRUCTION DOLLAR

10 Reasons Why!

• BONDERIZED! Exclusive Republic feature. Provides superior base for enamel. Protects against rust, corrosion. Protects locker against damage due to bumps, scratches, abrasion.

• BAKED ENAMEL! Over clean, cold rolled Bonderized Steel. Sprayed on with latest electrostatic equipment. No dust. No dirt. In green, grey, beige, and special colors.

• WIDEST CHOICE OF TYPES AND SIZES! You name it. Republic's Berger Division makes it. Ten standard types may be grouped in various ways to meet your exact requirements. Space-saving, functional sizes. For corridors, classrooms, gymnasiums, auditoriums, laboratories, field houses, everywhere.

• THREE LOCKING METHODS! Specify standard flat key lock, padlock attachment, or exclusive Key-Control in which the key is the handle.

• ACCESSORIES! To meet your needs. Legs for freestanding installation. Sloping tops. "See-through" doors. Basket racks, basket trucks, baskets. • PLANNING AND ENGINEERING SERVICE! Takes the whole job off your hands. Recommends the right lockers for your needs and for future needs.


• **RESPONSIBILITY FOR INSTALLATION!** Right down to tightening of the final bolt. Straight line, single source savings.

• ON-SCHEDULE DELIVERY! The leader in lockers delivers as-promised. General contractor schedules locker installations to conform with masons, plasterers, carpenters.

• MASS-PRODUCTION ECONOMIES! Republic's Berger Division is leading producer of locker equipment, geared to big volume runs. Your client saves.

• MOST EXPERIENCED! No other manufacturer can approach Republic's Berger Division in number of locker installations made. No other manufacturer knows this specialized business so well.

Specify Republic Steel Lockers and get most for your money.



BL

LOWEST COST PER CLASSROOM made possible with Truscon Vision-Vent[®] Window Walls. Here's a completely factory-assembled curtain wall with window and insulated panel. Vision-Vent gives you all the mass-production and installation economies of standard steel windows. Designed, built and pioneered by Republic's Truscon Steel Division. Send coupon. Photo: Ludlow School, Ludlow, Ky., Potter, Tyler, Martin and Roth, architects.

World's Widest Range of Standard Steels and Steel Products

STEE

RE

LEVELAND 27, OHIO
on:
□ ELECTRUNITE E.M.T. □ Truscon Vision-Vent
Window Walls
Title
ZoneState

Product Reports

Stamps for Achitectural Drawings


An enterprising architect, Ambrose M. Richardson, A.I.A., has designed a series of rubber stamps for fast professional delineation of patterns, symbols and titles which occur frequently on architectural drawings. According to Ambrose, the stamps reproduce as well as hand drawings and result in significant savings in drawing time. Stock patterns (including trees, leaf patterns, shrubbery and ground cover, graphic scales, directional arrows, geometric and engineering symbols, figures, furniture, automobiles, and commonly-used titles) may be combined for a wide variety of effects, and special designs can be had on request. Design Specialties, Inc., P. O. Box 671, Champaign, Ill.

All-Glass Insulating Window Unit

GlasSeal Thermopane, a new all-glass insulating double window unit which eliminates the standard metal bonding, has been developed to meet the demand for standard sizes in various types of popular windows. Manufac-

DO YOU HAVE PROBLEMS?

... with special hollow metal frame units.



solution with the fastest delivery . . . **INTEGRATED SUB-ASSEMBLIES**

• Transoms, sidelights and borrowed lights present a critical problem in hollow metal delivery to the job. Dusing and Hunt Sub-Assemblies in standardized components and sizes are available for delivery as needed . . . from Distributors' stocks, strategically located throughout the country. Consult the Yellow Pages of your phone book.


> Request Catalog DHS-2458 for Typical Elevations, cross sections and details.

 Typical Installation Tuckaseegee School Mecklenburg County, N. C. Walter Hook & Associates, Architects Charlotte, N. C.

DUSING and HUNT, INC. 61 LAKE STREET


LEROY, N. Y.

tured from two lights of double strength sheet glass with a nominal air space between the $\frac{3}{16}$ in. sheets, the unit has an over-all thickness of just under a half-inch. Sealing is accomplished by heating and forming the glass edges into an all-glass unit with a uniform, fire-polished round edge. Libbey-Owens-Ford Glass Co., 608 Madison Ave., Toledo 3, Ohio



Light-Controlling Lens

A new Prismalume Controlens, No. 6024, employs conical prismatic elements of acrylic plastic formed in a concave shape, with both longitudinal and transverse fins. Designed for installation in 2 ft fluorescent source modules, it can be used for troffers, luminous ceiling panels or complete over-all ceilings where high level, glare-free illumination is desired. A similar model is available with flanged sides for use in hinged troffers. Holophane Co., Inc., 342 Madison Ave., New York 17, N.Y.



Sectional Back Bar Units

A new line of modular, 26 in. deep Back Bar units for food service features wall panels which are self-supported by a newly developed method of socket channeling. Each of the 167 standard sections is a complete free-standing unit with 16 gage stainless steel tops, and can be assembled and connected to any of the other standard units to form a complete back bar line-up. Additional units can be added, or the existing line-up rearranged, at any time. Southern Equipment Co., 4550 Gustin Ave., St. Louis 16, Mo.




HOW STRAN-STEEL FLOOR-CEILING SYSTEM SAVES O WAYS

Stran-Steel's Floor-Ceiling system integrates wide flange beams, nailable joists and roof decking into one moneysaving combination.

- 1. Overall height reduction saves materials on each floor (usually one course of bricks or equivalent).
- 2. No need for costly dropped ceilings or unsightly boxed beams.
- 3. Stran-Steel joists fit flush into Stran-Steel beams for better lateral beam support.
- 4. Stran-Steel roof deck is nailed to Stran-Steel nailable joists. Welding is eliminated. Application costs are cut 25 percent.
- 5. Conventional ceiling is also nailed to underside of Stran-Steel joist; saves labor and materials.
- 6. Less bridging required; saves time and money.

Stran-Steel Building System includes a complete line of lightweight, space-saving structural components for institutional, retail and industrial construction. Consult your nearest Stran-Steel dealer listed in the Yellow Pages under Steel or mail the convenient coupon.








Dept. 23-7 STRAN-STEEL CORPORATION Detroit 29, Michigan • Division of NATIONAL STEEL

Stran-Steel Corporation, D Detroit 29, Michigan	Dept. 23-7
	Structural Systems Catalog. epresentative contact me.
NAME	TITLE
COMPANY	
ADDRESS	
CITY	ZONE_STATE

CITY.



Announces new custom engineered

Curtain Walls of Steel or Aluminum

Here's a bold and imaginative structure ... an excellent example of how Fenestra[®] can take your building design—single story or high-rise monumental—and engineer, fabricate, deliver and erect the curtain wall ... as a package!

You have a wide selection of steel or aluminum systems. A choice of subframes, windows and mullion patterns . . . a choice of vents including projected, vertical pivoted, doublehung, top-hung and casement . . . a choice of insulated panels, plain or embossed aluminum, or porcelain enameled steel. All materials, including the panels are produced by Fenestra. The *completeness* of the Fenestra line is a challenge to your creative design ingenuity.

Specifying and ordering curtain walls from a *single responsible source* saves you the time and trouble of searching out and fitting together components from various sources. Fenestra coordinates production, delivery and erection to eliminate confusion and save time and money.

Your local Fenestra representative can give you the details. Call him today—listed in the Yellow Pages—or write Fenestra Inc., Dept. AR-3,2252 East Grand Blvd., Detroit 11, Mich.

Fenestra INCORPORATED

YOUR SINGLE SOURCE OF SUPPLY FOR CURTAIN WALLS • BUILDING PANELS • DOORS • WINDOWS

Fenestra Curtain Wall-Steel subframes with applied projected sash. Lodge Hall and Recreation Building. Masonic Homes, Elizabethtown, Pennsylvania.

Architects—Mitchell & Ritchey, Pittsburgh, Pa. Contractor—The Pottiger Company, West Reading, Pa.



Office Literature

continued from page 232

The Prescon System (A.I.A. 4-E-12) Brochure No. 2 briefly covers history and development of prestressed concrete and explains the *Prescon* system of post-tensioning. Application examples, detailed technical data, labor estimates, guide specifications and detail drawings are included. 14 pp. *The Prescon Corp.*, *P.O. Box* 4186, Corpus Christi, Texas.

Toilet Compartment Catalog

(A.I.A. 35-H-6) Catalog TC 58 con-

tains complete descriptions, specifications and construction details for Cutler toiler compartments, hospital cubicles and dressing compartments. Color swatches of 22 baked enamel finishes are included. Cutler Metal Products Co., 1025 Line St., Camden, N. J.*

Structoglas "A" (A.I.A. 26-A-9)

Offers complete information on mechanical and physical properties, chemical resistance, colors and finishes of *Structoglas* "A" reinforced

FREE INFORMATION

ON THE NEWEST SECTIONAL

OVERHEAD DOORS

Send for your copy of Monarch's new catalog today. It contains a wealth of helpful engineering and specification data on the complete line of Monarch sectional overhead doors.

Residential—Monarch overhead garage doors are designed to meet present day architectural styles and quality standards. Twenty single-car garage doors are carried in stock.

Service Station Doors—conform with specifications of all oil companies. Available in standard and special designs.

Commercial—for installation in loading platforms, garages, industrial buildings. Monarch Sectional Overhead Doors are the finest that experience and engineering skill can produce.

onarrh Hoor

Cut here and mail today

The Monarch Door, Inc. Folsom, Pa.		The M	The Monarch Boor Ring of Them All	
Gentlemen:				
Please send me a free copy	y of your new catalog	• 2hodenne SECTIONAL		
NAME				
NAME		: CUUIS	The second second	
COMPANY				
ADDRESS			A Delaw Losi Cr	
CITY	ZONE STATE		EECTIONAL OVERHEAD DOORS	

plastic corrugated building panels and flat panes. Detailed installation instructions cover sidewall mounting, roof construction, patio design, skylight construction, and continuous windows with both corrugated and flat panes. 8 pp. Structoglas Div., International Molded Plastics, Inc., 4387 West 35th St., Cleveland 9, Ohio*

Wrought Iron Electrical Conduit

Contains specifying information, dimensional and weight tables, and photographs of actual installations of corrosion resistant wrought iron conduit. 8 pp. National Electric Products Corp., Rm. 900, 2 Gateway Center, Pittsburgh 22, Pa.*

Owens-Illinois Glass Block

(A.I.A. 10-F) Handsome 1958 catalog lists various types of Owens-Illinois glass block, and details their uses, functions and installation. Dimensional tables and specifications are included as is data on solar heat control, fuel savings, sound reduction and surface condensation. 20 pp. *Kimble Glass Co., Owens-Illinois Bldg., Toledo 1, Ohio*

Trane Air Handling Units

Revised catalog incorporates complete engineering information on entire line of air handling units. Performance and operation, construction, basic application selection, engineering specifications and roughing-in dimensions are covered in its 56 pp. Climate Changer Catalog DS-303, The Trane Co., La Crosse, Wisc.

Architectural Porcelain

(A.I.A. 17-A) Illustrates use of architectural porcelain panels as curtain wall and facing material, and details typical installations. 20 pp. Catalog 58, Davidson Enamel Products, Inc., East Kibby St., Lima, Ohio*

Power Exhausters

Bulletin 58-A describes the complete line of Jenn-Air power exhausters, with complete capacity tables and specifications for each type of unit. Jenn-Air Products, Co., Inc., 1102 Stadium Dr., Indianapolis 7, Ind.*

Private Telephone Systems

... for Industry, Institutions and Residences (A.I.A. 31-I-51) describes equipment and provides wiring diagrams for a variety of self-contained private telephone systems. 20 pp. S. H. Couch, Inc., North Quincy 71, Mass.

*Additional product information in Sweet's Architectural File, 1958 more literature on page 300

VINYL ASBESTOS FLOOR TILE BEST-KNOWN NAME NAME NAME

B.F.Goodrich

Used in famous buildings coast-to-coast for its colorful, carefree beauty!

Important buildings, department stores, shopping centers, office buildings, schools and homes across the country have floors of B. F. Goodrich Koroseal—and no wonder!

B. F. Goodrich Koroseal has a reputation for rugged durability and easier, more economical maintenance. It gives you striking patterns and colors for every decorating scheme . . . withstands heaviest traffic (footsteps actually *buff* it!)...wipes clean with a damp mop. Grease, stains and other destructive solutions can't harm it! And, it has a safe, Anti-Slip surface.

Why not specify B. F. Goodrich Koroseal for your next important installation? For more information, see Sweet's or write B. F. Goodrich Flooring Co., Dept. AR-3, Watertown 72, Mass. **SPECFICATIONS:** 31 decorator colors. $\frac{1}{8}$ " for heavy traffic areas; 80 gage for moderate traffic areas; $\frac{1}{16}$ " for residential use. Tile size 9"x 9". Use on, above or below grade on wood, concrete, marble, terrazzo or composition floors.



MARBLEIZED PATTERNS !






TERRAZZO SHADES! CORK SHADES!

B.F.Goodrich flooring products

Now Protecting the Exchange Bank 2 Ways:



Sealing Around Mullion and Sill Joint in an aluminum-porcelain window wall.



* DALLAS EXCHANGE PARK Architects, Engineers and Site Planners: Lane, Gamble & Associates

the "CITY OF TOMORROW"

...protected TODAY with PRESSTITE No. 1175.1 THIOKOL* LP-BASE SEALING COMPOUND

This development, right in the heart of Dallas, will cover 120 acres, provide a total of 2,394,065 sq. ft. of usable floor space and have a normal occupancy of about 25,000 persons.

In addition to four office buildings, the community will include a 1000-guest room hotel, medical research center, maintenance building, major department store and 100 retail shops.

*The polysulfide used in this composition is sold under the registered trademark "THIOKOL", manufactured by the Thiokol Chemical Corporation.



300 ARCHITECTURAL RECORD March 1958

Office Literature

Fluorescent Troffers

New eight-page catalog highlights "miniature" (5 in. wide by 4 in. deep) models in Alkco's 700 series troffers. Alkco Mfg. Co., 4242 Lincoln Ave., Chicago 18, Ill.

Power Roof Ventilators

(A.I.A. 30-D-1) New selection guide features Ilg's low-silhouette line of power roof ventilators. Dimensions, capacity tables, specifications and details on accessories and protective coatings are included. 8 pp. Bulletin 2301. Ilg Electric Ventilating Co., 2850 North Pulaski Rd., Chicago 41, Ill.*

Walker Power Raceway

Catalog 857 describes and illustrates Walker Brother's *Power Raceway*, an underfloor electrical distribution system for industrial and commercial buildings. Eight pages of dimensional drawings, and descriptions of duct, supports, junction boxes and fittings are included. 16 pp. W. H. Taylor, Adv. Mgr., Walker Brothers, Conshohocken, Pa.

Spero Lighting Fixtures

(A.I.A. 32-F-2) Catalog 10 includes detailed dimensional and selection data on Spero's line of reflectors, high bays, vapor proof units and flood lights. 50 pp. The Spero Electric Corp., 20500 St. Clair Ave., Cleveland 17, Ohio

Where to Buy

Annual directory of mills producing Douglas fir, West Coast hemlock, Western red cedar and Sitka spruce lumber also contains detailed information on lumber fabricating and treating plants in the Douglas fir region. 40 pp. West Coast Lumbermen's Assoc., 1410 S. W. Morrison St., Portland 5, Oregon*

Technical Data Catalog

Revised catalog lists available pocket size technical data books containing concise, comprehensive information on a variety of technical subjects. *Lefax Publishers*, *Philadelphia* 7, *Pa*.

Emergency Lighting Systems

Describes UL-approved emergency lighting systems for commercial, institutional, civic and public buildings, with complete information and specifications on all components, fixtures and exit signs. 20 pp. Standard Electric Time Co., Springfield, Mass.* *Additional product information in Sweet's Architectural File, 1958 more literature on page 306

NOW. CHOOSE FROM A RAINBOW

OF COLOR IN LIGHTING!

A wide choice of colors, diffusing media and shapes available in one ceiling system for complete aesthetic freedom in lighting design

View of test ceiling at our plant.

Electro Silv.A.King LUMENAREA ceiling system

The simplest, most versatile installation system ever developed!

Here is the world's first large area lighting system that gives you practically unlimited variety of form, as well as color and diffusing media. Now you can design lighting layouts, from the conventional to the abstract, curved or straight in any combination of louver, molded forms, glass and accent lighting . . . in soft pastel pink, blue, green and white . . . in a ceiling completely free of any visible screws, bolts or mechanical devices.

And with all that, the new Electro Silv-A-King LumenArea System, incorporates Slide Adjustment and Adjusto-Lok hanging devices which adjust for spacing and depth without tools!

Design of our Overlap Polycube⁸ Louver (1/2" cube), on 2-ft. wide modules eliminates the necessity for crossbars, regardless of how long the run . . . also provides 45° x 45° shielding for optimum seeing comfort.





Dished plexiglas ceiling with perimeter of green "Polycube" Louvers helps give this office a distinctive appearance.

For your Free Specification and Data Bulletin, write to:

Electro Silv-A-King Corporation, 1535 SO. PAULINA ST., CHICAGO 8, ILL. . SPRUCE & WATER STS., READING, PA. . REDWOOD CITY, CALIF.

RIXSON

for the MODERN ENTRANCE

concealed floor type door closers

4 basic styles in a variety of sizes and types to meet every installation requirement



nos. 318½·321·326 butt hung single acting

For installations where it is desirable to have door hung independently from closer. RIXSON ball hinges with vertical adjustment recommended.



For doors that swing both in and out. Each swing separately adjustable to local wind and draft conditions. Completely concealed.

write for complete information and templates

THE OSCAR C. RIXSON COMPANY originators of the checking floor hinge 9100 w. belmont ave. • franklin park, ill. CANADIAN PLANT: 43 racine road • rexdale, ontario

Concealed comfort (and whisper-quiet too!)



modine Hindifioners, provide year-round, individual-room climate control

Out of sight...out of mind! Yes, after you install this Modine AIR ditioner, there's nothing left to do but enjoy the personalized comfort it provides. From its concealed position, it quietly and efficiently heats, cools and dehumidifies ... according to your exact needs.


Quiet operation results from resiliently suspended, slow-speed fan - 1050 rpm. True counter-flow coil

maintains peak efficiency. And a permanently lubricated, sealed-bearing motor contributes to low-cost maintenance.

AIRditioners give you all the inherent benefits of a fan-coil unit air conditioning system. They cool with chilled water, heat with hot water — from a central source. And they can be installed with ease in both new or existing buildings.




GET FULL DETAILS on Modine's complete line of AIR ditioners... console, ceiling and concealed overhead and in-the-wall (illustrated above) types — $\frac{2}{3}$ to 2 tons. See the Modine representative listed in the yellow pages of your phone book. Or write for Bulletin 757 to Modine Mfg. Co., 1510 DeKoven Ave., Racine, Wisconsin.





comfort-conditions this modern forging plant.



- INSTALLS ON ANY TYPE ROOF
- SIZES FROM 4" to 96"

STURDY CONSTRUCTION FOR LONG LIFE

MINIMUM MAINTENANCE

Where high heat or fumes dictate the removal of large volumes of air, the Burt Monovent Continuous Ridge Ventilator exhausts more air per dollar than any other type. It converts the roof ridge into a quickacting, giant air valve that ventilates the entire structure uniformly by gravity. The Monovent is serving industry economically in continuous runs from one foot to 1,000 feet. It may be your best

choice too.

Send for FREE Data Book!

Write for Burt Data Book SPV-6. It supplies quick data on Burt's efficient, low-maintenance Monovent.



Office Literature

Pittsburgh Fluorescent Equipment

(A.I.A. 31-F-2) Bulletin 0 provides full details on the construction and installation of a new line of shallow surface mounted luminaires. Dimensional data, light curves, coefficients of utilization, and complete engineering data are also given. 8 pp. *Pittsburgh Reflector Co.*, 402 Oliver Bldg., *Pittsburgh 22*, Pa.*

Steel Doors and Frames

(A.I.A. 16-A) Charts, photographs and descriptive drawings illustrate complete Steelcraft line of steel doors and frames. 8 pp. Nat Lehman, The Steelcraft Mfg. Co., 9017 Blue Ash Rd., Cincinnati 42, Ohio*

Tebco Face Brick (A.I.A. 3-F-1)

Full-color portfolio contains 16 panels of the color combinations available in *Tebco* face brick. Each panel is identified by number, color blend and name, coring and shipping weight. *Evans Brick Co.*, 23 Newport Ave., Uhrichsville, Ohio

Sandwich Panel Skylights

(A.I.A. 12-J) Presents technical and design information, and construction details for APC plastic sandwich panel skylights. Architectural Plastics Corp., 1355 River Rd., Eugene, Oregon

Heating Cable

Revised Bulletin 19-457 gives up-todate product information and specification data on heating cables, and discusses their application and installation. 9 pp. Construction Materials Div., General Electric Co., Bridgeport 2, Conn.*

Forced Air Gas Furnaces

(A.I.A. 30-B-1) Six-page catalog covers applications, features, ratings and specifications for the *Clipper* line of forced air gas furnaces. Also included is the *Barnes* line of single, dual and half dual gas floor furnaces. *Tamco Corp.*, 1005 A St., San Rafael, *Calif.*

Typical Lumber Designs

(A.I.A. 19-B) Lists over 300 typical designs for timber structures, with quantities and material lists for light and heavy frame structures. 16 pp. *Timber Engineering Co.*, 1319 18th St. N.W., Washington 6, D. C.*

Literature Requested

Robert E. Peterson, Architect, 409-410 Piedmont Bldg., Greensboro, N. C.

*Additional product information in Sweet's Architectural File, 1958



(VINYL-ODORLESS)

assures

SAME-DAY OCCUPANCY

for all public rooms

With this new paint it is easy to finish any room within a few hours. Painters and maintenance men are of one mind—Devoe WONDER-TONES is truly the paint that has everything!

Here's why:


- · extremely wide choice of modern colors
- superior vinyl paint film . . . can be thoroughly scrubbed when dry
- completely odorless
- no lap marks, "boundary lines" or touch-ups
- dries in twenty minutes
- self-priming
- gives up to 500 square feet of coverage per gallon
- remarkable one-coat hiding efficiency... on plaster walls, woodwork, wallpaper and interior masonry


Devoe Vinyl Wonder-Tones is rated No. 1 for all-round quality by a leading consumer testing organization.* *Name furnished on request.

GUARANTEE:

If Devoe Vinyl WONDER-TONES fails to do everything we say it will do, the purchase price will be gladly refunded.

DEVOE & RAYNOLDS COMPANY, INC. Atlanta · Boston · Chicago · Cincinnati Dallas · Denver · Los Angeles · Louisville New York · Philadelphia









Special color guides have been prepared and are available upon request. Write for yours today.

> Devoe & Raynolds Company, Inc., Dept. WT-AR3 Box 1863, Louisville, Kentucky

Gentlemen: Send me your FREE Color guide booklets.

for listely

Title

Company____

Address


Name_

City____

Zone____State_

hospitals

Which is the best way to air condition interior areas of an office building?



That depends on the amount of heat generated within the interior areas. In most Class A office buildings this heat load is increasing. It is moving up year after year because of the greater use of electronic office equipment and more intense lighting.


This trend should be considered when planning air conditioning both for new and existing buildings. Recent studies prove that it is more economical to use the new air-water Carrier Horizontal Weathermaster* System than any type of all-air system to handle higher heat loads in interior zones. This new Carrier method saves space, costs less to own and less to operate because water is 250 times more effective than air, by volume, in removing heat. In addition, it is capable of handling increasing heat loads as they develop, without costly system changes.

The Horizontal Weathermaster Units adapt readily to any interior situation. On the page at right are six typical arrangements—and there are many more. For complete information, call your nearest Carrier office. Or write Carrier Corporation, Syracuse, New York.


*Reg. U.S. Pat. Off.




THEF Air Conditioning · Refrigeration · Industrial Heating




Corridor installation with the unit, supply air conduit and water services concealed above hung ceiling.




In-the-space installation with standard unit and standard enclosure eliminating need for furring-in.




Corridor installation using short duct from unit to standard diffuser plate outlet for ceiling distribution.



Corridor installation featuring twin coils for extra capacity. Enclosed unit prevents cross circulation.




In-the-space installation where structural framing requires unit be tightly fitted against fireproof beam.



Corridor installation featuring twin coils in parallel mounting to attain extra high cooling capacity.

"...highest degree of sound proofness possible in a

movable wall"



UNITFOLD® FOLDING WALLS

In the Dinkler-Plaza banquet room, Unitfold Walls are used to create as many as six separate areas. Sound between these rooms is blocked with the efficiency of a 10" to 12" plastercoated SOLID BRICK WALL. This is done through double-run wall sections, lined with acoustical material and separated by sound retarding dead-air space.

All Fairhurst Walls are solid, rigid, with virtually unlimited choice of decor. Write Dept. **AR** for free illustrated booklet describing Fairhurst solutions to perplexing space problems.



Units fold compactly to one side at the Dinkler-Plaza. Possible variations allow complete concealment of wall in special packets.

Handsome grained veneers give the appearance of a permanent wall.



A Washington Report

continued from page 32

of all factors into one overall probability. It assumed that the runway length should not in itself prevent accomplishment of a year-around average load factor of 85 per cent.

Much study was given to runway widths required for jet operations. Experiments disclosed that over 95 per cent of usage is concentrated in the central 60 ft of runway, regardless of operating conditions. Considering all factors, plus the narrower character of jet transport landing gears, it was decided that 150-ft runway widths are adequate. Orientation studies were carried out in some detail.


On runway thickness, Mr. Rhoades testified: "We finally have concluded that there is no sharp demarcation between a pavement thickness which is satisfactory and one which is not. The type of subsoil and the quality of materials used appear to be factors, the importance of which can equal that of pavement thickness. Available data and opinion seem to support the conclusion that runways which are capable of accepting the larger current aircraft are suitable for jet transport operation. The date upon which future runway repairs will be necessary will be a function of the present strength and the amount of usage."

Other conclusions reported by Mr. Rhoades:

"Where less than 125 ft of suitable taxiway width exists, it will be necessary to add shoulders on each edge to make not less than 125 ft of surfaced area available. . . . Shoulders are necessary to decrease the probability of engine damage by foreign objects such as stones, etc., which might be sucked into the engine if it were overhanging an unsurfaced area. . . . High speed turnoffs from runways are desirable. . . . We expect to require about 240 ft of additional runway to cater to the thrust loss caused by the noise suppressors."

While the airlines expect to be able to start operation with airplanes which have noise characteristics very little more objectionable than current aircraft, the symposium statements indicated that much more research is needed in the noise control field. And this is going forward.

In a more optimistic vein, Mr. Rhoades said: "We haven't yet solved all our airport problems, but we do feel that we can carry on a reasonable operation . . . until the airports can be made more nearly adequate."



JOSIAH WILLARD GIBBS LABORATORY, YALE UNIVERSITY Office of Douglas Orr, Paul Schweiker, Architects; Henry Pfisterer, Structural Engineer;

Meyer, Strong & Jones, Mechanical Engineers; George B. H. Macomber, General Contractor.

HOPE'S CUSTOM STEEL WINDOWS IN MODULAR ASSEMBLY

In this university building the reinforced concrete structure was developed around a basic laboratory module of 12' by 20' with concrete columns left exposed. Movable partitions accommodate for changing projects in faculty and graduate research.


Curtain walls along the building's east and west walls are steel framed into which glass, enameledsteel panels and Hope's heavy intermediate projected and awning type windows were installed.

Experience over the past decade with Hope's Window Walls has given architects complete confidence in Hope's layouts, specifications and details. Speedy construction, labor-saving installation, low maintenance cost, many extra square feet of usable floor space, and structural economies which carry right down to the footings, are some of the owner benefits.

The flexibility of Hope's Windows in layout, makes it easy for the building designer to meet interior requirements for daylight and either natural ventilation or air conditioning. You are invited to use Hope's engineering assistance. For further information, write for Hope's catalog 158



During 1957, plants of these leading U.S.Corporation were among the hundreds roofed wit





General Foods	Chrysler	Westinghouse
Corporation	Corporation	Electric Company
Sylvania Electric	Caterpillar	Goodyear Tire
Products Inc.	Tractor Co.	& Rubber Co., Inc.
Ford	Pepsi-Cola	Clark Equipment
Motor Company	Company	Company
	I I I I I I I I I I I I I I I I I I I	

F. E. SCHUNDLER & COMPANY, Inc.


504 RAILROAD STREET . JOLIET, ILLINOIS

Eastern Office: Chatham Phenix Bldg., 29-28 41st Ave., Long Island City, N.Y.

RATED FIREPROOF MATERIALS-ACOUSTICAL & INSULATING Developers and producers of incombustible mineral products including Ebbtone Acoustical Tile, Fesco Insulation Board, Coralux Acoustical Plaster, Coralux Perlite Aggregates, Mica Pellet Vermiculite, High Temperature Insulating Blocks and Insulating Cement.

Manufacturer of today's finest roof insulation board

MARS outstanding design SERIES



roll your own!

Speeding up our national road-building program is the goal of this design by Russ Henke of Elm Grove, Wisconsin. His behemoth of a machine literally chews up unmapped earth, compacts it with asphalt or macadam, stabilizes it, and lays a ribbon of paved road behind as it rumbles along! Crew and engineers ride in an air-conditioned cabin, and monitor the whole process by control instrumentation.

Tomorrow's roads may be squeezed out like toothpaste, but outstanding ideas for tomorrow are still produced in the old-fashioned, painstaking, human way. And only professionals know how the best in drafting tools can smooth the way from dream to practical project.

In pencils, of course, that means Mars, long the standard of professionals. Some outstanding new products have recently been added to the famous line of Mars-Technico push-button holders and leads, Lumograph pencils, and Tradition-Aquarell painting pencils. These include the Mars Pocket-Technico for field use; the efficient Mars lead sharpener and "Draftsman" pencil sharpener with the adjustable point-length fcature; Mars Lumochrom, the color-drafting pencils and leads that make color-coding possible; the new Mars Non-Print pencils and leads that "drop out" your notes and sketches when drawings are reproduced.

> The 2886 Mars-Lumograph drawing pencil, 19 degrees, EXEXB to 9H. The 1001 Mars-Technico push-button lead holder. 1904 Mars-Lumograph imported leads, 18 degrees, EXB to 9H. Mars-Lumochrom color-drafting pencil, 24 colors.



at all good engineering and drawing material suppliers

News from Canada

continued from page 46

The 16,000-member organization is the licensing authority for engineers in the province and is the largest professional organization of its kind in Canada.

Governing body is an executive council which includes two councilors elected by each of the body's five branches and one other appointed by the Lieutenant Governor-in-Council. They are:

Civil branch—T. N. Carter and R. A. Weir, both of Toronto. V. S. Murray of Toronto is the appointed councilor.

Chemical and metallurgical—P. E. Cavanagh, Toronto, and E. P. Lewis, Sarnia. Appointed, D. S. Simmons, Toronto.

Electrical—R. L. Hicks, Toronto, and John W. Holmes, Peterboro. Appointed, J. H. Smith, Toronto.


Mechanical, aeronautical and industrial—D. L. Angus, Toronto, and L. C. Sentance, Hamilton. Appointed, Dr. G. R. Lord, Toronto.

Mining: Marc Boyer, deputy-minister, Federal Department of Mines and Technical Surveys, Ottawa, and M. L. Urquhart, Toronto. Appointed, Dr. G. B. Langford, Toronto.

T. M. Medland is executive director of the A.P.E.O.; J. M. Muir, registrar; T. C. Keefer, field secretary, and B. H. Goodings, field representative: all of Toronto.

News Notes

For two successive years Canada's architects and engineers have reported the BIGGEST AVERAGE INCOMES of any occupational group. In 1955, Department of National Revenue statistics show that they paid tax on an average income of \$14,007, up from the year before's \$12,059. Lawyers in place averaged \$12,243 second (\$11,925 in 1954), followed closely by doctors with an average \$12,166 (\$11,891).... A management group to handle arrangements for the 1958 ASSEMBLY OF THE R.A.I.C. has been set up under the co-chairmanship of H. A. I. Valentine, Montreal, and Gerard Venne, Quebec City. Dates are June 11-14, with the new Queen Elizabeth Hotel in Montreal as the setting. . . , C. J. G. CARROLL, who resigned last fall after serving nearly seven years as secretary of the R.A.I.C., has returned to Ottawa following a lengthy holiday abroad. . . . Ranks of the engineering profession will be augmented by some 2130 ENGINEER GRADUyoung ATES of Canadian universities this





Now Barcol helps you predict how much each OVERdoor feature will cut plant's operating cost!

BOOKLET OFFERED BELOW ILLUSTRATES METHOD *



Copper and Brass Sales, Inc., Detroit, Michigan. Contractor: Perron Construction Co. Architects: Giffels and Rossetti.

Builders and architects readily identify *three ways* Barcol OVERdoor installations cut plant operating costs:

1. Barcol Cam Action closing hardware gives a tighter air seal than conventional wedge-type closing hardware ... reduces cost of heating and cooling space inside.

2. New Barcol WEATHER-KING Flush Door Sections are guaranteed weatherproof and have a U factor of .257 — twice the insulation value of a 12" poured concrete wall — three times the insulation value of ordinary door panels! Combined with Cam Action closing, these new sections materially add to savings on heating and cooling.

3. Barcol Electric Operators applied to both exterior and interior doors and gates *eliminate costly starts and stops* in plant traffic and *save many man-hours annually* by freeing workers from nonproductive opening and closing of doors.

Now the Barcol engineers can predetermine the average amount of each of these savings, and the method is ready for use on your present door problems. Variables like local average weather conditions and intended use of each door are realistically applied. In many cases it can be predicted that these features will pay for themselves in two years or less through measurable *extra* plant economies. In other cases the tests show whether or not a feature of the installation is economical. Ask your Barcol distributor (under "Doors" in the phone book) for a savings estimate on your present project or use the coupon on the right. * SEND for this new 8-page booklet demonstrating through specific case material the method by which your Barcol distributor helps you predict how much OVERdoor features can reduce heating costs and save on labor. Also describes and illustrates Barcol Cam Action, WEATHER-KING Flush Doors, and Electric Operators — features that, in many areas,




STATE


THE MARK OF QUALITY



Model SQR Designed for recessed mounting with acoustic ceiling tile and ceiling suspension systems. Type A flange can be snapped into standard T-Bar construction.



Model SQR With Type B flange, this unit can be installed with most other types of ceiling suspension systems.



Model SQS Provides a one-inch flange to cover opening irregularities — can be used with any type of ceiling.

UNI-FLO SQUARE CEILING DIFFUSERS "MAKE AIR BEHAVE," UNOBTRUSIVELY



Designed for optimum performance while remaining unobtrusive, Uni-Flo Square and Rectangular Ceiling Diffusers provide rapid diffusion at low sound level. Draft-free delivery guaranteed when used in accordance with published data. Ceiling smudge minimized. Contact your nearby Barber-Colman field office or write for Catalog F 6597-1. For best results, specify combined Air Distribution and Automatic Controls by Barber-Colman.

BARBER-COLMAN COMPANY

Dept. C, 1104 Rock Street, Rockford, Illinois

Air Distribution Products • Automatic Controls • Small Motors • Industrial Instruments • Aircraft Controls • Electrical Components • Overdoors and Operators • Molded Products • Metal Cutting Tools • Machine Tools • Textile Machinery Give your customers their choice of...



• Wood sidings are durable materials which add their own distinctive characteristics to modern home design. Many architects have found that the wide selection of wood sidings available gives them versatile, valuable ways to solve design problems and create homes of unusual distinction.

Weyerhaeuser offers a wide choice of popular patterns . . . precision manufactured from many West Coast softwood species, and scientifically kiln-dried. Each bears the Weyerhaeuser 4-Square brand name, which gives your clients assurance of reliability and quality.

Weyerhaeuser 4-square[®]

LUMBER AND BUILDING PRODUCTS




Natural finish Red Cedar siding gives this lovely contemporary home a pleasant informality,

Basically better because... IT'S KILN-DRIED

- Trademarked Weyerhaeuser 4-Square Lumber is properly seasoned by scientifically controlled methods of drying. The result is lumber which has maximum strength, finishes easily, and holds nails securely. Kiln-drying also promotes dimensional stability.
- Besides being kiln-dried, Weyerhaeuser 4-Square Lumber is precision manufactured, uniformly graded and identified, and carefully handled. All these features contribute to the consistently high quality of Weyerhaeuser 4-Square Lumber, creating client satisfaction.
- The Weyerhaeuser 4-Square trademark is your assurance that you are specifying lumber and building products which are basically better.

Weyerhaeuser Sales Company ST. PAUL 1, MINNESOTA



Custom-made CLIMATE

for busy office and toll switchboard

Vilter has brought the latest in "custom climate" air conditioning to the general offices and toll switchboard of the Southwestern Bell Telephone Company, Olathe, Kansas. Happier employees and more efficient operation is the satisfying result. Vilter equipment includes a: 6-cylinder Freon VMC compressor, $16'' \ge 10'$ water cooler, $16'' \ge 7'$ shell and tube condenser, $12'' \ge 10'$ receiver.

All components in a Vilter air conditioning system incorporate the latest in engineering skill and industry practice. VMC compressors offer maximum capacity in a minimum of space. Built-in capacity reduction permits automatic operation at reduced loads with consequent power savings. Vilter's wide range of shell and tube equipment is right in performance and right in price.

Vilter also offers a completely "packaged" water cooler—the Vilter Uni-Chiller. Shop assembled for lower first cost, the Uni-Chiller offers space-saving design, simple installation and requires a minimum of maintenance.

You, too, can have all the advantages of modern air conditioning and refrigeration—specify Vilter.

> Equipment furnished by O'Dower Engineering Company, Vilter Distributor in Kansas City, Missouri. Mechanical Contractor, U. S. Engineering Company, Kansas City, Missouri.

Write for these helpful bulletins to The Vilter Manufacturing Company Dept. O.715, 2217 S. First Street, Milwaukee 7, Wisconsin



News from Canada

spring. Increase is expected to be almost 17 per cent over last year, according to an Engineering Institute of Canada survey. . . . Two QUEBEC ARCHITECTS were among the M.P.'s who took their seats at the last session of Parliament. They are Wilfrid Lacroix (Liberal) and John Pratt (Progressive-Conservative) representing the ridings of Montmorency and Jacques Cartier-LaSalle, respectively. . . . The ARCHITECTURAL IN-STITUTE OF B.C. now has 211 members. Of these, three are women: Mrs. Leonora Markovich of Vancouver, Miss Marjory Hill of Victoria, and Mrs. Ilsa Williams of Nelson. Newly appointed registrar of the Architectural Institute of B.C. is Leonard A. Humphrey of Vancouver ... Louis N. Audet, Sherbrooke architect, has been created a KNIGHT OF THE ORDER OF ST. SYLVESTRE forhis work in connection with religious institutions. . . . Regina Chapter, SAS-KATCHEWAN ASSOCIATION OF ARCHI-TECTS, is sponsoring jointly with the Regina Builders' Exchange a course on plan reading and specification interpretation. Lecturers are being provided by local architectural firms. . . . First prize winner in the architects' sign competition sponsored by by P.Q.A.A. was Jacques Langlois. Denis Lamarre and A. T. Galt Durnford carried off second and third prizes, respectively. . . . The com-MITTEE ON DIMENSIONAL COORDINA-TION, O.A.A., is conducting a course on modular drafting at the Ryerson Institute of Technology, Toronto. . . At its recent annual meeting, the CANADIAN SOCIETY OF LANDSCAPE ARCHITECTS AND TOWN PLANNERS elected Gordon Culham president; J. V. Stenson, vice president, and Donald Pettit, recording secretarytreasurer. . . . PROF. H. H. MADILL, recently retired director of the School of Architecture, University of Toronto, has been elected an Honorary Fellow of the American Institute of Architects. . . . Architects should collect their FEES FOR RESIDENTIAL WORK at the discussion and planning stage, says Randolph C. Betts, prominent Montreal architect. The client would thus be made to realize, Mr. Betts believes, that he is paying for experience and ideas, not merely "blueprints". . . Donald Wagg has been elected president of VANCOUVER ISLAND Chapter, Architectural Institute of B.C., succeeding Ian Simpson. John Armour is the new vice president and Mr. Simpson is the new secretary.

FRANCHISEES

in the United States and Canada

COLORADO

persolite products, inc., 1245 osage street, denver 3, colorado – telephone: acoma 2-6111

FLORIDA

airlite processing corporation of florida, building no. 9, air base, vero beach, florida – telephone: 3518

GEORGIA southern insulation company p. o. box 2082, atlanta 1, georgia

ILLINOIS ryolex corporation, 310 east bradley street, champaign, illinois - telephone: 6-4234 silbrico corporation, 5901 west 66th street, chicago 38, illinois telephone: reliance 5-3322

INDIANA

airlite processing corporation, scottsburg, indiana (office), vienna, indiana (plant)telephone: plaza 1-5538 and plaza 1-8821

MASSACHUSETTS

the whittemore company, 35 harrison street, roslindale 31 (boston), massachusetts – telephone: fairview 3-6020

MICHIGAN

gregg products company, 646 chestnut street, s. w., grand rapids, michigan – telephone: glendale 4-5322

MINNESOTA

minnesota perlite corporation, 315 west 86th street, minneapolis 20, minnesota-telephone: south 1-8924

MISSOURI

i. j. brouk and company, 1367 south kingshighway blvd., st. louis 10, missouri-telephone: jefferson 3-9022

NEW JERSEY

certified industrial products, inc., 1344 liberty avenue, hillside, new jersey-telephone: murdock 8-1921

NEW YORK

certified industrial products, inc., 1344 liberty avenue, hillside, new jersey-telephone: murdock 8-1921

buffalo perlite corporation, 100 sugg road (cheektowaga), buffalo 25, new yorktelephone: plaza 4326

NORTH CAROLINA

carolina perlite company, p. o. box 158 salisbury, north carolina – telephone: 3986

OHIO

indoken perlite company, 5300 vine street, cincinnati 17, ohio-telephone: avon 9946 PENNSYLVANIA

pennsylvania perlite corporation, p. o. box 694, allentown, pennsylvania – telephone: congress 4-2891

perlite manufacturing company, p. o. box 478arch street extension, carnegie, pennsylvania – telephone: walnut 1-9200 (pittsburgh)

TEXAS

perlite of houston, inc., 3010 dixie drive (office), 502 fauna avenue (plant), houston, texas telephone: jackson 8-2243

texas lightweight products company, 117 north britain road, irving, texas -telephone: 2-8181 (irving), randolph 5354 (dallas)

VIRGINIA

virginia perlite corporation, p. o. box 687, hopewell, virginia – telephone: cedar 9-4172 and cedar 9-2676

WISCONSIN

badger lightweight products corporation, 3101 west mill road, milwaukee 9, wisconsin telephone: flagstone 1-9050

CANADA

western perlite company, ltd., 101 mobil oil building, calgary, alberta, canada telephone: 2-7722

perlite products, Itd., 500 raleigh street, winnipeg, manitoba, canada-telephone: 50-2521

perlite industries, reg'd., 500 canal bank, ville st. pierre, quebec, canada-telephone: walnut 7098

No other roof deck material gives you so much insulation ... with so much strength...at so little weight!

Permalite Insulating Concrete

The figures tell the story






WEIGHT

1:6 mix portland cement and Permalite expanded perlite aggregate has a "k" of 0.58 . . . "U" value of .219 for a 2" thickness with built-up roof.

1:6 mix has compressive strength of 180 psi - nearly 13 tons/sq. ft. For greater strength, a 1:4 mix provides 440 psi - more than 31 tons/sq. ft.

1:6 mix has dry density of 27 lb./cu. ft. A 2" thick slab weighs only 41/2 lb./ sq. ft.

Fire safe. Handled and placed like any ordinary concrete. Easily sloped to drain. Can't rot ... vermin proof ... termite-proof. For the complete story, see your Sweets File, or write



THE LARGEST SELLING PERLITE AGGREGATE IN THE WORLD

Perlite Department, Great Lakes Carbon Corp., 612 S. Flower St., Los Angeles 17, Calif. Permalite aggregate is produced by licensed franchisees from perlite ore mined by Great Lakes Carbon Corporation.



AT NEW YORK INTERNATIONAL AIRPORT


CURTAIN-WALL PANELS FLOAT IN RESILIENT

In designing the new International Arrival Building for the Port of New York Authority, the architects sought an economical sealing system that would insure a permanent airtight and watertight installation of the plate and spandrel glass panels.

The dry sealing system specified by Skidmore, Owings & Merrill employs gaskets of Du Pont neoprene synthetic rubber. U-shaped extrusions of neoprene are supplied as completely fabricated rectangular gaskets which are easily snapped onto each panel—protecting both glass and glaziers' hands when the panel is set in the frame. Screwing on a pressure stop is the third and final step in panel installation. The time required for these steps is a matter of minutes. The neoprene seal remains resilient under compression and permits the glass to move under wind pressure and thermal changes.

Neoprene's resilience assures permanent retention of sealing pressure . . . and because neoprene has exceptional resistance to sunlight and weathering, long exposure will not cause gasket failure. These two factors have been responsible for its dependability in many installations.

Mail the coupon for a list of gasket suppliers and your copy of "The DuPont Elastomers" containing data on the properties and uses of neoprene and HYPALON[®], DuPont's newest synthetic rubber.



GASKETS OF NEOPRENE



BETTER THINGS FOR BETTER LIVING ...THROUGH CHEMISTRY

Glazing and panel installation is a simple 3-step job




1 One-piece neoprene gasket is snapped over glass panel edges



2 Gasketed panel is set onto aluminum frame



3 Pressure stop is screwed down to make a tight seal



Neoprene gasket fits over glass edge. Aluminum pressure stop covers the gasket and is bolted into the window frame. Mullion cap covers the joint. Result: a tight, leakproof but resilient seal.

-	E. I. DU PONT DE NEMOURS & CO. (INC.) Elastomer Chemicals Dept. AR-3 Wilmington 98, Delaware
	Please send me a list of neoprene gasketing suppliers and a copy of "The Du Pont Elastomers."
	Name
	Firm
	Address
	City, State

continued from page 16

students of Gropius or Le Corbusier.

Ironically, most of the new-type designs are reminiscent of one of the earliest phases of Soviet architecture. In the 1920's and early 1930's "functional" building styles achieved a certain degree of popularity in Russia. That was the period when many foreign technicians and engineers were hired by the Soviets to aid industrial expansion. In major Russian cities a number of steel, glass and concrete structures appeared which clearly reflected Bauhaus influence.

Then came a sharp reaction as Stalin expelled the foreign advisers and instituted ruthless purges which struck down many of the more sophisticated and independent personalities in the Communist ranks. Modernist structures quickly were lost in a deluge of highly-ornamented neoclassical construction, and the world became painfully familiar with the clumsy and archaic style known as "Stalinist baroque," typified by the



Contractor: Ostrum and Maguire Construction Company, Inc. Galesburg, Illinois

"COMPLETION TIME EXCELLED"

"client was very pleased"

"has a definite 'quality' appearance secured at economy prices"

"completion time of the work was considerably excelled"

"square-foot cost of building was substantially reduced by laminated beams"

. . these are statements made by architect and builder of the Payson high school constructed with Rilco beams and radial arches.

Whether you plan a school, church, commercial or industrial building, consider the savings, fire safety and outstanding beauty of Rilco laminated wood members. See our catalog in Sweet's or write . . .



RILCO LAMINATED PRODUCTS, INC. W818 1st National Bank Bldg., St. Paul 1, Minn. District Offices: Newark, N. J., Fort Wayne, Ind. Tacoma, Wash.



Moscow skyscrapers with their gingerbread trimmings.

It was not until some time after the death of Stalin that signs began to appear heralding a new change in Soviet architecture. In the summer of 1954, the government began an ambitious drive to increase the efficiency of the construction industry through the use of prefabricated concrete units. Later in the year a Moscow conference of building workers heard party-secretary Krushchev denounce Soviet architects for their wasteful use of towers, porticos and ornamented facades.

The trend toward a "New Look" was accelerated during the Geneva summer of 1955 when delegations of Russian building experts visited the United States, Sweden and Great Britain. In November 1955, a government statement lashed out at the "flashy ornamentation" and the "ar-chaic appearance" of Soviet struc-tures. Architects from all over the U.S.S.R. were summoned to a Moscow conference where they were advised to study the achievements of foreign builders and designers.

Then cartoons were published in Krokodil lampooning long-revered Stalinist fashions. One cartoon depicted a neoclassical building marred by a row of ridiculous statuary along the roof representing all sorts of athletes in action; another showed how absurd a city would look if buses, autos, trains and even airplanes carried the same type of Victorian gingerbread found on Soviet buildings.

Early in 1956, well-illustrated articles on foreign architecture began to be featured in the Russian journals. The list of projects covered would have met with approval from any Western expert-for example, the U.N. building and Lever House in the United States, the colorful new campus of the University of Mexico, modern English schools, reconstruction in Le Havre and even propaganda-motivated structures in West Berlin.

Slowly the impact of developments has made itself felt in Soviet blueprints. The use of trite ornamentation has decreased, glass surfaces have become more extensive, stylistic lines have become more simple and direct. And the most recent designs show acceptance of some of the bold forms of modern functional architecture.

If the plans of today's architects are translated into action during the next few years, we should see a drastic change in the Soviet scene.

New

STEELCRAFT

Steel Slope-Beam Roof System

suggests many new directions for low-profile building design


Unlimited "idea potential" — The Slope-Beam Roof System lends itself to innumerable interesting arrangements, allowing complete freedom of treatment with concrete block, masonry, metal curtain wall and a wide variety of other materials. And, it can be used with all kinds of roof deck.

A "natural" for lean budgets — You save material costs and eliminate unnecessary weight because Slope-Beams require less steel than rolled sections for equivalent loads. Also, lighter Slope-Beams permit economies in columns and foundations, and the entire System can be erected at less cost.

Made to order...fast!—Completely integrated Slope-Beam Roof Systems are custom manufactured, even to the fraction of an inch. But, thanks to special production facilities, you can expect much faster delivery than you normally receive on rolled sections...often within 30 days.

Mail this coupon for the new Slope-Beam Catalog, complete with detail drawings, specifications and load tables.

he DIEE I	Solution State Sta
	Please rush my copy of Steelcraft's new Slope Beam Catalog complete with detail drawings, specifications and load table
time and the	Name
The state of the second second	Company
STEELCRAFT	Address
and the second second	CityState



As durable as they are beautiful, these Curtis New Londoner hollow-core flush doors, and Curtis American solid-core flush doors, shown installed in a classroom of the South Campus Building, Lyons Township High School, La Grange, Illinois, help create a pleasing school environment while they withstand the wear and tear of constant use. Door face panels are carefully grain-matched to provide pleasing "pictures in wood." Perkins & Will, Chicago, architects.

> HOLLOW-CORE **FLUSH DOORS**



Built for public service CURTIS NEW LONDONER FLUSH DOORS


In the rigors of non-residential use, flush doors literally "take a beating." Recognizing this fact, architects have long known that low-quality flush doors are actually the most expensive which can be installed in any public building. That is why so many prominent architects specify Curtis New Londoner hollow-core flush doors and Curtis American solid-core doors. These doors have guaranteed quality.

Inside New Londoner doors there's no flimsy or makeshift construction. A precision-made all-wood grid core is *locked* into the stiles to provide a dimensionally stable, "welded" construction. The three-ply faces of New Londoner doors are specially bonded to resist moisture. Here are taut doors that resist slamming, banging and other public abuses—as proved by millions of installations and severe laboratory tests.

> Curtis New Londoner institutional doors combine the light weight and economy of hollow-core construction with extra heavy stiles, rails and crash and kick plate rails. Doors accommodate all types of institutional hardware.

Complete information about Curtis New Londoner hollowcore flush doors and Curtis American solid-core flush doors is yours for the asking. Mail the coupon.






Curtis Companies Service Bureau 200 Curtis Building, Clinton, Iowa	AR-3-58
Please send information on Curtis New and Curtis American flush doors.	Londoner
Name	
Address	
City State	• • • • • • • • • •


The Record Reports

Design, Construction Are Themes Of U. S. Pavilion at Vienna

For the Vienna International Autumn Fair, the U. S. Pavilion took for its theme "America Builds," and was built around an exhibit of American building as art and as technique.

Most of the architectural displays included had been viewed already in this country: they included the 1957 awards of the American Institute of Architects and an exhibition of San Francisco Bay domestic architecture arranged by the Smithsonian Institu-






tion, the North California Chapter of the American Institute of Architects and the California Redwood Association. Also on view were models of current urban design proposals —almost the first thing to be seen by visitors was a four-ft model of Skidmore, Owings & Merrill's design for the Chase Manhattan Bank's headquarters—and a full-scale vacation house from the magazine Living for Young Homemakers.

Construction techniques shown in the vacation house, where construction was left partially exposed, and in a full-scale apartment section, where a building crew carried out demonstrations during the fair. Included in the office building display was a section of the aluminum curtain wall used in the Alcoa Building. The pavilion itself, designed by industrial designers Walter Dorwin Teague Associates, utilized a number of kinds of wall panels. (Teague Associates also selected and designed the exhibit for the Department of Commerce's trade fairs section.)



At Zagreb: U. S. pavilion for Zagreb Trade Fair, held in Yugoslavia last fall, was built for post-fair leasing, and eventual acquisition, by the Yugoslav government. Exterior of V-beam aluminum louvers was designed to take advantage of natural ventilation in a hot country without air conditioning; weight of the entire louver section was 72 lbs. Walter Dorwin Teague Associates were designers



Feature for Feature,

Rō-Way Doors Give Extra Value

Check the specs on all overhead type doors. Make your own point by point comparison. You'll see, as hundreds of architects and builders have, that Ro-Way sets the pace for quality and value.

Ro-Way combines handsome appearance, rugged construction and beefed-up components to assure years of smooth, trouble-free service under the most punishing conditions.

Heavier millwork, for example. Brawnier hardware. And look at the features you'll find in *every* Ro-Way door. Seasoned west coast woods. Masonite[®] Dorlux[®] panels. Taper-Tite track and Seal-A-Matic hinges for weather-tight closure and instant opening. Ball bearing rollers for quiet, dependable operation. Big, Power-Metered springs, tensioned to the weight of each door. Rugged electric operators for fast, efficient service. Heavy duty hardware both Parkerized and painted to prevent rust and corrosion.

Yes, Ro-Way features add up to the greatest overhead door value on the market. So specify Ro-Way overhead type doors for all your commercial, industrial and residential buildings. They're available in standard and special sizes to meet any design problem.

there's a Ro-Way for every Doorwray!




COMMERCIAL . INDUSTRIAL . RESIDENTIAL



ROWE MANUFACTURING COMPANY

1293 Holton Street, Galesburg, Illinois

new approaches to structural design with fir plywood



Engineering tests by Douglas Fir Plywood Association showed vault resists three-times-normal roof load. Deflection at midspan was negligible. Note how door-high roof line saves wall area.

FIR PLYWOOD

ARCHITECT: Robert B. Price, A. I. A., Tacoma, Wash. Robert C. Wing, Consulting Engineer

IN THIS graceful stressed-skin fir plywood domical roof, Architect Price has developed a simple and precisely engineered unit that combines beams, purlins and roof sheathing.

The first application of this new semi-spherical roof system is in the four-room satellite school shown at right. In its design, Price sought to create "an exciting and stimulating space with a high degree of flexibility and substantial construction economies."


Adaptable to other types of buildings, the Price roof system is a logical design evolution in which lightweight fir plywood replaces heavier and costlier materials. It provides a long, post-free span, pleasing mass and profile, has excellent lighting, insulation and acoustical properties.

ONE OF A SERIES FROM "SCHOOLS OF THE FUTURE"

... a portfolio collection of outstanding designs by six leading architectural firms. Includes details on domical roof shown above. For your free copy, write (USA only) Douglas Fir Plywood Association, Tacoma, Wn.

Also write for information about fir plywood design and engineering consulation services.







Horizontal joints staggered.

DOMICAL ROOF

This four classroom satellite school in Tacoma, Wash., is the first to use Price's fir plywood domical roof system. Model shows dome-roofed classrooms opposite a general purpose room which has a fir plywood folded plate roof. A flat fir plywood canopy unites both areas and provides shelter in bad weather.





(XX







MODERN buildings are now being designed without tall obtrusive chimneys marring their clean horizontal lines. This refreshing trend is made possible by the use of Wing Draft Inducers in the boiler or furnace room, eliminating the necessity for stack or chimney.

But that is only one of the advantages of Wing Draft Inducers. Another is the substitution of positive, uniform, adequate draft at all times, regardless of wind, weather or load variations.

Savings through these advantages are impressive. Write for a copy of Bulletin I-57 and see for yourself.

L.J. Wing Mfg.Co. 151 Vreeland Mills Road · Linden · N. J DIVISION OF AERO SUPPLY MFG. CO. INC.



FANS . UNIT HEATERS . DRAFT INDUCERS . BLOWERS . TURBINES

The Record Reports

On the Calendar

March

- 5-6 Plastics in Building Illumination: Daylight and Electric Sources; Building Research Institute Conference—University of Houston, Houston
- 8-12 Regional convention of the American Association of School Administrators—San Francisco
- 9-12 First National Lighting Exposition, sponsored by Lighting Lamps and Electrical Manufacturers Salesmen's Association—The Coliseum, New York City
- 12-14 The 44th annual convention, Michigan Society of Architects —Hotel Statler, Detroit
- 12-14 "Plastic Design and Steel Structures," a conference for architects and structural engineers to be conducted by the Engineering Institutes of the Extension Division of the University of Wisconsin, Madison, Wis.
- 16-22 Nuclear Congress, sponsored by more than 30 organizations coordinated by the Engineers Joint Council with management directed by the American Institute of Chemical Engineers—International Amphitheater, Chicago
- 17-18 The Building Industry's Role in Urban Renewal; a joint national conference sponsored by ACTION and the National Housing Center—National Housing Center, Washington, D. C.
- 17-21 Annual conference and exposition, National Association of Corrosion Engineers—San Francisco
- 29 Regional convention of the American Association of School Administrators; through April 2—Cleveland

April_

- 17-19 South Atlantic District, American Institute of Architects, Regional Conference—Municipal Auditorium, Sarasota, Fla.
- 18-19 Middle Atlantic District, American Institute of Architects, Regional Conference; theme, "The Architect in Tomorrow's City"—Sheraton-Belvedere Hotel, Baltimore
- 19-27 "International Design"; third annual International Home



INVISIBLE HEATING . . . Either radiant baseboards, as shown here, or radiant panels in floor or ceiling may be used.



WARM BATHROOMS are never a problem with Thrush Radiant Hot Water Heating.



Thrush Water Circulators

More Sales

when homes are heated with

THRUSH

Radiant Hot Water!


WHAT DO buyers want in a home? They realize that comfort depends on heating. They also know radiant hot water heat is the most modern and dependable heating today . . . cleaner, quieter, milder, more uniform, and more economical in fuel consumption. That's why hot water heated homes are easier to sell.

Thrush Radiant Hot Water Heat is ideal for split-level homes. It's easy to zone and low in installation cost because forced circulation permits smaller pipes, valves and fittings. It's a real sales feature.


> See our catalog in Sweet's or write Department J-3 for more information.



NEW! **KEWANEE** FORCED-DRAFT



GAS-OIL COMBINATION FIRING for the new Kewanee package units is provided by this Kewanee burner designed for quick fuel changeover without adjustments.



NEW 606,000 TO 3,060,000 Btuh CAPACITIES: Kewanee Scottie Jr. low pressure boiler with Kewanee burner. Firing rate is balanced with boiler capacity. Oil burner (shown) is high pressure, twin nozzle type. Gas burner is equipped for either natural or LP gas.



quality product . . .

proven in

the field

Now ... Kewanee provides 8 popular high pressure packages, 18 to 92 horsepower ... 8 low pressure packages, 606,000 to 3,060,000 Btuh.


Forced-draft firing keeps combustion air supply constant, regardless of location or atmospheric conditions. Only a vent pipe is needed. The long, low lines of today's buildings are not violated by a costly, unsightly stack. Nor does the boiler room ceiling need to be higher than a standard 8 feet.

Fuel flexibility is provided by Kewanee burners for oil, gas or gas-oil combination firing. On combination units, fuel changeover is simple and fast...can be handled by automatic controls if desired.

Traditional Kewanee quality is engineered into the complete unit. Reserve strength is built into

18 TO 92 HORSEPOWER

PACKAGE UNITS



NEW 18 TO 92 HP CAPACITIES: For 125-150 swp or high temperature water above 250° F. Kewanee Scottie Jr. high pressure boiler with a Kewanee burner for oil (shown) or gas. Features include long gas travel, ample steam space, x-rayed and stress relieved welds. OTHER LARGER KEWANEE BOILERS range up to 651 hp for high pressure ... 21,855,000 Btuh for low pressure. Matching forced-draft burners are available for oil, gas and gas-oil combination firing.

all parts...moving parts are accurately machined to close tolerances. All features of design and construction are aimed at maximum dependability and long-range economy. Easy access is provided for boiler inspection and cleaning.

Kewanee factory-assembles the entire unit before shipping. The boiler is fitted with burner and controls at the factory, with controls housed in integral control panel. Boiler gages and controls are in place, as well as rear combustion chamber of high temperature refractory. Unit is shipped as a complete package—fire-tested if desired.

Send coupon at right for complete information. Clip it today and mail it to:

AMERICAN-STANDARD, KEWANEE BOILER DIVISION, 101 Franklin Street, Kewanee, Illinois.

American-Standard	KEWANEE Th
KEWANEE BOILER DIVISION 101 Franklin Street • Kewanee, Illinois	1868 JUyear
Please supply literature on the following Kewanee Boilers:	
low pressure new 18	to 92 h.p. packages
high pressure all capa	cities
Name	A Star March Participants
Firm	
Street	
CityZoneSta	te





The Record Reports

Show—The Coliseum, New York City

- 21-22 Seventh annual meeting, Building Research Institute—Shoreham Hotel, Washington, D. C.
- 28 Annual meeting, Board of Directors, American Institute of Architects; through May 2— Washington, D. C.

May

- 2 Fifth annual conference for Engineers and Architects, sponsored by Ohio State University—University Campus, Columbus
- 9-10 The 78th annual convention, Michigan Engineering Society —Civic Auditorium, Lansing, Mich.
- 18-22 National Planning Conference, American Society of Planning Officials—Washington, D. C.

Office Notes

Offices Opened_

Caudill Rowlett & Scott Associates announce the opening of an eastern office at P. O. Box 60, Corning, N. Y.

Bernard F. Greene, electrical and mechanical consulting engineers, have opened a permanent branch office at 205 Summer St., Stamford, Conn.; Sanford Hess will direct the new office.

Herbert R. Kameon, A.I.A., has announced the opening of his offices at 8332 Livingston Way, Los Angeles 46, Cal.

William Cobb Matthews, A.I.A., has opened an office for the practice of architecture at 483 College St., Macon, Ga.


Clayton & Miller is a new architectural partnership formed by R. William Clayton Jr. and Kenneth Russell Miller. Offices are at 3820 N. E. Second Ave., Miami 37, Fla.

James J. Montalto and Don W. Williams have announced the formation of an architectural firm with offices at 1701 State Rd., Cuyahoga Falls, Ohio.

Oubre and Wagner, Architects, has been formed by the partnership of James P. Oubre, A.I.A., and Leo F. Wagner, A.I.A.; offices are located in the Maritime Bldg., New Orleans, La.

Send for NEW 16-page Bulletin on this Revolutionary New Steam Coil Design





Reznor sectional duct furnaces free the designer from the limitations imposed by packaged heating equipment . . . equipment which can't be *exactly right* for any one job because it has to be *good enough* for so many different jobs.

A heating or heating-cooling system designed around a Reznor duct furnace can be matched to exact job requirements. Each duct furnace is a compact, highly efficient heat exchanger with a full set of operating controls. All other components,—for air moving, cooling, cleaning and moisture control—are separately specified and installer-supplied. Only those components which are necessary on the particular job need be included, with each individually selected to fit that one job.

Sectional assembly (a completely new concept in duct heating equipment) completely eliminates the installation problems which formerly prevented the use of large capacity custom-engineered duct heating systems. With the Reznor Series DS sectional duct furnace, systems with capacities in excess of 2,000,000 Btu can be assembled on the job from sections weighing no more than 315 pounds. Each of four basic sections—150, 200, 250, and 300 thousand Btu—is complete with controls and is provided with its own built-in draft diverter, flue connections and mounting pipes.

If you aren't taking advantage of the design flexibility of Reznor sectional duct furnaces, you're missing a good bet on many of your commercial, industrial and institutional jobs. Don't delay getting all the details on this versatile line of heaters. Give your nearby Reznor distributor a call—today.



The Record Reports

Robert E. L. Peterson, Architect, has opened his offices at 409-410 Piedmont Bldg., Greensboro, N. C.

Wm. Cramp Scheetz Jr., Architect, has acquired the practice of the firm Savery, Scheetz & Gilmour, with offices at 1500 Walnut St., Philadelphia 2, Pa.

Firm Changes

Harland Bartholomew and Associates, city planners, landscape architects and civil engineers, announce the elevation to partnership of William S. Pollard Jr., chief engineer, and Donald Wolbrink, resident planner in the firm's Honolulu office.

John C. Bryant, A.I.A., Robert Butterfield, Associate, have announced that Norman G. Aehle, Architect, has joined the firm; offices are at 208 Sager Bldg., Everett, Wash.

The firm of Ketchum, Giná & Sharp has been dissolved. Morris Ketchum Jr., J. Stanley Sharp and Robert Mac-Kinnon Jr. will practice as the firm Ketchum and Sharp, Architects, at 227 E. 44th St., New York 17, N. Y. Francis X. Giná and D'Anson Isely have established offices at 219 E. 44th St., New York 17, N. Y., as the firm Francis X. Giná and Associates, Architects.

Mead and Hunt, Inc., announce that Robert B. Torkelson, architectengineer, has been put in charge of architectural work to replace Harold C. Balch.

Smith, Hinchman and Grylls Associates, Inc., architects and engineers, have announced that Edwin A. Doig has joined their staff as hospital specialist. The firm is located at 3107 W. Grand Blvd., Detroit 2, Mich.

New Addresses

Reino Aarnio, Architects and Industrial Designers, 244 Madison Ave., New York 16, N. Y.

Robert H. McCarty, Architect, 3340 Polar Ave., Room 124, Memphis, Tenn.

Moore and Hutchins, Architects, 800 Second Ave., New York 17, N. Y.

Murphy & Mackey, Architects, 6124 Enright, St. Louis 12, Mo.

Noah N. Sherman, Architect, 154 Nassau St., New York 38, N. Y.

MONSANTO CHEMICAL COMPANY

ST. LOUIS

GENERAL OFFICES

DESIGNED by Vincent G. Kling, Philadelphia Contractor: Fruin-Colnon Construction Company, St. Louis

RESEARCH LABORATORIES

DESIGNED by Holabird & Root & Burgee, Chicago Contractor: William H. & Nelson Cunliff Construction Company, St. Louis

PROTECTED by ADT



One of the largest curtain wall projects in the area, Monsanto's general offices comprise three identical office buildings and an executive building, which provide 385,000 gross square feet of floor space and accommodations for 1,600 employees. Also at the new location is the research laboratory of the company's Inorganic Chemicals Division, where 82 applications of plastics in building were made.

Located in eastern St. Louis County, these new buildings represent the latest in design and construction and embody every modern facility for efficiency, comfort and safety. Watchmen report to the ADT Central Station while on patrol, and there is an ADT Manual Fire Alarm System to summon the fire department and give a local warning when required. For sprinklered buildings, ADT Waterflow Alarm Service signals the fire department automatically when water flows. Whether your project is large or small, there is an ADT Protection Service to meet every requirement. Thousands of business concerns of all types, from coast to coast, depend on ADT for better protection against fire, burglary and other hazards.

May we show you how ADT Automatic Protection Services can be applied to give greater security at lower cost than other protective methods. Call our local sales office if we are listed in your phone book; or write to our Executive Office.

Controlled Companies of **AMERICAN DISTRICT TELEGRAPH COMPANY** A NATIONWIDE ORGANIZATION **Executive Office:** 155 Sixth Avenue, New York 13, N.Y.



The Record Reports

Florida Savings & Loan Office Designed for Expansion

Designing a new office building for the Hollywood Federal Savings & Loan Association at Hollywood, Fla., architects Gamble, Pownall & Gilroy planned a structure which would absorb an estimated increase in business of 375 per cent over the next 20 years. The architects had studied similar establishments in Florida, and found that "the major problems were the rate of growth and the ability to expand with it. In a business where service is the principal commodity, it is a question of expanding space for personnel and records to increase departmental efficiency and at the same time provide convenient facilities for customers."

The association's own estimate of its expansion included a first phase, now current, or \$40-45 million worth of business annually. In the second stage, expected in nine years, the total volume would rise to \$70 million; and in the third stage, to take place in 1971, business would reach \$100 million yearly.

TROY MASHER IN MANY	TROY WASHERS
the whole "bundle." And, early in the plan- ning stages. You'll make best use of your time, and your client will be assured an efficient laundry layout with tailored-to-need equip ment recommendations.	do the
Troy's long experience in d institutional laundries will greatest value to you if y as much information bearin laundry requirements as p with your request. There i charge made for Troy's la layout service.	be of ou include ng on possible is no
SEE DUR CATALOG IN SWEET'S ARCHITECTURAL FILE DR WRITE FOR COPY	TROY LAUNDRY MACHINERY
TINOY PALL	Division of American Machine and Metals, Inc. Dept. AR-358, East Moline, Illinois Please send suggested layouts for laundries in TYPE OF INSTITUTION, AND SIZE YOUR FIRM NAME
LAUNDRY MACHINERY Division of American Machine and Metals, Inc. East Moline, III.	ADDRESS CITY ZONE STATE ATTENTION MR.



At present, the association will use only two floors of the five-story building; the first floor for lobby, tellers' space and most offices for mortgageloan, new shares accounts, loan service and accounting departments, and the third floor for an employes' cafeteria, attorneys' offices, directors' room and library.

The "expansion joint" of the building is the second floor, to be rented as office space now, but gradually reclaimed by the association as extra space is needed. By 1966, when the association expects to enter its \$70 million phase, tellers' cages will be increased from 10 to 14 on the first floor, and the association will take over a part of the second floor to house executive offices and the loan service department. In the final stage of expansion, the first floor will be

"...to give the public better understanding of what your specification of **SCHLAGE** Locks means"

The record shows that architects, professionally selective, specify Schlage more frequently than any other lock brand. For this regard we are deeply appreciative. It has been a major factor in encouraging our company to take a new step at this time.

Our problem is this...

The public knows little about significant quality differences in locks and too often these details are brushed aside by clients in conference with architects.

With the beauty of full color, in dominant space, Schlage this year is presenting *the quality story* of our locks in national advertising. You will see our messages in Better Homes & Gardens, other magazines, too...and so will the public.

Because we are craftsmen with great pride in our locks, this public advertising constitutes our *public pledge* that Schlage quality standards will always stay high. It is a pledge Schlage first made to your profession a quarter-century ago.

AMERICA'S MOST DISTINGUISHED LOCK BRAND

The Record Reports

occupied only by savings, new shares accounts and special services; the second floor will be entirely used by the association, which will place its mortgage loan operations there.

The design puts a dumbwaiter and a record vault on the second floor in readiness for the changes; until the final change, the record vault will be used as office space.

The two top floors of the building will be made available for office rental.


The building was erected at a cost of about \$500,000.


In column, right: projected use of the second floor, the area set aside for expansion of the Hollywood Federal Savings & Loan Association. Top: in the first stage, floor will be used almost entirely for commercial rental; only the association's appraisal department is located here. Center: savings association will utilize a part of the floor for loan servicing and executives in the second stage; a part of the floor will still be rented to outside concerns. Bottom: in final stage, none of the floor will be rented, association will use it for mortgage loan department, accounting and executives, while loan service returns to first floor; record vault will be office space in early stages, only in final stage will be put to use for which it is built




for the "natural weathered" look

House in Portland, Oregon. Architect: Van Evera Bailey. Siding and trim stained with Cabot's Bleaching Oil.







WILLIAM F. BERNBROCK, ARCHITECT: ERICSON CONSTRUCTION CO., BUILDER

MORE NICE THINGS ARE SAID ABOUT ARCHITECTS WHO SPECIFY Pella Casements with Roiscreens

That's because home owners with PELLA WOOD CASEMENT WINDOWS are assured of so many comforts and conveniences.

Like ROLSCREENS—the self-storing screens that roll up and down like window shades to eliminate seasonal maintenance work. Insulating glass stays in place year round, too—and is matched as a comfort maker by spring-type stainless-steel weatherstripping that surrounds all four sides of the sash. Convenience—that's the word for the way PELLA CASEMENTS can be cleaned from inside!

All these advantages come with PELLA WOOD CASEMENT WINDOWS—now available in glass sizes up to 24" x 68"—the largest wood casements available. See our section in Sweet's architectural file or write today!



	ROLSCREEN COMPANY, Dept. J-43, Pella, Iowa Please send me illustrated literature on PELLA CASEMENT WINDOWS.	
Pella	FIRM	-
e e	CITY ZONE STATE	

Design for window beauty, in every room !

In every room, in every type of home, Andersen Wood Window Units can help you create lasting beauty and convenience. Their clean, functional lines blend with a wide variety of home designs—whether contemporary or traditional. And their natural wood finish graciously complements surrounding walls and woodwork.

On these two pages are three examples showing how architects are using Andersen WINDOWALLS to achieve interesting design and to provide beauty and convenience. Both types of Andersen Window shown are easy to open and close. They are exceptionally weathertight—thanks to traditional Andersen outstanding design and craftsmanship. All wood parts, of course, are Penta-treated for lasting protection against decay and termites.

For full specification data on Andersen WINDOWALLS, see Sweet's Files—or write Andersen for Detail Catalog and Tracing Detail Files. WINDOWALLS are sold by lumber dealers throughout the United States, and now in Canada.


Andersen Windowalls

ANDERSEN CORPORATION . BAYPORT, MINNESOTA



In the living room, Andersen Flexivents® combine with Flexiviews for picture-window effect with operating sash. E. F. Gordon, A.I.A., architect.





In this bedroom, architect Frank McGuire used Andersen Casement Units to provide a king-size view, to admit cooling breezes.

More wall space is available with the smaller Andersen Casement Units. Architect is Kenneth E. Wischmeyer.



F.B.V. factors...

the important difference in **INR-O-MATIC** INVISIBLE DOR-MAN AUTOMATIC DOOR OPERATORS

OUT

Function

With the INVISIBLE DOR-MAN, openings are smooth, gentle, silent and safe. Precision engineering and highest quality materials mean years of dependable performance, minimum maintenance.

Beauty

Completely concealed, adapts perfectly to all modern architecture. Carpets are now available in five decorator colors and can be monogrammed or trade-marked for personalized identification. TOUCH-O-MATIC handle actuated models are custom made for all types of doors.

Versatility

Single units, double units, in-and-out pairs, carpet or handle actuated — whatever your needs, there's an INVISIBLE DOR-MAN to fit any requirement. Installation and maintenance are easy, inexpensive. You'll have the best when you select the DOR-O-MATIC INVISIBLE DOR-MAN. Write for detailed information.



Manually Operated Concealed in the Floor DOR-O-MATICS are available in 31 models to fit every requirement.

SEE OUR CATALOGS IN SWEET'S

Sales and Service in principal cities — see Yellow Pages of your phone book 6978



DOR-O-MATTIC division of REPUBLIC INDUSTRIES, INC. 7358 West Wilson Avenue Chicago 31, Illinois CANADA: Dor-O-Matic of Canada, Ltd., 550 Hopewell Avenue, Toronto 10, Ontario

EXPORT: Consultants International, Apartado 21397, Mexico 7, D.F., Mexico

The Record Reports




Medical Office Building Designed With Flexible Suites for Rent


This medical office building, located in the fringe area of Tampa, Fla., was designed by Mark Hampton, Architect, for Medical Center Corporation. Joseph C. Russello was consulting structural engineer; Charles T. Healy, consulting mechanical engineer.

The building stands alone, directly adjacent to the Municipal Hospital. The six floors of rental area are planned to accommodate various flexible arrangements of doctors' suites around two central utility and vertical transportation cores which penetrate from the mechanical area in the basement to the penthouses. The ground floor of low masonry masses (which can be expanded to the south) will accommodate X-ray and laboratory facilities for all the lessees, a pharmacy and a doctors' lounge and display area. Parking will be handled by an adjacent existing parking garage.

The low masses are surfaced with masonry panels of polished marble pebbles. The main structure is white reinforced concrete, with precast textured concrete panels and aluminum and glass curtain walls with blue porcelain spandrel panels. On the north and south elevations concrete eyebrows are a sun-controlled device which also facilitates window washing.



*SAVINGS & LOAN ASSOCIATION REQUESTS... NEO-RAY LOUVRED Over...and Over again



Our files are full of letters like this when we ask, "Why did you choose NEO-RAY LOUVRED CEILINGS?" *Industrial Federal Savings & Loan Assn., Lakeside Shopping Center Branch, Denver, Colorado Architect: LINDER, WRIGHT & WHITE Denver, Colo.

*Gentlemen:

- We had previously used Neo-Ray ceilings in another Industrial Federal Savings & Loan Assn. branch in Denver's Cherry Creek Shopping Center.
- 2. Literature furnished by Neo-Ray is very complete as regards structural detailing.


Very truly yours,



How American-Standard helps put

• Compact, rugged cast iron boilers give maximum efficiency in minimum space

- Smart, modern plumbing fixtures in newest colors keep your planning "years ahead"
- Dependable brass fittings serve your clients long and economically






NEW "Packaged" Oil Boiler

NEW "Packaged" Gas Boiler





"tomorrow" in your planning...

Built to stay "young" in both looks and usefulness—this design concept is making today's houses and apartments better buys than earlier postwar homes. Architects and builders find that American-Standard quality products like these, with their simple, functional design and durable materials, truly help to keep their houses "young."





Radiantrim Baseboard Heating Panels (shown in room) carry draft-free hotwater heat around perimeter where it's needed most. This modern hot water comfort radiates evenly from floor to ceiling, wall to wall. Cast iron sections make no expansion noise, cannot dent. Paint any color to blend or contrast with walls. May be easily recessed to depth of plaster.

NEW Wall-Hung Toilet

New Packaged Gas and Oil Boilers are shipped completely assembled for fast, neat, economical installation. Both are of extra-compact construction (G-2 only $33\frac{1}{2}$ " high) for any convenient first-floor or basement location. Both may be equipped with special, space-saving, built-in domestic water heater.


Stunning New Gracelyn Cabinet-Lavatory has one-piece china bowl and counter top. Smooth, unbroken surface cleans easily, no dirt-catching seams. Choice of eight colors and white. Double doors on roomy storage cabinet feature magnetic latches. Wood cabinet in neutral beige. In 32", 36" and 42" lengths: 18" wide. Legs in two sizes (allowing 31" or 34" floor-to-rim lavatory height) have adjustable leveling tips.

New Norwall Residential Wall-Hung Toilet helps keep bathrooms looking new for years. Off-the-floor design and snap-off seat and cover allow easy cleaning around and under fixture. Sparkling vitreous china toilet, in eight colors and white, can be installed in standard 6" stud wall.

For more product information write: AMERICAN-STANDARD, PLUMBING AND HEATING DIVISION, 40 W. 40th Street, New York 18, N. Y.

AMERICAN-Standard and "Standard are trademarks of American-Radiator & Standard Sanitary Corporation





ARC

EAST ST. LOUIS, ILL. WILMINGTON, DEL.

JACKSON, MISS. KANSAS CITY, MO. MINNEAPOLIS, MINN. TACOMA, WASH.

FIREPROOF GYPSUM

BUILDING PRODUCTS

RICHMOND, CALIF. SALT LAKE CITY, UTAH

The Record Reports

Adult Education: Creating Space For a Speedily Growing Field

Remarking the rapid expansion in the area of adult education since the end of World War II, the Adult Education Association of the U.S.A., through its Commission on Architecture, has issued a brochure "Architecture for Adult Education," subtitled "a graphic guide for those who are planning physical facilities for adult education," and directed to architects as well as other members of any community planning such a program.

The term "adult education," as the association sees it, encompasses a variety of programs-health centers and hospitals giving public health instruction; libraries, both in their accustomed functions and as classroom centers; industrial concerns providing training for their personnel as well as "recreational" classes; public schools with evening adult classes; and college buildings, both for classrooms and for cultural activities. Proportionately, facilities designed expressly to house largescale adult education programs are few.

The commission emphasizes in the report the importance of pleasant design for adult education centers, so as not to discourage hesitant students by presenting an "institutional" face. At all points, it recommends, the community should use the services of an architect-to judge the feasibility of remodeling, to select the site, to design.

A major part of the 74-page brochure is devoted to a look at various examples of facilities, with some discussion of the specific problems met in each. Most of the buildings shown are new (the commission found that remodeled buildings were on the whole unsatisfactory, though some are included). Although examples are shown from some large communities, the commission placed an accent on facilities built for small-town and rural use.

Members of the commission include, as chairman, architect John W. Becker, and Jackson M. Anderson, C. Harry Atkinson, George D. Butler, Fern M. Colborn, Shirley Cooper, Ray L. Hamon, Herbert C. Hunsacker, Hugh B. Masters, Worth Mc-Clure, John W. McLeod, John R. Miles, and Ernest I. Miller.

Copies of the booklet can be obtained from the Adult Education Association, 734 North Wabash Ave., Chicago 11, Ill., at \$2 each.

CHICAGO HTS., ILL. DETROIT, MICH.

Bestwall Certain-teed Sales Corp. Dept.

Please send me more information on the sales-packed

Company.....

City......State.....

CIEVELAND, OHIO

DALLAS, TEXAS DES MOINES, IOWA

Manufactured by Bestwall Gypsum Company-sold through

BESTWALL CERTAIN-TEED SALES CORPORATION 120 East Lancaster Avenue, Ardmore, Pa. EXPORT DEPARTMENT: 100 East 42nd St., New York 17, N.Y.

Street.....

pluses of the Bestwall Firestopper Roof Deck.

120 E. Lancaster Ave.

Ardmore, Pa.

SALES OFFICES: ATLANTA, GA. BUFFALO, N. Y. CHICAGO, ILL.

48-250 open reflector downlight uses inexpensive general service type lamps up to 300 watts. Most often specified for department stores, banks and public lobbies.






48-500 high ceiling ellipsoidal open reflectar downlight for auditoriums, churches, museums. Available with Alzak natural or golden reflector in 300, 500, 750 and 1,000 watt sizes.




48-1220 for gymnasiums and lunchrooms, playrooms and arenas. Spoke guard is of solid cast aluminum, heat-treated for strength. Available for surface, recessed, pendant or 1-beam installations. Wattages up to 1,000 . . . also in mercury vapor series.



This photographic report taken by the Committee on Lighting of the Central Station Properties, Illuminating Engineering Society in October 1954 visually proves the importance of properly ventilated lamp husks.

Dirty No. 1 Test No vents Improvement Cleanest No. 2 Test No. 3 Test Vents poorly Vents properly located located



cooler burning lower maintenance costs tested and proved

mcPhilben's 48 series interior downlights were selected to light the main area of the Chemical Corn Exchange Bank in New York in 1957. Today, after more than a year of operation, maintenance engineers report an operating efficiency and lamplife unequalled by any other downlight in use.


All mcPhilben interior downlight units are equipped with cast aluminum radiators and cooling fins. This outstanding engineering feature assures cooler burning and longer lamplife. In addition, reflectors remain cleaner and brighter for longer . . , as proved in the I.E.S. test shown below.

Full details on these downlights are now available on individual specification data sheets. Ask your mcPhilben representative for your copies or write to mcPhilben. Ask for the 48 and 84 lines.

mcPhilben

LIGHTING COMPANY

1329 WILLOUGHBY AVENUE, BROOKLYN 37, NEW YORK



Versatile polyester plastics point the way to exciting new design and construction possibilities in

THE LABORATORY THAT PLASTICS BUILT

More than 80 different applications of over a dozen different plastics are employed in this plastics showcase — Monsanto's new Inorganic Division Research Laboratory in suburban St. Louis.

Because of their versatility, polyester plastics have played a major role inside and outside this three-story, 70,000 square foot structure.

Now beauty and function can be combined in new ways—thanks to the tremendous strides in polyester resin technology and comparable advances in fabrication and molding techniques.

Through the use of polyester laminates and moldings, you can design one-of-a-kind or multiple components that can be manufactured at prices comparable to or lower than those made with conventional building materials. These lightweight plastic materials also make possible easier, faster and lowercost on-site handling.

For your Manufacturer's File, may we send you a comprehensive list of polyester reinforced plastics molders or polyester panel manufacturers? In addition, we would be glad to send you reprints of six papers on Monsanto's laboratory building, presented at the 4th Annual Meeting of the Plastics Study Group of the Building Research Institute. To obtain this information quickly, write Monsanto today.




Architect: Holabird & Root & Burgee - Chicago




Translucent entrance canopy is a composite of 48 reinforced polyester sandwich panels: polyester skins covering a ½-inch honeycomb aluminum core. The canopy, fabricated to meet the minimum building code requirement of 30 lbs. per sq. ft. roof load, is fastened to the building at one end and is suspended at the other from a reinforced plastic bent of triangular cross section.




Tough, impact- and moisture-resistant polyester-coated concrete blocks are easy to lay up, provide handsome exterior or interior walls. The facing itself, a sand-resin slurry, is permanently bonded to the masonry unit. Color ranges are unlimited, particularly for interior uses where ultraviolet intensity is not a factor.



Contractor: William H. & Nelson Cunliff Company - St. Louis



Lightweight (3 lbs. per sq. ft.) curtain wall panels are moved easily into place. Each unit is a weather-resistant plastic sandwich: 2-inch foamed styrene core between reinforced polyester plastic skins. Exterior and interior colors are built in. Because all components in the panel are insulators, heat loss is practically nonexistent.



This lowered roof-top polyester-reinforced housing spans an area more than 100 feet long and protects 36 ventilating fans which exhaust chemical fumes from the building's laboratories. Resistant to corrosive fumes, this monitor section is actually an integral part of a laboratory fume-venting system that makes use of molded reinforced plenums and ducts.

Monsanto does not manufacture polyester resins or fabricated polyester plastics. We are a major supplier of quality raw materials to the industry: phthalic and maleic anhydrides, adipic and fumaric acids, styrene monomer, bisphenol A.



Where Creative Chemistry Works Wonders For You

Organic Chemicals Division MONSANTO CHEMICAL COMPANY, Dept. R18-1 St. Louis 24, Missouri In Canada: Monsanto Canada Ltd., Montreal



Bilt-In-Heater

D Portable

Washington Topics

continued from page 48

portico forward about 32 ft would completely destroy the original façade designed by Dr. William Thornton and approved by George Washington in 1793, and would obliterate the central court which has been the background for presidential inaugurations since 1825.

"The American Institute of Architects and the Society of Architectural Historians are already on record in opposition to these alterations."

Apparently convinced by the statements of Commission Chairman Sam Rayburn (D-Tex.), Speaker of the House, that the group would remain unmoved in its determination to see the work proceed, the Berla committee already was trying to interest the Public Works committees of House and Senate in taking another look at the matter. Partial success came in this effort when the February 17 hearing date was,announced.


The McNamara subcommittee was scheduled to receive a report from Architect Stewart before the hearings began.

Restricted Advice An Issue

Very much at issue was the question of what the architectural advisers to Mr. Stewart might have reported had they not felt restrained by earlier Congressional action authorizing improvements "in substantial accordance with the Scheme B of the architectural report submitted by a joint commission of Congress and reported to Congress on March 3, 1905."

The restriction was recognized by the consultants, says the Berla committee, in this excerpt it quotes from their report to Mr. Stewart: "It was agreed between your consultants and the Architect of the Capitol that the question whether or not to move the East Front would not be a matter for discussion as this had been decided already by an Act of the Congress. Your consultants are therefore concentrating on the problem of how best to accomplish the will of the Congress within the limitations imposed by the Act in ways that will be least detrimental to the beauty and majesty of the East Front. They agree that these several requirements will be best fulfilled and very satisfactorily so by the design designated as Scheme C developed by your associate architects and based on a most carefully thought out study of the needs of the Congress in the foreseeable future." (The full report was published in AR, Dec. 1957.)

Model MHF



VAMPCO ALUMINUM WINDOWS AND CURTAIN WALLS ACCENTUATE MODERN DESIGN OF THE NEW LAFAYETTE CLINIC

The new Lafayette Clinic in Detroit, Michigan is a beautiful example of how architects throughout the nation are incorporating modern Vampco Aluminum Curtain Walls and Aluminum Windows to combine full natural lighting, modern beauty, functional design, structural strength and durability in the new concepts of modern hospital design.

Note how the Curtain Wall section in the center of this magnificent hospital building accentuates the modern lines and the unusual lighting and ventilating of the building itself.

Vampco Aluminum Windows are available in the widest range of types to meet every architectural need. They include: casement, combination casement, awning, intermediate projected, curtain wall of varying sizes and thicknesses, heavy construction, glass block and customdesigned types. Find out how VAMPCO'S special designing service can help you solve your unusual building problems most economically and efficiently . . . mail coupon below today!

VALLEY METAI	PRODUCTS CO. PLAINWELL, MICHIGAN	VALLEY METAL PRODUCTS COMPANY Dept. AR-38, PLAINWELL, MICH.
	SUBSIDIARY OF MUELLER BRASS CO. PORT HURON, MICHIGAN See Complete File in Your Current Sweet's Catalog	Send 56-page Industrial-Institutional Window Catalog. Send Light Construction Aluminum Window Catalog. Send Curtain Wall Catalog. NAME. COMPANY.
VERY FINEST	NAME THAT MEANS THE IN LIFELONG ALUMINUM WINDOWS	ADDRESS

RIBBONS OF LIGHT—Sylvania recessed troffer lighting can be mounted in continuous rows and spaced for desired high lighting levels in modern business offices,

-

6

THIER

¥,

.....

j2; 11/11/

1

6

Introducing . . .

a <u>new</u> Shallow Troffer Series by Sylvania – recessed lighting for today's building methods

For the aesthetically minded lighting designer, who has to cope with the modern trend to lower ceilings and shallower plenum spaces... here is a new approach to recessed lighting. It's Sylvania's new Shallow Troffer Series, fixtures which measure only $5\frac{1}{2}$ " from top to bottom—and, in many cases, require no more space than that for mounting!

Available in a variety of models, in both one- and two-foot widths, the Sylvania Shallow Troffer makes this popular form of lighting *practical and usable* in all new buildings, with full illumination efficiency. The units are fully recessed. Unsightly latches are buried. Even the hinges don't show . . . only the clean straight lines of the exposed portion of the framing, and the attractively styled shielding.

Sylvania Shallow Troffers are carefully engineered to utilize the full plenum space. Lay-in type troffers are provided for Z-spline and inverted-T ceilings. Exclusive *snap-up hanger* provides quick, secure mounting for most other types of acoustical ceilings (see sketches below). Ask your Sylvania Fixture Specialist for full details, or write direct for FREE new folder of specification data.


> SYLVANIA ELECTRIC PRODUCTS INC. Dept. C20, Lighting Division—Fixtures One 48th Street, Wheeling, W. Va.



Fluorescent Lighting Fixtures and Systems Best fixture value in every price range


LIGHTING . TELEVISION . RADIO . FLECTRONICS . PHOTOGRAPHY . ATOMIC ENERGY . CHEMISTRY-METALLURGY






INDIVIDUALLY MOUNTED troffers, imaginatively arranged, combine attractive design with good basic light distribution for company cafeterias and lounges.

STRIKING, PLEASANT ACCENT for an up-to-date building corridor: Sylvania recessed lighting troffers continuous-row mounted with acoustical ceiling materials.



NEW 5^{1/2}" **HIGH TROFFER** utilizes full plenum space. Exclusive *snap-up hanger*, with vertical adjusting screw, provides secure side-mounting for acoustical ceilings with support elements parallel to troffer. End-mounting brackets also available.



ALL STANDARD TROFFER SHIELDINGS

Corning No. 70 glass lens Patterned clear plastic len

- Corning flat Albalite
- (diffuse opal glass) Dished acrylic plastic

(diffuse panel)

Plastic louver 43° x 43°

Metal louver 35°C x 45°L

Washington Topics

These consultants, John F. Harbeson, Henry R. Shepley, and Gilmore D. Clarke, advised that the present beauty of the Capitol could be retained only by moving out the whole East Front, including the wings, and not the central portion alone. And they so recommended.

(Arthur Brown, Jr., originally named as one of the consultants, died in July of 1957 and was replaced with Mr. Clarke.)

Speaker Rayburn has made it plain that as far as he is concerned no additional authority is required for actual construction work to begin. The authority that does exist is carried in an Appropriations Act which sets aside a total of \$17 million for a start on the project which is estimated to cost \$110 million in all. Mr. Rayburn also has spoken out against any start on the proposed remodeling of the West side of the building, also outlined in Mr. Stewart's comprehensive report to the Commission.

Pending Bills Would Stop It

Bills are pending before both Public Works Committees which, upon



new permaCushion^{*} floor floats on resilient pads

That's right, this floor floats. It's entirely separated from the slab and all other structural members. It actually rests on air channeled GRS cushioned pads to assure permanent resiliency and to prevent moisture transmission from slab to sleepers. With these pads and the void between flooring and wall, the floor system expands and contracts without buckling or cupping and achieves a degree or dimensional stability unmatched by virtually any other floor!

PermaCushion floor systems offer other benefits, too: the natural beauty and durability of hard rock maple, dry, cross-ventilated subfloor and remarkable long-run economy. When planning a gymnasium or auditorium, consider the advantages of the PermaCushion free-floating floor system. For details, write Robbins Flooring Company, Reed City, Michigan. Attn: Dept. AR-1157.

Available vacuum-treated with preservative by Dri-Vac method.

ROBBINS FLOORING COMPANY

Manufacturers of Ironbound* Continuous Strip* Maple Floors *T.M. Reg. U.S. Pat. Off. Reed City and Ishpeming, Michigan final enactment, would effectively halt the proposed East Front extension, the Berla committee believes. Several of these would amend the Act of 1955 to remove the clause which directs that the work be done in substantial accordance with the 1905 Scheme B. Such action, said Wilbur H. Hunter, Jr., executive secretary of the Committee to Preserve the National Capitol, would liberate the Commission from adherence to the extension of the East Front.

Senate Gets School Aid Bills: None from Administration

Federal aid to school construction, while unmentioned in the Administration's proposals to Congress this year, came before the second session of the 85th Congress in the form of a number of bills introduced by members sympathetic toward government assistance in the classroom building field.

Javits Asks \$2.4 Billion

The largest of the members' bills advocating a general construction aid plan was that of Senator Jacob Javits (R-N.Y.), who posed \$2.4 billion as the figure he thought should be approved for Federal help to states and local districts in the construction of classrooms. This amount he would spread over a period of four years with distribution of funds to be on the basis proposed last year in the House committee bill which reached the floor but was defeated by five votes. This called for a formula including both per pupil and needs criteria.

But Senator Javits tied his measure at the outset to school integration principles. Many observers feel it was the segregation question which gave greatest impetus to the defeat in the House last year.

Senator Javits said:

"The bill in principal part calls for the allocation of \$600 million a year for four years for aiding needed school construction but, recognizing the problems which have been illuminated by Little Rock, the bill specifically provides that no funds shall be paid to the state, school or local authorities which are in current violation of a Federal decree respecting school desegregation, which Federal decree has been made final by virtue of affirmation on appeal or due to the failure to appeal from it in time."

The bill (S. 3216) was referred to committee.

Kennedy Proposes \$1.5 Billion

A five-year program providing \$1.5 billion in Federal aid for school conCASE #100—Another case where General Electric <u>Factory-Assembled</u> Air Conditioning Units proved more economical than <u>field-assembled</u> systems.



General Electric Ceiling-Mounted Units at the Dallas Home Furnishings Mart take no floor space -provide individual temperature control (heat and cool)-are metered for zone control of operating cost.

General Electric Zone-by-Zone Air Conditioning in Dallas Home Furnishings Mart permits

INDIVIDUAL CONTROL OF TEMPERATURE-ZONE CONTROL OF OPERATING COST

General Contractor: James C. Stewart Co

Air conditioning the vast new Dallas Home Furnishings Mart presented a 3-way challenge. (1) Over 400,000 sq. ft. to be air conditioned. (2) Provision had to be made for each exhibitor to control his own temperature and operating cost. (3) Floor space was at a premium. The ideal solution was found—in the Zone-by-Zone installation of General Electric Ceiling-Mounted Units.

The entire area gets heating and cooling from the same units. Each exhibit area has its own units *indi*vidually controlled and metered. No floor space is used. No ductwork is required. Noise is held to whisper level. And when the Mart proved so successful that Mr. Trammell Crow, owner, decided to double its size, all that was necessary was to add individual units as individual showrooms were added. No fuss—no alterations —no interference with performance of existing units. This is a typical example of how General Electric factory-assembled units meet the most exacting air conditioning requirements.

General Electric's complete line is

flexible enough to meet every air conditioning requirement for all buildings—large or small—old or new. Ceiling-mounted units water-cooled up to 7½ tons—air-cooled up to 10 tons. Floor-mounted units — watercooled up to 30 tons—air-cooled up to 20 tons. Steam and hot water coils available for all models. It will pay you to discover how General Electric Factory-Assembled Units can simplify your planning. For full details write: General Electric Company, Commercial and Industrial Air Conditioning Dept., Bloomfield, N. J.

Progress Is Our Most Important Product GENERAL B ELECTRIC

In Canada, Canadian General Electric Co., Ltd., Montreal

From Aircraft Domes

The first "dome skylights" were pilots' enclosures and navigators' astrodomes on military aircraft. These enclosures were, and still are, made of PLEXIGLAS acrylic plastic.

The first dome skylights for buildings, an architectural use that developed directly from the aircraft application, had domes formed from PLEXIGLAS. Why? Because PLEXIGLAS was the best material for the job. It still is.

Domes made of PLEXIGLAS are *superior* on each of the following counts that measure the successful performance of a dome skylight.

> LIGHT TRANSMITTANCE DAYLIGHT CONTROL HEAT-LIGHT RATIO SURFACE BRIGHTNESS OUTDOOR STABILITY

0966

to Skylight Domes...

This superiority has been demonstrated at the Rohm & Haas Daylighting Laboratory, using test procedures approved by the Illuminating Engineering Society and the American Society of Heating and Ventilating Engineers.

We will be glad to go over the test results with you in detail, and to send you the names of PLEXIGLAS dome skylight manufacturers.

For the *best* results, specify skylights with domes of PLEXIGLAS. And remember—only Rohm & Haas makes PLEXIGLAS.



Chemicals for Industry



Representatives in principal foreign countries

PLEXIGLAS is a trade-mark, Reg. U.S. Pat. Off. and in principal foreign countries.

Canadian Distributor: Crystal Glass & Plastics, Ltd., 130 Queen's Quay East, Toronto, Ontario, Canada

Washington Topics

struction was proposed by Senator John F. Kennedy (D-Mass.).

The Kennedy proposal embodied a program similar to that defeated in the House last year by the narrow margin of five votes. Known as S. 3179, it would provide \$300 million each year for five years, the money to be distributed to states on the basis of school age population. This aid would be supplemented by Federal purchase of school bonds and loans to state financing agencies.

In presenting the bill to the Senate, the Massachusetts Senator said his figure of \$300 million constituted a rock-bottom minimum. It was set low, he added, only on the assumption that other pending measures will make additional funds available to hard-pressed schools.

The need for more school facilities was characterized by Mr. Kennedy as a major crisis facing education during the next decade. He estimated that 14,000 to 20,000 new classrooms are needed each year just to replace outmoded and obsolete facilities. Current effort is not eliminating the shortage, he asserted.

SOFFITSOTE

-the ideal soffit material-comes in 8' lengths and handy 12", 16", 24", 32" and 48" widths. Grooves -8" apart-run the length of the soffit-match the modern design

some-match the modern design of large overhangs. Groove-lap ends and sides assure true-line joining. Available primed or unprimed. The Wilson Air-Float construction method saves all the

labor and time of boxing the raft-ers to support the soffit material.



most economical of its type and extremely easy to apply. Deeper, wider grooves-made possible by the high-density, %" thickness-run every 8" the length of the board. On both sides, the special 3-stage groove-lap joint assures rapid, true-line installation.

GVS is supplied in 4' x 8', 4' x 10', and 4' x 12' panels. On special order, GVS is also available in size 4' x 9'-at no extra cost. It is available primed front and back, or unprimed. Behind this board are more than 40 years' experience in the making of weatherproof materials. GVS offers superior insulation value, durability, and weather-

protection - holds paint longer than wood. Use the coupon below to secure full details on this and other Homasote products, and for your copy of the 72-page Homasote Handbook.

HOMASOTE	Send the literature and/	or specification data checked:
	Grooved Vertical Siding Soffitsote Wilson Air-Float Construction	 Panl-Tile (on 4' x 8' panels) Beveled (clapboard) Siding Homasote (72-page) Handbook
Trenton 3, New Jersey. In Canada: Toronto, Ont. – P.O. Box 36, Station K - Montreal, P. 0. – P.O. Box 20, Station N		
	CITY	

MASOTI

BOARDS

8.14

Drop in Classroom Shortage?

As the question of how much aid was argued, the question of how great is the need was in the news again. The U.S. Office of Education Health, Education and Welfare Department reported in January that the estimated shortage of public school classrooms was 140,400 last fall. The figure represented a 12 per cent drop from the 159,000 shortage figure reported by the states for 1956.

The Office of Education said the estimated number of pupils in excess of normal classroom capacity dropped from 2,295,000 to 1,937,000. according to state reports. It was emphasized that the report was preliminary, based on data supplied by the states for fourth annual fall survey of public school enrollment, teachers and housing.

The indicated shortage of 140,400 classrooms was broken down as follows: needed to accommodate students in excess of normal capacity, 63,200; needed to replace makeshift, obsolete or otherwise unsatisfactory facilities, 77,200. According to state reports, 68,600 classrooms were built between the fall of 1956 and the fall of 1957. This would be an increase of 9.3 per cent over the number constructed during the previous year. Estimate for 1956-1957 had been 69,200.

Ike Asks No New Aids

The President's budget does provide for a continuation of aid for the construction and operation of schools in areas burdened by an influx of Federal workers, but it proposes a contraction of this program over a few years and contains no proposal for construction assistance in general. It states, in fact, that no such suggestion will be made to Congress this year.

The House Education Committee. conducting extensive hearings on extension of the laws providing Federal aid for school construction and operation in "Federally-impacted" areas, heard Administration spokesmen (Health, Education and Welfare officials), say that while the budget proposed a five-year tapering off of the program in which local school districts could adjust to the revenue loss, the official position would be to cut off funds as soon as possible. Two laws covering this activity of aid to impacted areas have been channeling some \$100 million each year into 3000 districts.

Following the hearings, Rep. Ralph W. Gwinn (R.-N.Y.), said he planned to introduce the AdminisGER-PAK -- THE SHORT WAY TO SAY SUPERIOR POLYETHYLENE FILM



VIRGIN POLYETHYLENE FILM

ER-

Satisfy yourself and the homeowner with a positive way of preventing moisture and dust from coming up through the basement. Use Ger-Pak film over sub-flooring to seal out unwanted cellar moisture and dust.

All over the country successful builders agree that Ger-Pak virgin polyethylene film is the most effective, versatile moisture-vapor and dust barrier material. In addition to its superior dust-sealing and moisture vapor protection in sub-flooring, Ger-Pak film excels under slab foundations to end wet basement problems, and to reduce sidewall moisture penetration to a minimum.

And that's not all. Ger-Pak film is the ideal material for concrete curing blankets, for protecting equipment and materials from bad weather, for painting drop cloths as well as many other on-the-job uses.

And only Ger-Pak film offers the widest range of widths — from 10-inch for flashing all the way up to 40 feet. Available in clear, black and special opaque white. Ask your dealer about tough, lightweight, easy to handle, and inexpensive Ger-Pak film today.

FREE samples and brochure are yours for the writing.

Designed To Meet FHA Requirements

(ATA)

Virgin Polyethylene Film


SWEEN GERING PRODUCTS INC., Kenilworth, New Jersey

Coming in mid-May for Architects, Engineers, Home Builders **RECORD HOUSES**

"RECORDS" will

focus on...

the three **A**'s of quality



A menities


notable achievements in planning for such facilities as air conditioning and heating, electrical systems, lighting and plumbing.

From hundreds of outstanding new architect-planned houses Architectural Record's editors have selected twenty of exceptional merit for presentation in a 120-page editorial section.

These twenty houses priced at \$16,000 or more are located in many different parts of the U.S. and represent the work of twenty different architects-some well-known, others whose work will be published nationally for the first time.

Each house, regardless of price, is rich in design ideas which can be adapted to houses in almost any price range.

ind Buyers...Architectural Record's Third Annual All-House Issue



a selection of the finest architect planned houses of the year

iouse design

A six-page presentation of each house will demonstrate in pictures (many in full color), plans, drawings and text . . .

- 1. the visual impact of the design
- 2. over-all spatial organization
- one especially noteworthy aspect of the house design be it the quality of the finishes, a bathroom or kitchen, an electrical or mechanical system.

In addition, Record Houses will feature . . .

The Future and The House—a timely and stimulating study by the editors of Architectural Record of house design problems and trends imposed by rapidly increasing land scarcities and population densities in many communities—with emphasis on the positive contributions architects of custom houses are now making toward more congenial and unified neighborhoods and toward influencing developers and builders.

New Products (and Manufacturers' Literature) for the Quality House—a roundup of intense interest to the architect-innovator who is constantly seeking new and better ways to serve individual owner and merchant builder clients.

"Record Houses of 1958" will be of interest and usefulness—over a long period of time—to the largest architect and engineer audience in America plus a most influential segment of the home building and buying public.

HOW "RECORD HOUSES" WILL BE DISTRIBUTED



"Record Houses of 1958" will come to Architectural Record subscribers-in addition to the regular May issue—as part of their subscription. Also, a minimum of 10,000 copies, with identical editorial and advertising content, will be available to the home building and buying public through the nation's bookstores at \$2.95 per copy.

F. W. DODGE CORPORATION

ARCHITECTURAL RECORD

119 WEST 40TH STREET, NEW YORK 18, NEW YORK

'workbook of the active architect and engineer'' tration proposal for curtailing the aid.

Post Office Department Reports Its Biggest Building Year

As the President's new proposal for a \$2 billion program "to modernize the obsolete physical plant of the Post Office Department" was unveiled, it was worth noting that the Department had the biggest building program in its history already under way.

Construction was started on 544 new buildings for the Post Office

Department during fiscal 1957. Most of these were post offices. The total square footage involved exceeded two million, and the number of units represented the largest number of buildings started in any one year of Post Office history. Estimated construction cost is placed at more than \$20 million.

The buildings were erected by private contractors in accordance with the Department's own specifications, then leased for postal use on a longterm basis. During the latter part of the year, an average of 13 new build-

An institution laundry planning service for architects

Planning laundries is our business, so why burden your organization with costly, time-consuming detail work. Given a few key facts, our survey engineers will provide a detailed plan to integrate laundry facilities with the other important elements of your institution design. The American Laundry Machinery Company is uniquely qualified to offer architects a comprehensive laundry planning service for institutions of all types and sizes.

Information we need includes: Number of beds, number of patients or inmates, type of institution (orphange, home for aged, convent, seminary, sanitarium, penal, etc.), number of uniforms and types, whether medical care is provided, whether equipment will be operated by patients or salaried employees, whether laundry equipment will be used for occupational therapy or training.

We provide the following: Our survey engineers will prepare detailed drawings, floor plan layouts and complete specifications for your installation. Finished plans include size and type of laundry equipment needed, proper arrangement for smooth work flow, operating personnel required, water and steam requirements including size of piping, electrical connections, ventilation, lighting, foundation support, floor space, size of openings for admittance of equipment, approximate operating cost-every detail you will need to design an efficient space-saving laundry department. This planning service is available to architects without obligation. Call your nearby American representative, or write.




Our Lady of Grace Convent, Beech Grove, Indiana. Architect: Charles M. Brown, A.I.A., Indianapolis, Ind. General Contractor: John Helm & Sons. Laundry Equipment: The American Laundry Machinery Co.



Send for your copy of American's ARCHITECT'S REFERENCE GUIDE showing our complete line of laundry equipment.

The American Laundry Machinery Company, Cincinnati 12, Ohio





ings put underway each week was the pace of the program.

The lease-purchase method of constructing buildings had showed considerably less promise for the Post Office Department. Only three contracts were awarded for construction under this system. Thirteen additional projects were approved by Congress during the period, however. This brought to 48 the number of projects approved for lease-purchase construction since the inception of the program. These projects will contain 1.4 million sq ft of space with total approved maximum construction cost of around \$24 million.

This information was contained in the annual Post office report which stated that 28 of the lease-purchase projects were under architectural and engineering contracts. Working plans and specifications on 12 have been completed preparatory to bidding. Of the 12 for which plans and specifications were completed, contracts have been awarded on three, two are ready for advertising and seven awaited readvertising. The balance of the projects was reported to be in varying stages of preliminary planning and development.

The Department reported that significant gains were made in the light, color and ventilation program. By the end of fiscal 1957 there had been improvement of more than four million sq ft of space at a total cost of approximately \$16.5 million. An additional 36 million sq ft of space is urgently in need of modernization.

Gore Asks \$500 Million for Public Works Program

Saying he thought the time for it had arrived, Sen. Albert Gore (D-Tenn.), proposed a "full employment program" which would achieve its end largely through a 500 million public works program. The Federal government, under terms of his legislation, would put up 90 per cent of the cost of constructing highways, buildings, public schools, hospitals and health centers, airports, parks and recreation areas, river and harbor projects, power development, etc.

The Tennessee legislator said he did not want it thought that he was predicting a deep depression but that under all considerations the time was propitious for a large public works construction plan. The activities of the old Public Works Administration would be revived by the Gore proposals. A PWA would receive and review construction plans of the states and local authorities and pay \$90 for every \$10 of local money in carrying out the projects



Help your clients to run top quality kitchens ... at rock-bottom cost!



Write for your copy "STAINLESS STEEL for STORE FRONTS and BUILDING ENTRANCES"

Either for modernization or new construction, this 40-page booklet contains many ideas on handsome treatments for you. (Note: A new booklet on "AL Stainless in Food Preparation and Serving Equipment" is in process—write for one of the first copies when available.)

ADDRESS DEPT. R-3

Sure, the owners will need a good chef and good management in their kitchen and dining-rooms—but first of all, they'll need stainless steel equipment! That's where to start for the highest sanitary standards—the easiest, quickest cleaning and lowest-cost maintenance. And that's where to start for the greatest long-term economy, too—because stainless steel can't chip, crack, peel or wear off. It costs a building owner much less than anything else in the long run because it literally lasts for a lifetime . . . stands up under the heaviest service and stays beautiful all the way. • In the kitchen, in the dining-room (and for structural details, too) specify *stainless steel* . . . it pays! *Allegheny Ludlum Steel Corporation, Oliver Building, Pittsburgh 22, Pa.*



WSW 6070 B

HERE, for the first time, are two significant new volumes, concerning two great living architects-Marcel Breuer and LeCorbusier-and two of their great contemporary religious building projects.



THE CHAPEL AT RONCHAMP

by LeCorbusier


The chapel of Notre Dame du Haut is one of the truly revolutionary religious buildings of our time. This book is LeCorbusier's own account and explanation of it.

The building is presented in its three facets: First as a sacred place of worship. Second, it is shown as a work of art, with variegated and surprising perspectives, and the subtle beauty of its wall structures made brilliantly clear. Third, it is shown as a practical exercise in architecture and construction.

In this book LeCorbusier presents his own sketches, his notes, and over 100 photographs, most of them never before published. The notations and computations are in his own handwriting, and the sketches are reproduced directly from the originals. The narrative is also LeCorbusier's.


However, text is kept to a minimum. The excellent photographs and drawings are allowed to speak for themselves. They show the site, the ruins of the previous chapel, construction, and the completed chapel, interior and exterior. The architect guides you to understand the construction details and the practical matters of the project. But, in the final analysis, you must appraise this revolutionary chapel yourself. From the photographs, plans, notes, and comments, you must judge, and decide; as LeCorbusier states:

"Let Ronchamp bear me witness: five years work, all isolated on the hill"



136 pages, 73/4 x 81/8" over 140 photographs and drawings book and jacket design by LeCorbusier \$5.50

953





ADVENTURE IN ARCHITECTURE

by Whitney S. Stoddard

The story of the rebuilding and expansion of the extraordinary St. John's monastery in Minnesota. The client

is the Benedictine order of monks, dating from the 6th century A.D. The architect is Marcel Breuer.

In 1951, 100-year-old St. John's decided that it should have a logical master plan for its next hundred years. It also had pressing immediate building problems. In this exciting book you will read how the monks and their architect solved these problems.

The most important thing was that Marcel Breuer was selected as the architect. For he and the building committee established a rapport which almost guaranteed a superior and truly ingenious result. Theirs was a model of architect-client relations. The master plan they drew is comprehensive, longreaching, and yet flexible.

ADVENTURE IN ARCHITECTURE tells you the story of the new plan, from its inception through completion of the living quarters, right up until construction of the new church starts. In reading this book you will feel the interplay between the building committee and Breuer, and discover how he expressed in contemporary architecture the unique and traditional building requirements of a Benedictine monastery.

The photographs are noteworthy. They show the existing St. John's, other Benedictine monasteries, the new living quarters, and models of the projected church, bell banner, and chapter house. In addition, drawings and plans are shown of the present installation and each consecutive stage of the master plan.

Whitney S. Stoddard, Professor of the History of Art at Williams College, received his Ph.D. from Harvard in 1941. He has held a Carnegie grant, the Harvard-Sachs fellowship, and an advanced research Fulbright.


128 pages, 81/2 x 11" 91 photographs and drawings \$8.50



USE COUPON TO ORDER EITHER OR BOTH OF THESE FINE BOOKS

What is this?

1



... and what does it have to do with this?



At Timber Structures, Inc. we call this swastika-like object the cat's whisker gauge. It is an important part of our quality control system. With it, frequent checks are made of the thickness of material being surfaced for lamination.

Thickness literally is regulated to a "cat's whisker", so that every piece in an arch, beam or other member makes perfect contact with other pieces. Glues are 100% effective, and the member is one dimensionally stable piece with strength at the glue lines as great or greater than in the wood.

This gauge is only a small part of the system of quality controls at Timber Structures, Inc. Other tests of glue quality, wood moisture, temperature, application of glues, and clamping pressures all are made persistently so that laminated material may be relied upon without question. Such quality controls show why all laminated timbers are not alike—and why we are able to stand behind the performance of our product. They are the big reason why informed architects, engineers and contractors specify laminated members by Timber Structures, Inc. Nothing less is good enough!





Washington Topics

it approved. The administrator would report to Congress every January 1 and July 1 with a detailed accounting for all monies received and disbursed.

A Vote from Labor

Earlier in the year organized labor had begun to talk about Federal government expenditures on construction. The United Steelworkers of America was one AFL-CIO affiliate to speak out. Its president, David J. McDonald keynoted a meeting of 1000 local union leaders here in Washington by urging an enlarged public works construction program. Such action by the Federal government could virtually halt the business downturn "overnight", he said.

Sparkman Asks Extension of GI Home Loan Program

New legislation in the second session of the 85th Congress included a bill by Sen. John J. Sparkman (D-Ala.), chairman of the Senate's housing subcommittee, calling for a one-year extension of the GI home loan program beyond its present expiration date of July 25.


One of the aims of the bill is to provide credit for veterans living in rural areas and small cities and towns. Certain locations would be designated housing credit shortage areas and the resident veterans would be eligible for a number of specified special benefits.

Provision also is contained in the measure for direct loans to veterans under specified conditions, with these loans having a \$13,500 ceiling.

Congress passed a bill in the last session which would have extended the GI home loan, but this was vetoed by the President. Using pocket veto prerogatives, he let the measure die after Congress had adjourned.

More Housing Aids Urged


In a major floor speech in February, Senator Sparkman lambasted the Administration's housing proposals for 1958, holding them to be wholly inadequate for the job he thought should be done. He called for far more extensive legislation than the Budget had suggested as a bulwark against business recession. Included was a strengthening of residential construction and the urban renewal and public housing programs. Furthermore, he would increase purchasing authority of the Federal National Mortgage Association and hold the line against any increases in the interest rates.



For the next building you plan, specify architectural grilles from the many designs available at Harrington & King. Grilles can be furnished in practically any type and gauge of metal in the finish desired.

H & K grilles are perforated and finished in accordance with the architect's specifications and details. Perforated holes are clean and free from burrs. Margins are in alignment with the pattern. H & K grilles are leveled and inspected before shipment.

Wherever architectural grilles are required, specify "Grilles by H & K."





Chicago 044, III. Chicago 44, III. Chicago 44,

372 ARCHITECTURAL RECORD March 1958

FIFTH EDITION—Just Published BOECKH'S MANUAL OF APPRAISALS

If advance cost planning is a part of your architectural problem, then this book and its supplement service "Building Costs" should be part of your "Kit of Tools." Here is a service program that has been helping architects and builders develop costs of proposed projects for more than a quarter of a century.

YOU CAN FIGURE

Quickly and Accurately

The second s

For laymen or experts, the most comprehensive and quick method yet published, over 100,000 individual unit costs, more than 300 buildings with hundreds of variations, all easily convertible to local conditions through "Building Costs!"

BUILDING COSTS

A comprehensive monthly supplementary service giving you up to the minute news and analysis of market conditions, plus the latest cost indexes for the major metropolitan areas of America and Canada to convert the estimating Manual to local cost conditions.

SEND TODAY FOR BROCHURE TO

OF APPRA

E. H. BOECKH & ASSOCIATES Consulting Valuation Engineers 1406 M Street, N. W. Washington 5, D. C.

Please send me full description	ve literature on you	estimating and a	cost planning services.
---------------------------------	----------------------	------------------	-------------------------


NAME_____ FIRM NAME_____ STREET_____

CITY

ZONE____STATE

Iding Costs

ENT





HOME

INSURANCE.... Save paint, wood, metal with MIDGET LOUVERS

Controls moisture vapor, eliminates rot, corrosion, excessive heat...just drill hole, press into place, no nails, screws, special tools. Available in aluminum anodized aluminum, chrome, copper... all screened. Regular (rain shielded) and L.D. Series, sizes l" thru 6". Install in wood, metal, concrete.

Write for home preservation information-

6 WALL STREET NORWALK, CONN.

a book of rare quality and beauty

JAPANESE TEMPLES AND TEA-HOUSES

by Werner Blaser

A magnificently illustrated study of classic Japanese architecture. Its thoughtful text and brilliant photographs give a meaningful insight into the cultural, religious, and social forces which produced these buildings.

Depicts 30 separate structures, ranging from 9th century temples clearly showing the Buddhist style, to the Katsura Palace at Kyoto, a magnificent example of 17th century Shinto architecture. Blaser emphasizes the integration of exterior and interior in Japanese buildings, as well as their unity of purpose, structural form, and material.

Structural details are shown and discussed, for the author feels that these buildings contain valuable lessons for Western architects. Over 90 photographs (8 in full color), excellent typography, finest coated stock, and a beautiful full-color jacket.

156 pages, large 91/4 x 121/2" size, \$12.75

Order on approval from

DODGE BOOKS F. W. DODGE CORPORATION 119 West 40 St., N. Y. 18, N. Y. Identify every room, door and desk . . .



AS LITTLE AS 15c PER LETTER

In Colors and Wood Grains

The lettering is deeply engraved into the tough, weatherproof, pressure-laminated plastic, to expose the contrasting core for high readability and permanent attractiveness.

KNIGHTPLATES can't fade nor chip like paint; do not rust, tarnish or peel; can be easily removed when desired; require no maintenance. 9 stock color surfaces and 6 smart wood grain designs harmonize perfectly with any decorator scheme.

Guaranteed Satisfaction.

WRITE FOR FREE SAMPLES, CATALOG AND PRICES ON YOUR ORGANIZATION'S LETTERHEAD

·KNIGHT



complete with hardware



Manufacturing

KNIGHT DESK PLATES in

5975 Armour Drive Houston 20, Texas Dept. AR-2 Dealer Inquiries Invited SEE SWEETS CATALOG

FOR BUILDINGS OF ALL TYPES ... first in efficiency, economy and client satisfaction

TODD BURNERS GAS OR OIL

*

PRODUCTS DIVISION TODD SHIPYARDS CORPORATION

Headquarters: Columbia & Halleck Streets, Brooklyn 31, N.Y. Plant: Green's Bayou, Houston 15, Texas


Bonded "Electro-Sheet" Copper in CONCEALED FLASHING Gives Enduring Protection

"Electro-Sheet" is pure thin copper produced by electro-deposition in long, wide rolls—in weights of from 1 to 7 ounces per sq. ft.

Durable and Economical –When bonded to other materials, for flexibility and easy handling, it provides a lasting product for concealed flashing and dampproofing uses at relatively low cost.

In a Variety of Forms—"Electro-Sheet" is furnished to manufacturers who bond it to high-grade building papers and fabrics, or coat it with asphaltic compounds. The finished products are available in long lengths, and widths to 60". For names of manufacturers, write: The American Brass Co., Waterbury 20, Conn. In Canada: Anaconda American Brass Ltd., New Toronto, Ont.

ANACONDA" "Electro-Sheet" COPPER



Coping stones and sill stones should remain permanently fixed in their mortar beds. Everlastic Gaskets permit linear expansion in summer heat and prevent frost damage in winter. The EVERLASTIC MASONRY GASKET is a wholly non-absorbent elastomer. It is a readily compressible joint filler which is inert to heat, cold, oils, alkalies and atmospheric acids . . . and, it is impervious to water. It is furnished die-cut to specifications and coated with pressure sensitive adhesive for use between sill and coping stones, brick and stone wall panels, and other places where expansion, contraction and freezing action will destroy masonry construction. See Sweet's, or write for information.

WILLIAMS EQUIPMENT and SUPPLY COMPANY 6001 E. McNichols Rd., Detroit 12, Michigan

For 'Shear' HOLDING POWER

Trip-L.Gr

SPECIFY TECO

For Stronger, more Economical timber framing for

- . RAFTERS TO PURLINS
- . JOISTS TO HEADERS
- RAFTERS TO PLATE
- . STUDS TO PLATE

Send today for data to properly frame nailed wood joints



Washington Topics

Congress Pushes Funds for Air Force Construction

Unusually fast Congressional action came early in the second session of the 85th Congress on a measure authorizing Air Force construction in the amount of \$549,670,000. Appropriations to cover the work were being worked through Congress simultaneously.

A great sense of urgency was applied to this bill in both House and Senate so the work entailed could get underway during the 1958 construction season. Repeatedly it was pointed out that if the legislation was not hurried, an entire construction season would be lost.

The money is to be spent on installations for the semiautomatic ground environment system (SAGE), for ballistic missile detection systems, for ballistic missiles and for alert and dispersal facilities for the Strategic Air Command.

The \$218,600,000 for alert and dispersal facilities will continue the present dispersal program and provide facilities designed to permit SAC to react within 15 minutes after an alert.

Both authorization and funds came in the form of supplemental fiscal 1958 requests.

No Reorganization Now Expected On U. S. Construction Data

There will be no change in the statistical gathering effort of the Federal government in the construction area beyond the proposed improvement of Census Bureau data gathering efforts in fiscal 1959, a highly placed Budget Bureau official said.

The consolidation of the tabulating and reporting effort in the Business and Defense Services Administration of the Commerce Department had long been talked of and rumors were rampant a few weeks ago that the move would be proposed for the coming fiscal period.

This now has been denied, however, and the Bureau of Labor Statistics in the Department of Labor will retain its operations in the housing categories.

One proposal which was under serious consideration earlier would have transferred the housing and Federal construction statistical effort from BLS to BDSA, and the labor force statistical work from BDSA to BLS.

Discussions on the proposed transfer of these authorities will continue and new suggestions may be contained in the 1960 budget. once a luxury NOW A NECESSITY IN THE MODERN mass-feeding KITCHEN




Machine Washing • POTS • PANS • UTENSILS with an A-F "PANHANDLER"


Today, an A-F "Panhandler" completely automatic Pan and Utensil Washer is as necessary as a mechanical dishwasher in kitchens in hospitals, schools, restaurants, cafeterias, hotels and other volume feeding operations.

Washing time for mixing bowls, cooking utensils, steam table pans, food transport containers ... even garbage pails ... is greatly reduced over other methods — and the operator is free to do other jobs during the automatic "washdrain-rinse" cycle. Because it operates at an elevated temperature, an A-F "Panhandler" not only washes thoroughly and uniformly — but sanitizes!

Two compact models are available to fit any kitchen — the two-door, passthrough Model SD, and the single-door Model VP. Either can be supplied for steam, gas or electric heating.

Write for new, illustrated folder - today!





Get the Facts about trouble-Free

ST. CLAIR INSULATION ADHESIVES

ST. CLAIR Insulation Adhesives are specifically designed for bonding insulation materials to metal. They provide easier handling of insulation for ducts, which can be bonded immedi-ately or up to 45 minutes later.

They supersede pins and clips, wires, screws and caps because they save on cost of installation, while providing a better, neater and more permanent job. ST. CLAIR line includes adhesives

formulated for every bonding problem, and they are recommended by many of the leading producers of insulation.



Free Catalog sheet and Sample

ST. CLAIR RUBBER CO. 440A E. Jefferson Ave. Detroit 26, Michigan



After careful comparison, the safety engineers of a nationally recognized insurance company stated that "public risk" in Hussey Roll-Outs was much less than in any other known seats, and that any public liability

insurance carrier would be justified in extending a lower over-all "judgment rate."

This is but one of the many exclusive features of Hussey ALL CLOSED DECK Roll-Out Gym Seats.


FOR SPECIFICATIONS SEE SWEET'S CATALOG


Hussey Mfg. Co., Inc., 587 R.R. Ave., North Berwick, Me.

BURNHAM Here's the Since 1873 **HYDRONIC* HEATING THAT CUTS INSTALLATION COSTS**



is the time-proven cast-iron radiant baseboard. It is easily in-stalled on new or modernization jobs and gives lifetime serv-ice. It gives the evenest, most comfortable heating known. Clients say this gentle, radiant heat is like sunshine. Use BASE-RAY and you'll sell more homes.






PACE-PAK® Packaged Oil Boiler is the last word in ef-ficiency. Completely wired, assembled and tested at the factory. I-B-R rated.

HOLIDAY Gas Boiler gets the most from gas—it's the new-est, most efficient gas boiler on the market! A.G.A. approved.

Wet Base Oil Boiler en-tirely surrounds the burner flame with water-backed heating surfaces for top performance. I-B-R rated.

Less on the job work is needed, and quicker installation assured, when you use BASE-RAY and packaged Burnham Boilers. They're specially designed for optimum performance with minimum call backs. For top fuel efficiency, they feature Vertical Flue Travel past hundreds of heat-grabbing fins. They provide abundant year 'round automatic hot faucet water, too. All are made of cast iron for lifetime service. Insist on Burnham for your jobs!

First in the manufacture of baseboard heating




Service to Architects

the way they like it!

You are invited to make full use of Pratt & Lambert Architectural Service ... the way you like it ... without obligation.

For painting information that is reliable, specifications that are authoritative, and color counsel that is sound, please write to your nearest Pratt & Lambert Architectural Service Department: 3301 38th Avenue, Long Island City 1, New York; 326 West 26th Street, Chicago, Illinois; 75 Tonawanda Street, Buffalo 7, New York. In Canada: 254 Courtwright St., Fort Erie, Ontario.



Let's talk "SPECIAL SIZES"

Size and depth of sinks for laboratory and industrial use should be determined by the job they have to do-not by available standard sizes! With Alberene Stone sinks you can specify any size and depth-without paying a premium.

Alberene Stone is the natural silicate stone with the surface that goes all the way thru. Its all-silicate mineral components resist chemical attack. Low absorbency makes it essentially nonstaining. Discolorations can be removed by scouring or honing without harm to the surface. For information, address: Alberene Stone Corp., 419 Fourth Avenue, New York 16, N. Y.

ALBERENE STONE

provides LOW ABSORBENCY protection


5 FREE CATALOG OF DISTINCTIVE CHURCH DESIGNS NAME FIRM NAME ADDRESS. CITY FABRICATORS OF THE WORLDS FINEST GLUED LAMINATED WOOD STRUCTURES UNIT STRUCTURES, INC. GENERAL OFFICES . PESHTIGO, WIS PLANTS AND OFFICES IN PESHTIGO, WIS. MAGNOLIA, ARK

You get those "WIDE OPEN SPACES" indoors! **H**ERE's a grating that has the strength and rigidity to bear the brunt of heavy indoor traffic yet provides 90% open area for the passage of light and air! Hendrick Mitco is specified by architects for flooring or walkways because it takes the beatings of heavy usage yet "keeps on the level"... doesn't bend or warp. Made by forcing rectangular square-edged steel bars into integral panels under hundreds of tons of hydraulic pressure, Hendrick Mitco affords maximum strength...



Perforated Metal • Perforated Metal Screens • Wedge-Slot Screens • Architectural Grilles • Mitco Open Steel Flooring—Shur-Site Treads • Armorgrids • Hydro Dehazers • Petrochemical Column Internals





Here is a decision that will please all concerned: YOU because they reflect your concern for through-and-through quality — THE CONTRACTOR — because they are so fast and easy to install — AND THE CLIENT — because they save labor cost, and last a lifetime.

- Speedolets slip over thinwall conduit . . . tighten with a screwdriver . . . no wrench needed.
- Can't rust or corrode because they're die-cast of Killark's exclusive Alumalloy.
- No Adaptors, compression rings or small parts to handle.

SPEEDOLETS ARE AVAILABLE IN ENTRANCE FITTINGS TOO

All popular hub styles available.

Write for illustrated literature.



Required Reading

Continued from page 62

tion, for reading it is a fascinating experience—fascinating both for its information and inspiration. The volume also is a joy to look through, with its many photographs and renderings—a number in color—and its wide margins and marginal headings. The book, in other words, has an aura, refreshing in these days of high costs, of having been produced on a no-expense-spared basis.

The A.I.A.'s Centennial Gold Medal winner has here put together, with infectious enjoyment, a sort of retrospective potpourri of his work and thoughts, work both built and unbuilt and thoughts from both earlier years and recent times. The Barclay-Vesey Building, Irving Trust, Philadelphia auditorium, world's fairs, libraries, the use of nature these are some of the richly illustrated topics.

"Except the Lord Build . . ."

Building the New Church. By William S. Clark. Religious Publishing Company (Jenkintown, Pa.), 1957. 68 pp., illus.

"Except the Lord build the house, they labor in vain that build it." (Psalm 127) Thus Mr. Clark, editor of Your Church magazine, ends his book. In a way, one hardly need say more; the spirit of the quotation pervades what he writes.

This manual, in spite of its brevity, presents an amazing amount of sensible and useful information. The book is intended primarily for ministers, building-committee members, and interested members of congregations and should go a long way toward preventing those who read it from "laboring in vain."

Architects, too, will be enlightened and inspired by Mr. Clark's work, since it deals with, among other vital topics, organization, surveys, fundraising, selection of site and architect, design, budgeting, and art. It would also give an architect some "ammunition"—if he needed it—to fire gently at building-committee members whose vision of a church stops at a "traditional" building. A bibliography and photographs of a few outstanding contemporary churches are included.

"There is no ideal American church building," Mr. Clark says, adding, even more truthfully, "but there is an ideal church building for every congregation on a particular site."



THIN SHELL CONCRETE

•• •

FINISHES

WITH UNIFORM, WATERPROOF SURFACE AT CONTROLLED LOW COST PER SQUARE FOOT

SURCO finishing trowels on $\frac{1}{8}$ to $\frac{3}{8}$ inch thick at a predictable low cost per sq. ft. A smooth, even surface with an enhanced architectural appearance is the result. Important too, SURCO, the oldest latex binder on the market, adheres tightly for a finish that won't crack under extreme heat or cold ... stays water-proof permanently.

For finishing thin shell concrete, SURCO brings to life all the beauty of the original architectural conception at a controlled low cost. Get further details on SURCO today. Refer to Sweet's File SUR 13h or write:

SURCO International Corporation 1330 West Peachtree Street, N.W. Atlanta 9, Georgia



23 Cubic Feet of Storage in New Manitowoc Built-in 2-Zone



Acting on the belief that most freezer-refrigerator combinations are too small to be practical, the manufacturers of the built-in 2-Zone have designed a new square-styled unit with 10 cubic feet of refrigerator space and 13 cubic feet of freezer space. The freezer compartment, which holds 425 pounds of foods, is likely to meet any family's present and future storage needs.

The new built-in 2-Zone, surprisingly compact for its high capacity, requires little more space than a conventional refrigerator.

It is 82 inches high, with a cabinet 36 inches wide and 24 inches deep. Architects can easily match the new unit to any kitchen by specifying right- or left-hand doors and their choice of frost white, rich antique copper, lustrous Satinized stainless, or a prime coat for special color styling. Simple six-step instructions make installation quick and easy.

The approval seals of both Good Housekeeping and Parents' Magazine have been granted the 2-Zone, which reportedly sells at the lowest price per cubic foot of capacity. Complete information is offered to architects who write the manufacturer, Manitowoc Equipment Works, Manitowoc 38, Wis.






 For signs and letters, interior or exterior —contact Spanjer. (Write for details.)

SPANJER BROS. INC. 1158 North Howe Street Chicago, Illinois 267 Mt. Pleasant Ave. Newark, N. J.






This new glass-protected smokestack bulletin... can be the answer to your stack problems

Write today to Dept. AR-3 for Bulletin No. SS-202 graphically illustrating comparative smokestack savings!





matic Sprinklers.

They are completely out of sight, hidden above the modern ceiling in this department store.



Grinnell has been a leader in the engineering, manufacture, fabrication, and installation of fire protection systems for more than 85 years. For architecturally right solutions to your fire protection problems, contact Grinnell Company, 277 West Exchange St., Providence, Rhode Island.




TAKES THE

Engineered to fill a long-felt need SPIROLL is a new drafting accessory that literally takes the stretch out of drafting. Easily attached to the front edge of any drawing board it enables the draftsman to work on any section of the drawing while seated or while standing in the most natural position. By sliding the drawing down into SPIROLL the bottom section of the sheet is coiled safely out of the way, then the top section can be worked on easily. SPIROLL saves draftsmen's time, keeps drawings free from elbow smudges and torn edges. The result is less eyestrain, fewer backaches and faster, more accurate drawings.



OUT OF DRAFTING


Non-corrosive sheet steel, gray enamel finish.



•	Note: actual lengths	\$9.25 ppd.
•	are 11/2" less than nom-	10.50 ppd.
	inal lengths shown.	12.00 ppd.
		13.50 ppd.

Consult your drafting supply dealer or order direct. **Spiroll Products Company** I Concord Road Dept. R South Sudbury, Massachusetts

ZONOLITE® MACHINE-APPLIED PLASTER **Fireproofs Steel Floors in INLAND STEEL Building**




CHICAGO'S

NEWEST SKYSCRAPER

Architects: Skidmore, Owing & Merrill General Contractor: Turner Construction Co Plastering Contractor: McNulty Bros. Co

SPECIFIED FOR

- Speedy Application
- Fire Safety
- Time Saving
- Cost Saving



Concrete fill over cellular steel floors. Suspended ceiling of 1 in. Zonolite plaster on metal lath, 4-hr, rating,

MACHINE-APPLIED

Picture shows mechanical application of Zonolite plaster fireproofing in functionally-designed Inland Steel Co. office building, Chicago. Today, as in structures built 20 years ago, Zonolite vermiculite



plaster fireproofing cuts dead weight...obtains highest attainable ratings for floors, columns, beams ... gives extra insulating values...cuts construction time and costs.


Design For Time With ZONOLITE Plaster

Get New Booklet, PA-41, "Plaster and Acoustical Systems" with latest specifications, fire tests, other valuable data.

Zonolite Company, Dept.	AR-38, 135 S. La	Salle St., Chicago 3,	
Send me booklet PA-4	1.		
Name		A CONTRACTOR	1
Firm		In the second second	
Address		226 Storage	
City	Zone	State	

Current Trends in Construction

As Reflected in Contracts for Future Construction in the U. S. Reported and Tabulated by F. W. Dodge Corporation



Dodge Announces 1957 Total: Up Two Per Cent

Although contracts for the final month declined four per cent from the comparable 1956 figure, the 1957 total of construction contracts in the U.S., as reported by F. W. Dodge Corporation, represented an increase of two per cent over 1956. The 1957 total of \$32,173,412,000 'undoubtedly set a new all-time record," Dodge vice president and economist George Cline Smith said, although strictly comparable figures are not available for years before 1956. The 1957 figure was the first annual construction contract total ever released for the U.S. as a whole, since the Dodge statistics prior to 1957 covered only the 37 states east of the Rockies. Back data on the 48-state basis were compiled for 1956 to make possible comparisons with 1957. Mr. Smith noted, in an analysis of the figures, that "the most remarkable feature" of the 1957 contracts was probably the midyear reversal in trend affecting all three major construction categories and producing these percentage changes from the comparable 1956 period: (first half figure first, second half figure second) nonresidential-up five per cent, down eight per cent; residential-down five per cent, up eight per cent; heavy engineering-up 21 per cent, down 13 per cent.


TOTAL CONSTRUCTION


Construction Contracts-37 Eastern States


ion (in thous	ands of dollars)			
ANNUAL	MONTHLY	YEAR	ANNUAL	AVERAGE
1,844,546	153,712	1952	18,070,248	1,505,854
3,273,990	272,832	1953	18,804,203	1,567,016
9,175,225	764,602	1954	20,595,612	1,716,301
16,592,018	1,382,668	1955	24,631,634	2,052,636
17,150,887	1,429,240	1956	24,627,710	2,052,309
	ANNUAL TOTAL 1,844,546 3,273,990 9,175,225 16,592,018	TOTAL AVERAGE 1,844,546 153,712 3,273,990 272,832 9,175,225 764,602 16,592,018 1,382,668	ANNUAL MONTHLY TOTAL AVERAGE YEAR 1,844,546 153,712 1952 3,273,990 272,832 1953 9,175,225 764,602 1954 16,592,018 1,382,668 1955	ANNUAL TOTAL MONTHLY AVERAGE YEAR ANNUAL TOTAL 1,844,546 153,712 1952 18,070,248 3,273,990 272,832 1953 18,804,203 9,175,225 764,602 1954 20,595,612 16,592,018 1,382,668 1955 24,631,634


		HOUTH	TOTHE		
		MONTH	LY TOTALS		
	1956	1957		1956	1957
JAN.	1,761,443	1,778,290	JULY	2,292,174	2,300,517
FEB.	1,774,813	1,717,549	AUG	2,150,784	2,275,211
MAR.	2,181,458	2,447,584	SEPT.	2,105,674	2,049,580
APR.	2,348,347	2,149,678	OCT.	1,870,317	1,974,106
MAY	2,399,809	2,675,079	NOV.	1,757,431	1,875,513
JUNE	2,326,790	2,424,151	DEC.	1,658,670	1,594,422
		12 mos. 19	57 25.261.6	80	

NONRESIDENTIAL BUILDING










Through Jamison double leaf Sound Reduction Doors goes turbojet engine for testing. Note massive vibration proof hardware.

Jamison Sound Reduction Doors Tone Down Big Uproar of Lightweight Turbojet Engines



Test cells equipped with Jamison Sound Reduction Doors are in constant use. Jamison doors provide an average sound reduction of 50 decibels.

The Fairchild Engine Division at Deer Park, L. I. is developing, testing and producing small, high-performance turbojet engines. These advanced engines are tested in a battery of test cells for which Jamison Sound Reduction Doors have been selected.

Jamison S. R. Doors of various types and sizes effectively minimize high test cell noise levels, providing an average sound reduction of 50 decibels.

For practically any noise problem, Jamison's wide experience and special knowledge can bring economical, practical solutions. Get complete data on Jamison Sound Reduction Doors by writing today for latest technical bulletin. Write to Sound Reduction Door Div., Jamison Cold Storage Door Co., Hagerstown, Md.



Index to Advertising

A Aluminum Window Mfrs. 86-87 22 A-LC American Hardware Corp. ... American Iron & Steel In-123 American stitute 96-97 American Laundry Machinery Azrock Products Division search IC Conco Engineering Works Divi-sion H. D. Conkey & Company 46 A-IC Concrete Reinforcing Steel Institute 134 Congoleum-Nairn, Inc. 236 Cordley & Hayes 254 Couch, S. H. Company 44 Cupples Products Corporation 127 Curtis Companies Service Bu-reau 324-325 stitute 134 A-IC A-IC-LC A-IC-LC A-IC

 A-IC Dusing & Hunt, Inc.
 294 Electro-Silv-A-King Corporation 301

 A-LC Elier Division
 81

 A-LC Enerson-Pryne Company
 111 Engineered Products Co.

 A Eric Enameling Company
 146

 A-IC Facing Tile Institute
 303 A Fairhurst, John Co., Inc.

 A Fenestra Incorporated
 296-297

 A-LC Fist Metal Manufacturing Co.
 115 A Fiske, J. W. Architectural Met-als, Inc.
 381

 A-LC Formica Corp.
 94

 A-G General Electric Co., Air Con-ditioning
 91

 A-IC General Electric Co., Textolite
 71-361

 3rd Cover A General Tire & Rubber Co. ... A-IC-LC Gering Products, Inc. Globe Company A Gold Seal-Congoleum-Nairn 147 365 334 Globe Company A Gold Seal—Congoleum-Nairn ... A Goodrich, B. F. Company Goodyear, Flooring Dept. ... A-IC Granco Steel Products Co. 49 A Grant Pulley & Hardware Corp. A-IC Great Lakes Carbon Corpora-tion 236 299 49 to 52 A Grant Pulley & Hardware Corp.
A-IC Great Lakes Carbon Corporation
Griffin Manufacturing Co.
A-IC Grinnell Company. Inc.
A Gustin-Bacon Mfg. Co.
A Guth, Edwin F. Company
A Guth, Edwin F. Company.
A Hako Building Products
A Hako Building Products
A Haldeman-Homme Mfg. Co.
A Hall-Mack Company
A-IC Hanley Company
A-IC Haskelite Manufacturing Corp.
A-IC Haskelite Manufacturing Corp.
A-IC Haskelite Manufacturing Corp.
A-IC Haskelite Manufacturing Corp.
A-IC Haskelite Manufacturing Co.
A Hail-Mack Company
A-IC Hauserman, E. F. Company.
A-IC Hauserman, E. F. Company.
A-IC Homsote Company
A Hobart Manufacturing Co.
A Hober Brass Co.
A Hubbell, Harvey Incorporated
A Hunter Douglas Aluminum Div.
Bridgeport Brass Co.
A Hunter Company J.
A-IC-LC Insurock Company Division of Flinkote Company J.
A International Molded Plasties, Inc.
A International Molded Plasties, Inc.
A Jamison Cold Storage Door Co.
A-IC Keasbey & Mattison Company
A-IC Kentile Company 56 319 379
 383
 45
 103139 62 151 75 372 23 48 85 378 102 113 364 311 248 47 238 128-129 17 154 57 275 385 77 148 19 332-333 118 74 95 Inc. 91 114 A-IC 246-247 382 A-IC A-IC A-IC-LC 2nd Cover 387 101 A-IC A-IC 116-117 14: 374

 Midget Louver Company.
 374

 A Miller, Frank B. Company, Inc.
 260

 Mitchell Models
 260

 A-IC Modine Mfg. Co.
 305

 Monarch Door, Inc.
 298

 A-IC-LC Monsanto Chemical Co.
 352-353

 A-IC Montgomery Eelvator Co.
 138

 A Mosaic Tile Company
 337-338

 Murray Corporation
 81

 A-IC-LC National Gypsum Company
 240

 A-IC National Steel Corporation 257-295
 Nelson, Herman Unit Ventila-tor Products

 To Products
 266 to 269

 A Neo-Ray Products, Inc.
 347

 A Norton Door Closers
 282

 A Norton Door Closers
 144

 A-IC-LC Owens-Corning Fiberglas Corp.
 84

A-IC Richmond Fire-proof Door Company
A-LC Richmond Plumbing Fixtures Division Rheem Mfg. Co...
A Rileo Laminated Products Company
A Rixson, Oscar C. Company
A Robbins Flooring Company
A-IC Robertson, H. H. Company 244
Rodale Manufacturing Co., Inc. 40 55 322 302 244-245 Co. Inc. Co., Inc. Sperti-Faraday, Inc. Spiroll Products Company ... Staedtler, J. S., Inc. A Standard Products Co. A Standard Stamping & Perforat-ing Co. 126 31482-83 ing Co. A Steelcraft Manufacturing Com-379 A steedard Manufacturing Co pany A-IC Steel Joist Institute Stem, Chester B. Inc. A-IC Stran-Steel Corporation Structoglas Division A-IC Sunbeam Lighting Company A Sun Chemical Corporation A Surco International Corp. Sweet's Catalog 323 288-289 152-153 295
 154
 13330 380 Taylor, Halsey W. Co. 274 Tectum Corporation 106 Thermador Electrical Mfg. Co. Division of Norris-Thermador 256-354 288 A-IC A-IC

 Thermador Electrical Mfg. Co.

 Division of Norris-Thermador

 256-354

 A Thomas Industries
 286-354

 A-LC Thrush, H. A. & Company
 381

 A-LC Timber Engineering Co.
 376

 A-LC Timber Engineering Co.
 376

 A-LC Timber Engineering Co.
 376

 A-IC Timber Structures, Inc.
 371

 A Titus Manufacturing Co.
 136-137

 Todd Shipyards Corporation
 375

 A Tremco Mfg. Company
 40

 A-IC Troy Laundry Machinery Divisision American Machine &
 340

 Underwood Corporation
 356

 A Unit Structures, Inc.
 378

 A-LC United States Plywood Corp.
 7-93

 A United States Steel Corporation
 326

 A Uvalde Rock Asphalt Company
 326

 A Uvalde Rock Asphalt Company
 327

 Vance Industries, Inc.
 357

 Vance Industries, Inc.
 357

 Vance Industries, Inc.
 361

 A-LC Vinyl Plasties, Inc.
 363

 A-LC Vinyl Plasties, Inc.
 364

 A-LC Ware Laboratories, Inc.
 84

 A-LC Ware Laboratories, Inc.
 364
 A-IC-LC 317 89 270 383

A-IC-LC

These symbols tell you which advertisers' catalogs are INSTANTLY ACCESSIBLE in your office

The great majority of Architectural Record advertisers employ Sweet's Catalog Service to maintain their catalogs continuously in the offices of qualified architects, engineers, and building contractors.

By doing so, these manufacturers make it easier than is otherwise possible for you always to have instant access to further information about their products or services.

The above symbols* are included in the facing Advertisers' Index as a quick guide to which advertisers' catalogs are in *your* Sweet's File — Classified by product type, indexed, up-to-date, and always ready for use whenever you want them.



Sweet's Catalog Service Division – F. W. Dodge Corporation 119 West 40th Street New York 18, N. Y.



*A (Architectural File) IC (Industrial Construction File) LC (Light Construction File)

don't specify less than the best!

mckinley cast abrasive nosings last the life of the building

another mckinley first... invisible integral anchors

V . . . unmarred appearance
V . . . can't rust out or loosen
V . . . lower installation cost
V . . . no maintenance

extrusions have their place but <u>NOT</u> in heavy traffic areas!

the magnified cut-away shows how mckinley cast abrasive products have many thousands of pieces of small irregular aluminous aggregate in their wearing surfaces.



see our catalogs in sweets files: A—6i/Mc, 6e/Mc, 13b/Mc . . . IC—3e/Mc, 3h/Mc.

mckinley ir p.o. box 790 send complete specifications on ABRASIVE PRODUCTS IRON DESIGNS	for white source and
firm	AND A DECEMBER OF A DECEMBER O
address	
city	state

NOW... ADD INDIVIDUALITY AND CHARACTER TO OFFICES AND CONFERENCE ROOMS

BY MOE fight

LUXW

*IL FIXTURES BY MOE LIGHT ... real cabinet wood fixtures, translucent when lighted, with striking polished brass trim accents. For that extra decorator touch to blend or contrast with furniture, textures and tone.

Five matching fixtures include appealing 3-light cluster and versatile pull-down, together with single pendant and close-to-ceiling pieces in 18½" and 12¼" diameters. Ideal for homes, offices, conference rooms, hotels and specialty shops.

with

With LUXWOOD fixtures you can add dramatic individuality and a smartly "tailored" appearance that comes from the imaginative use of well-designed decorative appointments.

*Inspiration-Lighting for distinctive commercial applications by Moe Light.

FREE! IL Lighting Booklet for Professionals



MOE LIGHT'S new commercial lighting catalog. A manual of creative ideas showing a special selection of lighting fixtures for office, hotels, stores and restaurants. Prepared with the Professional in mind. Attach this ad to your letterhead and send to Thomas Industries Inc., Louisville.

> THOMAS INDUSTRIES INC. LIGHTING FIXTURE DIVISION Executive Offices: 410 S. Third St., Louisville 2, Ky., Dept. AR-3 Leaders in Creative Lighting