

This school cost less with ceramic tile

The new Waterloo, N.Y. High School contains 34,400 square feet of American Olean ceramic tile—including colorful tile murals on exterior and interior walls. Costly? Here are the facts: This school cost less—\$1.65 per square foot less than the median cost of schools built in New York State during the same period. Proof that American Olean ceramic tile can save you money on school construction costs as well as insuring big savings on cleaning and maintenance year after year.

Write for informative Booklet 620, Ceramic Tile for Schools.

ABOVE—Main Entrance: exterior mural in ceramic mosaics, 1" sqs., Cerulean, Dove Gray, Citrin, Topaz with figures in Ebony. Plate 479.


BOTTOM LEFT—Corridor Walls: 6" x 4½" in 52 Daffodil and 32 Tan Glo. Design: 6" x 4½", 59 Parchment, 45 Salt & Pepper and 56 Leaf Green. Plate 480.


BOTTOM RIGHT—Cafeteria Wall: ceramic mosaics 1" sqs., Beryl, Apricot, Petal Pink, Haze, Topaz. Plate 481.

Architect: John C. Ehrlich. Tile Contractor: Stearns & Bergstrom Inc.




AMERICAN OLEAN TILE COMPANY—EXECUTIVE OFFICES: 1765 CANNON AVE.; LANSDALE, PA. A SUBSIDIARY OF NATIONAL GYPSUM COMPANY





For more data, circle 2 on Inquiry Card



DURCON® LABORATORY SINKS resist the corrosive effects of hot stuff . . . hot or cold! Hot solutions don't affect these handsome black sinks. They don't discolor or stain when handling acids, alkalis, salts, solvents and other laboratory reagents in the toughest kind of service.

Durcon sinks stand up to hard knocks without cracking or spalling. Our tests prove they resist the impacts of a 3-lb. steel ball dropped from heights of 6 to 9 feet . . . far greater abuse than ever encountered in lab service. One-piece construction eliminates troublesome joints and seams that trap liquids and cause seepage. Smooth coved corners and dished bottoms assure complete drainage, easy cleanup. And these sinks are virtually impermeable to liquids.

With all their outstanding features, Durcon sinks cost less than stone and porcelain sinks. And original cost is just the start. Still more savings . . . in freight and installation . . . result because Durcon sinks weigh 60% less than old-style sinks. One man can put a Durcon sink in place without mechanical aids. And save space, too! With a wall thickness half that of stone and porcelain sinks, Durcon sinks fit easily into cramped quarters.

Get all the facts on Durcon Lab Sinks. Call your Laboratory Furniture Manufacturer, or write us for Bulletin PF/5d.



DURCON LAB SINKS give you a complete selection—Table Sinks, End Sinks, Drainboard Sink Units, Double Compartment Sinks, Cylindrical Sinks, Cup Sinks and Troughs . . . in a wide range of sizes.



Represented exclusively in Canada by: SHAWINIGAN CHEMICALS LIMITED, Montreal, Que.; Weston, Ont.; Vancouver, B. C






A bold concept, already accepted and applied to thousands

Northgate Elementary Public School, Bloomington, Minn. ARCHITECTS AND ENGINEERS: Hammel & Green, Inc., St. Paul. GENERAL CONTRACTOR: Adolfson & Peterson, Minneapolis. ACOUSTICAL CONTRACTOR: St. Paul Linoleum & Carpet Co., St. Paul.

RENDERING BY HELMUT JACOBY PHOTOGRAPHY BY LAWRENCE S. WILLIAMS








of ceiling systems: Armstrong Ventilating Ceilings

The entire ceiling distributes air: this is the simple principle of the Armstrong Ventilating Ceiling system. Thousands of openings, blended into the surface pattern of the ceiling, deliver heated or cooled air evenly, quietly, and comfortably to the entire room. By eliminating all diffusers, the Armstrong system creates an attractive, uncluttered surface. The sealed plenum replaces most supply ductwork, too. Here you see an Armstrong Ventilating Ceiling in a new Minnesota school, where this system saved 24 feet of ducts and two 24" square diffusers in each of 20 classrooms. Savings on air-conditioning costs commonly amount to 30¢ a square foot-often more. Ceiling-wide air distribution means more uniform temperatures and greater comfort. Design these advantages into your current projects; contact your Armstrong Acoustical Contractor or Armstrong representative. Now available: a detailed, illustrated portfolio describing this system, with numerous examples, technical and product data, and specifications. For your copy write Armstrong, 4204 Rock St., Lancaster, Pa.





acoustical fire-retardant ventilating



Sinäjoki Civic Center, Finland. Architect, Alvar Aalto. Photograph by Kalevi A. Makinen

Advertising Index: 356

ARCHITECTURAL RECORD April 1963 Vol. 133, No. 4 Published monthly, except May, 1963, when semi-monthly, by F. W. Dodge Corporation, a McGraw-Hill Company. This issue is published in national and separate editions. Additional pages of separate edition numbered or allowed for as follows: Western section, (including Western Architect and Engineer), 32-1 through 32-24.

Executive, editorial, circulation and advertising offices: 119 West 40th Street, New York 18, N. Y. Western Editorial Office: 2877 Shasta Road, Berkeley 8, Calif. Office of Publication, 10 Ferry Street, Concord, N. H.; second-class mail postage paid at Concord, N. H.

Subscription rate for individuals in the field served \$5.50 per year in U. S., U. S. Possessions and Canada; single copies \$2.00. Further details on page 6. Postmaster: Please send Form 3579 to Circulation Manager, ARCHITECTURAL RECORD, 119 West 40th Street, New York 18, N. Y.

Architectural Engineering

HOW STRUCTURAL MODELS ARE USED IN PRACTICE

Describes a number of pioneering examples, from thin shells to a 29-story apartment building, which aided engineers in their structural design

CUTTING IMPACT NOISE IN APARTMENT BUILDINGS 210

Discusses FHA's criterion for impact noise in dwellings, and shows construction techniques for minimizing impact noise

TIME-SAVER STANDARDS 213

Impact Noise Control Details for Dwellings

A DUAL-DUCT APPROACH FOR OFFICE BUILDING 216

Complete flexibility in temperature control for a variety of spaces is possible at low cost when attention is paid to engineering design, coordinated with bidding procedures

BUILDING COMPONENTS 221

Design of Ventilating Ceilings

PRODUCT REPORTS 223

OFFICE LITERATURE 224

READER SERVICE INQUIRY CARD 277

ARCHITECTURAL

Architects and Buildings:

AALTO, ALVAR. Article by Frederick Gutheim featuring four buildings and plan for center of Helsinki . . . 135
ARCHITECTS COLLABORATIVE, THE Putterham
Branch Library, Brookline, Mass. 164
BECKET, WELTON, AND ASSOC. Salinas Public Library,
Salinas Calif

Salinas, Calif. 166
CAUDILL, ROWLETT AND SCOTT. Dow Center, Hous-

Township Public Library, West Bloomfield Township Public Library, West Bloomfield, Mich. 168 WARNECKE, JOHN CARL, AND ASSOC. Facit, Inc., Burlingame, Calif. 196

Authors

Record Reports

BEHIND THE RECORD 9

"Sic Transit Transit" By Emerson Goble

QUEST FOR QUALITY IN ARCHITECTURE IS THEME FOR A.I.A. MIAMI CONVENTION A.I.A. NAMES 35 MEMBERS FOR FELLOWSHIP 10

BUILDINGS IN THE NEWS 12

"Hawaii A.I.A. Makes 1962 Honor Awards"

CURRENT TRENDS IN CONSTRUCTION 18

A monthly analysis prepared for the RECORD by Michael B. Ayre, Associate Economist, F. W. Dodge Corporation

CONSTRUCTION COST INDEXES 20

"ARCHITECTURE, I'M FOR IT," YASKO SAYS; CHALLENGES "ARCHITECTS OF 50 STATES" TO MAKE ARCHITECTURE OF U.S. BUILDINGS 23

COMMITTEE PLANS RESTORATION OF ROBIE HOUSE 29

REQUIRED READING 52

CALENDAR AND OFFICE NOTES 322

Features

ALVAR AALTO TODAY 135 An article by Frederick Gutheim on recently completed work of Finnish master architect

LE CORBUSIER DESIGNS FOR HARVARD 151 Carpenter Center for the Visual Arts recently completed is Corbu's first U. S. building

SMALL LIBRARIES 159 Six small buildings which represent skillful solutions of varied library programs, all of them designed as pleasant places for people to encounter books

A LESSON IN UNITY 169 Harrison & Abramovitz' design for the Rose Art Museum at Brandeis University demonstrates how a two-level space can be visually united

THE TRAINING AND EDUCATION OF ARCHITECTS 173 The concept of training within education, and some suggestions for improving the curriculum

A LOT OF LIVING SPACE 177 Rockrise and Watson fit a big house on an almost nonexistent building plot

RECORD

CONTENTS

April 1963

Building Types Study 318: Office Buildings

INTRODUCTION 181

A SAMPLING OF OFFICE BUILDINGS FOR INDUSTRY 182 Variety in site location, function and financing shows up in a survey

SERVICE OFFICES GATHERED ON A PROBLEM SITE 184
Four divisions of a telephone company relocate on a campus by Smith, Hinchman & Grylls

FLEXIBLE SPACES, FOR PAPER WORK, IN THE COUNTRY 189
A publisher moves massive detail operations to a country complex by Alfred Easton Poor

DATA CENTER IS A NEW SUBURBAN TYPE 194

Networks of utilities and highways facilitate country location for an airline reservations center by Perkins & Will

OFFICES AND WAREHOUSE FOR AN INDUSTRIAL PARK 196
Headquarters and supply depot by John Carl Warnecke and Associates for Facit

STUDIED DETAILS IN CONCRETE FOR A MESSAGE HUB 198
Florists' telegraph center by Frederick Stickel Associates

THREE DIVISIONS BUILD AROUND A GARDEN LOBBY 200 How architects Caudill, Rowlett and Scott solved a relocation problem for their own and Dow Chemical's Houston operations

GRANITE SKYSCRAPER FOR A DETROIT LOAN ASSOCIATION 202 First Federal of Detroit invests in a sturdy monument to the continuing city; design is by Smith, Hinchman & Grylls

Coming in the Record

NEW WORK OF HARRY WEESE

Among the younger generation of architects, Harry Weese is one whose architecture is notable not only for sensitive interpretation of function and appropriate expression of it but also for its quality of recognizing its relationship to tradition while being entirely contemporary. Next month's special feature will present six major new projects, with special drawings by the architect.

SPECIAL-PURPOSE SCHOOLS

In the vast volume of school buildings reported and anticipated in the activity reports of F. W. Dodge Corporation, there seem to be appearing a growing number of new kinds of schools—special-purpose schools to serve the needs of particular kinds of students: the handicapped, the underprivileged, the delinquent, the gifted, and so on. Next month's Building Types Study on Schools will feature a number of these new types, plus the famous Andrews, Texas, High School designed by Reid, Rockwell, Banwell and Tarics as one of the first schools expressly planned for team teaching.

ARCHITECTURAL RECORD (combined with AMERICAN ARCHITECT and ARCHITECTURE), title ® reg. in U. S. Patent office, © copyright 1963 by F. W. Dodge Corporation, a McGraw-Hill Company. All rights reserved including the right to reproduce the contents of this publication either in whole or in part. Quotations on bulk reprints of articles available on request. Indexed in Reader's Guide to Periodical Literature, Art Index, Industrial Arts Index and Engineering Index.

Architectural Record is managed by the Publications Division of McGraw-Hill Publishing Company, Inc. Officers of the Publications Division: Shelton Fisher, president; vice presidents: Robert F. Marshall, operations; John R. Callaham, editorial; Ervin E. DeGraff, circulation; Donald C. McGraw, Jr., advertising sales; Angelo R. Venezian, marketing.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

SUBSCRIPTIONS: Available only by paid subscription. Publisher reserves the right to refuse non-qualified subscriptions. Subscriptions to Architectural Record solicited only from architects and engineers. Position, firm connection, and type of firm must be indicated on subscription orders forwarded to Circulation Manager, Architectural Record, 119 West 40th Street, New York 18, N. Y. Subscription prices: U. S., U. S. Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$9.00 per year. Single copy price, \$2.00. Beyond Western Hemisphere, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1963 issue. Subscriptions from all others outside U. S., U. S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24 per year.

CHANGE OF ADDRESS: Subscribers are requested to furnish promptly both old and new address, sending, if possible, stencil impression from magazine wrapper; new postal zone number, if any, should be included. Allow one month for change.

UNCONDITIONAL GUARANTEE: The publisher, upon written request, agrees to refund the part of the subscription price applying to the remaining unfilled portion of the subscription if service is unsatisfactory.

OTHER F. W. DODGE SERVICES: Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services—Dodge Mailing Service—Home Planners' Digest—The Modern Hospital—The Nation's Schools—College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder (San Francisco)—The Daily Journal (Denver)—Real Estate Record & Builders Guide—Dow Building Cost Calculator. OTHER McGRAW-HILL SERVICES to the construction industry: Engineering News-Record—Construction Methods and Equipment—Ingenieria Internacional Construccion.





Staff of Architectural Record

EDITOR Emerson Goble, A.I.A.

SENIOR EDITORS
Jeanne M. Davern, Assistant to the Editor
Robert E. Fischer, Engineering
James S. Hornbeck, A.I.A., Features
William Dudley Hunt, Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS
Herbert L. Smith, Jr., A.I.A., Houses
Mildred F. Schmertz, Design
William B. Foxhall
Anne Keffer, Production

ASSISTANT EDITORS Kathryn Gallant Jan Rahm

DESIGN
Eugene H. Hawley, Director
Alex H. Stillano, Associate
Sigman-Ward, Drafting

EDITORIAL CONSULTANTS
Robert Anshen, F.A.I.A.
Edward Larrabee Barnes, A.I.A.
Walter Gropius, F.A.I.A.
Robert F. Hastings, F.A.I.A.
Paul Rudolph, A.I.A.

INDUSTRY CONSULTANTS
Gordon W. McKinley, Economics
Clyde Shute, Statistical
Clifford G. Dunnells, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Ernest Mickel, Washington

PUBLISHER Robert F. Marshall

CIRCULATION MANAGER Marshall T. Ginn

SALES MANAGER James E. Boddorf

Officers of F. W. Dodge Corporation

HONORARY CHAIRMAN OF THE BOARD James McV. Breed

CHAIRMAN OF THE BOARD Paul Abbott

PRESIDENT
Wallace F. Traendly

EXECUTIVE VICE PRESIDENTS
Julius T. Little, O. O. Paulsell

EXECUTIVE VICE PRESIDENT AND TREASURER Howard M. Thompson

VICE PRESIDENTS William H. Hatch, Jr., Richard H. Ray

REGIONAL VICE PRESIDENTS
George H. Atherton, Miles W. Beatty,
Carl S. Bennett, Robert G. Bingham,
Alton W. Kitchens, Sam L. Marshall, Jr.,
Arthur D. Prior

CONTROLLER Stuart W. McLaughlin

ASSISTANT VICE PRESIDENTS Walter F. DeSaix, Clifford G. Dunnells, Jr., Gault Eastman, Clyde Shute

SECRETARY John J. Cooke

ASSISTANT SECRETARIES William C. Breed, Jr., George W. Morgan

ASSISTANT TREASURER Irving B. Satin



GOLF STARTER HOUSE, PURDUE UNIVERSITY ME General Contractor: KEMMER CONSTRUCTION CO. ME Architects: PURDUE PHYSICAL PLANT DEPT. Engineers: PURDUE STRUCTURAL ENGINEERING DEPT., School of Civil Engineering Meady-mixed concrete for footings and piers: CONCRETE READY MIX CO. ME Ready-mixed concrete for floor, sidewalks and roof: VERPLANK CONCRETE & SUPPLY CO. ME Lone Star Masonry Cement Supplier: SPEER BUILDING MATERIALS. INC. (All of Lafavette and West Lafavette, Ind.)

There's new simplicity in this university-designed thin-shell roof (made with reinforced concrete and Incor[®])



Insulating panels of polystyrene foam, which constitute the form for the thin-shell reinforced concrete roof, are fastened to high tensile steel wires.

Now there's a new and simpler way to form thin-shell concrete roofs in graceful hyperbolic paraboloid shapes.

Purdue University's golf starter house—an experimental research project—provides an instructive example of how it's done. Steel edge beams, supported on concrete piers, were interlaced with steel wires. Polystyrene foam slabs were then fastened to the wires and grouted in place to form a base upon which lightweight concrete made with "Incor" 24-Hour Cement was cast. As a result, the profusion of forms and supports usually required in H-P concrete construction was eliminated. And still further savings in time and money were assured by the use of "Incor"—America's first high early strength portland cement.

"Incor" cement grout is broomed over insulation before steel reinforcing is placed.




Lightweight "Incor" concrete roof slab is cast and finished over reinforcing.



LONE STAR CEMENT CORPORATION
New York 17, N.Y.



WHY S&G EXIT DEVICES LAST LONGER...



Less moving parts means less wear. S&G builds those two parts strong, hard...to endure and endure. Result? Our 5300, 5410 and 5560 Series (Rim, Vertical and Mortise devices) make building owners and operators completely satisfied...longer!

Other significant features of S&G Exit Devices include: UNI-TRIM® which offers precise location of trim because screws bolt through device case <u>directly</u> into trim lugs; <u>identical</u> outside appearance regardless of whether it's a Rim, Vertical or Mortise device.

Take advantage of the extra durability offered by S&G. Specify S&G Exit Devices with only two moving parts. Both the devices and your clients' satisfaction will last, and last...and last!

WRITE for complete information to Sargent & Greenleaf, Inc., 100 Bremen Street, Rochester 21, New York



SARGENT & GREENLEAF, INC.

ROCHESTER 21, NEW YORK

For more data, circle 4 on Inquiry Card

Sic Transit Transit

What the automobile has done to mass transit systems would seem to be obvious. And what it has done to our downtown cities is not difficult to observe. This particular observor was startled recently, however, to read some statistics on the steady demise of transit systems. These came in a paper by John C. Kohl, the assistant administrator for transportation of the Housing and Home Finance Agency. He also made some remarks on lack of attention given to it in most planning studies; perhaps some planners ought to see the statistics.

"Everywhere, in cities large and small," he wrote, "there seems to be a transit problem. In the seven years, 1954 to 1960, 131 transit operators quit the business, and were replaced in only 54 communities—77 urban areas completely lost mass transportation service. And, in the year just past, our new HHFA Office of Transportation has been in contact with 224 cities in 44 states.

"Yet, most community planners are still giving transit scant attention. Just five short paragraphs in 15 full pages of text dealing with circulation and parking appeared in a very recent report from a city noted not only for its progressive planning but for its civic accomplishments. In planning report after report from other metropolitan areas, public transportation is usually mentioned with some appropriate rationale discounting its significance . . ."

He continued: "Giving public transportation a fair consideration in urban planning does not, in my mind, portend any immediate cutback in present traffic and highway demands. Growth, in vehicles and in their use, is still very much in the cards, but the community growth will be far healthier if we can achieve some real balance in our transportation.

"We need to adapt the principle of diversity to our urban transportation resources—good highways and parking for auto use, and good public transportation as an alternate and standby for selected services determined through comprehensive planning. Otherwise it may be 'drive or you don't go' for a lot of city people."

Some other statistics, these from Business Week: "Since 1940, the bus and rapid transit industries have lost 28 per cent of their passengers, have decreased vehicle-miles operated by 17 per cent, and trimmed employment by 41 per cent. A 92 per cent increase in revenue, through a seemingly endless series of fare hikes that drive still more people to their autos, has been outstripped by a 116 per cent jump in operating expenses."

Sic transit transit.

Many large cities are turning, in their planning at least, toward mass transportation. San Francisco has voted a huge bond issue for a rapid transit system. Atlanta, Washington, even Los Angeles are working up plans. Philadelphia has successfully increased the use of public transit facilities, has strengthened its rail commuter systems, built parking garages near outlying rail stations. Boston is the scene of a huge experiment in rebuilding transit services.

President Kennedy is urging a huge Federal program of subsidies for expanding public transit facilities, on the ground that the Federal Government pays from 50 to 90 per cent of the cost of urban highways and freeways.

A worthwhile exercise is to figure out how many lanes would be needed by, say, 1980 for all of the people of that day to drive into a given downtown area, and then look at the physical city remaining. To build freeways for them would be, in the words of Lewis Mumford, "pyramid building with a vengeance; a tomb of concrete roads and ramps covering the dead corpse of a city."

-Emerson Goble

QUEST FOR QUALITY IN ARCHITECTURE IS THEME FOR A.I.A. MIAMI CONVENTION; NOTED SPEAKERS, SOCIAL WHIRL PLANNED

"The Quest for Quality in Architecture: The Role of Architecture as an Art" is the theme of the 95th Annual Convention of the American Institute of Architects, which meets May 5-9 in Miami Beach, Fla. A registration of 2,000 architects is anticipated.

Following two days of A.I.A. business sessions, the professional program will begin Wednesday morning, May 8, at the Americana Hotel, convention headquarters. Permanent moderator for the entire program will be Burnham Kelly, dean of Cornell University's College of Architecture. Speakers at one session will continue as panelists in succeeding sessions to provide unity for the entire program.

Sir Basil Spence, internationally known for his design of the new Cathedral at Coventry, England, will be one of the participants in the opening session devoted to "What Is Quality?" Others will be S. Robert Anshen, F.A.I.A., partner in the San Francisco firm of Anshen & Allen; Paul Rudolph, chairman of Yale University's Department of Architecture; and Dr. Edward T. Hall, anthropologist-psychologist, author of several books, including "The Silent Language."

"What (and Who) Influence Quality?" will be the second session topic,

with speakers Nikolaus Pevsner, critic and author of "An Outline of European Architecture"; Karel Yasko, newly appointed assistant commissioner of design and construction for General Services Administration; and George McCue, critic and reporter, St. Louis Post-Dispatch.

Third and final professional session Thursday afternoon will be concerned with "The Attainment of Quality." Speakers will include critic Ada Louise Huxtable and architect John M. Johansen, New Canaan,

Five members of the A.I.A. Board of Directors comprise the planning committee for the professional program: William W. Eshbach, A.I.A., Philadelphia, chairman; Robert M. Little, F.A.I.A., Miami; Charles M. Nes, F.A.I.A., Baltimore; Oswald H. Thorson, A.I.A., Waterloo, Iowa; and Julius Sandstedt, A.I.A., Oshkosh,

Host Chapter Committee

A full schedule of social activities has been planned by the A.I.A.'s Florida South Chapter, host of this year's convention. They include a tropical garden tour, a tour of Palazzo Vizcaya, one of the country's finest estates, two special events for the ladies, and a "Tropical Night Caper," with Caribbean music and entertainment at Hialeah Park.

Host Chapter committee members are: Robert M. Little, F.A.I.A., regional director-Honorary Chairman; Earl M. Starnes-Chapter president; H. Samuel Krusé, F.A.I.A.—General Chairman; Wahl J. Snyder Jr., F.A.I.A., and Mrs. Wahl J. Snyder Jr-Hospitality and Ladies Events; Alfred Browning Parker, FA.I.A.—Reception; Russell T. Pancoast, F.A.I.A., and James L. Deen-Guidebook; Frank E. Watson, F.A.I.A.—Chapter Party & Entertainment; James E. Ferguson-Exhibits; C. Robert Abele—Tours & Transportation; Edward G. Grafton -Publicity; O. K. Houstoun Jr.-Student Program; Herbert R. Savage-Special Events; Verner Johnson-Architects-at-Home; Charles S. Broward Jr.—Finance.

Related Meetings

Meetings of the Association for Collegiate Schools of Architecture will be held May 3-5 at the Balmoral Hotel, Miami Beach. The National Council of Architectural Registration Boards will hold its conference following the A.I.A. convention, May 10-12 at the Americana Hotel.

A.I.A. NAMES 35 MEMBERS FOR FELLOWSHIP

The American Institute of Architects will advance 35 members to the rank of Fellow at its 1963 convention May 5-9 in Miami. The list follows:

Roger Bailey, Salt Lake City-Education Charles Julius Betts, Indianapolis-Service to the Institute

Thomas Jones Biggs, Jackson, Miss.-Service to the Institute

Charles A. Blessing, Detroit—Design John Savage Bolles, San Francisco-Serv-

ice to the Institute and Public Service Clinton E. Brush III, Nashville-Service to the Institute

H. Griffith Edwards, Atlanta-Service to the Institute James Harrison Finch, Atlanta-Design

James Herschel Fisher, Dallas-Design William Edward Hartmann, Chicagolic Service

Ernest Daniel Ivey, Atlanta—Public Service Paul Henton Kea, Hyattsville, Md.—Service to the Institute and Public Service

Killingsworth, Long Beach,

Calif.—Design Roger Yuen Lee, Berkeley, Calif.—Design Sidney Wahl Little, Tucson—Education Luckman, Los Angeles-Public

Service Reinhold Melander, Duluth-Public Service

Willis Nathaniel Mills, Stanford-Design Frank Montana, South Bend-Design George Nelson, New York City-Design and Literature

Louis C. Page, Austin-Design Harry Daniel Payne, Houston-Service to

William Gray Purcell, Pasadena-Design I. Lloyd Roark, Kansas City—Service to the

Reginald H. Roberts, San Antonio-Service

to the Institute George Thomas Rockrise, San Francisco— Public Service

Walter Sanders, Ann Arbor-Design and Education

John Scacchetti, Union City, N.J.—Service to the Institute


G. Milton Small, Raleigh-Design

Lee Sorey, Oklahoma City-Public Service Victor Steinbrueck, Seattle-Literature

John Stetson, Palm Beach—Service to the Institute and Public Service Charles Rutan Strickland, Boston-Public

Service Frank Edward Watson, Miami—Design

Charles Day Woodford, Los Angeles—Service to the Institute the Institute



BUILD WITH BLOCK

$and\ build\ for\ keeps$ – $with\ Dur$ -o-wal

Not how cheap, but how long until the wall needs costly repairs? That's the question if you really want to get the most for your building dollar. It's the reason why Dur-o-wal masonry wall reinforcement is specified throughout the continent. Dur-o-wal can more than double flexural wall strength and, when used in lieu of brick headers for composite masonry walls, increases ultimate compressive strength. Years-which more than make up for the initial cost of Dur-o-wal—are added to masonry wall life. Please pass the evidence? Write to nearest address below for new comprehensive Dur-o-wal data file.

DUR-O-WAL

The Original Masonry Wall Reinforcement with the Truss Design

DUR-O-WAL MANUFACTURING PLANTS

- Cedar Rapids, Iowa, P.O. Box 150 Baltimore, Md., 4500 E. Lombard St. Birmingham, Ala., P.O. Box 5446
- Syracuse, N.Y., P.O. Box 628
- Toledo, Ohio, 1678 Norwood Ave. Pueblo, Colo., 29th and Court St.
- Phoenix, Ariz., P.O. Box 49 • Minneapolis, Minn., 2653 37th Ave. So.
- Aurora, III., 260 S. Highland Ave.
- Seattle, Wash., 3310 Wallingford Ave.
 - Hamilton, Ont., Canada, 789 Woodward Ave.

For more data, circle 5 on Inquiry Card







Strength with flexibility—the two basic factors for a repair-free masonry wall are assured by these engineered companion products. Dur-o-wal reinforcement, top left, increases the horizontal flexural strength of 8" concrete block walls from 60 to 135 per cent, depending on the weight and spacing of Dur-o-wal used, and type of mortar. The ready-made Rapid Control Joint, beneath, with its neoprene compound flange, flexes with the wall, keeps itself sealed tight.


Library Will Adjoin Bristol Mansion


The new Margaret R. Grundy Memorial Library, Bristol, Pa., will be attached to the original Grundy mansion by a connecting passage, the old house to be used for special collections and research work. Walls of the new library are loadbearing masonry piers with exposed aggregate concrete and glass panels. Roof is of precast concrete, girders and roof plank. Estimated cost is \$500,000. Architects are Carroll Grisdale & Van Alen.




Westinghouse Electric Corporation Telecomputer Center, a mile from Pittsburgh, will be hub of the company's communications system. The one-story, 30,000-square-foot structure was designed by architects Deeter & Ritchey as a one-piece system through which 14-foot-high aluminum members, while carrying the roof weight, also serve as mullions framing windows. Initial occupancy of building began last winter. Structure is to be completed next spring. Contractor is F. H. McGraw.









Engineering Building For Lancaster, Pa.


Skidmore, Owings and Merrill designed the three-level (one below grade, two above) engineering building for the Armstrong Cork Company. Metal and glass enclose upper levels from floor to ceiling. Roof over-hang reduces glare, provides shade. Occupancy is scheduled for fall, 1964. Supervising the project is George A. Reinhard Jr., Armstrong director of engineering. Associate architect is C. S. Conrad Jr., Armstrong chief architect. Contractor is Turner Construction Company.

Student Center Planned for M.I.T.

General plans are completed for a \$4,-600,000 four-story student center at Massachusetts Institute of Technology. Eduardo Catalono, M.I.T. professor of architecture, is architect, in association with Brannen and Shimamoto. Basement and ground floor will house commercial facilities; main floor and mezzanine, social activities and dining; top floor, student organizations and individual recreation.

Pool-Skating Rink For Central Park

Planned for the Harlem Meer section of New York's Central Park is the Loula D. Lasker Memorial Swimming Pool and Skating Rink. The dual pool and rink, which can accommodate about 3,000 swimmers or skaters at one time, was designed by architects Fordyce & Hamby Associates. Budget estimate for the facility is \$1,600,000. Floor slab of swimming pool will contain refrigerant piping for transformation from pool to rink. Area of oval swimming pool will be about 33,500 square feet. Uniform depth of water will be 3 feet 6 inches. Rink will be about 28,000 square feet. Brick and precast stone building adjoins pool and rink.







Luxury Hotel for L.A.'s Century City

Keystone for Century City, West Los Angeles high-rise commercial and residential development, joint venture of Aluminum Company of America and Zeckendorf Property Corp., will be the 22-story Century Plaza Hotel. Minoru Yamasaki designed the curving structure, which is to face the Avenue of the Stars, broad mile-long grand boulevard of Century City. The hotel's 800 rooms will each have a lanai and a viewnortheast over Beverly Hills, the mountains and central Los Angeles or southwest to the Pacific Ocean. Its grounds will encompass three acres of terraced activity area, with pools, gardens and putting green. Underground parking will provide for 800 cars. Construction will begin in September, be completed by fall, 1965. The hotel management company will be Western International Hotels.

HAWAII A.I.A. MAKES 1962 HONOR AWARDS

In its annual honor awards program for 1962, the Hawaii Chapter, American Institute of Architects, has cited three architects as recipients of Certificates of Merit and six as recipients of Honorable Mention awards. Photographs of the award-winning projects are shown here.

Winner Thomas Wells has designed an office building in which all offices face an attractive garden court. Alfred Preis intends the U.S.S. Arizona Memorial to have an over-all effect of serenity. The form, he says, low in the center, strong and vigorous at the ends, expresses "initial defeat and ultimate victory." The 14-story co-op apartment building designed by Wimberly, Whisenand, Allison & Tong and Howard L. Cook contains 12 complete homes, each with 2,500 square feet of living area and covered parking for two cars.

On the jury were: Takashi Anbe, A.I.A.; Vladimir Ossipoff, F.A.I.A.; Kenneth Roehrig, A.I.A.; and Howard Wong, A.I.A.

Three Merit Awards



U.S.S. Arizona Memorial, Pearl Harbor, Honolulu

Architect: Alfred Preis, A.I.A. Engineers: Alfred Yee Associates

Landscape Architect: George Walters, A.S.L.A.

Contractor: Walker & Moody, Ltd.




Office Building, Honolulu

Architect: Thomas Wells, A.I.A. Engineers: Walter Lum Associates

Landscape Architect: George Walters, A.S.L.A.

Contractor: Haas & Haynie Corp.

Photo-Craft Co.



Co-op Apartment Building, Honolulu

Architects: Wimberly, Whisenand, Allison & Tong

and Howard L. Cook


Engineer: George Whisenand, A.I.A.

Contractor: E. E. Black

Six Honorable Mention Awards



Doyle Playground, Honolulu Architects: Belt, Lemmon & Lo



Harris Memorial Methodist Church, Honolulu Architect: Shizuo Oka, A.I.A. Contractor: Wilson Associates



Pershing Lo Residence, Honolulu Architects: Johnson & Perkins



J. G. Harrison Residence, Honolulu Architect: Alfred Preis, A.I.A. Engineers: Walter Lum Associates Contractor: Thomas T. Tanaka




Denis Y. Wong Residence, Honolulu Architects: Design Associates (Frank Slavsky, architect; L. H. Whitaker, designer) Contractor: James K. Shimizu



L. H. Whitaker Residence, Honolulu Architects: Design Associates (Frank Slavsky, architect; L. H. Whitaker, designer) Contractor: James K. Shimizu

15





New MODULinear-combines modern architectural design, superior air diffusion and true flexibility to the highest degree ever achieved in a linear diffuser!

- FOR NEARLY ALL TYPES OF CEILINGS—special extruded aluminum design of MODULinears permit them to be incorporated into the modular unit of most ceiling systems—including plaster.
- FULLY ADJUSTABLE AIR PATTERN—a simple adjustment, from diffuser face, adjusts air flow a full 180°... permits a horizontal discharge (left or right), a vertical discharge, or any pattern in between. Your assurance MODULinear will be flexible enough to provide the right air pattern—even for future needs!
- THE ULTIMATE IN EFFICIENT AIR DIFFUSION, AIR CONTROL—the special internal design of Diffuser Inlet Assembly provides precisely the chamber necessary for spread and the ultimate in efficient air diffusion. Also provides the extra flexibility needed to adapt air distribution to the requirements as dictated by changes in occupancy. Inactive sections of diffusers can be quickly, easily activated (and vice versa).

Positive acting damper, which operates from face of diffuser, assures precise air control at all times.

- FAST, EASY INSTALLATION—furnished with support clips for quick fastening to ceiling suspension system or Tee Bars.
- 1-SLOT AND 2-SLOT MODELS—the extruded aluminum diffuser portion of both MODULinear Models is available in one-piece lengths up to 8 foot. Sections butt closely together for use in continuous lengths. Furnished with choice of 2-foot, 3-foot, or 4-foot Diffuser Inlet Assemblies.





Air pattern controller, in both models, adjusts air flow a full $180^{\circ}\dots$ Patent applied for

bу






Mail Coupon for New MODULinear CATALOG




TITUS MANUFACTURING CORPORATION, Waterloo, Iowa Please send NEW MODULinear Ceiling Diffuser Catalog. Have Titus Representative call on me.	
NAME	 -
TITLE	 _
COMPANY	 _
ADDRESS	


For more data, circle 6 on Inquiry Card

Current Trends in Construction



Total contracts include residential, nonresidential and non-building contracts





OFFICE BUILDING AT NEW PEAK

An all-time record high, more than 20 per cent over 1961, was set by office building construction in 1962, as reflected in contracts reported by F. W. Dodge Corporation, and the first figures available for 1963 show activity continuing at record levels.

Off to a late start in the postwar period, office building was pushed ahead with a great surge between 1952 and 1956, when annual volume more than doubled. Since then, construction has continued at very high levels, climaxed by another sharp increase in the year just ended.

While total demand for offices has kept several steps ahead of the available supply, the factors behind this demand have been changing in character. The recent office building boom resulted from the need to build ahead and behind at the same time. Due to the virtual absence of this kind of construction during the thirties and early forties, firms found their offices bulging at the seams shortly after the end of the war. It was not until the early fifties that a noticeable dent was put into the backlog, but the catching-up process soon gained momentum.

Much of the rapid gain during the middle fifties, and the subsequent high level of office construction maintained since then, stemmed from this postponed demand. But it is also apparent at the same time office building was buoyed by a firm base of rising current demand. Throughout the entire period new need for additional office space continued to develop as the white collar work force expanded, and as space requirements per worker increased.

Since the war's end, employment in finance, insurance and other services—operations requiring white collar workers almost exclusively—has grown considerably faster than in manufacturing. And even within manufacturing white collar work has expanded greatly relative to production work. As a result, office staffs have grown by 40 per cent since 1950—more than double the 19 per cent rise in total employment.


Various tendencies operating to increase office space *per work-er* have also been a sustaining influence. These include a rising proportion of professional and technical people in the labor force (who average more floor space than clerical workers), an increase in the use of office machinery (which itself requires room), and the growing acceptance of such extras as libraries, health departments, reception areas and employe dining rooms.

The dizzy heights reached by office construction in 1962 raise the question of how much longer the market can support current building levels. The answer involves a balance of the following cross currents:

- —plus: to date the national market is not overbuilt.
- —plus: a continuing demand will come from the need to make room for the growing office work force.
- —plus: replacement of the substantial portion of old buildings in the nation's stock of offices will accelerate.
- —minus: there are indications that the backlog of demand—responsible for much of the boom—is about satisfied.
- —minus: the recent high rate of building in New York City (a substantial part of the national total) was partly the result of a zoning regulation change, and reaction is anticipated in 1964.

The net effect of these factors will bring a fairly sharp decline in office buildings during 1964 and 1965. In the last half of the decade, however, volume will begin to grow again (at about 5 per cent per year), reflecting the long term trends in white collar employment and replacement needs.

Michael B. Ayre, associate economist F. W. Dodge Corporation A McGraw-Hill Company



PermaCushion is a combination of *proven* design and construction features. Imitators appear offering substitutes but only *patented* PermaCushion gives you these seven features so vital to durability, economy, beauty and *lasting* resiliency.

DESIGNED with floating sleepers to permit expansion of the flooring without setting up stresses which cause loose nails and flooring separation. Free-floating construction eliminates cupping and buckling with changes in humidity.

RESILIENT PADS attached to the underside of sleepers Designed and compounded of water-proof, non-oxidizing, synthetic rubber, unaffected by heat or cold to provide the correct amount of resiliency. Each pad acts as a bellows, inducing continuous air circulation when floor is in use.

SLEEPERS of select Douglas Fir, cut to uniform four-foot lengths to prevent twisting and end joint separation. DRI-VAC treated with Woodlife to resist moisture, rot, termites, insect and fungi attack.

FLOORING milled from top-quality Northern Hard Maple, world's finest flooring material. Extra thick $-3\frac{3}{32}$ "—to provide strength and more wearing surface above the tongue, plus an additional area to resist compression.

POWERNAILING at an exact 45° angle, for *maximum* holding power, prevents splitting of flooring and hammer marks.

INSTALLATION authorized *only* by competent, experienced and reputable flooring contractors.

GUARANTEED materials, installation and performance by the contractor and the manufacturer. Double assurance for a trouble-free floor that lasts the life of the building.

When you specify PermaCushion your client is assured of all *seven* vital floor features. For literature and the name of your nearest franchised installer write Robbins Flooring Company, White Lake, Wisconsin. Attn: Dept. AR-463.

*Trade mark Reg. in U.S. and Canadian Patent Office



MAKERS OF MODERN MAPLE FLOORS—Subsidiary of E. L. Bruce Company, (Incorporated), Memphis, Tennessee

Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc. Inc.

Labor and Materials: U.S. average 1926-1929 = 100

NEW YORK

ATLANTA

	RESID	ENTIAL	APTS., HOTELS, OFFICE BLDGS.	FACTORY	BLDGS.	RESID	ENTIAL	APTS., HOTELS, OFFICE BLDGS.	COMMERCI FACTORY	BLDGS.
			Brick and	Brick	Brick			Brick	Brick	Brick
PERIOD	Brick	Frame	Concrete	and Concrete	and Steel	Brick	Frame	and Concrete	Concrete	and Steel
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	274.9	271.8	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	265.2	262.2	218.8	221.0	212.8	210.1	214.
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.
1957	318.5	308.3	333.1	345.2	339.8	241.2	239.0	248.7	252.1	254.
1958	328.0	315.1	348.6	365.4	357.3	243.9	239.8	255.7	261.9	262.
1959	342.7	329.0	367.7	386.8	374.1	252.2	247.7	266.1	272.7	273.
1960	351.6	337.2	377.7	395.8	380.6	259.2	253.3	274.7	282.5	278.
1961	362.5	343.0	398.2	422.4	397.0	256.7	249.7	275.8	284.5	275.8
1962	372.9	350.3	415.9	443.4	414.3	263.3	256.2	283.2	292.7	281.
November 1962	377.7	355.3	421.7	449.6	419.4	266.3	259.6	286.6	295.8	284.
December 1962	378.3	355.5	422.3	450.4	419.7	267.8	260.4	289.1	299.2	287.
January 1963	378.6	355.6	422.7	451.1	419.9	267.8	260.4	289.1	299.2	287.
		9	6 increase over 19:	39			%	increase over 193	9	Company of
January 1963	206.5	190.5	223.4	238.1	222.7	210.3	213.3	204.0	207.2	203.2

ST. LOUIS

SAN FRANCISCO

1954	266.6	256.4	259.0 263.7	267.0	259.2	255.2	257.2	256.6	261.0	259.7
		-				257.4	249.2	264.1	272.5	267.2
1955	273.3	266.5	272.2	281.3	276.5	268.0	259.0	275.0	284.4	279.6
1956	288.7	280.3	287.9	299.2	293.3	279.0	270.0	288.9	298.6	295.8
1957	292.0	283.4	295.2	307.1	302.9	286.3	274.4	302.9	315.2	310.7
1958	297.0	278.9	304.9	318.4	313.8	289.8	274.9	311.5	326.7	320.8
1959	305.4	296.4	315.0	329.8	323.9	299.2	284.4	322.7	338.1	330.1
1960	311.4	301.0	322.2	337.2	329.2	305.5	288.9	335.3	352.2	342.3
1961	315.1	302.0	329.0	346.8	332.2	308.7	290.2	345.1	362.9	350.2
1962	322.1	307.2	341.2	360.6	341.8	316.5	297.0	357.1	375.0	359.8
November 1962	321.6	306.1	342.9	362.0	343.0	321.8	302.3	365.6	382.6	366.7
December 1962	321.7	305.1	344.9	365.9	344.1	322.0	302.5	365.2	382.2	363.9
January 1963	324.1	307.5	348.7	369.7	348.2	324.8	303.9	369.2	388.6	368.0
		%	increase over	1939			%	increase over 19	939	ia constituti
January 1963	194.1	187.4	193.8	208.6	192.6	207.6	206.0	214.5	218.8	215.9

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A=110index for city B=95(both indexes must be for the same type of construction). Then: costs in A are approximately 16 per cent higher than in B.

$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



BORDEN ARCHITECTURAL DECOR PANELS DECA-RING

Borden Architectural Decor Panels are finding preference as the modern medium of architectural expression. The decorative, sturdy, lightweight aluminum panels are used for facades, grilles, dividers and many like applications. They are available in several types and innumerable variations of the types.

Shown above is Borden Deca-Ring panel on a multi-level parking facility in downtown Miami. Here Deca-Ring provides safety, ventilation, and a touch of luxury in combination with efficient use of materials. The Deca-Ring screens are the only siding used on an otherwise

stark concrete slab building. Individual panels of Deca-Ring are outlined with Decor-Plank to give added design emphasis.

The circular Deca-Ring pattern is currently produced with $3\frac{1}{2}$ " O.D. rings assembled at $4\frac{1}{2}$ " centers. Depths of $\frac{3}{4}$ " and 1" are available. For more detailed information on Deca-Ring and other Borden Architectural Decor Panels, including Deca-Gril, Deca-Grid, Decor Plank and their many variations and subtypes, write for our new eight-page catalog on Borden Architectural Decor Panels.


another fine product line of

BORDEN METAL PRODUCTS CO.

MAIN OFFICE: 822 GREEN LANE, ELIZABETH, NEW JERSEY

Elizabeth 2-6410
PLANTS AT: LEEDS, ALABAMA; UNION, NEW JERSEY; CONROE, TEXAS

For more data, circle 8 on Inquiry Card




... because the travertine patterning is distributed through the full thickness of the tile. Premiere Series in Vina-Lux vinyl asbestos tile is a unique combination of subtle styling and rugged resistance to maximum traffic loads ... delivers so much more value and performance than surface patterns . . . yet costs no more. Specify Vina-Lux Premiere Series, for installation over concrete above, on or below grade, or over wood or plywood subfloors. Consult Sweet's Catalog — or let us send you samples, color charts and detailed architectural specifications. Azrock Floor Products Division, Uvalde Rock Asphalt Company, 512A Frost Building, San Antonio, Texas.

Magnified view shows pattern distribution through full thickness of tile. Gauges: 1/8", 3/32", 1/16". Standard size: 9 x 9". Modular size: 12 x 12" available in quantities of 9000 square feet per color — at no extra charge.

See us at the A.I.A. CONVENTION Exhibit No. 411

an exclusive styling by AZROCK®

For more data, circle 9 on Inquiry Card



-Drawn for the RECORD by Alan Dunn

"ARCHITECTURE, I'M FOR IT," YASKO SAYS: CHALLENGES "ARCHITECTS OF 50 STATES" TO MAKE ARCHITECTURE OF U. S. BUILDINGS

In his first public address before an architectural audience since taking office, the new chief architect of the Federal Government last month came out for Architecture ("with a capital A") and placed squarely on the architectural profession of the U.S. the responsibility for deciding when a new era in Federal architecture could begin.

Karel Yasko, who was state architect for Wisconsin until he took office in January as the assistant commissioner for design and construction of the Public Buildings Service of the General Services Administration, was speaking at a program on Federal architecture sponsored by the Architectural League of New York on March 14. His fellow panelists included his predecessor, Leonard L. Hunter, now a partner of John Carl Warnecke and Associates, Architects and Planning Consultants, of San Francisco; Frederick Gutheim, author, critic

and president of the Washington Center for Metropolitan Studies, Washington, D.C.; and (as moderator and chairman of the evening) Douglas Haskell, editor of Architectural Forum and chairman of the Current Work Committee of the Architectural League.

Yasko's Creed

Mr. Yasko described as "my creed and my banner" the statement of "Guiding Principles for Federal Architecture" contained in the "Report to the President of the Ad Hoc Committee on Federal Office Space" (July 1962, pages 25-26 et seq.) and sent last June by President John F. Kennedy as a directive to all Federal agencies concerned with building construction.

"Within its guidelines," Mr. Yasko asserted, "we are permitted to produce the greatest architecture in the world—if we have the talent."

Every architect who works for

GSA, Mr. Yasko said, now gets a copy of the statement—and usually a reading by Mr. Yasko as well. The excerpts Mr. Yasko selected to read:

"The belief that good design is optional, or in some way separate from the question of the provision of office space itself, does not bear scrutiny, and in fact invites the least efficient use of public money. . . .

"The Federal Government, no less than other public and private organizations concerned with the construction of new buildings, should take advantage of the increasingly fruitful collaboration between architecture and the fine arts. . . .

"Major emphasis should be placed on the choice of designs that embody the finest contemporary American architectural thought. . . .

"The development of an official style must be avoided. Design must flow from the architectural profession to Government, not vice versa."

continued on page 26

This new addition to the Student Union Building measures 112' x 72'. 20 precast wall panels prestressed at 200 psi form the side walls. They are 8' wide and vary in length. The two longest are 35'. Note Tee section stairs leading to entrance. Louvers shielding entranceway are attached to cantilevered roof and floor Tees.

PRECAST and PRESTRESSED

CONCRETE Adds Beauty and Utility to College Student Union

• Prestressed single Tee beams form both the floor and roof of this new addition to Gonzaga University's Student Union in Spokane, Wash.

Precast columns support the beams and add a dramatic frame for prestressed wall panels of exposed natural aggregate. An unusual array of giant prestressed louvers add a decorative and protective screen to the main entrance. Even the main stairway is precast concrete—formed by basic sections of a single Tee.

The varied use of concrete in this new structure adds more than a pleasing design that blends easily with the existing architecture. Such all-concrete construction also provides the utmost in fire-resistance. Strength for long service. Freedom from maintenance. And low initial cost.

LEHIGH EARLY STRENGTH CEMENT BENEFITS ALL MEMBERS OF THE TEAM

Central Pre Mix Concrete Co. used Lehigh Early Strength Cement for the precast and prestressed units in this building. Here, as in almost any concrete work, this cement provided important benefits for manufacturer, contractor and architect alike. Quicker re-use of forms. Earlier availability of units. Assured ontime delivery for smoother planning. Lehigh Portland Cement Company, Allentown, Pa.




Architect: Whitehouse, Price & DeNeff
Associate Architect: Henry J. Swoboda
Engineer: Andy Bingham
General Contractor: Wm. Spilker & Sons
Prestressed & Precast Units: Central Pre
Mix Concrete Co., Prestressed Division
Ready Mix Concrete furnished by: Central
Pre Mix Concrete Co.

All of Spokane, Washington



Fourteen prestressed single Tee beams form the roof; the same number are used for the floor. Roof Tees are 8' wide; range from 88.2' to 30' in length. Floor Tees are 73' long, 8' wide, 3' deep. The precast supporting columns are 34' high, 3' deep, 8" thick.



PREVENT THIS WITH ALLIANCEWALL

Porcelain shattering? Excessive chipping? Forget it! With AllianceWall, you don't have this problem so common with ordinary heavy porcelain panels. Here's why: AllianceWall is made of

lighter gauge steel or aluminum, so it has a slimmer coating of porcelain enamel; made to handle more flex or twist than ordinary porcelain. Further, AllianceWall is shock absorbent. It's laminated to a hardboard backing that cushions construction jolts and blows like a sponge, meaning fewer job replacements.





Actual photograph of AllianceWall on the left and heavy gauge porcelain panel on the right subjected to blow from 10 lb. ram falling 6 in.

You can see the advantages of using AllianceWall. There's far less construction damage, and greater on-the-job workability, adding up to substantial savings in time and money plus

longer life. You can choose from 28 standard porcelain enamel colors (any other color, too, for a small extra charge). Available as either a veneer or insulating panel, and in a variety of sizes, thicknesses and cores. For information write Main Plant and General Offices, AllianceWall Inc., P. O. Box 247, Alliance, Ohio.

Alliance Vall

Regional Offices: Baltimore, 301 823-1606; Atlanta, 404 876-2005; Alliance, 216 823-6170; Milwaukee, 414 464-5684; Houston, 713 225-0509 Representatives in All Principal Cities

For more data, circle 10 on Inquiry Card

Federal Architecture

continued from page 23

And finally, the admonition of Pericles to the Athenians, quoted in the statement: "We do not imitate, for we are a model to others."

Who Makes Architecture

How and when the policy gets translated into Architecture "with a capital A," in Mr. Yasko's view, is up to "the architects of the 50 states," and he had some very forthright advice:

"Don't go around blaming that ogre, the Government, for your incompetency or your inadequacy—or perhaps your unwillingness to give the Government the very best you've got. . . . I say the level of architecture throughout the nation, be it private or public, reflects directly the quality of our profession.

"From my recently-gained view-point of public life—I'm out of private practice only three and a half years—I've drawn some sharp objective observations: that the profession of architecture in the U.S. can claim only a handful of pros, another little fistful of semi-pros, and the greater number are pedestrians.

"The reluctance to come to grips, the unwillingness to study, to explore ideas—many, not just a variation on the original theme—is a common failure. . . . Where is the architect who soaks himself in the project, goes at it with both fists, knocks himself out cold over creation: where is the agony and the ecstasy in architecture today?"

More "Crits" Needed?

Mr. Yasko also decried what he saw as a current tendency toward making architecture merely a channel for self-expression. "Modesty is a precious word and a modest architectural statement is so precious you can rarely find it." He cited as one of the rare examples of "talent without assertiveness" the Lafayette Square project in Washington, D.C. (John Carl Warnecke is the architect.)

Finally, he thought that what architects needed was not more freedom in designing public buildings—they have had that, he said—but more criticism; and he said his office would be prepared to provide any number of "crits" at every stage of any project, whenever an architect asked.

What Experience Taught

Mr. Hunter, who in his eight years as assistant commissioner for de-

sign and construction managed a quiet revolution in Federal architectural attitudes *without* any Presidential banner to wave, had some quite specific principles to offer.

Like Mr. Yasko, Mr. Hunter felt that President Kennedy's endorsement of what Mr. Hunter also regarded as a most enlightened statement on Federal architectural policy was a "most important" step toward a higher level of Federal architecture.

How should this directive be implemented, Mr. Hunter asked? And he answered his own question with 10 suggestions based on his own 28-year experience as an architect with the Federal Government. Mr. Hunter's 10 points:

- 1. GSA should divorce itself completely from outside influence in the selection of architects.
- 2. The GSA committee which reviews the qualifications of architects and recommends selections for specific projects should be expanded to include three architects from private practice.
- 3. All appropriations for new Federal buildings in Washington should be made to GSA.
- 4. Any architect selected for a project in "X" community should be required to associate with an architect "of design ability" when necessary.
- 5. The very first schematic submission of drawings required by GSA should be expanded to show more of the design concept.
- 6. A method should be set up in GSA to obtain and retain funds for fine arts in Federal buildings.
- 7. Control of the design organization in GSA should be returned to the professional architect or engineer; the Commissioner of Public Buildings should always be a top-flight architect or engineer.
- 8. Membership of the National Capital Planning Commission should be reconstituted so that a majority of its seven members are required to be professional planners.
- 9. Method of selection of Fine Arts Commission should be revised to let the appropriate professional societies offer nominations from which presidential appointees could be selected.
- 10. Design of Federal buildings should not be legislated but should be the outgrowth of environs, site and program.

The Public as Client

Promotion of professionalism in public service and recognition by private architects that public architecture demands extraordinary effort on their part were two of the important points made in the evening's opening address by Mr. Gutheim.

Introducing the theme which became a recurring one in the later talks, Mr. Gutheim said the problem as he saw it involved the private architects first of all. Are their expectations naive, he asked? Are they adequate to this kind of practice? Are they willing to accept it as involving special qualifications and endeavors, and to specially prepare themselves for it as they would, say, for hospital design? How can architects overcome their inexperience in public affairs, in working with public clients who have large-scale and complex operations?

On the government side, Mr. Gutheim suggested perhaps the most important difficulty is the public, whose taste and demands are reflected in the political process. How can they be educated, made to look ahead, brought to higher levels of cultivation and thus become better clients? In the relationship between the architect and his immediate client, the government, Mr. Gutheim asserted that efforts by the government alone cannot produce the desired resultsthe architects themselves, the architectural press, the building product manufacturers must all contribute to a solution.

Some guidelines for moving ahead offered by Mr. Gutheim:

- 1. Select only the best architects for public work—competitions are sometimes the answer; advisory panels of distinguished private architects like the panel so successfully used in the State Department's foreign buildings program ought to be considered.
- 2. Simplify and improve the relationship of the private architect with the Federal agency, and make it a stimulating encounter.
- 3. Provide technical support, better programs and especially more high-level staff architects, not to do design but to collaborate as "architectural clients." We need to value and respect the public staff architect, a new breed, the closest to a warm, live "client" in the Federal building process.



A soaring arch of Plexiglas admits natural light into mall areas of the Marin County Civic Center building. Frank Lloyd Wright, Architect; Taliesin Associated Architects of the Frank Lloyd Wright Foundation: William Wesley Peters, Chief Architect; Aaron G. Green, AIA, Architect Associated.

The 384-foot skylight is Plexiglas

Frank Lloyd Wright designed this

skylight. PLEXIGLAS® acrylic plas-

tic gave it form and substance. It

is one of the distinguished fea-

tures of a famed new structure,

the Administration Building of the

Marin County Civic Center, near

San Rafael, California. The sky-

light is 384 feet long, 20 feet wide.

Each curved span consists of three large sheets of transparent PLEXIGLAS, supported by ribs made of channeled aluminum.



PHILADELPHIA 5. PA




The PLEXIGLAS is only one-quarter inch thick. It provides the required combination of strength, weather resistance, crystal clarity, and light weight. We will be pleased to send you detailed information on the use of PLEXIGLAS for continuous-arch skylights and other architectural applications.

® Trademark Reg. U. S. Pal. Off., Canada, and principal Western Hemisphere countries. Sold as Oroglas® in other countries.

PLEXIGLAS

For more data, circle 11 on Inquiry Card



The Powder-Actuated Weakling

(We spent 5 years making it just weak enough)

Powder-actuated tools were always very efficient. But for heavy-duty fastenings only.

We've perfected a new, weaker tool. Pow-R-Set,* for light- and medium-duty fastenings.

Too weak to over-penetrate.
Too weak to ricochet.

But strong enough to anchor an

aluminum window track.

Or set a metal channel runner. Or fasten any light gauge metal or wood to concrete (up to 6,000 p.s.i.) or steel (up to 3%" thick). Quickly and permanently.

Quickly and permanently.

Pow-R-Set works on a totally new principle.

Instead of shooting, it ham-

mers. The powder charge drives a piston inside Pow-R-Set's barrel. The piston drives the fastener home.


In one mighty (weak) surge. For complete information, the man to see is your local Ramset® dealer. He's listed in the Yellow Pages, under "Tools."

Ramser winchester-western division Olin 301-D winchester Avenue, New Haven 4, Conn.

For more data, circle 12 on Inquiry Card

1	We	make	a	hand	traverse	that	can	be	recessed.

0		IIIGIILO	64	11021101	LIUVOIOO	ciide	Ouli	100	1000000	, Ca 1
2	П	ш	П	cord	11	п	П	п	111	
3	П	11	П	hand	11	11	П	П	flange	mounted.
4	Ш	11	П	Ш	- 11	11	Ш	11	flush	п,
(5)	П	П	П	cubicl	e track	11	П	П	11	11 .
6	П	11	11	hand	traverse	П	11	П	bracke	t".
(7)	П	11	11	cord	П	П	П	П	п	11



As you will see in our book when you send for it.

EQUIPMENT" DF CATALOG is free for inquiry to: Kirsch Co., 310 Pr	ARCHITRAC® "ORIGINAL RAPERY HARDWARE The asking (also in Sweet's). Address your rospect, Sturgis, Michigan. Ask, too, for pricelabout our nationwide consultation service.	- NECESSAR PROCESS THESE AND PAIR was planted through hardware discharacteristic polithelians a god revolution applications
estimating imorniation, and	about our nationing concentation continue	_ vol
NAME	TITLE	




CONTROL FLOW OF TRAFFIC WITH THE DESIGN



SPEED is imperative in responding to emergencies. Heavy steel "OVERHEAD DOORS" on Fire and Crash Building rise in 9 seconds automatically, at the touch of a button from main control tower.



RELIABILITY is key factor in all maintenance facilities required to keep the airport mobile. Special 19-ft. "OVERHEAD DOORS" deliver day-in, day-out dependability in Main Terminal Building.



AUTOMATIC CONCEPT of new "AUTO-MATE" door operators, engineered to meet jet-age requirements, provides the flexibility and control the architect sought throughout his design.



FLEXIBILITY OF THE "OVERHEAD DOOR"

At Dulles Airport, "Traffic" means much more than just people and planes. Traffic means a constant flow of air cargo and the ground vehicles to handle it. Traffic means a sizeable task force of fire and crash equipment and the maintenance crews to keep it "at the ready."

To solve these and many other problems in traffic flow, the architects called on the engineering experience and production facilities of Overhead Door Corp. Their confidence was well placed, judging by results. Already installed: 115 doors, 104 of them equipped with "AUTO-MATE" automatic operators, with more on order. Now, traffic flows smoothly, quickly, flexibly, with The "Overhead Door." Installed side-by-side, and equipped with "Auto-Mate" automatic operators, these doors become a movable wall. Opened as a group, they can give total access to an area. Opened individually, they can

direct the flow of traffic, prevent pile-ups.

No limitations on materials—The "Overhead Door" comes in aluminum, steel, and wood. With glass panels or without. Doors of any size or style to fit any opening.




OVERHEAD

General Office and Manufacturing Division: Hartford City, Ind. Manufacturing Distributors: Dallas, Texas; Portland, Oregon; Cortland, N.Y.; Hillside, New Jersey; Lewistown, Penn.; Nashua, New Hampshire. In Canada: Oakville, Ont.

CORPORATION

Get details from your local distributor - he's listed under "Overhead Door" in the white pages; or write to General Office above.



NOW! CUSTOM LIGHTING EFFECTS WITH STANDARD SKYDOME® SKYLIGHTS

The Sky's the Limit... Take any of the standard Skydome units shown above. Combine them into patterns like those in the ceiling plans. You've got yourself custom daylighting... without custom prices.

There's no limit to Skydome combinations and applications. A ring of bright sunshine around a cafeteria. A diamond over a lobby. A shining star in an auditorium.

It's geometric poetry. Yet it's practical. Because like

all Skydome units, these models permit fuller use of floor and wall space, make work areas brighter, and trim electricity bills.

Design . . . with sunshine. When you use famous Skydome skylights, the sky's the limit.

For complete specifications, see Sweet's Architectural File 20a/Am or Sweet's Industrial Construction File 15c/Am... or write Cyanamid.





BUILDING PRODUCTS DIVISION • AMERICAN CYANAMID COMPANY • 5 BAY STATE ROAD, CAMBRIDGE 38, MASS.

COMMITTEE PLANS RESTORATION OF ROBIE HOUSE



The restoration of Frank Lloyd Wright's famed Robie House in Chicago is the aim of an international campaign to raise a needed \$250,000. At the campaign's launching in February, William Zeckendorf Sr., board chairman of Webb & Knapp Inc., presented the deed to the house to Dr. George W. Beadle, president of the University of Chicago. Mr. Zeckendorf spoke of the "imperishable value" of the house as a work of art and an object of beauty. Dr. Beadle said the university will maintain the house in perpetuity, but that its funds may not be spent for architectural restoration. The university will use and maintain the house for educational purposes.

Robie House, built in 1909 and perhaps the most famous example of Wright's Prairie Houses, was designated an irreplaceable landmark by the Commission on Chicago Architectural Landmarks in 1957. That same year, after plans were announced for the razing of the house, Webb & Knapp purchased the building for use as its construction headquarters. In its series, "100 Years of Significant Building" published in 1956-57, ARCHITECTURAL RECORD saw Robie House as tying for first place in the category of houses.


Ira S. Bach, Chicago city planning commissioner, is chairman of the Robie House Committee, composed of over 100 architects, architectural authorities and persons interested in preserving this landmark.


In an appraisal of Robie House, August Heckscher, special White House consultant on the arts, said: "The creation of contemporary works of lasting merit, now and in the future, is not possible if we fail to preserve with a certain love and piety the high points of our past achievements. Those who are working to save Robie House are doing a real service to architecture..."



83 YEARS OF RELIABILITY

PROVEN by thousands of well-known BAYLEY INSTALLATIONS from Coast to Coast.








The Problem: Keep unwanted sound out

The Solution: Acousta - Pane®

The Producer: Amerada Glass Corporation




The development of Acousta-Pane has...for the first time...provided the architect with a glass which efficiently isolates sound.

Acousta-Pane can be utilized effectively for both interior partitioning to achieve acoustical privacy, as well as for exterior walls which will control transmission of outside noises. No other glass equals the sound isolation properties of Acousta-Pane.

Acousta-Pane standard thicknesses ... $\frac{1}{4}$ " to $\frac{5}{8}$ " ... require no special installation or handling. It is shatter-resistant and may be obtained in clear or with amber tint.

Acousta-Pane has broadened both the functional and esthetic utilization of glass. Its economy and practicability further commend Acousta-Pane to the architect's interest in the design of modern buildings. AMERADA GLASS CORP., 3301 S. Prairie Ave., Chicago 16, Ill.




Acousta-Pane is especially effective in the critical frequency range for speech and normal office sounds—from 500 cps to 4000 cps—where ordinary glass is relatively "transparent" to sound.

Relative proficiency of Acousta-Pane II (1/4") III (7/16"), and IV (5/8") in reducing sound transmission (measured in decibels) through the frequency spectrum from 125 to 4000 cps.



* See Sweet's 1963 Catalog, Section $\frac{7a}{Ae}$ Write for descriptive brochures on Acousta-Pane and other Amerada architectural glass products.



In the past 25 years more progress has been made in the knowledge and application of light and lighting equipment than in the millions of years that went before.

The benefits of properly applied, modern lighting fixtures are enjoyed today inside and outside of offices, plants, schools and stores throughout the world.

You and your clients can enjoy these benefits, too. Easily and economically.

Let Sylvania help solve **your** lighting problems with their broad line of top-quality indoor and outdoor lighting fixtures.

For descriptive and specification information on Sylvania fixtures, see Sweet's Architectural File or write direct.


Sylvania Lighting Products
A Division of Sylvania Electric Products Inc.
One 48th Street, Wheeling, West Virginia

LIGHTING FIXTURES BY

SYLVANIA

GENERAL TELEPHONE & ELECTRONICS





Sylvania's Newest Shielding

Sylvania's trim, distinctive Classic Series is now available with an exclusive Prismatic Plastic Lens in both 2-lamp and 4-lamp wide units. This attractive, low brightness shielding with its subtle glow provides an unusually tasteful design. Photometric data on request.





For more data, circle 19 on Inquiry Card




REPUBLIC'S NEW SINGLE-

RE-BARS








New John Schoff Millis Science Center on Western Reserve University campus, Cleveland, Ohio. Architects: Small, Smith, Reeb & Draz. General Contractor: The Albert M. Higley Company. Mechanical Contractor: Gorman-Lavelle Plumbing & Heating Company.


SOURCE SERVICE

saves time and costs at university science center

METAL LUMBER®



LIBRARY SHELVING



A single comment by one contractor on the building of this new science center tells the story: "Republic products were delivered on time."

On time means on schedule, too—and all the Republic products shown were delivered in coordination with construction schedules: the kind of delivery that in today's cost climate can mean the difference between a fair profit and an unreasonable loss.

When you can get so many of your building needs from a single source, why deal with more? Assure yourself a fair profit.

Save at the planning stage — save in construction — save on completion time, with single-source single-responsibility supply of Republic building products, delivered on time!

REPUBLIC STEEL CORPO	ORATION
MANUFACTURING DIVISIO	N
DEPT. AR-5964. YOUNGSTO	WN 5. OHIC

Put us on your schedule to receive literature on:

- ☐ LIBRARY SHELVING
- ☐ RECESSED LOCKERS
- ☐ RE-BARS
- ☐ METAL LUMBER

Name_____Title

Company

Address____

City_____State



REPUBLIC STEEL

MANUFACTURING DIVISION YOUNGSTOWN 5, OHIO





MUSIC/PROGRAM DISTRIBUTION SYSTEM

COMMUNICATIONS SYSTEMS DIVISION

DUKANE CORPORATION

DEPARTMENT AR-43 . ST. CHARLES, ILLINOIS


DUKANE

SACRED HEART SCHOOL OF VAILSBURG,

Newark, N. J.—Emil A. Schmidlin—architect; Frank W. Bogert—builder. CV Durathin units 12" x 16" x 3%" in sea mist green make a colorful, durable wall at entrance.

CV DURATHIN®

3/8" thin ceramic facing material provides a wide choice of colors and sculptured patterns. Weighs only 4 lbs. a square foot. Maximum net face size 173/4" x 233/4"



When you specify CV DURATHIN you get utmost economy without sacrificing quality or color


Thinness, light weight and large size units make 3/8" CV Durathin less costly to buy and install than other materials of comparable quality. Maintenance is minimized too, by CV Durathin's ceramic finish which resists dirt and grime. You have a spectrum-rivaling range of solid or mottled colors


from which to choose . . . for smooth surfaces, or sculptured patterns in the Design Series. Use CV Durathin to give the budget buildings you design the architectural expression you desire. Consult Section 13d/Fe in Sweet's, or write for complete data.




FEDERAL SEABOARD TERRA COTTA CORPORATION

10 East 40th Street, New York 16, N.Y. • Plant at Perth Amboy, N.J.





This is only one way you make a



sandwich with Styrofoam® FR.

No matter what you specify for the outside or inside walls, Styrofoam FR brand insulation board goes perfectly in between. Because it stays dry, Styrofoam FR keeps its low "k" factor permanently. And it's so versatile:

Cavity Wall—Styrofoam FR is simply placed between interior masonry and exterior brick—cutting the wall's "U" value by one-half or more. Styrofoam FR provides an excellent vapor barrier. It can't absorb moisture, can't settle, either.

Wallboard Base—Styrofoam FR bonds directly to masonry with Styrotac® bonding adhesive; wallboard to Styrofoam FR the same way. Single thickness gives double-laminate quality with no furring, nails or fuss.

Form Liner—Styrofoam FR is attached to the form, concrete poured and the form removed. Then the finish is applied to Styrofoam FR without furring or lathing: a better insulated wall at no extra cost! For more about making sandwiches with Styrofoam FR, see Sweet's Architectural File under building insulation products and systems. Or write us: The Dow Chemical Company, Plastics Sales Dept. 1002N4, Midland, Michigan.

Styrofoam is Dow's registered trademark for expanded polystyrene produced by an exclusive manufacturing process. Accept no substitute...look for this trademark on all Styrofoam brand insulation board.





NEW styling in smart, exclusive CHF design. No. 430 Bar Stool with 834 Seat, shown.

NEW . . . matching base for tables, chairs gives completely integrated decor. Choice of new seats now available. Write:

CHICAGO HARDWARE FOUNDRY CO. North Chicago, Illinois

Showrooms in All Principal Cities

For more data, circle 135 on Inquiry Card

H&K

PERFORATED METAL GRILLES

(Send for Grille Catalog)

Perforated Decorative MATERIALS

(Send for Catalog 75)



Illustrations shown in reduced size

Harrington & King has been serving architects for 75 years with a wide selection of classic and modern designs in grilles and decorative materials.

H & K grilles are furnished in accordance with your specifications . . . in practically any type and gauge of metal . . . and in the finish desired. Perforations are clean and burr-free, margins are in alignment, and each grille is leveled and inspected before shipment.

H & K decorative patterns, from a vast selection of existing dies, are serving architects in many new and unusual ways. If your plans call for perforated materials, depend on H & K!

See Sweet's File—30f/Ha





H&K AGENT Yellow Pages

arrington & PERFORATING CO.

Chicago Office and Warehouse 5624 Fillmore St Chicago 44 New York Office and Warehouse 114 Liberty St., Dept. AR, N.Y. 6

For more data, circle 136 on Inquiry Card



Safety Designed

PERFORATED RUBBER MATS

Inlaid or Plain


Feature safety, quality and beauty for entrances, lobbies, vestibules, Musson Mats are made in all sizes and shapes. Easy to clean and handle. Name or design can be inlaid in mat, in colors. Prompt delivery.



PYRAMID surface design in heavy, "live" rubber gives safest foot traction, ease of cleaning. PEBBLE BASE allows air circulation and drainage under mats. COLORS: Black, Brown, Red, Green, Gray, Sand.

MUSSON ALUMINUM MAT RECESS FRAME

Insure perfect fit of entrance mats, flush with floor surface, using Musson frames. Prefabricated at factory to match mats. Drop in place with ease. Complete with anchor keys and re-inforced corner pins. Save time and money for builders and installers. Save mats.



MUSSON MOLDED RUBBER STAIR TREADS

Musson makes treads of the toughest, heaviest gauge and weight molded rubber. They are designed for safety, beauty and durability. Try them!

Write For Catalog, Samples and Prices

THE R. C. MUSSON RUBBER COMPANY

1322 EAST ARCHWOOD

AKRON 6, OHIO

For more data, circle 137 on Inquiry Card

Neat!



Why put up with a clumsy-looking water chiller? The new Chrysler Airtemp line of 20-100 HP packaged chillers now gives rugged reliability a sleek, new look!

Contrast the elegant, modern design of this 100 HP chiller with the usual maze of pipes, iron, sheet metal and gauges. Appearance is important, of course, but make no mistake about it — these new chillers will give you the same outstanding performance you've always associated with Chrysler Airtemp's line.

The new chillers also answer all the other major problems you once had to deal with. They are quiet — the only single compressor units of over 20 HP with a sound cabinet, permitting installation in quiet areas.

They are compact — even the 100 HP unit will go through a 35" by 6'8" opening, which means the unit can often be taken to the roof right in the elevator.

Other important features include a very precise and simple electric unloader (Chrysler originated individual cylinder unloading) . . . and easy accessibility (all controls can be reached from a removable 4' x 4' front panel.)

The new design translates useless pounds of structural steel into "mechanical muscle" for longer life and trouble-free service. You can find out more about this revolutionary new line by writing to Chrysler Corporation, Airtemp Division, Dept. C-64, Box 1037, Dayton 1, Ohio.

AIRTEMP DIVISION

For more data, circle 21 on Inquiry Card →



PARKING FOR 1000-1200 CARS IN POST-TENSIONED STRUCTURE

Heating and Cooling Equipment for 44-Story Building Carried on Top Level

When architects Welton Becket & Associates, and engineers Stacey & Skinner designed the parking garage for the new 44-story Humble Oil and Refining Office Building, Houston, post-tensioned prestressed concrete construction was specified. The contractor selected the Prescon System. This type of construction provided greater versatility in the utilization of parking space. Headroom was not decreased by beams as openings were formed in them, and the appearance of tees and slabs was clean. A bank and service station occupy a portion of the ground level.

Construction is of pretensioned beams, 63' long and spaced 28' apart, post-tensioned in place after the slab load was on them. The slab $(7\frac{1}{2}$ " thick—9" for top level) is post-tensioned using coupled tendons totaling 252 feet. The



two circular ramps (behind extension screen at center and right corner of photo) are post-tensioned cantilevers 17'. At no point does the ramp structure tie to or touch the parking level slabs.

Prescon representatives can show you applications of the Prescon System of post-tensioning prestressed concrete in poured-in-place, lift-slab, and precast construction in many types of structures. Write for brochure showing numerous buildings and listing almost 200 others which used the Prescon System.

NEW 3 COLOR BROCHURE ON PARKING GARAGES READY—WRITE FOR YOUR COPY.




THE PRESCON CORPORATION

P. O. Box 4186 • Corpus Christi, Texas Albany • Atlanta • Memphis • Dallas • Denver • Houston Los Angeles • St. Louis • San Francisco • Seattle

MEMBER OF PRESTRESSED CONCRETE INSTITUTE

100 VI 4 A0000 VI





Roman Glass (First to Third Century A.D.), from the collection of The Detroit Institute of Arts.

YOUR FORD ARCHITECTURAL GLASS

REGIONAL SALES OFFICES


WESTERN STATES W. P. Fuller & Co. 222 N. Avenue 23 Los Angeles, California CA 5-1212 DALLAS, TEXAS Ford Motor Company Stemmons Towers East 2700 Stemmons Freeway ME 1-6430

DENVER, COLORADO Ford Motor Company P.O. Box 5588 Terminal Annex AL 5-3461 NASHVILLE, TENN. Ford Motor Company P O. Box 1355 Nashville Glass Plant CY 7-0911


NEWARK, N.J. Ford Motor Company 36 Park Place MA 2-5211 (In N.Y., CO 7-3868) PHILADELPHIA, PA. Ford Motor Company Pennsauken, N.J. NO 3-2100

WIXOM, MICH. Ford Motor Company P.O. Box 100 FI 9-2400





VAN-PACKER®



Is The Only Medium Heat Appliance

Underwriters' Taboratories, Inc.

INSPECTED

Van-Packer Model HT Smokestack

THAT'S U.L. LISTED

Whatever the installation — incinerator, boiler or furnace — cut your costs safely with a U.L. listed Van-Packer Model H-T stack.

Made of special refractory material, Van-Packer averages 3 times longer life than a steel stack. A Van-Packer costs no more than a comparable steel stack — less than brick or tile-lined concrete block stacks.

For incinerators, boilers or furnaces with a range of 8 diameters from 10" to 36", Van-Packer offers the safety, performance, and economy you require.


VAN-PACKER...
First choice to last!

For complete engineering and application data, write for Bulletin IS-57.



THE FLINTKOTE COMPANY


Van-Packer Products Division 30 Rockefeller Plaza, New York 20, N. Y.



STORE EQUIPMENT

MANUFACTURED

TO your SPECIFICATIONS



METAL FABRICATION and FINISHING including ELECTRO-PLATED FINISHES and HIGH-TEMPERATURE oven-baked EPOXY COLOR ENAMEL FINISHES • WOODWORKING and CABINET MAKING . . . over fifty years experience in producing fine quality wood fixtures, showcases, etc. for America's leading retail stores • PLASTIC LAMINATING . . . wood grains and colors to your specifications.

EXPERIENCED INSTALLATION CREWS are available to YOU when YOU work with "American"







AMERICAN FIXTURE INC.

TRIMLOK STORE EQUIPMENT

U. S. PATENT NO. 3004814 and U. S. PATENT NO. 2810598

GENERAL OFFICES: 2300 LOCUST STREET . SAINT LOUIS 3, MISSOURI . AREA CODE 314 . GArfield 1-2170

For more data, circle 25 on Inquiry Card

Doors are to close... RUSSWIN

Required Reading

Luxor, 1951 —from "The Notebooks and Drawings of Louis I. Kahn"

Kahn

THE NOTEBOOKS AND DRAWINGS OF LOUIS I. KAHN. Edited by Eugene Feldman and R. S. Wurman. The Falcon Press, Philadelphia; dist. by Wittenborn and Company, 1018 Madison Ave., New York 2. No. pagination, illus. \$14.50.

This book is confirmation of what appears to be a trend to large-format volumes of well reproduced drawings. Mr. Kahn is adept with pen, pencil and crayon, whether he is applying them to conceptual drawings, finished perspectives or travel sketches.

Oddly, it is the travel sketches which seem to reflect best the architect's mind at work, as in the four drawings of the cathedral at Albi; impressions of structure, purpose, bulk and texture, are quite clearly evidenced. Of Mr. Kahn's own designs, probably the six drawings of the Medical Building are the most illuminating, progressing as they do from early sketches to a late definitive study. Part of this illumination undoubtedly lies in the reader's prior knowledge of the building and the reasoning behind its design. Which fact indicates the book's greatest disappointment—its paucity of factual information.

None of the drawings—thank heaven!—are the pretty pictures produced for the layman-client. But even the architect—studying a conceptual city plan, for instance—needs some idea of the problems to be met and

the solutions derived. Without such an idea, he runs the danger of perceiving architectural drawings as a shallow esthetic pleasure in pattern and technique.

Nonetheless, most of the drawings *are* informative, the entire book *is* handsome, and the whole is amplified by selected writings of Mr. Kahn.

Giedion

THE ETERNAL PRESENT: THE BEGIN-NINGS OF ART. By S. Giedion. Bollingen Series, 140 E. 62nd St., New York 21. 588 pp., illus. \$12.50.

Subtitling his book, "A Contribution on Constancy and Change," Mr. Giedion has begun (this is the first volume of his study) to compare and assess the discoveries made about primeval art during the past 50 years and the developments in contemporary art through the same period. This is not to suggest anything as simple as an examination of the derivation of modern techniques from admirations of cave paintings. (Prehistoric art, for the purposes of this study, is confined to European cave art.) Rather it is an effort to get behind the surface brilliance of prehistoric depictions of animals to find the essential concepts which governed the expression, and to find what relevance those concepts may have for modern life and modern art.

By far the largest part of the book,


in terms of bulk, is devoted to symbolization. Most architects will probably be more interested in the sections on prehistoric space concepts. Mr. Giedion takes issue with the view that prehistoric man carved and painted in a primitive attempt to establish order or to assert his humanity in the face of overwhelming and terrifying chaos. Primeval man, he maintains, did not see himself as a creature apart, nor did he recognize space as a quantity which could be divided and controlled. As time was conceived as "the eternal present," space was conceived without distance and without direction. Art was, in short, pre-architectural: modern man's recognition of space relationships in the caves results largely from his experience of architecture. The subject of man's attempted dominion over space through architecture is promised for a second volume, "The Beginnings of Architecture."

Illustrations include 351 half tones and 20 color plates.

Churches

TOWARDS A CHURCH ARCHITECTURE. Edited by Peter Hammond. The Architectural Press, 9-13 Queen Anne's Gate, London S.W. 1. 262 pp., illus. 30s.

This is a collection of papers read over a period of years to Britain's continued on page 56



Here's a door closer so compact you can put it in the door instead of on it! Doors look better . . . so do your interiors. Even where you must have surface-closer installations, you can get the Top-Railer with attractive covers that conceal the closer mechanism. Either way, your clients get complete door control. Separate adjustments regulate closing speed, latching, and back-check. High-strength construction throughout. See your Russwin supplier. Or write for literature to Russell & Erwin Division, The American Hardware Corporation, New Britain, Conn.


For more data, circle 26 on Inquiry Card

To help you close doors with simplicity...
Top-Railer Door Closers by



OZALID NEWSLETTER

NEW IDEAS TO HELP YOU WITH ENGINEERING REPRODUCTION AND DRAWING



New ITX line of intermediates by Ozalid offers finest-line pick-up and fastest printing speed of any intermediates!

Three new diazo intermediates which fit their performance directly to your reproduction requirements are now available from Ozalid! They require no special equipment or processing and can be exposed on any Ozalid whiteprinter or similar machines.

Unmatched pencil-line pick-up power

The standard (402 ITX) and faster (404 ITX) intermediates reproduce faintest details faithfully. Their "pencil-line pick-up power"—the true measure of a good intermediate—is rated excellent by research and development technicians and by industry experts.

Improved 402 ITX—the standard intermediate in the new line, has greatest density and assures maximum readability in the final print.

All-new 404 ITX is a distinct im-

provement over other sepias and combines fast printing speed with high quality reprints. Its broad covering power results in sharpest images. The new 100% rag, transparentized and blue-tinted base gives faster printback speeds. 404 ITX narrows the gap between printing and reprint speeds; in many cases both speeds are identical.

Fastest intermediate you can get!

406 ITX—another new Ozalid intermediate, is twice as fast as 402 ITX. Density is a trifle less, but the remarkable increases in production, over 100%, offset its slight decrease in covering power.

New, easy-on-the-eyes, readability

The rich mahogany image color of the new ITX series contrasts sharply with the blue-tinted background, providing excellent visual acuity and exceptional readability.

For more data, circle 27 on Inquiry Card

Which to use? 402? 404? or 406?

402 ITX—because of its superior covering power—is of great value to architects, engineers and draftsmen who demand exceptional repro fidelity as well as good printback speed.

404 ITX (Fast Speed) and 406 ITX (Extra Fast Speed) increase productivity of slow speed machines. In production shops where the number of intermediates needed is consistently high, copies may be run off on both these new materials at far faster speeds.

The ITX intermediates, either separately or as a product family, offer important advantages to every diazo user.

Corrections are simple

Dye line eradications can be made quickly and easily with Ozalid[®] Intermediate Corrector. Special base stock readily accepts pencil and ink additions.

Repeated erasures don't ghost or lose "tooth"

The ITX product line has a 100% rag-tracing vellum stock as a base with a new plastic transparentizer. Even repeated erasures made on the same spot do not destroy the "tooth" or ghost in printbacks.

Get all the facts now!

For complete information about this new family of intermediates, write OZALID, Dept. 142 Binghamton, New York.




General Aniline & Film Corporation
In Canada: Hughes-Owens Co., Ltd., Montreal.





Decorate...





Define...





Pave any project in color with new Viadon® and Miradon®

Now you can specify color wherever you specify paving—red, green, blue, yellow-gold and white. New Viadon and Miradon are unit-packed for economy on small jobs. They're heat- and fuel-resistant and provide superior strength for the heaviest loads. The color is part of the mix—lasting color with which you can create more attractive parking and recreation areas . . . safer floors, streets and highways . . . more elegant patios, pools and driveways. New Viadon and Miradon can be mixed in standard asphalt plants and laid with existing equipment. For a detailed brochure, write to our Asphalt Sales Department in Houston, Texas.



IT PAYS TO DO BUSINESS WITH HUMBLE . . . AMERICA'S LEADING ENERGY COMPANY

NEEDED FOR YEARS...to prevent perplexing predicaments in the bathroom...AND HERE IT IS



A NEW BATHROOM CONVENIENCE Just a cover-opening away is the spare...insurance against embarrassment. Closed it's one of the most attractive accessories a modern bathroom can have. Beautifully chromed and precisely made in every detail, it combines a new and original idea with Hall-Mack's fine styling.

The smoothly operating door which conceals the extra roll is a sparkling, chrome plated brass panel—compact and flush with the wall—that blends pleasingly with any decor.

For new homes or remodeling, you're sure to make friends and influence new customers when you specify, sell or install built-in features by Hall-Mack—especially Conceal-A-Roll with the "spare" compartment that solves a delicate problem.



Sold by leading plumbing, tile and hardware dealers everywhere.

For more data, circle 28 on Inquiry Card

Required Reading

continued from page 52

New Churches Research Group by architects and churchmen. The contributors are drawn from Roman Catholics, Anglicans and Protestant denominations.

Without exception, each urges liturgical reform and corresponding architectural reform. The argument—for greater community in worship, for an elimination of vestigial medievalism, and for architectural programs based on a reassessment of liturgical function—was described by Peter Hammond in "Liturgy and Architecture" (see Required Reading, April 1962).

Each of these writers also takes for granted the interlocking effects of liturgical and architectural reform. If a clearer idea of liturgical requirements is basic to a meaningful architectural expression of Christianity, so architecture, by providing churches which serve worshippers in communion rather than spectators in awe, may shape a more meaningful approach to liturgy. This interdependence is viewed from the vantages of theology, history, symbolism, sociology, even technology.

In light of liturgical changes which may quite possibly come out of the current ecumenical council, and in light of growing Protestant interest in re-examining liturgy and church architecture, these papers are must reading for architects involved in church design, as well as for church building committees.

Monographs

JAPANESE ARCHITECTURE. By William Alex. WESTERN ISLAMIC ARCHITECTURE. By John D. Hoag. PRE-COLUMBIAN ARCHITECTURE. By Donald Robertson. CHINESE AND INDIAN ARCHITECTURE. By Nelson I. Wu. George Braziller, Inc., 215 Park Ave. South, New York 3. Each 128 pp., illus. Each \$4.95.

One of the difficulties scholars face when writing popular studies of exotic architecture is that their readers may range from the totally ignorant to the barely familiar. In earlier volumes in this series, covering the great ages of Western architecture, aucontinued on page 64



Skyline High School, Salt Lake City, Utah - Architect: Dean Gustavson & Associates

FOR BUILDINGS WORTHY OF INTERNATIONAL RECOGNITION

Ever increasing costs in school construction. and the nation's dire need for rapidly-constructed, durable and economical facilities that are still aesthetically beautiful, have caused architects and school boards across America to turn to Mo-Sai.

Schools, such as the Skyline High School in Salt Lake City, winner of an International Educational Buildings Conference award, are now quickly erected in time to meet new population explosions.

Skyline High is enclosed by 1,300 precast and preinsulated Mo-Sai panels of exposed aggregates in white or blue matrices. Panels, 5'x10' and larger, were easily bolted to the building's structural frame.

On the classroom block, these panels may be unbolted again to extend the building even further as the need arises and without undue additional cost.

MO-SAI INSTITUTE



Headquarters, 15 East Franklin Street Richmond 7, Virginia

BADGER CONCRETE CO.

BEER PRECAST CONCRETE, LTD.

BUEHNER & CO., INC.

BUEHNER CONCRETE PRODUCTS CO.

CAMBRIDGE CEMENT STONE CO.

ECONOMY CAST STONE CO. Richmond 7, Virginia

FORMIGLI SALES CO

GEORGE RACKLE & SONS CO.

GOODSTONE MFG. CO., INC. Rochester 21, New York

GRASSI AMERICAN CORP

HARTER MARBLECRETE STONE CO. Oklahoma City, Oklahoma

OLYMPIAN STONE CO., INC.

OTTO BUEHNER & CO.

SOUTHERN CAST STONE, INC.

SUPERCRETE LTD

SUPERCRETE (SASK.) LTD. Regina, Saskatchewan, Canada

TEXAS INDUSTRIES, INC.

Arlington, Texas THE MABIE-BELL CO.

Greensboro, N.C. – Miami 47, Florida Peachtree City, Georgia

THE RACKLE COMPANY OF TEXAS Houston 20, Texas

WAILES PRECAST CONCRETE CORP. Los Angeles, California

WILSON CONCRETE CO. Omaha 7, Nebraska



MPERIAL LEBARON FOUR-DOOR

A personal offer to principals of America's 6500 leading architectural firms

This week in your office mail, you'll be offered a new Imperial for private evaluation.

You'll find it a surprisingly different fine car. It's designed for unequalled spaciousness, even to the clearances behind and below the steering wheel. And you'll see unaccustomed luxuries as standard equipment: power windows, hidden storage compartments, an automatic parking brake release, an inside control for the outside mirror.

But Imperial's most startling difference is in the driving. One really must experience its road balance and maneuverability and response to appreciate its reputation as the supreme road car of its field.

It is precisely for such reasons that we challenge you to make your own judgment of the one luxury car warranted* for 5 years or 50,000 miles. Just call your Imperial dealer, and he'll reserve a car for you.

*Your authorized Imperial Dealer's Warranty against defects in material and workmanship on 1963 cars has been expanded to include parts replacement or repair, without charge for required parts or labor, for 5 years or 50,000 miles, whichever comes first, on the engine block, head and internal parts; transmission case and internal parts; torque converter, drive shaft, universal joints (excluding dust covers), rear axle and differential, and rear wheel bearings, provided the vehicle has been serviced at reasonable intervals according to the Imperial Certified Car Care schedules.



IMPERIAL



For more data, circle 29 on Inquiry Card



CLIENT REQUIREMENT:

FLOORING THAT

COMBINES THE

CLASSIC ELEGANCE

OF QUARRIED

TRAVERTINE WITH

THE PRACTICAL

ADVANTAGES OF

SOLID VINYL.

SPECIFICATION:

AMTICO TRAVERTINE

VINYL — NATURAL

STONE TEXTURE.

LONG WEARING,

RESILIENT. EASY

AND ECONOMICAL

TO INSTALL AND

MAINTAIN. NEVER

NEEDS WAXING.

SPECIFICATIONS—1/8" or .080" all-vinyl. Colors: natural, white, terra cotta, beige, avocado, eggshell, cream, bone, sand. Any 1/8" Amtico Vinyl plain color on special order. Sizes: 9" x 9", 12" x 12", 36" x 36" untrimmed. Other sizes by special order. Use on: suspended wood floors; concrete floors above-, on-, and below-grade; walls. Patent #3,012,285.

For free samples and detailed data, write Amtico, Dept. AR-13, Trenton 2, N. J.






Showrooms: New York • Chicago • Los Angeles San Francisco • Dallas • Toronto • London, England In Canada: American Biltrite Rubber Company Ltd., Sherbrooke, Que.





For more data, circle 30 on Inquiry Card



This year the Broadwater Beach Hotel will save \$48,000 in total energy costs

Architect: Thomas Price. Power-Generation Consultants: C. L. Eldred, G. E. Ellefson

Beneath its glamorous exterior hums one of the most efficient energy systems in operation today . . . providing power for electricity, heating and cooling . . . entirely from economical natural gas.

Not a single utility line mars the Broadwater's scenic, 33-acre Gulf Coast tract.

All of the power for the 316-room hotel's facilities comes from three Caterpillar G398 Natural Gas Engines with 500 KW electric generators. They provide low-cost steam for heating — and for cooling with absorption refrigerating units.

Heat radiation from the engines is recovered by an efficient cooling system to warm the building in the winter, cool it in the summer. It also provides abundant hot water all year round. Thermal efficiency during the winter months exceeds 80%.

Natural gas costs 35 cents per 1000 cubic feet in the Biloxi, Miss., area—yet compared to commercial electrical power at 1.4 cents per KWH—total power savings average \$4000 a month. The hotel's investment for power-genera-

tion and heat-recovery equipment will be fully amortized in five years. From that point on, the hotel's only energy expenses will be natural gas and the low operating costs of the Caterpillar-powered system.

Have you investigated the total energy concept with natural gas? Right now efficient systems are working in apartment buildings, hotels, motels, shopping centers, department stores, hospitals, office buildings, banks, and manufacturing plants.

The men to see for further information—including helpful design counsel—are the power-generation specialists at your Caterpillar Dealer.

CATERPILLAR ENGINE POWER



Caterpillar and Cat are Registered Trademarks of Caterpillar Tractor Co.

Caterpillar Tractor Co., General Offices, Peoria, III. • Caterpillar Americas Co., Peoria, III. • Caterpillar Overseas S.A., Geneva • Caterpillar of Australia Pty. Ltd., Melbourne • Caterpillar Brasil S.A., São Paulo • Caterpillar Tractor Co. Ltd., Glasgow • Caterpillar of Canada Ltd., Toronto • Caterpillar France S.A., Grenoble • Caterpillar (Africa) (Pty.) Ltd., Johannesburg


Now...you can design for light weight with high-strength 200-Series Stainless Steels!

200-Series stainless steels make your product light by providing great strength in thin gages. This is because their yield strength in the annealed condition is 40% higher than corresponding 300-Series (18-8) stainless steels—already known for high strength-to-weight ratios. Moreover, the 200's save on material costs since less metal does the same job.

Also, fabricability and corrosion resistance of the 200's are excellent...in general equal to the 300's. For full data on properties and uses, write for the new booklet, "200-Series Chromium-Nickel-Manganese Stainless Steels." Union Carbide Metals Company, Division of Union Carbide Corporation, 270 Park Avenue, New York 17, New York.







For more data, circle 32 on Inquiry Card





HOURS

Tested by a nationally recognized laboratory under ASTM procedure — designation E-152-58 — STANDARD Fenestra steel doors and frames withstood the fire endurance test for 1½ hours.

Fenestra's Full Flush CERTIFIED Doors are welded in more than 200 places to a rugged multi-ribbed inner frame. These new doors, with their built-in safety features, can be used throughout any building. More fire resistance can be provided for schools, apartments, nursing homes, homes for the elderly, public housing, without increasing the cost.

18-Gauge $1\frac{3}{4}$ " doors will resist fire up to $1\frac{1}{2}$ hours.

20-Gauge 1%'' doors, in heights of 7' 0" and 7' 2" will resist fire up to $1\frac{1}{2}$ hours.

20-Gauge 13/8" doors, 6' 8" high, will resist fire up to 45 minutes.

16-Gauge $1\frac{3}{4}$ " frames and 18-Gauge $1\frac{3}{6}$ " frames will resist fire up to $1\frac{1}{2}$ hours.

Fenestra CERTIFIED doors and frames are standard and available from your Fenestra distributor — no premium price — no delays in delivery.

Look for your Fenestra distributor in the Yellow Pages. He will furnish complete information. Or write Fenestra Incorporated, Door Division, Erie, Pa.



METAL DOORS • STEEL CURTAINWALL SYSTEMS • CELLULAR STEEL ROOFS, FLOORS, WALLS • GUARD SCREENS

Fenestra is local everywhere

For more data, circle 33 on Inquiry Card



Specially designed with close-clinching threads, special tapered point and standard ¾" hex head, this new fastener is used for: 1. Fastening sheet side laps. 2. Attaching sheets to light gage structural framing. 3. Fastening flashing to sheets. 4. As plugs, where smaller diameter fasteners have failed.

Performance Features...

- Tighter Laps—Prevents Leakage
- Stronger—Less Stripping-Out
- Lowers Overall Erection Costs

Write for complete data, samples and prices.

Fabricated Products Division

West Newton, Pa.

Townsend Company

ESTABLISHED 1816 . BEAVER FALLS, PA. . A TEXTON COMPANY

Plants in West Newton, Pa. and Santa Ana, California

For more data, circle 34 on Inquiry Card

Required Reading

continued from page 56

thors could count on the reader's visual familiarity and cultural sympathy.


Mr. Alex, writing on Japanese architecture, had an advantage in being able to assume that his readers had some familiarity with this field. In a straightforward chronicle, he has shown sense and discrimination in citing comparatively few buildings for each period. This discrimination yields an added benefit: space enough for a number of illustrations of the more important buildings, e.g., the shrine at Ise, the Todaiji Daibutsuden, and Katsura Palace.

With the exception of tourists who have prepared themselves, most North Americans probably know less about Central and South American architecture of the Pre-Columbian period than about that of almost any other period or region. Mr. Robertson has not been too proud to adopt the journalist's axiom, "Never overestimate the reader's knowledge, never understimate his intelligence." He has written an informative introduction to Pre-Columbian architecture both as architecture and as archeology.

Chinese and Indian architecture is obviously an enormous subject. Attacking it with a sense of the limited space available to him, Mr. Wu has given a broad definition of resemblances between Chinese and Indian architecture in conjunction with their respective religions and cultures. His final chapter is an appreciation of the Chinese garden; unlike most Chinese architecture, which was socially oriented, the garden, as Mr. Wu sees it, is a free expression of the individual's relation to the universe.

Islamic architecture is a subject perhaps even more unknown and uncomprehended by Westerners than Asian or Pre-Columbian architecture. Under this burden, Mr. Hoag's effort to produce a monograph consistent with serious scholarship is valiant; but the ordinary reader, struggling under his own burden of ignorance, might wish a more basic presentation.

The illustrations in all the volumes are numerous, well reproduced, and enlightening, alone or in company with the text. The volumes are designed to match earlier editions in the series.



By the Power Authority of the State of New York Robert Moses, Chairman

General Engineering Consultants
Uhl, Hall & Rich,
Boston, Mass.
Subsidiary of
Chas. T. Main, Inc.

Niagara Power Project,
one of the world's largest
hydroelectric generating plants,
is western New York State's most
important source of electricity.
Capable of generating enough current
(1,950,000 kw) to supply the electrical
needs of an entire city the size of
Chicago, Niagara Power's continuous operating
dependability was a paramount consideration.

Proposed equipment for the \$177,170,000 plant was critically examined. Every phase of this project demanded the utmost in quality — when it came to locks and builders' hardware, Lockwood was used.

Year after year, Lockwood meets the most rigid specification for strength and maintenance-free operation.

LOCK UP WITH LOCKWOOD


LOCKWOOD


LOCKWOOD HARDWARE MANUFACTURING COMPANY, FITCHBURG, MASS.


For more data, circle 35 on Inquiry Card

Glass relates

indoors to outdoors...







TRANSITION between modern building and rustic site (above) is softened by gentle curve of walls and subtle tint of the windows. Rib effect created by adjoining window frames gives vertical texture to walls, offsets emphatic horizontal spandrel lines.


MASS AND SUBSTANCE (left above) are created by precast concave spandrel panels combined with windows of tinted transparent glass and panels of opaque colored glass. Window frames are extruded aluminum porcelainized off-white and articulated from each other and spandrel panels by bands of bronze-colored duranodic aluminum.

SWEEPING VISTAS are made possible by narrow building plan, which places every office within view of the outdoors. Curved terrace is light-tan colored brick.



SERPENTINE PLAN was inspired by site contours, gives employees view of surrounding valleys and hills and of other portions of the building itself.

building to site...in an office in the country



A clean-lined, efficient office building to house 1400 employees of a major corporation. A rolling, wooded, 180-acre site. Wed the two. This was the problem faced by Architect Vincent G. Kling, FAIA, in designing new headquarters for American Cyanamid Company in Wayne, New Jersey.

An important part of Kling's solution was 23,000 square feet of ASG's smoked topaz plate glass, one of several building materials carefully chosen to soften the transition between modern building and rustic setting. From outside, the color of the plate glass blends with the surrounding woodland tones while its highly polished surface reflects the changing colors of the seasons and shifting patterns of cloud and sky. Inside,

the glass transmits the true colors of the landscape and reduces solar heat and glare.

Architect Kling's dramatic and skillful use of plate glass is typical of the creative solutions available to architects in the broad range of glasses from ASG — the only U.S. producer of all major types of flat glass. Whatever your glass requirements, ASG's Starlux plate, Lustra-line sheet or Blue Ridge patterned glass will meet them. All the more reason for thinking ASG whenever you think glass.


For more information, see your local glass distributor or ASG representative, or write: Dept. D-4, American-Saint Gobain Corporation, Box 929, Kingsport, Tennessee.

AMERICAN-SAINT GOBAIN CORPORATION Kingsport, Tennessee

SALES OFFICES: Atlanta, Boston, Chicago, Dallas, Detroit, Kansas City, Los Angeles, New York, Pittsburgh, San Francisco, Seattle. PLANTS: Kingsport and Greenland, Tennessee; Jeannette, Arnold and Ellwood City, Pennsylvania; Okmulgee, Oklahoma.



Creative ideas in glass



For "Start-to-Finish" responsibility, specify

AUTOMATIC TUBE SYSTEMS

Standard Conveyor

Standard Conveyor takes full responsibility for your automatic tube system from start to finish. Standard Conveyor has over 40 years of experience in the pneumatic tube business.

Call your local Standard Conveyor representative . . . he's listed in the Yellow Pages of major cities under PNEUMATIC TUBES. Or, call our main office listed below for information.



312-D Second St., North St. Paul 9, Minn., Telephone: SPring 7-1355


CHURCH INSTITUTE IS PLANNED FOR ARCHITECTS

The Carnegie Institute of Technology, Department of Architecture, and the Pittsburgh Theological Seminary are jointly sponsoring an Institute of Church Design, to be held in Pittsburgh, June 3-14. The venture was conceived in the belief "that the serious church architect should be thoroughly conversant with present-day developments in those theological disciplines which will have a formative influence on church design . . . in the years ahead. Thus his creative work can flow from his own understanding rather than being dependent solely upon the views of building committees or pastors."

The Institute, which limits its enrollment to 25 architects interested in church design and who have demonstrated competence in the field, will offer lecture and seminar courses and workshops. Participating will be faculty members of Pittsburgh Theological Seminary; church architect Edward A. Sovik; Howard Saalman, architectural historial, and engineer James P. Romualdi, from Carnegie Tech.

Special feature will be informal group visits with architects Louis I. Kahn, Paul Schweikher and John Johansen.

The cost of the Institute, including registration, room, board and a weekend tour, is \$200. For information, write Institute of Church Design, 616 North Highland Ave., Pittsburgh 6, Pa.



For more data, circle 36 on Inquiry Card

UNDERGRADUATES WIN ENGINEERING AWARDS

Fifty-five students in 22 universities and colleges throughout the United States participated in awards totalling \$10,000 in the 14th annual Arc Welding Design Award Program for Undergraduate Engineers. Sponsored by the James F. Lincoln Arc Welding Foundation, Cleveland, the competition is held in the interests of advancing the design of arc welded structures and machines.

The jury consisted of Dr. E. E. Dreese, chairman, head, Department of Electrical Engineering, Ohio State University; Adrian R. Legault, head, Department of Civil Engineering, University of Nebraska; Edward Q. Moulton, assistant dean, Graduate School, Ohio State University; and Ralph M. Watson, associate dean, College of Engineering, Syracuse University.

First prize of \$1,500 in the structures division was awarded Owen Francis Brown, Columbia University; \$750 second award went to Bernard Jokiel, University of Alaska; \$500 third award, to Paul D. Smith, University of Akron.

In the machinery division, \$1,500 first award went to Richard B. Gwin and John W. Slemmons, Ohio State University; \$950 second award, to Norman Abler, University of Wisconsin; \$500 third award, to Harold L. Culp and James E. Necessary, Arkansas University.

Designs included bridges, roofs, steel cabins, shelters, cranes, sawmills—even an ocean floor corer.



Next to school shoes, school steps and corridors take the hardest abuse.

That's why safety and budget-conscious officials insist on Melflex step treads and flooring products. For new construction or replacement, they're unbeaten underfoot for safety, quiet, easy cleaning and long wear. Let us send you a useful catalog.

SPECIFY MELFLEX

MELFLEX PRODUCTS CO., INC. 410 S. BROADWAY, AKRON 8, OHIO


For more data, circle 38 on Inquiry Card

JAMOLITE® PLASTIC DOOR

... colorful, attractive, lightweight plastic doors for cooler or freezer service.

- flush fitting
- insulated door jamb
- impervious to moisture and vapor
- hard, bright surface—easy to clean
- door weight: 4.5 lbs. per square foot, less hardware
- foamed-in-place polyurethane insulation 4" thick
- lightweight chrome-plated hardware
- · available in white and colors

JAMOLITE Door



Jamison Doors For Food Service improve appearance—increase efficiency



JAMISON FS COOLER AND FREEZER DOORS

... specially designed to meet the requirements of food service applications.

- gleaming stainless steel cladding
- soft, resilient Low-Temp gasketing
- Jamison box-girder construction—greater rigidity, maximum insulation
- Adjustoflex hinges—self and hand adjustable
- · heavy cast hardware, chrome plated
- E-Z Open two-point fasteners

Model FS Door

See Sweet's Catalog for complete details or write for bulletin to Jamison Cold Storage Door Co., Hagerstown, Md.



For more data, circle 39 on Inquiry Card






From Moe Light . . . walnut recessed trim

Moe Light's unique walnut trim most dramatic advance in years

For the first time, solid natural walnut trim brightens recessed installations. In one move, you can customize new and relighting projects with a modern decorator look.

For professional offices, restaurants, stores and residences, the hand-polished beauty of this natural walnut adds a luxury look far beyond its modest cost. Smart and stylish, it's as practical as it is handsome. Available in 100-, 150- and 300-watt squares.

See this bright new advance in recessed lighting at your Moe Light Distributor's soon. It's only a part of the great new Moe Light recessed line.



... and everything else recessed, too

373 recessed combinations in a great new Moe Light lineup

There's every type of recessed lighting you could possibly need in this long, new line: 373 combinations to be exact.

We have rounds, squares, rectangles—ellipsoidals, multipliers—parabolics, baffles and louvered. Not to mention directionals, high hats and an exciting new wall wash. To top the line, there's a complete new group of concrete pour boxes, plaster frames and night lights.

Everything you need is at your fingertips in the new one-source recessed line from Moe Light . . . longest, most complete in existence. See it soon.

FREE 40-PAGE	RECESSED	CATALOG	filled with	complete	specifica-
tions, short cut illu	mination table	s, coefficients	and light o	distribution	curves.

Moe Light Div., Thomas Industries Inc., Dept. AR4 207 E. Broadway, Louisville 2, Kentucky

,,	STOCKED OF CONTRACT OF CONTRAC
Send catalog	— Have Thomas Industries Sales Engineer call
Name	
Company	
Address	
City	Zone State



MOE LIGHT DIVISION THOMAS INDUSTRIES INC.

207 E. Broadway, Louisville 2, Ky., Moe Light • Benjamin • Enchante • Starlight

For more data, circle 40 on Inquiry Card



Beverly Wilshire Hotel chooses rich red Bigelow Carpet for the charming La Bella Fontana Room

Thick, thick Bigelow Carpet in deep crimson adds elegance to a jewel-like dining room. This specially-woven all wool face Wilton is but one of the luxurious Bigelows selected by the Beverly Wilshire Hotel.

Bigelow Carpet is selected by leading designers for their most important hotel and motel installations. Reason-

able price, long economical service, and top performance under traffic—as well as beauty—are prime considerations in every Bigelow Carpet designed for use in public areas. Special designs, colors and textures available. If you plan an installation, consult Bigelow's carpet specialists about colors, patterns, weaves, at prices you can afford.


No charge for this service. Contact Bigelow through the nearest sales office or for colorful free brochure on Bigelow commercial carpets write to Dept. B, 140 Madison Ave., New York 16, N. Y.

PEOPLE WHO KNOW BIGEOW ... BUY BUGS GAPPETS SINCE 182

Bigelow sales offices are located in the following cities: Atlanta, Georgia; Boston, Massachusetts; Chicago, Illinois; Cleveland, Ohio; Dallas, Texas; Denver, Colorado; Detroit, Michigan; Los Angeles, California; Minneapolis, Minneapolis, Minneapolis, Mew York, New York; Philadelphia, Pennsylvania; Pittsburgh, Pennsylvania; St. Louis, Missouri; San Francisco, California; Seattle, Washington

For more data, circle 41 on Inquiry Card

For more data, circle 42 on Inquiry Card →



You don't wait for the Mark IV. It waits for you.

Mark IV Elevators don't nest at the top of the building, and don't waste time going to the bottom, unless there's a call there. They wait in between to instantly answer calls directly as they come. That's why they give up to 30% faster service than the most efficient system before Selectomatic Mark IV. And that's why new and modernized buildings everywhere are installing Mark IV's. Ask your Westinghouse Elevator representative for more information. You can be sure...if it's Westinghouse.

ARCHITECTS
AND ENGINEERS
WIN AWARDS FOR
DESIGN IN STEEL

The American Institute of Iron and Steel recently honored 48 of the nation's architects, engineers and designers in its first national Design in Steel Award program.

Some 500 designs of structures and products in eight categories of steel were submitted. From them, 10 award winning designs and 16 honorable mentions were selected, judgment being based on imaginative use of the different kinds of steel and other criteria which included esthetic

appearance, durability, economy of production, efficient use of space.

Members of the jury were: Edmund Friedman, president, American Society of Civil Engineers; Ronald B. Smith, president, American Society of Mechanical Engineers; Dr. Raudebaugh, president, Robert American Society for Metals; Leon Gordon Miller, board chairman, Industrial Designers Institute; Jay Doblin, past president, American Society of Industrial Designers; Arthur Pulos, head of industrial design program, Syracuse University; Morris Ketchum Jr., director, American Institute of Architects; A. G. Odell Jr., second vice president, A.I.A.; and Robert Anshen, F.A.I.A.

Award winners in Category I, Galvanized Steel Sheet, were James J. Nargis and Edwin S. Darden, architects, for a design of a calibrating station tower for the Division of Weights and Measures, Department of Public Works, Fresno County, Calif.




Calibrating Station Tower, Fresno County, Calif. Architects, James J. Nargis, Edwin S. Darden; structural engineers, J. A. Paquette & Assoc.; contractor, Lewis C. Nelson & Sons

Spencer and Lee, architects, were winners in Category II, Concrete Reinforcing Bars, for Vacation Village Observation Tower, Mission Bay, San Diego, Calif.



Vacation Village Project, Mission Bay, San Diego, Calif. Architects, Spencer and Lee; structural design, Robert Fogg of Lawrence, Fogg, Florer & Smith; ornamental iron work, Valentino Agnoli; contractor, M. H. Golden continued on page 86



Glazed Concrete Masonry Units

THE BURNS & RUSSELL CO.

Box 6063, Baltimore 31, Maryland Area Code 301, 837-0720

For more data, circle 43 on Inquiry Card



We could tell you how great this new drawing pencil is but you won't believe us until you try it.

So try it.

	n & Pencil Corp., 50 W. 44 St., N.Y. 36, N.Y.
Gentleme	n: I'll try it.
Sampler h	Send me the new Venus Drawing Pen it so I can make my own drawing board ter
Name	
Company	Name
Address_	
City	State

EVERY ARCHITECT SHOULD READ THIS TRUE STORY... BY BRADLEY WASHFOUNTAIN

The new school exists only in your mind and, in fragments, on your design roughs. Hour after hour, you rack your brain for ideas; the lash of your own professional pride forcing you to make every room perfect — functional, practical, aesthetically pleasing. Then you come to the shower room, and you ask yourself, "How can I satisfy every requirement . . . keep installation costs to a minimum, use as little floor space as possible, yet handle heavy traffic . . . and still retain some creative flexibility?" The answer: specify Bradley Group Showers. They serve as many as






Awards for Design in Steel

continued from page 82

Architects Hellmuth, Obata & Kassabaum, Inc. received top award in Category III, Welded Wire Fabric Reinforcement, for the St. Louis Priory Church, Creve Coeur, Mo.

In Category IV, Steel Plate, two winners were selected: Harry R. Powell and Bjorn A. Stiansen, consulting engineers, for a bridge at Sultan, Wash.; and International Engineering Company, Inc. for spillway gates at Karnafuli River Hydroelectric Project, East Pakistan.



St. Louis Priory Church, Creve Coeur, Mo. Architects, Hellmuth, Obata and Kassabaum; structural engineer, John P. Nix; consulting engineer, Paul Wiedlinger; mechanical engineer, Harold P. Brehm; contractor, McCarthy Bros.

Award winners in Category V, Drawn Wire, were P. W. Freitag Jr., senior project engineer, and L. S. Kraft, staff development engineer, Goodyear Tire & Rubber Company, for design of a conveyor belt.

Hugh Acton, designer and manufacturer, won top award in Category VI, Steel Bars, for design of a folding pedestal table.

In Category VII, Steel Sheet or Strip, there were two winners. One was designer Henry Dreyfuss for design of the Pal Injector Razor for American Safety Razor Company. The other was Walter Furlani, J. W. Stringer and staffs of I.B.M. General Products Division for design of a Data Processing System.



Professional office building, Pasadena, Calif. Architects and engineers, Smith and Williams

Smith and Williams, architects, won top honors in Category VIII, Structural Steel, for use of this kind of steel in a professional office building in South Pasadena.

Honorable mentions are as follows: Category I, Galvanized Steel Sheet—Harrell & Hamilton, architects, Republic National Bank, Dallas

Category II, Concrete Reinforcing Bars— Murray-Jones Murray, architects. roof of St. Patrick's Church, Oklahoma City continued on page 99

TIS
NEW
RECESSED

AIR

COOLED


Slim, trim, compact... Haws

Slim, trim, compact...Haws new HDFC recessed water cooler nestles in the wall, providing pre-cooled water with push-button ease. Both fountain and concealed cooler are housed in colorful pressure molded fiberglass (choose blue, beige or white). A steel mounting frame is furnished for simplified in-the-wall attachment. Never have you seen such a compact AIR-COOLED refrigeration unit! It avoids waste and plumbing code problems often encountered with water-cooled units. Haws HDFC wall coolers offer both 6 gph and 12 gph capacity ranges: contact Haws for detailed specs. It's new.. recessed . . . fiberglass . . cooled! Find out about HAWS **HDFC** Recessed Cooler





For more data, circle 46 on Inquiry Card




Prestressed concrete Lin Tees were used to achieve many advantages in this modern structure, the Nevil Field House for the Overbrook School for the Blind. Philadelphia, Pa. Architects: Francis, Cauffman, Wilkinson & Pepper. Engineers: Rothbaum & Davis, Contractor: J. S. Cornell & Son, Inc. all of Philadelphia, Pa. PRESTRESSED CONCRETE FABRICATOR: EASTERN PRESTRESSED CONCRETE CORP., HATFIELD, PA.

proves practical and attractive for field house

"Prestressed concrete was a logical material to use with the precast concrete wall panels which form the major part of the enclosing walls of this building," say the architects. And they add, "From an architectural point of view the prestressed members when exposed on the interior make a very handsome and interesting ceiling construction, particularly in areas where floating acoustical ceiling panels were used in conjunction with the prestressed members."

Structurally speaking? The contractor states that the ease of handling the prestressed members saved a great amount of time and that the building was "closed in" sooner than would have been the case with more traditional materials. The same crew that erected the walls also erected the prestressed roof members, resulting in easy coordination of labor and reduced erection cost.

Write or wire us for information on prestressed concrete. We are the original producers of prestressing wire and strand in this country and can give you the basic design and technical data you need. Just tell us what type of structure you are considering. We can also put you in touch with experienced engineers and fabricators in your area. The Colorado Fuel and Iron Corporation, Denver 2, Colorado — Trenton 2, New Jersey.



Section drawing shows how the prestressed concrete Lin Tees were connected to the precast load bearing wall panels with dowels (not shown) to eliminate all columns.

CFJ-ROEBLING

WIRESTRIESSING WIRE & STRAND



For more data, circle 48 on Inquiry Card

For more data, circle 49 on Inquiry Card >>




Corrosive propellants and combustion gases, blistering sun, humidity and salt spray. These are a few of the many tough conditions Martin Marietta paints have to face while protecting the missiles and gantries at the Cape.


Martin Marietta paints were chosen to keep this equipment in "Go" condition only after intense

competitive testing. They received this honor because they meet the stringent specifications better than any other paint.

The same research that produced Space-Rated Paints is working for you in the Martin Marietta products you use every day. Whether you're working in residential, commercial, institutional









EARNED IN THE BLAST OF LIFT-OFF!

or office building construction, you'll find a Martin Marietta paint designed to do a beautiful job of protection.

Ask your local Martin Marietta paint dealer or paint contractor about Space-Rated Paints or write Martin Marietta Corporation, 101 East Ontario Street, Chicago 11, Illinois.




DEVELOPERS OF SPACE-RATED PAINTS

Nesbitt Architectural Sill-line

- Syncretizer Unit Ventilator and Year-Round Conditioner.
- Roommate, the new dramatic year-round air conditioner.

 Tall Storage Cabinets for wardrobe and general utility.
- 4 Architectural Sill-line, high-style perimeter radiation.
 5 Storage Cabinets for use with Syncretizer and Roommate.





designed with you in mind


You are the man who must compose all the parts of a building—including the heating, ventilating and air-conditioning equipment—into an esthetic as well as utilitarian structure. You share the engineer's concern for a product's technical competence, quality construction, and proved performance, of course; but you value also the good elements of line, form, mass, space, and color—your tools of design.


In more than 45 years of product development, we believe we have proved our ability to meet the needs of mechanical engineers and contractors—nor have we failed with architects and owners! But of recent years especially, Nesbitt has become more mindful of your particular need (and your narrowing choice) of heating, ventilating and air-conditioning equipment that is styled to serve the contemporary mode. A special department of styling and the counsel of Designer Paul McCobb have given us products such as those pictured on this page, and on the next two pages in living color.

Beauty and performance are but two facets of Nesbitt Excellence.

THERMAL COMFORT ALL WAYS

For more data, circle 50 on Inquiry Card





NESBITT ARCHITECTURAL SILL-LINE

the perimeter radiation that enhances the RHYTHM of contemporary architecture



radiation must complement contemporary styling in today's finest interiors.


Sill-line puts heat at the perimeter of a room or office, for space economy and for the well-being and productivity of the occupants. Its comfort comes by gentle, silent convection and radiation; it blankets cold surfaces, pre-

Architectural Sill-line has been added to the Nesbitt line for those many cases where the

vents "window shivers."

These are reasons enough for your choice of Nesbitt Sill-line; and now Architectural Sill-line adds rhythm to reason.


The crisp, clean lines of Architectural Sill-line with its slab-type front, recessed sleeves, end-caps, corners, and the continuous bar-type grille have been created by Designer Paul McCobb. The linear flow of horizontal lines is accentuated by the folded bar-type grille when Architectural Sill-line is installed in continuous runs of standard length enclosures. Or, with the use of the telescoping sleeves for rhythmic accents, Architectural Sill-line is uniquely suited to panel wall structures and for mating with mullions, windows, or other optical segments. Two-tone colors provide interesting contrast for sleeves, end-caps, corners, and grille.



Inside and Outside Corners, in 35%" and 7" lengths, continue Sill-line around right-angle walls with a neat, adjustable fit.

The telescoping sleeves come in 3%" and 7" lengths, permitting exposures up to 6" between enclosures. Along with seven standard length enclosures (1', 2', 3', 4', 5', 7', and 8') and two modular lengths ($3\frac{1}{2}$ ' and $4\frac{1}{2}$ '), it is easy to fit any space, to match mullions, or to accent as desired, without cutting.

- Enclosures consist of a heavy, one-piece back panel and a three-sided front enclosure of 16-gauge furniture steel, with a rugged continuous folded grille. Front enclosure and back panel are interlocked by a flange at the top and tightened by wing fasteners at the bottom, for a rigid, durable assembly.
- The back panels, heating elements, enclosures, and accessories are all packaged separately. Back panels and elements may be installed during early stages of construction; enclosure lengths may be ordered and shipped after precise measurements have been verified—and installed when the painted surfaces will not be marred.
- Accessories consist of telescoping endcaps, sleeves and 90° inside and outside corners; column enclosures, valve compartment, and a screw-operated blade damper.
- Heating elements of seamless copper tubes and corrugated aluminum fins are available in ten types, each in six standard lengths (2', 3', 5', 7', 8', and 9'). A two-tube element is available for certain applications.
- Standard two-tone colors are light and dark beige; light and dark gray; the dark shade being used for discharge grilles and all accessories. Other Nesbitt colors are available on special request.
- Enclosures and accessories are finished in lustrous baked enamel, after a preparatory and rust-inhibiting process.



AND CAPACITIES

Architectural Sill-line is available in five standard enclosure styles, sized to meet practically every need of capacity and appearance in perimeter heating.

GN Dimensions, $33/\!\!8'' \times 111/\!\!2''.$ Capacities, from 700 to 1000 Btu/hr per linear foot of heating element.

AN Dimensions, $4\frac{1}{2}$ " x $14\frac{1}{2}$ ". Capacity, 1400 Btu/hr per linear foot of heating element.

BN Dimensions, $51/2^{\prime\prime}$ x $141/2^{\prime\prime}.$ Capacities, from 1840 to 1990 Btu/hr per linear foot of heating element.

 $\mbox{\bf EN}$ Dimensions, $51\!/\!_2"\times201\!/\!_2".$ Capacities, from 2120 to 2530 Btu/hr per linear foot of heating element.

 \mbox{CN} Dimensions, $51/\!\!\!/2'' \times 241/\!\!\!/2''.$ Capacities, from 2230 to 2820 Btu/hr per linear foot of heating element.



Made and sold by John J. Nesbitt, Inc., Philadelphia 36, Pa. Offices in principal cities



Two levels opening on a central court are connected with a spiral steel stairway in this home designed by architects Nelsen & Sabin. Treads, hanging from steel bars, are set into triangular frameworks of light steel angles.

Some architect-designed steel stairways

On this and the following pages are a few examples of steel stairways designed by architects for steel-framed homes.

Some of the stairways are suspended. Some cantilevered. Some freestanding, supported by slender steel members. All are functional and handsome.

Often shop fabricated as a unit, steel stairways can be dropped in place with a crane and connected during erection of the framework.

In creating these designs, architects have used many types and sizes of Bethlehem structural steels—plates, tubing, channels, bars, flats, and angles.



BETHLEHEM STEEL



Ornamental iron and structural steel go together attractively in this outdoor stairway designed by Gerald Neibart.



Architect J. Herbert Brownell designed this attractive stairway. Treads, composed of 3-inch thick laminated wood, are suspended on one end from $\frac{3}{8}$ -inch diameter steel rods, and on the other end by 3-inch diameter pipe columns. The upper ends of the rods are welded to the bottom of one of a pair of 10 WF 15 beams which support the balcony.



Reflecting the nautical atmosphere of the San Francisco Bay Area, steel ship ladders are used in this house to connect the upper level to a sundeck on the roof. The ladders are welded steel plates, with 1½-inch square steel tubes used as railings. Architect was Rolf Eiselin.



Thin lines of steel enhance the entry to this house designed by Craig Ellwood. The all-welded steel stairway is made up of small stock sections of structural shapes. Treads are of 14-gage sheet.

Steel stairways like these add to the beauty of any home

This attractive floating stairway is made up of two 12-inch steel channels boxed in with 12inch wide cover plates, 5/16-in. thick. Douglas Fir treads are supported by steel angles welded to the box core. Steel bars welded to the angles support handrails. The stairway spans 27 feet and is tied to a 14-inch wide-flange header beam across the upstairs opening. The structure was designed by architect Hewitt C. Wells.

Spiral steel stairway fabricated from steel plate connects parking and garden areas with the upper floor terrace in this Pennsylvania home. Architects: George Fred Keck—William Keck.







In this mountain retreat, a spiral steel staircase composed of plates and bars leads to a portion of the roof, which is used as a sundeck in the summer. The house was designed by Architect Thorne.

Small steel angles, channels, and tubing can be utilized in the construction of stairways as in this home designed by Richard Jay Smith. Welded rectangular steel tubing provides rigidity for open stair treads. Treads are composed of heavy-gage steel sheet, covered with wood and foam rubber pads. The stairway floats free of the wall and of a 6-inch steel column, part of the rigid frame of the house.





for Strength
... Economy
... Versatility





This spiral steel staircase connects three levels in a hillside home. It is composed of two strips of $\frac{3}{8}$ -inch plate, 8 inches wide. Steps are 11-gage plate with edges bent upward to form a low box to hold a layer of concrete. Each step is supported by lengths of No. 4 reinforcing bar and welded to the two 8-inch strips. Handrails are 1-inch steel pipe. Architect-builder, Allyn E. Morris.

Stair treads hanging from steel rods are covered with wear-resistant vinyl, making them easy to clean. Railings are made from steel channels. Each individual stairway tread is supported on 4 rods by flanged washers welded under the tread. Architects were Cooper and Sawers.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA. Export Sales: Bethlehem Steel Export Corporation

designed by architect Bernard Zimmerman. A 6-in. diameter steel pipe anchored at top and bottom is the only support for the structure. The pipe is anchored to a concrete footing at the base of the stair, and welded to a steel beam at the second floor landing. Treads are ¼-in. steel plates projecting from 2-in. diameter

plates projecting from 2-in. diameter pipe supports. The plates are covered with wood, bolted in place, and carpeted. Walnut hand railings are supported by ½ x 1½-in. steel bars.

over a reflecting pool in this home

BETHLEHEM STEEL



For more data, circle 51 on Inquiry Card



IF THE NEW FLOOR DISCOLORS,

WHOSE REPUTATION WILL SUFFER?

Stop floor problems before they begin by specifying a floor maintenance program!

The new floor is beautiful. Everybody's happy. Happy, that is, until the floor begins to change color. The culprit? Improper maintenance. But how hard it is to convince others of this! When a new floor begins to look old, poor maintenance habits are usually the last to be blamed. "Should this type of floor have been specified in the first place?" ... "Was the floor laid correctly?" ... and countless other thoughts may be running through their heads.

This is why Huntington suggests you prevent future floor problems by specifying a simple and correct floor maintenance program before construction begins. Our representative, the Man Behind the Huntington Drum, will be happy to assist you, at no obligation. His experience and wide range of laboratory-tested products will come in mighty handy. You'll find his name, address and telephone number on the back of our insert in Sweet's Catalog, 13m/Hu, or write us.



Please send the following:

- Your folder with complete floor maintenance specifications and descriptions of Huntington floor care products
- ☐ The new Huntington Gym Floor Manual
- ☐ Have your representative contact me.

NAME

TITLE

Tear out this coupon and attach it to your firm letterhead for more information.



Where research leads to better products... HUNTINGTON

HUNTINGTON E LABORATORIES · HUNTINGTON, INDIANA · Lansdale, Pa. · Dallas 1, Texas · In Canada: Toronto 2

Design in Steel Awards

continued from page 86

Category III, Welded Wire Fabric Reinforcement—Cuthbert and Cuthbert, architect and engineer, Isabella County, Mich. Jail; Paul Rogers & Associates, Inc., consulting engineers, Nabisco Bakery, Chicago

Category IV, Steel Plate—California Division of Highways, Bridge Department, Pecwan Creek Bridge and Whiskey Creek Bridge; Kazuyuko Matsushita, Hideki Shimizu and John O. Phillips, architects—Albert A. Kelly and Associates, structural engineers—Valentine, Fisher and Tomlinson, mechanical engineers, fountain dome, Seattle World's Fair

Category VII, Steel Sheet or Strip—William M. Schmidt Associates, designers, Commando, flexible construction vehicle; Paul McCobb Design Associates, heating-ventilating-air conditioning equipment for John J. Nesbitt, Inc.; Coston-Frankfurt-Short, architects-engineers, prefabricated bus shelter; Robert P. Gersin, industrial designer, electronic plotting board for Computer Systems, Inc.


Category VIII, Structural Steel—John Byron Hackler, architect, school in Tazewell County, Ill.; David Thorne, architect, private residence, Marin, Calif.; Pierre Koenig, architect, private residence, Palos Verdes, Calif.; Robert Kitchen and John Funk, architects, dining commons of residence hall, University of California; Ferver-Dorland & Associates, structural engineers, radar antenna support towers for U.S.A. Satellite Communications Agency

URBAN RENEWAL EXHIBIT FOR LOAN

Regional offices of the Housing and Home Finance Agency have now available for loan to interested urban renewal groups a new exhibit portraying the urban renewal story, its objectives and accomplishments.

Weighing less than eight pounds when packed in its special reusable container, the exhibit consists of four 18- by 27-inch folding panels of photographs and descriptive matter. Display requires only a table top or desk 5 to 7 feet across. Complete instructions for setting up the exhibit are included in the shipping container.

The exhibit is not available from the central Washington office. Interested local or regional groups or organizations can obtain the new table top exhibit from the HHFA regional office serving their area.



The design and construction of *custom* industrial and commercial doors to meet your *esthetic* and *functional requirements* is a specialty with Richards-Wilcox. From Ark Doors, Industrial and Fire Doors, Blast Doors, Radiation Doors, Straight Doors, Curved Doors, Large Doors, Small Doors, whatever type you want—R-W can supply them plus all of the necessary hardware and *electric operators where required*. When remodeling remember that the use of custom-fit doors can provide greater economy than rebuilding openings to accommodate standard doors.

Your local R-W Applications-Engineer is a specialist in this field—he would appreciate the opportunity of consulting with you in regard to your door problems.

Write today for complete information ...request Catalog No. A-410



Richards-Wilcox

MANUFACTURING COMPANY

116 Third Street Aurora, Illinois
Branches in Principal Cities

For more data, circle 53 on Inquiry Card

Speakman has a beautiful one-handed way to control water in the kitchen.



pleasure and convenience to the kitchen. The user can pre-select the temperature before turning on the water... then adjust both water flow and temperature simultaneously. All with fingertip feather-touch control. Gleaming polished chrome plated brass for Beauty. All brass and stainless steel construction for Quality. Cartridge operating unit of long-wearing stainless steel for Economy. Designed, Styled and Engineered for you. For details, write for Brochure S-117.


*T.M. Property Speakman Company



Cuthbert-Speakman,


47 Duke Street,

Montreal 3, Quebec




WHEN YOU SPECIFY SPEAKMAN, YOU SPECIFY SPEAKMANSHIP—THE MODERN APPROACH TO WATER MANAGEMENT IN THE HOME, THE PLANT AND THE INSTITUTION

For more data, circle 54 on Inquiry Card



UNITED CALIFORNIA BANK BUILDING, WILSHIRE BLVD.





FIVE HAUGHTON AUTOMATIC ELEVATORS HELP FULFILL A CREED . . . "Building as it Should Be"


"Building as it should be" is a way of life for the Kreedman organization. They've proven it again with the United California Bank Building ... eleventh major office building they have developed since becoming investment-builders and general contractors in 1946.
In this distinctive new building, largest in Beverly Hills, an environment of matchless beauty, comfort and convenience gives tangible meaning to the Kreedman creed. Take the elevators, for example. Five Haughton elevators under fully automated electronic control provide uncanny speed and smoothness. A new, advanced-design computer created by Haughton Elevonics* maintains constant surveillance and controls car travel to match traffic needs exactly. Include Haughton elevators in your building or modernization plans. Contact your Haughton sales office (listed in the Yellow

Pages) for full information, or write: Haughton Elevator Company, Division of Toledo Scale Corporation, Toledo 9, Ohio. ■ Passenger and Freight Elevators, Escalators, Dumbwaiters, Complete Maintenance Service.



Haughton's advanced program in systems research and engineering with specific emphasis on the creative application of electronic devices and instrumentation for betterment of systems design and performance. Reg. in U. S. Patent Office.

For more data, circle 55 on Inquiry Card




NOW . . . in a STANDARD door at STANDARD door prices at STANDARD door delivery


the brilliant beauty and practical permanence of

STAINLESS STEEL


• jewel-like finish • mirror-flat surface • precision engineered • maintenance free • sound deadened Write for the name of your technically trained Steelcraft Distributor . . . today!




For more data, circle 56 on Inquiry Card




the most exciting ideas take shape in plywood







This parasol-like plywood folded plate roof, suspended beneath slender reinforced concrete beams, is another prime example of how modern materials and engineering systems can be combined to create a new architecture, free of traditional restraints. The plywood canopy is so nearly self-sustaining that each folded plate needs only two beam connections. The result is a large clear-span structure of remarkable harmony and simplicity. ■ Construction was efficient and economical. Components were sitefabricated with plywood and light lumber framing, and crane-lifted into place. As in so many of today's new architectural forms, only plywood had the requisite design flexibility coupled with adequate structural and appearance values. For more information, write (USA only) Douglas Fir Plywood Association, Tacoma 2, Wash.



ENGINEERING SUPERIORITY ... and exclusive warranty proves it



Foldoor's superior track, trolley and hinge system . . . backed by the strongest warranty in the folding partition industry . . . provides year after year of easy operation ... dependable service.

In the normal operation of a folding partition, the track, trolley and hinge system absorbs the most strain and stress. The proof of Foldoor's superior design is evidenced by its dealer warranty. Hinges, trolleys and trolley pins are warranted for nine years over and above the usual one year warranty on the entire door and all accessories. The track is warranted for the lifetime of its original installation.

For sound control and fabric information, see your Foldoor representative. Ask him about his "Warranty Plus" program. See the complete Foldoor line in SWEET'S ARCHITECTURAL FILE 16f/Ho.



A new concept in decorative styrene grillework for space dividers and screens . . . factory fabricated with screens . . . facto customized framing.


VISIT AIA CONVENTION BOOTH NO. 60	104	G	n	N	Н	Т	n	n	2	1	N	n	1	Т	N	F	V	M	n	9	-	٨	i	٨	Т	ı	C	/ 1	V
-----------------------------------	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----	---

HOLCOM	IB &	HOKE
MFG. CO.	, INC.	
Department D33		


1545 Calhoun St. . Indianapolis 7, Ind.

Please sen	d complete information on:
	☐ Foldoors ☐ FiliGrille
Name	
Firm	
Address	
011.	7

1. TRACKS—Foldoor tracks are engineered and contoured for strength and durability without excess weight. Convex treadways cut rolling friction to an absolute minimum . . . side wall contouring guides trolleys in a straight, smooth-flowing line without scraping or side play.



TROLLEYS—Foldoors feature a heavy duty trol-ley at every second hinge pair. This gives balanced weight distribution, adds to ease of operation and prevents sagging. Foldoor trolley pins are case hardened ¼-inch steel for extra strength.



3. HINGES-Foldoor hinges are 16 gauge embossed 3. HINGES—Foldor Intiggs at a 16 gagge Endousses steel, 31/2 inches wide, with double-thick unpierced metal at mid-section and a total of 41/2 inches at the pivot point. Foldoor's superior hinge strength eliminates the need for double top hinge rows except on partitions 15 feet high or over.

PITTSBURGH HAS **URBAN STUDIES:** FELLOWSHIPS OPEN

Pittsburgh University's comprehensive education programs for urban studies could easily place many times the number of available graduates, says Donald C. Stone, dean of the Graduate School of Public and International Affairs. The shortage of qualified personnel for leadership in administering and revitalizing American cities is acute.

Four fields of urban specialization are available at Pitt: Urban Management; Urban Renewal; Metropolitan Studies; and Urban and Regional Planning. Enrolled for 1962-63 in the school's urban affairs programs are a total of 41 master's candidates (full-time and parttime). Of these 28 are engaged in urban renewal studies.

Each student has a program tailored to his background, needs and career objectives, as well as to his field of specialization. He may enroll as a candidate for the Master's, Ph.D. degree or as a special nondegree member.

Fellowship and loan funds are available for talented persons who require financial aid. For the second year, the Pittsburgh Plate Glass Foundation has granted the school's urban renewal program four fellowships. Eligible are men and women who need financial aid and have not been full-time graduate students, and who are U.S. citizens or are acquiring citizenship. A maximum stipend of \$1,500 per term is given each fellow, according to need, awarded for a three-term program of professional education.

Candidates for these fellowships are judged on the following qualifications: previous education, experience, demonstrated leadership and breadth of vision. Applications for Urban Renewal and Redevelopment Fellowships should be submitted to the University no later than April 30, 1963.

For information on the fellowships or on Pittsburgh University's urban studies program, write: Dean Donald C. Stone, Graduate School of Public and International Affairs, University of Pittsburgh, Pittsburgh 13, Pa.



SUNNYVALE

Huber, Hunt & Nichols, Inc.
is pleased to announce
the formal opening
of its Western Division Offices
in Sunnyvale, California

Mr. William B. Huffman, vice president has been appointed Manager of Western Division Operations

Huber, Hunt & Nichols, Inc.

1128 West Evelyn Avenue, P.O. Box 187

Sunnyvale, California

Telephone: A/C 408...245-4230

Pittsburgh • INDIANAPOLIS • Sunnyvale

MODERN COPPER ULL

Revere Sheet Copper enables

Architect to combine beauty and
long life in a striking, modern roof design.

FOR SHRINE CHAPEL OF OUR LADY OF ORCHARD LAKE, DETROIT, MICHIGAN





(above) VIEW OF REAR of the Shrine Chapel. (below) CLOSE-UP of roof showing flat pans stepped down to give curved contour effect.





(above) HERE YOU SEE batten covers being affixed. (below) ROOF DETAIL showing method of forming roof pans, with pans and battens in place.





In conceiving the design of this structure the architect, Walter J. Rozycki, visualized the bold, soaring sweep of the roof as the commanding element of the overall structure, both in size and contour. Said he, "Such a roof, without the use of copper and its characteristic design flexibility, would have been virtually impossible."

Other contributing factors in the selection of copper were its permanence, handsome appearance, and ease of fabrication. And NOW—with the price of sheet copper the lowest in years, it pays to look first to copper.

Mr. Rozycki's plans called for flat, stepped-down pans. While this is a novel method of sheet metal construction, Mr. Rozycki, in collaboration with the Revere Research and Development Department and Technical Advisory Service, worked out a technique which enabled the sheet metal

contractor to install these pans using only standard tools.

Details of construction are shown in the accompanying illustrations. The 4" x 4" vertical battens are spaced 10'0" on centers; the 2" high steps running horizontally between the battens are spaced approximately 20" apart. Horizontal roof pans are of 24" wide sheets of 20 oz. cold rolled Revere Sheet Copper. A tapered layer of rigid roof insulation is laid between the horizontal steps.

All told, 35,000 lbs. of Revere Cold Rolled Copper were used in 24" x 120" sheets. The versatility and design flexibility of copper is abundantly evident in the unusual details and the final striking results.

For unusual and beautiful architectural effects, remember: "Design with Copper in Mind". Revere's Technical Advisory Service will be happy to work with you.

SEND TODAY for free copy of "Copper and Common Sense," Revere's 140-Page Brochure illustrating the design principals and techniques of sheet copper construction. Also free companion piece, "The Revere System of Copper Flashing," for the complete weatherproofing of masonry buildings. Address Dept. "S-2" at address below.

REVERE

COPPER AND BRASS INCORPORATED


Founded by Paul Revere In 1801


Executive Offices: 230 Park Ave., New York 17, N. Y. Mills: Rome, N.Y.; Baltimore, Md.; Chicago and Clinton, Ill.; Detroit, Mich.; Los Angeles, Santa Ana, Calif.; New Bedford and Plymouth, Mass.; Brooklyn, N.Y.; Newport, Ark.; Ft. Calhoun, Neb.

Sales Offices in Principal Cities . . . Distributors Everywhere



For more data, circle 58 on Inquiry Card





Sensitivity of Definition in the Forecast Series of Movable Walls by Mills creates rhythmic order in a variety of panel configurations of steel, glass, and wood. The emphatic, single-recess post above is one of twelve different ways Mills uses the third dimension to achieve fresh articulation in modern wall design. This flexibility in the Forecast Series gives designers complete freedom to create, with one Mills design group, unique interior wall systems for every client. Write us for details.

The Forecast Series is installed throughout the new McGraw-Hill Publishing Company Office Building, Heightstown, N. J.; Architect, Alfred Easton Poor. The Forecast Series will also be on display at Booth 601, A.I.A. Convention, Miami.





In Canada, architects specify Pratt & Lambert


Experience has proved the wisdom of their choice.

The quality control exercised by Pratt & Lambert at every stage in the manu-

facture of P&L paints and varnishes assures products that architects trust.

Throughout the United States and Canada, architects specify Pratt & Lambert products for their most particular jobs. Shown here are only a few of the fine buildings in Quebec and Ontario provinces in which P&L products have been used. Color styled with exclusive Pratt & Lambert Calibrated Colors[®], these buildings reflect credit on their architects and owners.

Make full use of the knowledge and experience available from your P&L representative. He is equipped to offer helpful suggestions on finishing problems surface preparation, color styling, specification writing, new products. Trust him to recommend the right materials for maximum protection and service. Phone him or write: Pratt & Lambert Architectural Service Department, 3301 38th Ave., Long Island City 1, N. Y.; 4900 S. Kilbourn Ave., Chicago 32, Ill.; 75 Tonawanda St., Buffalo 7, N. Y.; 254 Courtwright St., Fort Erie, Ontario.



CHAPEL, LES SOEURS DE L'ASSOMPTION DE LA SAINTE VIERGE, Nicolet, Quebec.



CLASSROOM, ECOLE SECONDAIRE MARIE VICTORIN. Varennes, Quebec. Architect, Charles E. Charbonneau, P&L products used: Vapex Wall Primer, Cellu-Tone Satin.



MAIN CHAPEL, PROVIDENCE VILLA and PROVIDENCE HOSPITAL, Scarborough, Ontario. Architects, Brennan & Whale. P&L products used are Vapex Flat Wall Finish, Tonetic Wood Stain, "38" Pale Trim Varnish.



DOCTORS' LOUNGE, ST. MARY'S GENERAL HOS-PITAL, Kitchener, Ontario. Architects, Somerville, McMorrich and Oxley. P&L products used are Vapex Wall Primer and Lyt-all Flowing Flat.

OTHER BUILDINGS RECENTLY COLOR-STYLED WITH PRATT & LAMBERT PAINT AND VARNISH INCLUDE:

EGLISE SAINT-JEAN-BAPTISTE, Drummondville, Quebec. Architect, J. David Deshaies.

Architect, J. David Deshaies.
ARENA MAURICE RICHARD, Montreal. Architect, Jean Julien Perreault.
COLLEGE ST. BERNARD, Drummondville, Quebec.
Architect, Louis-N. Audet, Ferdinand Blair.
HOTEL DIEU DE NICOLET, Nicolet, Quebec. Architect, Paul LaBranche.

SALON DE QUILLES NATIONAL LTEE., Chicoutimi, Quebec. Architect, Desgagné & Coté. HOTEL DE VILLE, Arvida, Quebec. Architect, Bertrand Dallaire.




CRAFTSMANSHIP IN THE PACKAGE

NEW YORK • **BUFFALO** • CHICAGO ORANGE, CAL. . FORT ERIE, ONTARIO

We counted no fewer than 24 significant mechanical superiorities in LPI's new line of troffers. These features contribute unusual strength, rigidity, foolproof operation and light-tight construction. They mean fast installation, in any ceiling system, singly or in continuous rows. They assure an attractive, easy-to-maintain lighting job.

Two dozen
ways
you can
measure
quality in
LPI's new
fluorescent
troffers



1. Integral, full-length side-trim flange is narrow and is formed back on itself for extra rigidity and clean, tight ceiling fit. 2. Functionally designed multiple bends in the 20 ga. steel troffer body provide exceptional rigidity and form a precision, light-tight door jamb. 3. Double-channel diffuser frame also features multiple bends with integral corner gussets for great rigidity and light-tight construction. Frame is full length of troffer for smart appearance in continuous rows or individually installed. 4. Diffuser frames hinge from either side. 5. Latch is simple, manual device providing positive closure. 6. Troffer housing is trimmed to receive wrap-around end cap insuring tight flange joints with absolutely no progressive lengthening in continuous rows. A stiffening flange on end caps locks housing to correct width and forms diffuser frame jamb at ends. There are no light leaks. 7. through 24. To see all 24 of these important superiorities, why not let your LPI representative personally show you one of our troffers. Or write for our brochure "Two Dozen Measures of Exceptional Quality" plus our new 32-page Troffer Lighting Catalog. LPI-3-211




Lighting Products Inc., Highland Park, Illinois

For more data, circle 61 on Inquiry Card

For more data, circle 62 on Inquiry Card >






most THOUGHTFUL new window in a decade

New venetian v blind

EXCLUSIVE FEATURES

Vertical pivot action. Awkward, risky methods used to operate horizontally pivoted windows are unnecessary. Concealed pivot mechanism. Window can be reversed without raising venetian blind. Removable aluminum glazing beads. Window may be reglazed without taking frame members apart.



Square windows. All four corners are squared to lend approved architectural appearance. Initial glazing is faster, easier. Reglazing, too, if required.

Venetian blind controls. Control knob sets angle of louvers (Inside glass). Side-hinged feature for easy cleaning. Gives access to inside surfaces of glass without awkward reaching or need for open holder arms.



* Vertical Pivot point is the important difference!

windows from Allake

Make all four corners square. Make the window pivot vertically. Conceal the mechanism.

Then, make it next to impossible for and stays anyone except the

better looking... that way

window washer to disturb the uniformity of the venetian blinds. This is how Adlake designed the most thoughtful window in a decade! Thoughtful of the architect, thoughtful of the owner, thoughtful of the tenant-and even thoughtful of old customers. It's basically the Series 1000 vertical pivot window, already proven in thousands of installations. How will it benefit you? Read on and see. Then contact your near-

est Adlake representative.




. . . thoughtful of the tenant

This window was designed with people in mind. They choose the louver angle that is right for them. A twist of the wrist dials it. No exposed cords to tug. Blinds keep up to 65% of the sun's heat outside the building where it belongs. Less street noise, too.



. and even thoughtful of old customers

The new Adlake Series 1400 vent fills the same size opening as a Series 1000. Owners who need the special features of the venetian blind window can substitute one vent for the other. Replacement is economical, easily arranged. Inconvenience is held to a minimum. Your Adlake representative will gladly supply details.



THE WINDOW THAT'S...

. . . thoughtful of the architect

With blinds raised only for cleaning, this new Adlake window offers effective control over a horizontal design motif. But that's not all. The same four corners that give the Series 1400 an accepted architectural appearance, also cut glazing costs. And what a choice of finishes! Adlake satin etched, Anodized, Anoclad greys, Kalcolor or Duranodic.




... really thoughtful of the owner


Adlake's Series 1400 vertical pivot window really cuts maintenance and utility costs. The window is faster, easier to clean. Can be reversed a full 360° with no time out to raise the blind. And even when reversed, there's the positive seal provided by the neoprene impregnated fabric weatherstrip. A $2\frac{1}{4}$ inch air space between the panes acts as insulation. Naturally, heating and air conditioning cost less.

See other side for further particulars and name of your nearest

MORE FEATURES OF THE ADLAKE SERIES 1400 VP WINDOW

Neoprene glazing gasket. Neoprene impregnated fabric weatherstrip. 21/4 inch sealed air space between glass. Finishes. Adlake satin etched, Anodized, Anoclad greys, Kalcolor or Duranodic. Minimum air infiltration. .070 cubic feet of air per minute per foot of vent perimeter at 50 m.p.h. wind velocity. Key operated hardware for reversing vent. Permits only authorized persons to reverse windows. Locks are designed to prevent removal of keys except when window is in a locked position.





for full particulars see your nearest representative

Brabner Building Spec. Inc.
P. O. Box 7366, Crichton Station, Mobile, Alabama Will B. Erwin Co., Inc.
317 W. Markham Street Little Rock, Arkansas Kenneth Courtney
P. O. Box 393
N. Hollywood, Calif.
Rolph, Mills & Company
371 Fourth Street
San Francisco, California Leever-Post Company
4350 Broadway
Denver 16, Colorado
Earl R. Smith, Inc.
1318 Kossuth Street
Bridgeport 8, Connecticut
J. Francis Blaine Co., Inc.
1011 Washington Street
Wilmington 1, Delaware
Thomas T. Tucker
230 Spring Street NW
Atlanta 3, Georgia
Hugh J. Baker & Company
602 West McCarty Street
Indianapolis 6, Indiana
Hugh J. Baker & Company
1028 South Barr Street
Fort Wayne 7, Indiana
Hugh J. Baker & Company
P. O. Box 505
Evansville, Indiana
Kennedy & Company
110 S. E. 6th Street
Des Moines, Iowa

Atlas Plaster & Supply Co., Inc.
30th & Greenwood
Louisville, Kentucky
Favrot & Pierson
P. O. Box 7116
New Orleans, Louisiana
The Lipper-Stutsman Company
301 Spring Street
Shreveport, Louisiana
Central Supply Company
238 Water Street
Augusta, Maine
The J. D. Slaughter Co.
2326 N. Charles Street
Baltimore 18, Maryland
Construction Specialties Co.
296 State Street
Boston 9, Massachusetts
C. T. DeHaas Company
P. O. Box 89
Marquette, Michigan
George Gohlke Company
2635 University Avenue
St. Paul 14, Minnesota
Arnold-Newbanks, Inc.
27 Southwest Blvd.
Kansas City 3, Kansas
Adolph Schmidt & Son
6417 Manchester Avenue
St. Louis 10, Missouri
Trustin-Carlson Associates, Inc.
2300 Block N. 18th Street
Omaha 10, Nebraska
Harry I. Davis Co.
P. O. Box 4055
Albuquerque, New Mexico

Bronsteel Products Corp.

1965 Sheridan Drive
Buffalo 23, New York
Campbell Associates, Inc.
101 Park Avenue
New York 17, New York
The Maurer Company, Inc.
31 Richmond Street
Rochester 7, New York
Ezra A. King
905 Glenwood Avenue
Syracuse 4, New York
Delph Hardware & Specialty Co.
2109 North Graham Street
Charlotte 1, North Carolina
Delph Hardware & Specialty Co.
223 Bickett Bldg.
Raleigh, North Carolina
Condit Construction
Products, Inc.
1515 Cypress Lane
Cincinnati 6, Ohio
Condit Construction
Products, Inc.
1026 West Goodale Blvd.
Columbus 8, Ohio
Condit Construction
Products, Inc.
10. Box 58, Station A
Dayton 3, Ohio
Springer & Morrison, Inc.
2036 East 22nd Street
Cleveland 15, Ohio

Wm. C. Turnbull Company P. O. Box 3044, Station C Toledo 7, Ohio Murray R. Womble Company
121 N. E. 26th Street
Oklahoma City 5, Oklahoma
Murray R. Womble Company
216 S. 16th Street
Tulsa, Oklahoma
Hateman Company
Allen & St. Cloud Streets
Allentown, Pennsylvania
Kenneth Kitson
P. O. Box 62
Oreland, Pennsylvania
James Hood Miller, Inc.
P. O. Box 10568
Pittsburgh 35, Pennsylvania
Delph Hardware &
Specialty Company
506 Belt Line Blvd.
Columbia, South Carolina
Delph Hardware &
Specialty Company
512 Rutherford Street
Greenville, South Carolina
The Currin Company, Inc.
1208 Carter Street
Chattanooga 1, Tennessee
Tri-State Iron Works, Inc.
P. O. Box 282
Memphis 1, Tennessee
Wilson-Weesner-Wilkinson Co.
202 West Morelia
Knoxville, Tennessee
L. B. Shifflett Co.
P. O. Box 108
Austin 62, Texas

22 Fo Sh P. Gu Gu Jn P. Sa A. P. Ro Jo Ri J. 75 M W 90 Ch

Samuel A. Ellsberry Company
3136 Routh Street
Dallas, Texas
Samuel A. Ellsberry Company
225 Arthur Street
Fort Worth, Texas
Shelton W. Greer
P. O. Box 7327
Houston, Texas
Plains Builders Supply Co.
608 Broadway
Lubbock, Texas
Jno. A. Williamson Company
P. O. Box 8175,
Wainwright Station
San Antonio 8, Texas
A. L. Horwitz
P. O. Box 496
Roanoke, Virginia
John Bagley
706 Dawn Street
Richmond, Virginia
J. Linc Kern Company
759 N. Milwaukee St.
Milwaukee 2, Wisconsin
West Virginia Steel Corp.
900 Brooks Street
Charleston 29, West Virginia



Casework for Progressive Patient Care

Installations throughout Lutheran Hospital and Medical Center, Wheat Ridge, Colorado, show clearly how casework by St. Charles can help to provide the utmost in "progressive patient care." To learn more about the many advantages of custom-created casework systems, write on your letterhead to:



St. Charles Manufacturing Company Dept. AR-10, St. Charles, Illinois



Patient line storage wall.



"Multi-care" unit for semi-private room.




"Intensive-care" units and panel.



"Multi-care" unit for private room.

← For more data, circle 62 on Inquiry Card

For more data, circle 63 on Inquiry Card



The look is new


The idea is new


You select every element of the design

Colors, textures, shapes, sizes—you can work with them all. The Stellar Series by American Seating gives you free hand with fabrics, a wide choice of aisle standards. You can select from several widths and styles of seat and back, several types of mounting.

The idea? To make theatre seating an integral part of theatre design. The key to it is choice—and the Stellar Series is the first and only chair to offer you choice of every element of design.

Talk to American Seating about any problem involving seating. Technical advice on floor plans, vision, chair spacing economies, and other subjects is available at all times. Write Dept. AR-1 for brochure on new Stellar Series.






The Stellar chair has a very long back to protect the seat from feet. There are three variations of the Amerslex® plastic back (left), and two of the upholstered back (right).



Single or double armrests are available. You may choose either type.



Exclusive Soil-Guard (optional) protects the upholstery at the top of the chair back.




The standard by which all public seating is measured GRAND RAPIDS 2, MICHIGAN

Manufacturers of school, church, and hospital furniture; auditorium, stadium, theatre, and transportation seating; folding chairs and tables

For more data, circle 64 on Inquiry Card

Zonolite prototype building #1: A Motor Hotel



Architect
Stanley Tigerman
creates a motor hotel of
concrete block: Zonolite
Masonry Fill Insulation
makes it practical
(see table)

Zonolite commissioned architect Stanley Tigerman of Tigerman and Koglin, Chicago architectural firm, and engineer Norman Migdal of Chicago to do this motor hotel of insulated concrete block.

It brings some interesting ideas to light.


First, note that the interior walls are exposed block; the same block that is exposed on the exterior. Zonolite Masonry Fill Insulation in block cells cuts the heat transmission through walls from 35% to 50% or more, keeping interior surfaces comfortable. The water repellent nature of the material keeps moisture from collecting inside the wall, so that interior paint doesn't blister and peel.

The insulation-filled cores in the cored concrete floor and roof slabs keep floors comfortable and minimize heat loss through the roof.

A benefit unexpected by most is the sound dampening capability of Zonolite Masonry Fill...a 20% loudness reduction in this case.

You have probably noticed from the table that the size and cost of the necessary heating and air conditioning units are considerably reduced by using Zonolite Masonry Fill Insulation.

Contrast this (and the reduced operating costs) with the approximate installed costs of Zonolite Masonry Fill Insulation.



approx. installed costs per sq. ft. of wall	6" block	8" block	12" block	
	10¢	13¢	21¢	

The installed costs are low for two reasons. First, the initial cost of Zonolite Masonry Fill Insulation is low. Second, to install it, you just pour it out of the bag into the block cells until the wall is full.

For more information about this remarkable insulation, write Department AR-43 for Bulletin MF-68.

ZONOLITE

Zonolite Company, 135 South LaSalle St. Chicago 3, III.


THE ECONOMICS OF HEATING AND AIR CONDITIONING THE PROTOTYPE MOTOR HOTEL WITH AND WITHOUT WATER REPELLENT ZONOLITE MASONRY FILL INSULATION

	DESIGN CONDITIONS		WINTER HEAT LOSS IN BTU/HR Assuming: 70° F Indoor -10° F Outdoor		SUMMER HEAT GAIN IN BTU/HR Assuming: 80° F 50% RH Indoor 95° FDB 75° FWB Outdoor	
	without Masonry Fill	with Masonry Fill	without Masonry Fill	with Masonry Fill	without Masonry Fill	with Masonry Fill
ROOF	8" Concrete	8" Concrete with 4" Dia. cores filled with Masonry Fill	514,000	442,000	294,000	252,000
FLOOR	8" Concrete	8" Concrete with 4" Dia. cores filled with Masonry Fill	568,000	476,000	85,000	71,500
GLASS	Double Plate	Double Plate	576,000	576,000	253,000	253,000
WALL	8"x8"x16" Sand & Gravel Hollow Core Block	8"x8"x16" Sand & Gravel Hollow Core Block with Masonry Fill	734,000	463,500	70,800	44,730
INFILTRATION	_	_	249,000	249,000	4,000	4,000
LIGHTS	_	_	_	_	34,000	34,000
PEOPLE	_	_	_	_	10,000	10,000
TOTALS		2,641,000 BTU/HR	2,206,500 BTU/HR	750,800 BTU/HR or 63 tons Refrig- eration Req.	669,230 BTU/HR or 56 tons Refrig- eration Req.	
		2,641,000 - 2,206,500			63 - 56	
SAVINGS WITH MASONRY FILL % Savings			2,641,000	= 16.4%	% Savings	63 = 11.0 %

NOTE—Sound transmission between adjoining suites is reduced by 2.9 db. using blocks filled with Zonolite Masonry Fill Insulation as compared to hollow blocks, or equivalent to 20% londness reduction.

For more data, circle 65 on Inquiry Card







GRUMMAN AIRCRAFT ENGINEERING CORPORATION, Builders of the Gulfstream, Long Island, New York • ATLANTIC AVIATION CORPORATION, Custom Fabricators of plane interior, Wilmington, Delaware.

EERO SAARINEN & ASSOCIATES, ARCHITECTS, Designers of Dulles International Airport, Hamden, Conn. • GOTHIC ALTAR STUDIOS, FABRICATORS, Service and Ticket Counters, Bedford Hills, New York.



On the ground or in the air, depend on NEVAMAR® for durability

Years from now, the NEVAMAR surfaces at Washington's new Dulles International Airport will still look like new—despite 'round-the-clock punishment from elbows, bumps and baggage.

Flying high above this hubbub will be the new jet-prop Gulfstream of J. P. Stevens &


Co., Inc. Here, too, NEVAMAR is at work supplying beauty and durability to the executive plane's interior.

NEVAMAR laminate is equally at home in busy public places and high-level custom installations. It never needs refinishing; withstands burning cigarettes, hot liquids, alcohol and ink; can be quickly cleaned with a damp cloth. Count on NEVAMAR for the kind of per-

formance that keeps your clients happy. Write for AIA File No. 35-C-12, or check our catalog in Sweet's Architectural File 14a/Na.




NATIONAL PLASTIC PRODUCTS COMPANY, INC., ODENTON, MARYLAND



For more data, circle 67 on Inquiry Card





Monolithic reinforced concrete continues to be the most desirable material for the construction of buildings of all heights. No other structural method offers architects such broad design horizons. The new 60-story twin towers of Chicago's Marina City are dramatic proof. For your next building, consider the many outstanding advantages of this superior construction method.

in monolithic reinforced

CONCRETE REINFORCING STEEL INSTITUTE

38 SOUTH DEARBORN STREET . CHICAGO 3, ILLINOIS

14-62



What's wrong with this new washroom? Scott found 4 big design mistakes.

At first glance it looks great. Neat, clean, up-to-date. But there's more to a washroom than handsome fixtures. Scott's trained consultants found four planning errors in this layout:


- Mirrors are best located away from washbasins. That way people don't brush loose hair into sinks, and clog them. And successive users aren't kept waiting.
- The Scott towel dispenser should be located between the sink and the exit for a more efficient traffic pattern.
- The waste receptacle should be located between the towel dispenser and the exit, so people aren't kept waiting while each user dries his hands.

 Uncovered wall-hung waste receptacles increase maintenance efficiency, discourage litter, speed traffic flow.

For the washrooms in your buildings, remember: 1) Scott fixtures give your clients years of value, dispensing the nation's finest paper products; 2) Scott's unique Washroom Advisory Service is always available to you, free of charge. Write for our 16-page washroom planning booklet, or call your local Scott office. Scott Paper Company, Philadelphia 13, Pennsylvania.

SCOTT S

MAKES IT BETTER FOR YOU



TURNBULL POWER SCAFFOLD is easily operated by safe push-button controls on roof carriage and workstage.

TURNBULL POWER SCAFFOLD brings maintenance costs to a new low.





For information contact Special Products Division

TURNBULL ELEVATOR

INCORPORATED

243 44th STREET, BROOKLYN 32, N.Y.







custom-mated Air Distribution Equipment by


TUTTLE & BAILEY


You can specify Tuttle & Bailey air distribution devices to harmonize with, or accent, your design treatments for schools, hospitals, shopping centers, offices and other buildings. Achieve attractive trim line effects... offer your clients beauty plus performance. The broad range of Tuttle & Bailey air distribution equipment and accessories for heating, cooling and ventilating answers every requirement for today's modern interiors.


Write on your letterhead for your copy of the new full-color brochure—"BEAUTY AND PER-FORMANCE"—a folio of design ideas created by America's leading architects. Helps you plan striking interiors. Features beautiful photographs of installations in the newest offices and buildings.














TUTTLE & BAILEY


Division of Allied Thermal Corporation New Britain, Connecticut Tuttle & Bailey Pacific, Inc., City of Industry, Calif.



Flexibility of Use and Design Highlights Litecontrol Jamaica

The Litecontrol Jamaica — series 5000 — fixture is designed with quality components to a full 12%/16" width. It has the appearance of a functional, good-looking lighting fixture rather than a two or three lamp strip under plastic. ■ Jamaica's width makes it adaptable as a three lamp unit as well as two lamp. It is available in both four and eight foot lengths, and with 3 enclosures: acrylic side panels with Holophane #6150 Controlens®—acrylic side panels and an acrylic Stylux bottom panel — polystyrene side panels and a polystyrene Stylux bottom panel. ■ Jamaica provides high efficiency, excellent brightness control and gives widespread light distribution, often resulting in fewer fixtures being required. Using Jamaica, the architect and engineer has greater flexibility of design to fulfill many varied job requirements.





DESIGNERS AND MANUFACTURERS OF FLUORESCENT LIGHTING EQUIPMENT DISTRIBUTED ONLY THROUGH ACCREDITED WHOLESALERS


New York Hospital adds color...for life. This is the *new* Coney Island Hospital in Brooklyn, New York. The face is colorful and clean and will <u>stay</u> that way for the life of the building because the architects chose HANLEY Duramic® Glazed Brick for the exterior. If you want to add color, not costs, to your next project, take a look at HANLEY'S more than fifty shades of glazed brick and tile. Make your projects distinctive and colorful permanently because HANLEY Duramic® Glazed Brick is self-cleaning and colors do not fade. Specify uniform quality HANLEY Duramic® Glazed Brick for your next project.


See the complete Hanley line in Sweets. 1 1 TH CONEY ISLAND HOSPITAL

Coney Island Hospital, Brooklyn, N. Y. / Architects: Katz, Waisman, Blumenkranz, Stein & Weber / General Contractor: Gerace & Castagna, Inc. / Hanley Shade 623 Limestone Grey Fine Speck

HANLEY COMPANY

One Gateway Center, Pittsburgh 22, Pennsylvania Sales Offices: New York • Buffalo • Pittsburgh






OUTSTANDING NEW HIGH SCHOOL INCORPORATES


ALL MODERN FEATURES-INCLUDING

Streamline COPPER TUBE AND FITTINGS-

FOR BOTH SUPPLY AND DRAINAGE PLUMBING

Architect: Frederick E. Wigen Architect & Associates, Inc., Saginaw, Michigan Mechanical Engineering Consultants: Hyde & Bobbio, Inc., Detroit, Michigan General Contractor: Consolidated Construction Company—Bay City, Michigan Mechanical Contractor: Budd-Eurich Plumbing & Heating—Saginaw, Michigan






This striking new \$2.5 million dollar Community High School in Bridgeport, Michigan, is completely modern . . . inside and out. Built to accommodate 1500 students, the school employs all modern educational aids . . . closed circuit television . . . language laboratories . . . and adjustable classroom areas. This new school has been classed as one of the most outstanding in the nation to be constructed in recent years. The plumbing is as modern as the teaching methods because both the supply and drainage systems were fabricated from Streamline copper tube and solder type fittings. Copper costs no more than rustable materials and the school will enjoy a lifetime of dependable service. All windows, curtainwalls, and entrances were supplied by Valley Metal Products Company, a subsidiary of the Mueller Brass Co.



MUELLER BRASS CO.

PORT HURON 8, MICHIGAN

For more data, circle 72 on Inquiry Card



Ruberoid quality cuts floor costs...

You can depend on Ruberoid Floor Tile for clean cut edges and square corners. This means tile that fits together properly—resulting in lower cost of installation and a tightly fitted, sanitary floor.



Ruberoid's new electronic quality control equipment also helps assure a tight smooth surface—dimensional stability—resistance to indentation—good maintenance features.

Depend on Ruberoid, too, for fresh new styling, original patterns and textures, color consistency. For quality—beauty—service specify: Ruberoid Vinyl-Asbestos Floor Tile.


Tracked conveyors guide tile sheets through press, insure squareness and clean cut.





FINE FLOORING

The RUBEROID Co. 733 Third Avenue, New York 17, N.Y.

For more data, circle 73 on Inquiry Card







Kalevi A. Mäkinen and Pertti Ingervo photos


ALVAR AALTO TODAY

By Frederick Gutheim


So often has the American Institute of Architects given its Gold Medal at the end of an architect's career—if not posthumously—that the award to Alvar Aalto is an interesting departure. While the Finnish architect is only 65 years old, he is at the peak of his productivity, with unmatched international building activities, and the added responsibilities of a national cultural leader. He is far beyond the celebrated youthful designer of exhibition pavilions and furniture, or of such humanistic buildings as the Viipuri library or the Villa Mairea, which launched his reputation in the 1930's. Behind him, too, is the "red period" which commenced with the rugged brick Baker House dormitory at Massachusetts Institute of Technology and culminated with the Säynätsalo town hall. Today he is Finland's architect of great public buildings, corporation headquarters and city plans; and the world architect with the most widespread practice and active projects in Scandinavia, Germany, France and the United States.

Aalto belongs to the generation of revolutionaries and pioneers who laid the foundations of our modern architecture. The strength of this movement and the individuals who constituted it is well illustrated by the high proportion of survivors and the vigor of their practice today. This vitality has its roots planted deeply in the humanistic and international idealisms of youth, and the rigors of economic austerity. The survival of this earlier architecture into today's more self-centered, divided and affluent world has not been accomplished without change, and often in the work of Aalto, as with his contemporaries, we are interested in how the transition to advanced building technology, more abundant space, more luxurious materials has been accomplished. The question is relevant to the future of architecture, and specifically its future in the Europe of the Common Market. If the speculative energies and appetites of Milan, Paris, London and the West German cities are to produce anything more than a crude and unworthy materialism, there must be a further development of architectural and thought.


As should become apparent with the publication this summer of "Alvar Aalto 1920-1960," a collection comparable to the Girsberger edition, "LeCorbusier 1919-60," with its accumulating volume and longer span, one is naturally more conscious of evolution from earlier work and the continuity of earlier design themes and styles. In this perspective the Viipuri Library is the most seminal work; its sunken reading room, fine undulating wood ceiling, overhead lighting and certain other features introduced here repeating themselves over the years and still today. From the Villa Mairea one sees the L-shaped living room with its careful transitions of light and atmosphere from one part to another, the stately dining room, the secluded library, the management of levels to add spatial variety and richness—all echoed



SECOND FLOOR





FIRST FLOOR



House Near Paris for Art Dealer Louis Carré

Dramatic driveway approach leads directly to entrance






and developed further in later buildings and buildings still to come. A continuity is evident also in the treatment of interior spaces. The entrance halls and public courts that mark the Artek Building in Helsinki or Aalto's own summer home appear again in his larger and more formal works. But a more profound continuity of personal style is evident in Aalto's absolute control of the building, his achievement of sympathetic interior spaces with perfect sound, light, air and atmosphere, the masterful line defining silhouette and volume, and the command of detail, whether in the selection of materials or the design of hardware, lighting fixtures, furniture and fabrics. It is against this rather autocratic personal style that the playful, whimsical, imaginative and even irrational touches with which Aalto endows his buildings acquires a special value, humanizing what in other architects often regrettably becomes a cold absolutism.

The origins of this style have been conventionally traced by European critics to the north, which they have endowed with a romantic and mystical quality we have reserved for the "Wild West" or the "great open spaces." Nonetheless, the regional character is profound as well as precise, and it extends beyond the specifics of climate, building materials and the habits of living; and unless you like these qualities in the civilization of the north you will not respond to them in Aalto's architecture. The woods and their solitudes, the shallow lakes with their splendid skyreflecting colors and surrounding border of pines and birches, and perhaps most of all the wide horizons and mysteriously modulated light—these are the qualities to which we Americans particularly respond.


Although I had earlier visited Finland in the summer and fall, it was the present opportunity to go there in mid-winter that revealed the ultimate regional factor in architecture. When the snow covers the flat ground, as it does for half of the year, the dark woods are strongly silhouetted against the lighter snow-covered broad fields and lakes. In the neutralizing snowfall especially, a dark and light pattern forms in the atmosphere. Forms are flat and distinctly outlined although not sharply edged. The lines in this pattern separating dark and light, are of nature's making—and of man's. One sees the curving lines of the lake shore, the round masses of wooded areas, or even a reflection of the underlying geology in topography and vegetation. But one also sees the geometry of fences, roads, fields and other works of man, not least buildings. A blue tone floods the air, especially during the drawn-out hours of dawn and dusk, when nothing is black or white. The winter sun is intermittently seen, often brilliantly clear, its low angle casting long shadows which emphasize the patterns made by wind and shadow in the snow.

This is a world conducive to fantasy, in which the





An unusually well developed landscape plan has been manipulated by the architect to yield a rich dividend in privacy through changes in level, small courtyards and the "planting steps" earlier pioneered in the Säynätsalo town hall





imagination operates free from the restraints of reality, challenging the designer of buildings to suggest in his work something comparable as an esthetic experience, yet a work of man not of nature, able not only to survive the incessant competition of these natural conditions, but actually to employ them. One may question if the climate and atmosphere of Finland are so wholly decisive. The answer is best found not by a comparison with other countries and other architectures but with the arts of Finland, especially the folk art of weaving as expressed in that unique creation, the wall rug (ryijy rug).


Maison Carré

If one looks for masterpieces in Aalto's work today the most impressive single accomplishment is the Maison Carré, an elegant holiday house for the Paris art dealer and collector, Louis Carré. While smaller in scale than the Villa Mairea, it embraces the same qualities of that much admired earlier work, and further incorporates later design themes explored in Aalto's own summer house and other buildings. Overlooking the characteristically rural landscape of the Ilé de France, at the edge of the town of Bazoches, some 30 miles south of Paris, the Carré house makes the most of its high situation and magnificent views. From the large entrance hall, with its beautiful natural studio lighting, framed by an undulating ceiling of pine strips, one is carried down to the living room with its panoramic windows beneath the overhanging roof. This entire area of the house is carefully studied and lit to provide wall space for a handsome collection of modern paintings. It also contains a generous working area for the owner. To one side a small library exploits the house's change in level to secure a surprisingly rich development of a small space, and its completion with fine cabinet work.

The Carré house exhibits the elegance and refinement one associates with Aalto's infrequent houses brought into harmony with its expression in France. While the dramatic and useful handling of spatial volumes is certainly the outstanding feature of the house, its superb livability, shrewd management of contours, and absolute control of interior atmospheres are clearly established. To have achieved this combination of the formality demanded by an almost oppressive burden of exhibiting great paintings and a relaxed, informal domestic environment is the solution to quite a different problem than the "studio house" for Mairea Gullichson in 1938. And to have handled such opulence and unbounded resources with modesty, yet without shrinking from true luxury, is an equally important achievement.

Enzo-Gutzeit

A corporation headquarters for Finland's largest industry, the cellulose firm of Enzo-Gutzeit, challenged Aalto to meet a characteristic architectural





Above: Entrance hall and gallery with undulating ceiling of pine strips. Furniture and lighting fixtures shown in living room (top right) and study (bottom right) were designed by Aalto






problem comparable to our similar buildings for aluminum, steel, soap, whiskey and finance. The impressive site adjoins and overlooks the residence of the president of Finland, it fronts Helsinki's busy market square and picturesque harbor, and it is surrounded by such monumental buildings as the Russian cathedral, the town hall, the university and departments of the national Government. Enzo-Gutzeit itself is "a mixed enterprise," half of its capital being supplied by the Government, and in addition to its operations in lumbering, it is the principal producer of timber, millwork, plywood, wallboard and paper products, an important manufacturer of sawmill machinery, and the operator of an extensive shipping fleet.


Aalto's design is a deliberate effort to conform to these surroundings, and to meet the expectations of his client and the public. The architect has subordinated his characteristic personality. The resulting building, while it does no violence to its setting, adds little to an historic and architectural complex that is Finland's pride. The regular classical form is quiet, its scale conforms to the surrounding public buildings, its facing of Carrara marble contributes to the water approach to traditional Helsinki as "the white city of the north." An exercise in cultural humility, the architect has further contented himself with a practical solution to the functional problems of the building as an accommodation for top executives.

The more characteristic expression of the architect is found in the interior spaces where the corporate personality of the firm is projected in reception halls, executive suites, a board room and executive dining rooms. Here Aalto's long-recognized abilities as an unsurpassed architect of interiors are given full play. Deeply recessed, triple-glazed and specially ventilated windows regulate the temperature, humidity and natural light appropriately to Finland's long, dark winters. Laminated wood doors of double thickness (hardly a millimeter apart) provide virtually soundproof seclusion. The company's best materials are exhibited in flooring and especially in the paneling of the principal offices. Here Aalto has relied again on the laminated red plywood strips he first used in the undulating ceiling of the lecture hall in the Viipuri library. These are cut from pines that have "died a natural death" in the midst of the forest and remained standing to season themselves perfectly dry. The search for such selected trees is long, costly and difficult, and the material is treated with an appropriate respect that could hardly be equaled by the traditional Japanese. The laminated strips are slightly more than a half an inch in width, carefully matched and contrasted, and deliberately butted light against dark to emphasize the color range.

In the design of special lighting fixtures and hardware, and the specification of furniture, fabrics and decoration, Aalto has further defined spaces of pub-




Corporation Headquarters for Cellulose Firm



Above: Plan at third floor level. Intermediate mullions have same profile as columns. The buildings rectilinear bulk and white carrara marble veneer make it a conspicuous addition to Helsinki's harbor (above right)





lic purpose, great dignity and masculine character.

It is such a display of masterful interior design that will probably result from the invitation Aalto has received to design the offices of the Institute for International Education in the Harrison and Abramovitz building facing the United Nations Plaza, a most fitting opportunity for his first American project in 15 years, if something less than the full building opportunity one hopes he will still be offered in the United States.

Seinäjoki Civic Center

A church is a public building in Finland with its established religion, and church design is normally the result of an architectural competition. Aalto's important contemporary civic center for the central Finnish town of Seinäjoki commenced with his winning design for the city's church, a design closely resembling his concurrent Vuoksenniska church although more regular and conventional in plan. The church proved the start of a much larger complex, the second building in which is the town hall, completed last year. The master plan for the larger group further provided a buffer building between the church and the town hall, accommodating supplementary ecclesiastical activities, and two new buildings for a community theater and a library, work on the design of which is now proceeding. The complex as a whole is thus the result of evolution rather than master planning, but the reciprocal relations of individual building designs, and the development of the spatial pattern as a whole in the hands of a single designer illustrates an important borderland between architectural and planning design. The exterior of the Seinäjoki town hall, similar in structural outline to Aalto's town hall in Avesta, Sweden, is entirely faced in dark blue tiles manufactured by the Arabia potteries, a half-rounded design created and first used by Aalto in the interior public spaces of the Pension Bank and the Helsinki Hall of Culture. In another climate this glittering treatment would be less acceptable, and even here it is hard to divest the material itself of ignoble associations, yet in the total context an interesting and valid building has been created if not at the level of the earlier town hall at Säynätsalo.

The counterpoint between the white walls of the church and its dark copper roof with the blue tile town hall is less a matter of color than of silhouette.


A Plan for Central Helsinki

In the body of his work Aalto's contributions to city planning have been more significant than those of any other modern architect with the possible exception of LeCorbusier. One has but to recall his wartime reconstruction plans, the proposal for the delta city of Oulu, the regional city of Imatra to appreciate the power and originality of his creative abilities as a planner. Today these are being tested

Pertti Ingervo

Seinäjoki Civic Center: Church

Above: Model of plot. The church and one element of the town hall are now complete. Photograph of church (right) was taken from steps adjacent to town hall at edge of picture




again in the solution of the problems of the center of Helsinki, the center of a rapidly expanding collection of suburbs and the capital of a rapidly developing nation. Without developing fully the institutional factors of politics, economics and social conditions which frame this plan, it is still possible to describe it sufficiently to reveal its distinctive character as a design, and to indicate its relevance to other cities of the Western world whose traditional urban fabric is torn by growth, change and most of all the automobile.


In the case of Helsinki its location on a peninsula has tended to preserve its rather ecological pattern, even as bridges have been built to the surrounding islands of the archipelago, yet the lack of a coherent metropolitan regional plan reflects an underlying inadequacy of municipal form, organization and planning technique. Successive plans for the rapidly developing central city have increasingly focused on the problem of circulation as the sprawling suburbs pour their busloads into the peak hour traffic. The congestion is especially acute in the sector around Siren's classical Parliament House, the elder Saarinen's railroad station, and the commercial retailing and white collar employment center.

Aalto's plan for this area, prepared for a select commission following half a dozen earlier proposals by city planning agencies and as elicited by competitions, now appears likely to resolve deep-seated difficulties. His plan proposes a new express highway on the line of the existing rail approach, carrying traffic into and through the city. Large new parking areas will cover the existing unsightly railroad yards, and they in turn will be covered with new shopping facilities. Bordering the Töölö inlet, separating it from the new expressway, sites are provided for a battery of cultural buildings, including a concert hall, theater and museum, terminating at its upper end in the area dominated by the Olympic Stadium and exhibition halls. At the opposite end, the retail center would be freed of through traffic which would be carried below grade, and a large part of it would become a raised pedestrian platform. Not the least value of the plan as contrasted with earlier proposals is the removal of traffic and its attendant difficulties and pressures from the market square in front of the President's house, and from the historic and monumental quarter of the city. While the plan as a whole still lacks full acceptance it has gained impressive endorsement and parts of it are now being carried out.

A powerful designer's imagination is seen at work in Aalto's plan for the center of Helsinki, a project in every sense as important as Stockholm Centrum, or the comprehensive redevelopment plans for major American cities. By contrast with the earlier plans for this area he has succeeded in freeing himself from the sticky mess of engineering particulars and apparently irrevocable detailed considerations, and



Walls of church and tower are of brick painted white






he has cut through to the essentials. As we have all seen, once the main outlines of a solution emerge, what had earlier been regarded as obstructive elements drop into their true perspective. This distinctively architectural ability, the lack of which condemns so many purely engineering and administrative solutions of the "practical" planner, involves the introduction of new factors not present in the problem itself—in the case of planning, a new system of circulation, a new arrangement of land use, a new pattern of open and developed areas.


Current Projects

A review of the work in Aalto's 30-man office today (excluding inactive projects, competition efforts, similar work) shows an impressive volume at an unflagging creative level, a body of work international in scope, and, as throughout the architect's career, varied as to cost and purpose from the most practical architecture of industrial structures and housing to the most exalted of civic and cultural buildings. His concert hall for Helsinki forms one of the battery of cultural buildings Aalto has proposed on the shores of the Töölö inlet. Design is well advanced for what promises to be one of Aalto's greatest churches in Detmerode, Germany. A new library in the Lapland city of Rovaniemi, where Aalto's housing project for the National Housing Foundation has recently been completed, and the Seinäjoki library, forming part of the civic center, are both in the stage of final drawings. A large opera house for Essen, Germany, is under way, as is the Akademie der Kunst in Berlin. At the new university at Jyväskylä, the architect is adding a swimming hall to earlier academic buildings. The university museum opened last summer with the first retrospective exhibition of Aalto's work in a decade. At Ottaniemi, in suburban Helsinki, Aalto's earlier master plan for the Finnish Institute of Technology is now being translated into a series of building designs as construction starts on this long-deferred and badly needed university. Residual work is still being done on buildings under construction like a bank and office building in Helsinki, and such recently "completed" jobs as the 22story apartment building for East German refugees in Bremen still being faced with tiles, and the Wolfsburg, Germany cultural center opened last fall.


From such a summary review it should be clear that Alvar Aalto is standing well the historic changes that have swept the post-war world, not least his native Finland where hydrofoil ferries now ply Lake Päijanne and traffic jams the streets of her once quiet and dignified capital city. The industrialization of building, the mechanization of life, the brutalization of large scale organization and autocracy—these to him are old enemies. While employing new tactics, the architect's entire life has been a long strategic encounter with these forces. It is the continuity with this effort we see in his work today.




Exterior veneer of recently completed civic center consists of blue tile semi-circular in section. This material is also used on corridor walls. Lighting in meeting room is elegant, yet informal as shown in photograph on opposite page




Seinäjoki Civic Center: Town Hall









Plan for Center of Helsinki



A new express highway parallel to the shore of the inlet, has been proposed by Aalto. Following the line of the existing rail approach, the highway will connect with large new parking areas covering the existing unsightly railroad yards. These garages will be covered with new shopping facilities. The diagram (left) shows the location of the cultural buildings planned for the site




Pertti Ingervo



Eastern exposure. Brises soleil shield vast work and exhibition spaces

LE CORBUSIER DESIGNS FOR HARVARD

Carpenter Center for the Visual Arts, the great architect's first U. S. building, is less bold than could be expected and the *beton* is not so *brut*



Carpenter Center for the Visual Arts
Harvard University, Cambridge, Massachusetts
Architect: Le Corbusier

Collaborating Architects: Sert, Jackson and Gourley
Structural Engineer: William Le Messurier
Heating and Ventilating Engineers:
Delbrook Engineering Inc.
Plumbing Engineers: Tiot Engineering Inc.
Electrical Engineers: Thompson Engineering Inc.
General Contractor: George A. Fuller Company
Subcontractor for Concrete Form Work:
Tucker Concrete Form Company

Men and ideas are more important to Harvard than mere brick and mortar, as Harvard spokesmen will frequently assert, and the school has fought hard and successfully throughout its history to attract the most eminent men as teachers. When Harvard does consider brick and mortar, however, the same competitive demand for the best has made the University consistently hire the leading architects of the day. Today, the buildings by such men as Bulfinch and Richardson which grace the Yard are now joined by a gentle alien placed there by a surprisingly unassertive Le Corbusier.

Is it possible that Corbu designed an accommodating and modest visual arts center out of regard for the scale of the place? Harvard gave him a constricted site adjacent to Harvard Yard, tucked between the Fogg Museum with which the center has a functional relationship, and the Faculty Club, while tightly defined by two streets. Some of his other clients have given him somewhat more scope.




Approach from Quincy Street which borders Harvard Yard. Fogg Art Museum is in background

For its new capital the government of the Punjab set aside a great park north of Chandigarh extending in an unbroken sweep to the foothills of the Himalayas. The monks at La Tourette invited him to build on sloping farmland overlooking a forest near Lyon, and Ronchamp, as everyone knows, is on the top of a hill. The buildings which Corbu called forth for these sites are unforgettable in the power and strength of their images. Even when offered no scope at all as on the narrow suburban lots at Neuilly, near Paris, where he erected the famous Jaoul Houses from which much that is new in contemporary design has grown, Corbu achieved a vigor and raw boldness which he doesn't attempt at Harvard.

The new building is attracting notice and interest, however, and the Harvard community finds it diverting enough. The visual arts are practiced in the somber recesses of the Fogg Museum or in Robinson Hall which shelters the Graduate School of De-

sign. Certain basic design courses in what Harvard calls the Architectural Sciences will now be conducted in Carpenter Center, along with programs in graphic arts, photography, film and television. In its strategic location Corbu's building is expected to give visually creative experiences a new prominence on the campus. A freshman who might never have thought of it may, at the sight of the new center, be moved to sign up for a beginning course called "Visual Composition," which could lead to his becoming an architect, a landscape architect or a city planner; or possibly an educated layman who has learned to see.

In plan the new center looks like a cubist guitar from one of the master's own still lifes. The curving perimeter wall asserts the building's independence from its neighbors while at the same time it defines the intervening spaces in a subtle and skillful manner. The wall planes are continuous, slatted or deeply angled in precise relationship to the movement





Curved element in foreground overhangs terrace partially screened by wall. Vertical slats admit light on north face but wall becomes continuous as it curves to the west. The directors studio workshop overlooks a planted terrace at the penthouse level, roof of curved foreground element will also be a terrace. Brises soleil are set at a 30 degree angle to screen the studio workshop from the late afternoon sun

Above: Although the building may be entered at the first floor level, the ramp is the main access, passing through the third floor. From this entry point one can enter the main exhibition area, a studio workshop or the main stair hall. Right: Glass block illuminates stair tower which is the width of the panel of block. The concrete finish throughout the building is relatively smooth in contrast to the rest of Corbu's recent work


of the sun, while the round columns are of varying circumference, each expressing by its size the load it carries. The underside of each poured concrete slab is revealed, in deference to the Corbu edict that the undersurface of the slab shall not be violated, and where the slabs overhang the floors are exposed to cold underneath. The building is heated by means of an air floor laid between the structural slab and the finished concrete floor. According to engineer William Le Messurier, Corbu's "modulor" called for a thicker dimension than structurally necessary for the slab, and the air floor took up the difference quite nicely. The bulk of the space is not air-conditioned. Exposed pipes are painted bright green and the fan units, noisily visible, take up space as casually as furniture. In the Le Corbusier esthetic columns are articulated from walls and little can be hidden or tucked away.


The great curvilinear bisecting ramp connects the heart of the structure to both streets, and from its


center the main stair and the great exhibition space are clearly accessible from any point within. There is an intriguing interplay between Corbu's interior and Georgian Harvard as perceived through the great panes of glass. Broad roof terraces which have been designed to carry a foot of earth for grass will, when planted, carry out the Le Corbusier dictum that the space which a building takes from the ground plane must be returned to nature at the building's roof plane.

The art center had to be constructed on a tight budget within a grant given by the Carpenter family. Its cost was kept as low as \$23 per square foot unequipped, and its entire cost was approximately \$1,200,000 not including a subterranean addition to the Fogg.

It was an expensive building to engineer and to detail, however, according to Le Messurier. All cantilevers along the curving perimeters, for example, had to be designed to deflect the same, and long thin









ARCHITECTURAL RECORD April 1963




Studio workshop on second floor. During the day, lighting in all studios is excellent, but at night the work surfaces are lit solely by reflected ceiling light which will be augmented in the future by individual desk lamps. Ceilings are painted white; other concrete is left in its natural finish for the most part and brilliant colors, selected by Corbu, are used as occasional accents. Spaces are undifferentiated and nothing is built in





Above: Ledge bridging brises soleil makes a handy display for the work of the students of Mirko, well-known sculptor on the Harvard faculty. The building is not yet fully occupied and some of the arrangements are temporary which may account for the flimsiness of the work tables in the photograph at the right. From inside one sees Harvard's redbrick buildings framed in all kinds of ways by the great glass panes






156







columns have their complications. The office of Sert, Jackson and Gourley, which made the working drawings from preliminaries mailed to Cambridge from the Rue de Sevres, devoted long hours to devising the complex details essential to the realization of a work of art a la Le Corbusier. Corbu kept a tight control of the job throughout and permitted no basic changes in his design. A proposal by the collaborating architects to shrink the dimensions of the building by 5 per cent to better accommodate the budget, received a sharp veto from Paris. The concrete of the new structure has a smooth finish and a precision which is the opposite of the raw look which is the Corbu trademark, and is the result of expert concrete formwork on the part of the subcontractor. Brilliant accents of color are used with restraint on the exterior, but inside certain entire walls are painted a single strong color, carefully matched to Corbu's specifications, contrasting dramatically with white ceilings and unpainted concrete surfaces.



Skylight illuminates an enclosed area on the fourth floor





Small LIBRARIES

A COMMUNITY LIBRARY CENTER

Community Library Center, San Leandro, California ARCHITECT: $Francis\ Joseph\ McCarthy$ STRUCTURAL ENGINEER: $A.\ V.\ Saph\ Jr.$

MECHANICAL AND ELECTRICAL ENGINEER: G. M. Simonson LANDSCAPE ARCHITECT: Douglas Baylis LIBRARY CONSULTANT: Coit Coolidge

CONTRACTOR: F. P. Lathrop Construction Company



pages 160-161

GARDEN COURT FOR OUTDOOR READING

City Library, Santa Fe Springs, California
ARCHITECTS: William L. Pereira & Associates
STRUCTURAL ENGINEERS: Woodward, Tom & Associates
ELECTRICAL ENGINEERS: C. E. Mauk, F. E. Van Sickle
MECHANICAL ENGINEERS: Ehrishman & Konuk
LANDSCAPE ARCHITECT: Carter Von Herrick
CONTRACTOR: C. T. Smith



pages 162-163

BRANCH LIBRARY AMONG RESIDENCES

Putterham Branch Library, Brookline, Massachusetts

ARCHITECTS: The Architects Collaborative

Jean B. Fletcher, partner in charge

Robert T. Eskridge, job captain

MECHANICAL ENGINEERS: Reardon & Turner

ELECTRICAL ENGINEERS: Magure Engineers

GENERAL CONTRACTOR: Cardarelli Construction Company



pages 164-165

FOR EXPANSION IN TWO STAGES

Public Library, Salinas, California
ARCHITECTS: Welton Becket & Associates
STRUCTURAL ENGINEERS: Stary & Skinner
CONTRACTOR: Tombleson & Huck



pages 166-167

DESIGNED FOR LOW MAINTENANCE

South Branch, Public Library, Berkeley, California
ARCHITECT: John Hans Ostwald
GENERAL CONTRACTOR: Vila and Sons




pages 166-167

LIBRARY WITH TWO FUNCTIONS


Township Public Library, West Bloomfield, Michigan
ARCHITECTS: Frederick Stickel Associates
STRUCTURAL ENGINEER: Clifford W. Holforty
MECHANICAL AND ELECTRICAL ENGINEER: Robert G. Caughey
LIBRARY PLANNING CONSULTANT: Robert M. Orr
CONTRACTOR: G. C. Waggoner & Sons, Inc.




page 168










A COMMUNITY LIBRARY CENTER

San Leandro Community Library Center San Leandro, California ARCHITECT: Francis Joseph McCarthy

This main library building for San Leandro, a rapidly-growing city on the east side of San Francisco Bay, is more than a repository of books. Its formal name gives a clue to the library's many-sided program of activities: a "community library center." The building not only provides for an ultimate book capacity of 120,000 volumes but also for a full range of community activities—civic, educational and cultural. A lecture hall, meeting and conference rooms, and a painting, sculpture and crafts studio with its own court, are available for use by the public. All but two of these facilities (the two smallest) can be used independently of the library proper. The plan is organized around two garden courts—one for children, opening off the children's room and giving daylight to it and to the corridor along the wall of the lecture hall where exhibits are hung; and the other in the adult reading area. These sunny, protected outdoor areas bring daylight into the building interior and add color and informality to the reading areas without sacrificing the convenience of good relationship between various areas and services. On the second floor, in addition to the librarian's offices, staff offices and lounge, and a special collection on California history, there is space for expansion as the library grows.







Story Hour Room



Meeting Room







GARDEN COURT FOR OUTDOOR READING

Santa Fe Springs City Library
Santa Fe Springs, California
ARCHITECTS: William L. Pereira & Associates


This inviting library is the first building to be completed in a group which will become the town center for Santa Fe Springs, a relatively new town in Southern California. Eventually the center will include civic, commercial, recreational and residential buildings in a park-like setting from which vehicular traffic will be excluded. The library plan is entirely open except for the music, work and staff rooms. An unusual and pleasant feature of the building is the garden court at the rear of the building, usable during most of the year as an outdoor reading room because of the area's mild climate. The lounge with its large fireplace, opening off the general reading area and connecting directly with the garden court, is another unusual provision. Although the materials used for walls and column facings are simple concrete block and precast concrete units—the overall effect is one of richness and texture. Entrance is by a bridge over a reflecting pool almost as long as the building front.


Julius Shulman photos















Louis Reens photos



BRANCH LIBRARY AMONG RESIDENCES

Putterham Branch Library Brookline, Massachusetts


ARCHITECTS: The Architects Collaborative

Related visually in scale and material to the residential neighborhood in which it is located, this branch library nevertheless expresses its public function. Red brick is the predominant material used, with natural concrete for the canopy over the entrance and for the fascia. A special feature of the single, large, high-ceilinged space which encloses the reading rooms is the alcoves along two walls of the room. Low furniture groupings, oriented to these alcoves, differentiate between adult and children's reading rooms and periodicals area, giving an unusually open feeling to the room. On one side the wall is all glass, except where interrupted by the alcoves, providing daylight and an outlook on graveled terraces and low planting along the steep slopes at the rear of the site. The control desk is at one end of the room, near the entrance. A decorative wood screen separates the children's room from this entrance area. At either end of the reading room are low, brick-walled elements, one containing a music room and staff work room, the other containing a 100-seat meeting room which can be used independently for functions not related to the library. A stepped terrace is to be developed off this room.




ARCHITECTURAL RECORD April 1963







Marvin Rand photos








FOR EXPANSION IN TWO STAGES

Salinas Public Library Salinas, California

ARCHITECTS: Welton Becket & Associates


This library, the second building to be completed in the Salinas civic center, was designed not only to blend with the first building but to permit expansion in two stages to an ultimate doubling of capacity. The three wings of the present plan, controlled by the centrally located desk, would remain, the expansion taking place in the general reading area, enlarging the stack space and, in the last stage, the work room as well. A special feature is the browsing lounge which overlooks a paved and landscaped court with a reflecting pool and fountain. Beyond the court is a meeting room, available for community groups. The building cost \$250,000, somewhat less than the city's budget for it.





DESIGNED FOR LOW MAINTENANCE

South Branch, Berkeley Public Library South Berkeley, California ARCHITECT: John Hans Ostwald

All materials used in this branch library were selected for their ease of maintenance as well as because they were appropriate to the building and its very tight budget (\$60,000). Walls are of concrete block, integrally colored and exposed inside and out. The same block, turned on edge with the openings filled with amber glass, is used for trim. The roof of the adult reading room, which rises to a height of 16 feet, is crowned by a skylight which is a source for both daylighting and indirect artificial lighting. The ceiling of this room is surfaced with hemlock boards. Elsewhere ceilings are of acoustical plaster. The children's room opens directly into a small land-scaped courtyard for outdoor reading or story hour programs in good weather.








LIBRARY WITH TWO FUNCTIONS


West Bloomfield Township Public Library West Bloomfield, Michigan

ARCHITECTS: Frederick Stickel Associates

Located in a new and fast-growing suburb of Detroit, this building not only meets the normal requirements of a library but also provides a place for civic and social gatherings, a facility which the town has not yet built. Both functions are provided on the same level, with mechanical equipment on the lower level. Since the reading room relies on artificial lighting, its walls are solid for the most part; in contrast, the lounge-meeting room is more open, with one wall entirely of glass to take advantage of a fine view to the south. This room has an outside entrance for use independent of the library, but is accessible also through the library.









A LESSON IN UNITY


Rose Art Museum
Brandeis University
Waltham, Massachusetts
ARCHITECTS:
Harrison & Abramovitz
STRUCTURAL ENGINEERS:
Linenthal & Becker
MECHANICAL AND
ELECTRICAL ENGINEERS:
Jaros, Baum & Bolles
INTERIORS:
Alice Tiebout Interiors
GENERAL CONTRACTOR:
George B. H. Macomber Company

Brandeis University's first building devoted solely to the housing and display of art offers visitors a stunning example of architectural unity; a compelling lesson in how a two-level building can be designed to give the effect of a single space containing an incidental floor. Visually, a strong vertical movement is set up by the successive effects of central skylight, open well, cantilevered stair and pool. But interior space moves laterally as well, since each level opens freely to the central verticality. The total effect is dramatic, and provides the further advantage that the visitor can—from any point—readily orient himself. Architect Max Abramovitz points out that the design seeks to avoid the feeling of being shut away in a series of separated exhibit spaces, in deference to the quality of openness and a sense of more to see. The museum is a gift of Mr. and Mrs. Edward Rose of Boston, and houses their valuable collection of rare china and small art objects, as well as the University's collection.










As the plans reveal, the upper level is set within a terrace for sculpture, while the lower level has a portion of its space devoted to wash rooms, office, storage and work areas. The entire building is air-conditioned, with specified humidity control to insure maximum protection for art treasures. The foot-deep pool of circulating water has a marble curb, a bottom of gray-black pebbles, and yields sufficient income from coin tossers to pay for its occasional cleaning!







The photo (top) shows how the Rose collection is displayed in six cases of natural walnut flanking the central open well. In addition to the flood of daylight from overhead, the cases are illuminated by built-in quartz lamps. Peripheral walls on this level are washed by diffuse light angled from concealed troffers (bottom). This basic lighting is supplemented by a pattern of downlights for maximum control. All woodwork is unfinished walnut; the floor is beige travertine; walls and ceilings are white plaster. The structural frame is concrete

The Training and Education of Architects

The concept of training within education, and some suggestions for improving the curriculum

By William Allen, A.R.I.B.A.*

Architectural education has found its way to much the same form all over the English-speaking world. There is generally a five-year curriculum which embodies a substantial amount of training in the studio. It is designed to produce general practitioners and it produces other types only seldom and largely by chance. There is little postgraduate study or research, but we lay down a requirement for postgraduate practical experience before qualification.

The unusual feature here is the training, the studio work. You may be surprised that I call it "unusual" because, of course, to us it is the most natural thing in the world—so natural that we hardly ever question it, at least in principle; sometimes we get worked up about detail. However, outside observers are sometimes puzzled by it, especially when they note that some of the professions apparently closely allied to our own do not incorporate much, if any, training with their education. I've no doubt they wonder whether we have ourselves looked sufficiently critically at this part of our system and quite frankly I do not think we have. Let me therefore take a glance at it now.

What do we use it for?

The short answer is, to acquire skill. A profesfessional person, let me remind you, is a person who professes skill in the application of some body of knowledge. Skill is not the same thing as knowledge and we want to be quite clear what the difference is because our whole education system depends on it. We can get knowledge from books, from lectures, from experience and from all the sources you know as well as I; but skill implies an ability to do something with this knowledge which requires dexterity, balance and judgment, and a capacity to make decisions. One can be very knowledgeable, therefore, without being at all skillful. And I think the implication of this is quite clear, that a professional person must acquire both skill and knowledge; and increasingly today he is made responsible in law for possessing them before he offers his services. It is this which particularly distinguishes fully professional people from scientists, historians, men of letters and others of that ilk who seldom have statutory or implied responsibilities of this kind.

The question, then, is not whether an architect shall acquire skill, but how and when. We have fallen

into the practice of cultivating it in parallel with our formal education. The medical profession meets the problem in much the same way except that it tends to concentrate its training in an end-to-end arrangement late in the curriculum, which, incidentally, takes the same total time as ours. I understand it is now moving towards the parallel arrangement. Most other professions except law, which is too confused to be easily summarized, and music, which has no statutory responsibilities, seem to have presumed that the prequalification period of practical experience is for this purpose.

A question that springs to mind at once is the relative merit of the parallel and end-to-end arrangements.

I think one answer to this arises from our particular needs. Most architectural students when they begin have had no previous sensitizing to visual matters and little, if any, art training, a weakness of our secondary education that has for us the sole advantage that few prejudices have been formed. We assume we start from zero, therefore, and our first problems are to teach the use of the hands to make meaningful marks on paper, and to cultivate an ability to envisage and express on paper related enclosures of space, knowing in particular how they will satisfy use by people. By the end of the first year at the A.A., as in most schools, the student is generally expected to have enough knowledge and skill to design a simple building, and it is generally possible to detect at this stage any people really without capacity to develop skill as an architect.

From this time forward studio work in most schools is chiefly characterized by design projects graduated roughly in complexity and different enough to give exercise in different kinds of problems. These are criticized by studio tutors and lecturing staffs as they develop, and then by major juries including outside practitioners and acting clients. The student accumulates a portfolio on which in this country external examiners pass judgment at the third and fifth years.

This is familiar to most of you, but it tells us little of the real nature of design as a process, and it is this which must be understood if one is to comprehend what training is really for. If you dissect the design process in the finest detail, as a scientist explores the smallest particles in order to understand nature as a whole, it will be found that what is being

^{*} Excerpts from a recent paper by the author, who is principal of the Architectural Association School of Architecture, London, England

cultivated is an intimately alternating process of imagination and analysis. To put it very briefly and crudely, you first get the problem in your mind and try to identify its critical aspects. The imagination —a remarkable bit of mental machinery that can integrate several variables at once into a single concept and thus make design possible—goes into action, lines go on paper to fix the concept, and then the imagination rests for a moment and analysis takes place. Faults and new possibilities are seen and the imagination takes over again, and so on, the process repeating continuously, to modify and extend the ideas. At first only simple concepts can be handled and only slowly, but with experience the process becomes mainly automatic and subconscious. Skill is developing.

The imagination acts intuitively, without reasoning but not without guidance. The kinds of things it formulates are the result of one's purpose and one's capacity to analyze and criticize constructively. This is the source of its guidance. The analytical faculty thus becomes, as I see it, the instrument of one's taste, one's judgment, one's set of values and ethics, and one's knowledge. We cannot create imaginative genius in schools, but we can cultivate imaginative skill by training, and we can develop analysis by education and observation. This is the microcosm of our method and intention.

Now why have I taken so much time to discuss and dissect something that is never seriously questioned in the profession anyway? To your born researcher that would itself be a good enough reason, of course, but it is not what I had in mind. The real and much more serious reason is that a long, hard look is being taken at higher education in Britain today—the Robbins Committee is its spearpoint—and an equally searching look will have to be taken at individual branches of learning by those responsible for them. If something has become a habit rather than a necessity, it should be questioned; if something is exceptionally good it perhaps ought to be recommended to others. Our studio curriculum occupies a lot of time and it is not something that is found similarly developed in any other profession; what view should we take of it?

I do not think there is any doubt that the great majority of architects would agree that what we have is a very good thing, at least in principle. If we were deprived of it by some imaginary but quite possible administrative stroke that produced, for example, one of the evident alternatives, a shorter formal education with the training left to offices, I think we would all expect a drop at once to much lower standards both of architecture and of professionalism. The links between education and design would be severed in time and space, and organized development of design skill under criticism would largely collapse. I do not think anyone would like the result, or find it to the national or personal advantage.

There is, then, the other side of the argument; if we think it sound for us, do we think it should be advocated to others? Most of us have not thought much about this, but it interests me a great deal and I would like to make one or two remarks about it.

First, as a matter of principle it seems to me that professional education generally should be viewed as a category in which the cultivation of skill is a part of the system, to be carried out in an integrated manner alongside the formal education.

I doubt if there is an equivalent need either in the sciences or the arts subjects, and therefore it follows for me that we should perhaps visualize that professional education ought to be longer than those others for the same intellectual levels. I think the incorporation of training could add very valuably to the level and power of professional skill.

My second remark is that so far as our leadership of the building industry is concerned, one of our major problems is that the professions most closely associated with us do not strongly cultivate either a design skill, in the sense in which I have used that phrase, nor a similar social ethos, nor similar working methods. All of these are or should be part and parcel of professional training, and if the country is to be given the service to which it is entitled from its largest spending group of professions, we will have to have a much more consistent educational technique amongst us. Let me in passing commend at least two of these professions which have achieved most heartening developments of outlook in the past five years: the quantity surveyors and the structural designers. The results are very evident and comforting to us.

And my final remark in support of training for professions is this. At the very least it develops organizational thinking, by which I mean the capacity to face a very complex set of factors and resolve them together into a system of some kind which is not merely a set of compromises, but one in which all parts work together in an optimum manner; and at its best it transcends this commonplace. Whatever we make or build that forms part of our visual environment affects people's feelings and spirits, quite regardless of whether we deliberately intend to affect them or not, and it is wasteful, as well as terribly wrong, to ignore the study of this in educational systems. By wrong I mean morally wrong; and here you see emerging an aspect of architectural outlook that is one of our least discussed but most deeply ingrained feelings, that professional life of almost any kind is a service to society and is to be inculcated throughout as such. Professions must be socially conscious; few are.

But I am straying now too far towards the edge of my subject and must return. I have said quite a lot in praise of our studio training in principle, and I wish I could extol the detail, but here I have some misgivings, not about the A.A., which in many ways is exceptionally fortunate, but about our general practice in schools. I am, of course, too new to do more than cast a suspicious glance here or there. Could we look in particular for a moment at our studio program itself?

There was a time when the ideal of this was to cover all the main types of design and forms of construction. The objective was, on the face of it, commendable and it has left its mark upon us in the pricks from our conscience when we drop some timehallowed item. But was it ever sensible or even possible? Was it, I wonder, the real origin of our fiveyear curriculum? Whatever the truth of this, I think today we may still have too large a variety of similar things, if you will forgive the Irishism. We seem to have quite a number of building types studied at much the same sort of depth, and the danger is that we end up knowing too little about too much, and perhaps never feeling the sense of perspective, security and authority you get from knowing how deep you have to go to obtain real understanding. It is the unknown that most of us fear.

I am not going to take you through a catalog of possible studio objectives, but I would like to identify one question that crosses my mind time and again; do we sufficiently experience thoroughness? You will note the distinction implied here beween comprehensiveness, about which I have just expressed suspicion, and "thoroughness." We cannot be thorough in the sense of being comprehensive, but I believe we can and ought to know thoroughness as an experience. Our chief educational problem is not to stuff people full of facts of immediate usefulness, but to reveal to them the depth of architecture in its modern context, to equip them to comprehend deeply what they look at, whether it is their own work or the work of others; and above all how to penetrate new problems and come to reliable conclusions. A set of values and a kit of tools, embodied in an outlook and a method of attack: this is another way to state our problem in training. We would all subscribe to this; my fear is that too few of us have the courage to face its implications in education.

One unexpected risk attends the development of thoroughness. Preparatory study for a design can become a fascination in itself to the point where one begins to believe there is always more to be known, and decisions become difficult to take. Sometimes, in fact, this can almost totally inhibit design. The danger is perhaps especially near the surface at present when life is full of experimental work, and it reveals a facet of the handling of science in architecture which relates the art-science tension intimately and in a surprising way to education.

The Development of Analysis

Now, I have said quite a lot about our methods of developing skill but nothing about the educational content of the curriculum where we acquire much of our basis of analysis. We depend upon our imagination to do design, but imagination itself depends upon the terms of reference we give to it, and these are largely developed in our formal education. If this is well-balanced and penetrating, well and good; if it is lopsided or has big gaps in it, our design will reflect this.

What about our formal education then? Is it of the right sort, and has it got in it what we need? Looking at the situation generally, I confess I am not very thrilled.

I could perhaps document this by pricking holes in what we do at present, but instead I am going to describe roughly the kind of pattern I think we ought to have, and see where that leads us.

The first element in my pattern would be the study of people, as individuals and as groups.

As individuals they chiefly are of concern to us as sensory systems, for in these lie not only the fundamental and constant determinants of human comfort and convenience, but also the whole of the emotional response characteristics to which the highest practice of our art is directed; it is not merely what kind of environment gives comfort, but what gives delight, or moves us deeply in some way.

As groups the collective behaviors of people and their needs are our constant concern as the basis of planning. Families, crowds, meetings and movement, pleasures and necessities in everything from one-room flats to whole cities, these are our responsibilities. At once for this purpose we reach towards such studies as psychology, philosophy, sociology, economics, and flow systems.

An entirely different part of the pattern concerns the technique of building. Structural design, construction, materials, equipment, the prediction and control of cost, the problems of building organization and craftsmanship—all these (and perhaps one or two I have forgotten) form the substance of our technology.

An important element in our scheme of things is communications, by which I mean the flow and movement of vehicles, of people, of power, of liquids, gases, of wastes and production. They have important similarities which are causing us to teach them in future as a group at the A.A., but regardless of how they are handled, they provide on the one hand part of the theory of planning and on the other an important element in technology.

History has always been dear to us, not so much because it is a generally civilizing study as because it exemplifies the way in which our raw material has been processed together by the minds of earlier designers to make architecture. Then, too, it shows us totality, for which we are always striving, so that those qualities which we cannot yet formally explain and teach in a fully reasoned manner may yet become apparent: scale, for example, or rhythm and texture and character. In this sense it has been

perhaps a better insurance against our other educational deficiencies than we realized. Of course, above all else it documents for us the manner in which our art becomes the physical embodiment of society's outlook and character.

My list concludes with the professional material which is our introduction to law, management and the ethics of practice, a group which now will have a heightened importance as we enter a phase of history when our productivity will have to take a great leap forward and society has become claims-conscious, aware of its rights and our duties.

There are several studies, such as landscape and civic design, that perhaps do not seem to have a place in my pattern, but I am only concerned here with a rough outline and will not delay to fit them in. Others, such as lighting and acoustics, have not disappeared from my picture but are divided up among the groups I have mentioned.

Now, any architectural educationalist can look at my outline and, if it is as comprehensive as I hope, he could pick holes in existing curricula. This, however, is not the use which I want to make of it, for it reveals to me two problems of far deeper concern to which I want to draw attention.

The first is this, that the subjects themselves have to be formed in almost every case by combining borrowings from several other fields of learning and specially processing them for our use.

Take structures, for example. Structural design is a well-known branch of engineering, yet in its native form it is not very satisfactory for us, as any structural engineer who has taught architects will tell you. What we are chiefly concerned with are structural *systems*, understood as such, and not so much in a computational sense as in form. "Strength through shape" would be a way of summing up part of this concept; but in addition we have to see these systems in terms of economics and build-ability for the kind of design problem confronting us. We do, in fact, also require computational skill up to a point, but this is not our main problem.

Now, some may say that you cannot understand structure without considerable mathematics. If we admit this we admit something which goes against much evidence of recent years. What I would suggest is that if you have mathematical ability you may be able to understand structures in one way and to a relatively advanced level; but if you are not mathematical—and many good architects are not— I think we have to believe it can be taught successfully in another way less dependent upon numbers. The fact is that collaboration in recent years between architects and sympathetic, imaginative structural engineers is yielding real advance towards mastery of structural form on both sides. without any improvement in architects' mathematics at all. To a large extent we seem to act and learn by forming conceptual models.


I believe we have lacked the courage of our convictions as a profession in this matter. We have taken a really disproportionate part of our education time and effort to get as near to engineering computational standards as we can, and the going is so hard that many of us miss these by quite a long way—and also miss the opportunity to make a truly architectural study of structure. In some ways numbers can get in the way of ideas, which are the things we really want to produce. It may be interesting to report that we give here about 135 hours of tuition in structures, comparable with the lecture curriculum of good engineering schools, but we cannot pretend to produce structural engineers, even with students of comparable mathematical standing to begin with and excellent teachers. We must take a fresh look at this subject.

Another problem revealed in my rough outline of a curriculum is our long-established duet of construction and materials.


Both of these are combinations of crafts, sciences and technologies. They are vital to our education, but even so it has been a great struggle to get them geared up to anything like reasonable levels. Once again it is our predicament that neither subject is an academic discipline which we can lift straight from somewhere else, and only recently have we begun to feel less lonely about them, as advanced studies of building have begun to develop in colleges, and to experience similar needs. Even so there are differences between designers and constructors that make for big differences in the courses.


Take finally a third subject, this question of the individual as a sensory system. All sorts of people study him, neurologists, physiologists, psychologists, even physicists and chemists. Most of them, in true scientific fashion, study some special aspect only; few look at the whole of one sector, and even fewer are concerned with the whole man as a perception mechanism, which is our interest. Pity the poor teacher of architects! How is he to build up a course of relevance and quality in a subject like this?


I could add the remainder of the courses to the catalog, with perhaps the exception of history, but these will serve my purpose, which is simply this: to assert as clearly as I can that almost throughout the variety of subject matter which we properly should have in our curriculum, there is to be found no major subject which we can take directly from any other field of study at present; and that we therefore cannot expect to find either courses or ready-made teaching staffs in reasonable numbers and high quality. We have lived too long without facing up to the implications of this fact of life, and until we do so, we will not get down to lifting ourselves by our own boot straps, which is precisely what we have to do if we are to get our education geared up to the kind of level we know to be possible and necessary.



Rockrise and Watson fit a big house on an almost nonexistent building plot







Residence for Mr. & Mrs. Merrill Matzinger

Belvedere, California

ARCHITECTS: Rockrise and Watson

Engineers: Gilbert, Forsberg, Diekmann & Schmidt

CONTRACTOR: Charles J. Hendrickson

LANDSCAPE ARCHITECTS:

 $Lawrence\ Halprin\ \&\ Associates$


INTERIOR DESIGNERS: Doree Kerr Associates


A remarkable amount of ingenuity was used to reconcile the program for this handsome spacious house with the tiny, steep building space available.


The site was chosen for its spectacular views of Golden Gate, Sausalito and Mt. Tamalpais—and for its location on Belvedere Island, a beautiful little neck of land, heavily wooded, which juts out from the Marin County side of San Francisco Bay. Little "buildable" flat land is left in this section. This plot had a 300-foot frontage on the bay, and a very small projecting knoll about 35 feet across, which drops 60 feet to the beach line. The balance of the site is simply a steep bank, an existing private road cut into the wooded cliff face, and a small cove with a little beach below a wooded grove.

The program, as can be noted from the plan, required very ample living spaces (indoors and out) plus a bedroom-study suite for the parents, separate childrens' bedrooms which could be closed off when they are away, and separate servants' quarters to be occupied by a caretaker if the family is away.

The final plan is a three-level scheme, which gains space by placing the living room and its surrounding deck on wood struts over the water—high to capture the entire view. Next to this, the crown of the knoll was lowered to provide a 600-square-foot patio on grade, which connects with all major rooms via balconies. Bedrooms for children and servants are on the middle level, and at the lowest level is a cabana for entertaining near the little beach. Parking is provided in a widened section of the private drive, and in a graveled section of the grove.

















The surprising amount of outdoor living space in the Matzinger house, considering the sharp fall of the site, can be noted in these photos. Top: A little terrace and garden give a pleasant entrance. Center: The photo shows the variety of balconies and terraces on the three levels. Bottom: The large patio opens off the major living rooms.

The house is wood frame on concrete foundations. The exterior is redwood and stucco, with a heavy aggregate roof over the flat portions, shingles over the peaked living room. Main rooms have walls of clear hemlock paneling, floors of quarry tile. The rest of the house is finished in gypsum board, with carpeted or vinyl tile floors. The heating system is a gas-fired, warm-air, perimeter one with three furnaces

OFFICE BUILDINGS

Here and there in many outlying towns and villages, some seemingly new kinds of office buildings are appearing. The Michigan Bell Telephone complex (page 184) and McGraw-Hill's Hightstown buildings (page 189) represent one of these new types. Both were built to house extensive, relocated, clerical and other "paper work" operations which their owners found to be relatively independent of their former urban locations. Diversity in their design, of course, reflects architectural solutions to two different programs for two different sites. They are, nevertheless, one kind of relocation.

Another kind of ex-urban office structure is represented by American Airlines Data Processing Center (page 194). Here, all reservations and loadings for all scheduled flights of the line's entire network are handled by a battery of machines fed by wires and supervised by a relatively small staff. Similar centers handle such massive tabulating and sorting tasks as credit card billings or (see page 198) telegraphed florists' deliveries. This type is relatively independent of location. Many data centers are, of course, in cities. But they are finding increasing welcome as congenial taxpayers in outlying towns. A data processing center of very large capacity can be housed in compact quarters. The American Airlines center, one of the largest onecompany computer centers in the country, has a machine room of only 7,000 square feet in a total building floor area of 20,000 square feet.

Still a third out-of-the-city office type is being located in industrial parks throughout the nation. Some of these, such as the Facit offices (page 196) are quite conventional in program and serve as national, division or distribution headquarters. Others, such as U. S. Steel's Engineering building in Monroeville, Pennsylvania (page 182), house a variety of special office functions which may or may not be limited to serving the operations of nearby manufacturing or research establishments.

All of these out-of-town types have one motivation in common: economics. As their parent companies grow into increasing space requirements while urban values spiral, certain changes in outlying conditions are making these new types feasible and logical. Business operations which do not require the physical convergence in cities of diverse specialized personnel are following an increasing supply of reliable clerical help well fortified by supervisory and other specialists who are willing, in fact eager, to forego the contact advantages of commutation to the city. To the obvious real estate and tax advantages of country location, three maturing technical developments add their weight to executive decisions to move at least some of their operations out of town: the automobile and its associated highways; the computer, with its labor-saving, wire-connected independence; and the telephone, offering new, wide-area, fixed-fee services and data-phone devices for transmission of "machine talk" from one computer to another. A telephone executive predicts that this data load will one day exceed the voice load.


This new freedom of location has, indeed, induced some spectacular relocations of corporate headquarters such as those of General Foods and I.B.M. (page 182). But these instances by no means establish any mass exodus of corporations from city office space. The Real Estate Board of New York, surveying "the largest commercial construction program in human history" in New York City, reports that 99 per cent of post-war completed office space is occupied. The giant Pan Am Building was 86 per cent rented three months before its completion date. The urban office building boom is nationwide and includes such first class rental space as the First Federal Building in Detroit (page 202) and corporate skyscrapers like New York's Union Carbide and Chase Manhattan buildings and Humble Oil's "tallest building west of Chicago" in Houston.

A survey of 74 office buildings constructed in the last five years by 22 of the nation's largest industrial corporations, reported on the following two pages, shows all of the diversity mentioned above-and two-thirds of those buildings are in cities.


The trend, then, if there is one, seems likely to be toward flexibility of urban office spaces for tenant and executive occupancy, but without the huge, uncuttable expanses for clerical occupancy.



General Foods' headquarters by Voorhees, Walker, Smith, Smith and Haines, 1954-1963, are nearing final phase (above) in White Plains, 20 miles north of New York City



U. S. Steel added this Electromechanical Engineering Building by Charles M. and Edward Stotz Jr., 1960, to its Applied Research Center in Monroeville, Pennsylvania



Shell Data Center, Menlo Park, California, by Clark, Stromquist, Potter and Ehrlich, 1962, houses punch-card and magnetic tape machines to process credit card billing




I.B.M. will move executive headquarters from New York City to this 400,000 square foot building by Skidmore Owings & Merrill to be built this year in suburban Armonk, N.Y.

A SAMPLING OF OFFICE BUILDINGS FOR INDUSTRY

Buildings shown above and opposite are a sampling of the kinds of separate office structures (not attached to manufacturing plants or warehouses) represented by current building activity of large industrial firms. New corporate headquarters, regional offices, data centers, and specialized office buildings are extremely diverse in site location and in financial arrangements for ownership or leasing.

To spot any evidence of trends toward new kinds of offices or new site criteria, a survey was made of the largest U. S. industrial firms (in terms of 1961 net sales). Elicited comments show that hard economics and inherent business differences determine the variety in office building programs and locations. While no statistical extrapolation is warranted from the sample taken, a tally of the 74 new occupancies reported by 22 firms show some interesting distributions: 34 were corporate or division headquarters, the other 40 were for special functions; 61 were occupant-owned; 49 were built in cities.



Rocketdyne Division of North American Aviation will occupy this 60,000 square foot headquarters by Kenneth Neptune, 1963, built next to R.D. plants in Canoga Park, California



Bethlehem Steel's Seattle office building by Bindon & Wright, 1960, is one of four such regional city offices (another is at right, center) built since 1959 in urban business centers



R.C.A. will lease four floors (42,000 square feet) of this Hollywood building by Albert C. Martin & Associates, 1963, for new Victor Record Division studios, offices and data processing




Continental Can is major tenant of this New York high-rise by Harrison & Abramovitz, 1961, owned by realtors



Bethlehem Steel's own downtown San Francisco offices by Welton Becket, 1959, has 13 floors, no inside columns

Western Electric's 31-story glazed brick home by Shreve, Lamb & Harmon is near parent AT&T in New York City





Baltazar Korab photos

SERVICE OFFICES GATHERED ON A PROBLEM SITE

Michigan Bell Northwest Office Center, Southfield, Michigan OWNER: Michigan Bell Telephone Company ARCHITECTS—ENGINEERS: Smith, Hinchman & Grylls Associates, Inc. B. L. Miller, partner in charge Sigmund Blum, associate in charge of design LANDSCAPE ARCHITECTS: Eischstedt Johnson Associates GENERAL CONTRACTOR: Bryant & Detwiler Company The building program of the Michigan Bell Telephone Company included centralization of four basic office functions on a 41-acre suburban site. The four operations to be relocated were: Detroit Disbursements Accounting, the Woodward Division office, Engineering, and Telephone Directory. The company had decided on the move to consolidate operations and to take advantage of lower land costs and lower taxes. The site was purchased in a developing residential area where high quality clerical personnel would be available.

The order of construction was not fixed at the beginning of the project except that the Detroit Disbursements Accounting Building was to be the first ready for occupancy. Space requirements for this building had already been determined including functional relationships between various areas and a 16- by 24-foot bay size which had proved suitable to similar functions in the client's Port Huron Accounting Building completed a year previously. The determination of these criteria, and the zoning restriction at the site stipulating the maximum height of 35 feet above grade, resulted in a three-level building, 480 by 96 feet in plan. Functional relationships established that the main building entrance would have to be more or less central in the long side. This seemingly small detail played a major part in development of the various buildings on the site.

Although 41 acres seemed a generous allotment for the project, it was determined that state highway easements would require about five acres, township zoning setbacks would prohibit building on about 10 acres, and the client's reserve for future development or sale eliminated about seven acres at the east end of the site. All of these deductions reduced the area available for actual buildings to about 20 acres. Other site restrictions, in addition to a maximum height of 35 feet above grade, included a usable floor area not to exceed 40 per cent of the land occupied and a parking ordinance requiring $1\frac{1}{2}$ square feet of parking area to one square foot of usable floor space.


The site itself was practically level with a surface swamp in the middle, no storm or sanitary sewers, and a water table following from 1 to 6 feet below natural grade. A sanitary sewer was installed before the first building was occupied. Drainage ditches were put in along north and south property lines with head walls at the west end to allow slow runoff. The center of the site was filled to a depth of $3\frac{1}{2}$ feet. And, since windows would be needed in some basement areas, buildings were raised so that the maximum ordinance height above grade would be achieved.

Construction program and dissimilar occupancies more or less dictated three buildings similar in shape and one building considerably smaller to house certain common services such as cafeteria, medical department and employment office. Since the Disbursements Accounting Building was to be the first constructed, its basement was assigned to as many as possible of the project's central mechanical facilities including boiler room, primary switchgear, shipping and receiving, maintenance shops, etc.


The ultimate plan was developed as four large masses of office buildings (three are now in place with mall space for a future fourth) grouped around



View from Woodward office across south pool




Ramp from engineering building exit to the mall





Western facade of service center (right)



and connected by enclosed bridges to the smaller service center building. The large buildings were designed to be almost identical in appearance and to contrast sharply with the more freely designed service center. This was done to assure a pleasing composition regardless of the order of construction. Two large reflecting pools flanking the service center enhance the mall and serve as a storm water control element.


The office buildings are of window wall exterior set on recessed bases of colorful glazed brick. Framing is structural steel and reinforced concrete. Spandrels are porcelain enamel and glass. Interior walls are painted steel and block. Floors are concrete over cellular steel deck finished with asphalt or vinyl tile. Ceilings are lay-in grid system. Windows are ¼-inch gray plate glass.

Treatment of the service center was varied both visually and structurally. White fascia and mullions of the upper, cafeteria floor overhang a columned walkway around the recessed main floor which contains reception, employment and medical areas. A lower level houses kitchen and storage areas.


Pyramidal shapes of the three-dimensional ceiling of the upper level reflect actual roof construction of 24 inverted pyramids supported by single columns at each vertex. Top tension ribs form a system of air supply ducts as well as lateral bracings. Columns contain roof drain pipes with heating devices to prevent freezing.

Elevated, glass-enclosed bridges connecting all buildings to the upper level of the service center consist of paired parallel vierendeel trusses with metal roof deck resting on the top cords and a 4-inch concrete floor resting on the bottom cords. Bridges ride freely on Y columns set on 42-foot centers. The 500-foot bridges are anchored at the center Y columns to allow free movement on lubrite bronze shoes toward each end.


Landscaping was designed as a central mall with various centers of interest within the discipline of a concrete grid of walkways. These centers are in the form of terraces where small groups can sit and converse or eat luncheon in pleasant weather.




View across south pool toward Woodward building




Engineering building (left); accounting building (right)







Service center building at the Michigan Bell complex is a three-level structure, approximately square in plan. Main level is entered from the mall and contains visitors' lobby (below) with access to employment and medical offices to the north and various service and conference rooms to the east. Large open space at the northeast is now used as a drafting room. Lower level contains mechanical rooms and a kitchen which serves, via dumb waiters and elevators, a cafeteria on the glass-walled upper level. View (at bottom) shows pyramidal roof structure expressed in ceiling of the upper level. Enclosed bridges give access to this level from three office buildings











FLEXIBLE SPACES, FOR PAPER WORK, IN THE COUNTRY

McGraw-Hill Office Buildings Hightstown, New Jersey

OWNER: McGraw-Hill Publishing Company, Inc.

ARCHITECT: Alfred Easton Poor

STRUCTURAL ENGINEER: Marvin Lovett

MECHANICAL ENGINEERS: Syska & Hennessy, Inc.

SITE PLANNERS: Stelling, Lord-Wood and Van Suetendael

d i mittais. Sicherig, nord i vota and van Sacionado

INTERIORS: Doris LaPorte

LIGHTING CONSULTANT: Berlon Cooper

GENERAL CONTRACTOR: Irwin & Leighton, Inc.

When McGraw-Hill faced the need for a new office building several years ago, many firms with large offices were blithely announcing plans to move to the country, where the grass was obviously greener. Some of them did forsake the city, building great horizontal office buildings in parklike surroundings. Others studied the idea carefully, decided that the city had advantages not to be sacrificed, and built new buildings in downtown locations.

The new Hightstown office buildings of McGraw-Hill represent a studied answer to such a problem, one which realizes the advantages of both alternatives. The question of country vs. city was broken down into specifics—who and what should be in the city, who and what in the outlying community. The resolution suggests a concept of office arrangement which might have important effects on building design, either in or out of the city.

The Hightstown buildings are not in the suburban pattern. Hightstown is 49 miles from New York and 47 miles from Philadelphia. The area was first chosen as a distribution and warehouse center for McGraw-Hill's huge book operation. Employes were largely recruited locally; there was never any thought of extensive commuting by anybody.

Further analysis indicated that such a location was also good for many of the clerical and data AVERAGE DAILY ACTIVITY OF (CHECK ONE):

1. PERSONAL CONTACTS

2. TELEPHONE CALLS___

3. TELETYPE AND WIRE
COMMUNICATIONS


4. REGULAR OF1

5. REGULAR OF

AND PACKAGI 6. SPECIAL HAI

		BOOK COMPANY DEPARTMENTS											TO PUBLISHING COMPANY DEPARTMENTS						CENTRALIZED SERVICES DEP.					
	FROM	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.		13.	1		16.		18.	19.	20.		22.	
			C&R			Cust.	Gen.	Tr.Cr.			Tr. Rec.	Mlg. List	Inv. Cont.	A.P.	Cash	Cust Rec.& Bill.	Gen. Bks	Pay. Serv.	Cr. & Coll.	Pub. Meth.	Book Meth.	Pin. 8	Office & Bldg Serv.	- CO
зоок	l. General Accounting	Х																						_
	2. Cost & Royalty		χ																					_
	Trade Order Service			x																				_
	Retail Order Serv.				X																	-		_
MPANY	5. Customer Service					x																		
PART-	6. General Files						X															<u> </u>		_
	7. Trade Cr. & Collec.							X																
	8. Inter Cr. & Collec.								Х													-		_
	9. Retail Receivables									X														_

Portion of average daily activity form




Relationships of book company functions

The extent and thoroughness of the use and space studies that preceded the design of the McGraw-Hill Hightstown buildings are indicated by the forms shown here. The average daily activity form (above) helped establish quantitative data on the volume and flow of departmental contacts, communications and materials. In this way, relative locations of departments and activities were established. From analysis of these forms and other data, functional diagrams, such as that on the left, were prepared.

The space allocation and layout form (below) was used for study of desk arrangements and the finer details of space planning. An important principle of the final space planning decisions was the establishment of a 5- by 6-foot, one-desk module. Expansion is built-in, as shown by the diagram. At first desks are spaced with one-module aisles between, as shown in the left portion of the diagram. As a department grows, desks are arranged in pairs, with one-module aisles between pairs. Such diagrams were extremely useful during study of the building planning and have continued to be useful as tools for rearrangement of spaces as needs occur

Portion of space allocation and layout form



190

processing operations of a large organization, especially since computers and modern communications systems pointed toward outlying centers. Indeed a real trend in this direction is noted elsewhere in this study.

The occupancy of the midtown building—the famous green one designed by Raymond Hood in the thirties—is shifting gradually, as the move is accomplished, to greater concentration on the activities and personnel which do need the bustle and contacts of the downtown city. Company executives, editors and salesmen cannot operate at full effectiveness in country isolation. Many of the companies which did move out in the earlier suburban exodus discovered, as Lewis Mumford reminds us, that the pace, stimulation and facilities of the city are necessary to most operations of modern business or science. So McGraw-Hill's midtown building is changing in use and concept.

Perhaps the McGraw-Hill experience suggests that the design of expensive downtown buildings will focus more on individual office spaces and less on large bull-pen or punch card areas. The design of the Hightstown offices is based on the opposite principle. Since the people who occupy the buildings are mostly involved in clerical work and machine operations, there are few private offices. Interior spaces are large and open, with only a minimum number of partitions.

In the late fifties, a company committee, with the aid of management consultants—and later the architects—began the studies that eventually led to relocation of some McGraw-Hill operations at Hightstown. The operating heads of all divisions of the company were also involved in the studies. Beryl Robichaud, a McGraw-Hill vice president, who is experienced in office space planning, took charge of relocation, and followed the project through from inception to completed buildings.




Main reception area, computer room in background



Glass wall displays entire computer room to visitors

Modular partitions, ceilings and desk spacing in clerical area





Studies were made of transportation, communications, land and construction costs, and sources of employes in various geographical areas. The Hightstown area qualified on all counts. Checks were made of relationships of each company department with other departments and outside the company. Records were kept of contacts made by telephone, teletype, mail, and other means including personal contacts. Such studies indicated the feasibility of decentralizing some of the company's operations. The studies also led to close analysis of space relationships within the projected buildings, and to preliminary decisions on space allocations to various departments.

As time went on, the analyses went into finer detail. For example, since almost all of the people to be housed in the new buildings would be desk workers, the studies led to a module based on one clerical unit—a person and his desk. The optimum size of the module turned out to be 5 by 6 feet, based on the use of 5-foot desks without aisle space. Aisles were eventually sized at 5 feet.

From such basic space decisions, the general scheme of the major office building was derived. Two stories in height, this building was planned with a central core, around which is wrapped a 60-foot-wide, 12-module, columnless office area. This area is, for the most part, free of partitions except where absolutely necessary for privacy.


Without the intense and thorough study given to the location and operations of this building, the results might have been much less satisfactory. As it is, the relocation and planning studies were effectively performed and have resulted in efficiency and comfort. This is not only true of the major work areas, but also of the well-equipped medical offices, the pleasant cafeteria, employes' lounge and second-level terrace complex, and the executive offices and conference areas.




Executive offices have ceiling-high rough blank glass partitions



Supervisor's offices have 6-foot-high metal and glass partitions





DATA CENTER: IS A NEW SUBURBAN TYPE

Sabre Data Processing Center
Briarcliff Manor, New York
OWNER: American Airlines
ARCHITECTS: Perkins and Will
A. W. Murphy, partner in charge
STRUCTURAL ENGINEERS: Garfinkel & Marenberg
MECHANICAL ENGINEERS: Air Research Associates

As utilities and highways fling their networks over the countryside, commerce and industry find increasing advantages in ex-urban locations for many segments of their operations. An example of such costsaving freedom of choice is this electronic data processing center for American Airlines. Large enough to keep instant tabs on all reservations, schedules, cargoes and other details of a nationwide flight pattern, it fits unobtrusively into the residential suburbs of New York's Westchester County. The 10-acre site was selected over an urban alternate in spite of the owner's stipulations of nearly-infallible electric service, and the land was rezoned on the basis of architects' demonstrations of the building's suitability.

Site for the building is steeply sloping down from the highway. The roof, visible from the highway, is framed in steel pyramids over each 24- by 32-foot bay to provide a textured appearance compatible with the residential area. Exterior columns and field-stone motif contribute to this compatibility.


Data processing machinery occupies only 7,000 square feet of a total building floor area of about 20,000 square feet. This heavy concentration of electronic machines requires a raised floor that will take 120 pounds per square foot live load, permit unlimited accessibility to connecting cables at any point through


removable, 18-inch-square, cast-aluminum panels, and serve as a plenum to deliver over 100 tons of air conditioning with a full air change every minute. Air enters the room through peripheral grills and through cable holes under machines. Each machine has a circulating fan to draw room air through it. Air is returned through ceiling grills which enter an overhead plenum ducted to fans in mechanical space on the lower level. A separate cooling and heating system serves office and reception spaces in the building.


The stipulation of absolute continuity of operation of the Sabre room required duplication of all cooling and electrical supply equipment with automatic change-over from one system to another in case of any failure. Electricity is supplied from two utility substations, and two stand-by diesel generators are ready to come on the line in seconds should utility power fail.


Framing of the building is structural steel. Interiors are plaster or wood panel partitions with vinyl asbestos or asphalt floor tile and acoustical tile ceilings. A 50-car parking lot is nearby for visitors and a staff of 80. The building can be extended at one end for future expansion.











OFFICES AND WAREHOUSE FOR AN INDUSTRIAL PARK

Facit, Inc., Headquarters, Burlingame, California

OWNER: Haas and Haynie Corporation

ARCHITECTS: John Carl Warnecke and Associates

MECHANICAL AND ELECTRICAL ENGINEER: Alexander Broome

STRUCTURAL ENGINEERS: Chin and Hensolt

LANDSCAPE ARCHITECT: Michael Painter of John Carl

Warnecke and Associates

GENERAL CONTRACTOR: Haas and Haynie Corporation

Many companies find it expedient to build headquarters offices adjacent to outlying manufacturing or distribution facilities. This dual-purpose arrangement for the U.S. subsidiary of a Swedish manufacturer of office machines and furniture houses the headquarters office of western U.S. operations and serves as a distribution and service center for equipment and parts. It represents a kind of lease-purchase office building for which a characteristically tight schedule of 11 months from start to occupancy, including site selection and financing, seems to have imposed no sacrifices to distinctive appearance and efficient flexibility.

Located on a level site in an industrial park just south of San Francisco Airport and off the Bayshore Freeway, the two elements—offices and warehouse—are physically separated from each other but are tied together visually by carefully detailed wood fencing and landscaped courtyard.

Simple yet rich, the office building has exposed light steel framing, painted white, on the ground floor. Mullions between the aluminum sash are black, contrasting with the white of the structure and fascia and the gray of natural cedar spandrel panels.


The treatment is continued around the office element, making it all of a piece and providing a 360degree sweep of windows overlooking the surrounding area. The protective overhang, 7 feet deep, has a gray cedar soffit.

The basic structure of the office building is steel frame with wood frame floors and roof; that of the warehouse tilt-up concrete with four interior columns and wood frame roof.


A major design element of the office interior is a circular stair with 3-inch-thick oak treads mounted on a central tubular steel support. Interior partitions in this building are glass or are finished with cedar paneling except in the cafeteria where wallpaper is used. Ceilings are light color acoustical tile panels.

pansion.

FIRST FLOOR



20





Baltazar Korab photos

STUDIED DETAILS IN CONCRETE FOR A MESSAGE HUB

Florists' Telegraph Delivery Association
International Headquarters
Detroit, Michigan
ARCHITECTS: Frederick Stickel Associates
STRUCTURAL ENGINEERS: R. H. McClurg Associates
MECHANICAL ENGINEERS: Hyde & Bobbio, Inc.
LANDSCAPE ARCHITECTS: Scott-Alger Associates
CONTRACTOR: Walter L. Couse & Company

The nicely-proportioned, well-detailed precast concrete curtain wall wrapped around the second floor of this small office building is—at first glance—its most striking feature. Inside the building, which functions as the international headquarters of F.T.D.A. (Florists' Telegraph Delivery Association), the proportions and detailing are equally well handled. Located adjacent to the John Lodge Expressway leading from northwest Detroit downtown, the building is the first completed in a new urban redevelopment area.


Constructed of poured-in-place reinforced concrete with precast double tee roof construction, the building is enclosed on the ground floor with blue glazed brick and a glass and aluminum store front, on the second with a precast concrete curtain wall finished with exposed quartz aggregate and white cement. Curtain wall panels are one module wide—5 feet 3 inches—and of story height. Windows are fixed aluminum with plate glass. Interior partitions are painted gypsum plaster on metal lath or movable aluminum with glass and mahogany or vinyl finishes. Flooring is vinyl tile; ceilings are mineral acoustical tile.

Functionally, the F.T.D.A. building divides in two; the data processing clearing house, printing and mailing areas are located on the ground floor. In this manner, not only were different functions separated completely from each other, but all of those requiring heavy equipment were placed on the ground floor. Since the organization had suffered—in its former headquarters—from the encumbrance of large columns in small bays, in this building the second floor was designed with a clear span creating columnless space on the interior. To accomplish this, precast concrete double tee joists spanning 42 feet were used.


Bays in the building are 21 feet; each is subdivided into four 5-foot 3-inch modules. On the module lines throughout the building, a 3-inch-wide strip is built into the ceiling to receive the heads of partitions. This also makes possible strict concurrence with a 1-foot even dimension ceiling tile pattern with no cutting of tile panels.

PLAN LEGEND GROUND FLOOR

- 1. Clearing House
- 2. Supervisor
- 3. Manager
- 4. Interflora
- 5. Office
- 6. Secretary
- 7. Rest Room
- 8. Mailing
- 9. Printing
- 10. Receiving-storage
- 11. Garage









Roland Chatham photos

THREE DIVISIONS BUILD AROUND A GARDEN LOBBY

Dow Center, Houston, Texas OWNER: Century Properties, Inc. ARCHITECTS-ENGINEERS: Caudill, Rowlett and Scott Charles Lawrence, project designer LANDSCAPE ARCHITECT: James Dalrymple CONTRACTOR: Farnsworth & Chambers Co., Inc.


When Dow Chemical Corporation's Brazos Oil and Gas Company Division grew out of its downtown Houston office base, a census of employes revealed that most of them lived in southwest Houston and were feeling the pinch of high parking costs downtown. At the same time, Caudill, Rowlett and Scott were also looking for new Houston offices. Investigating whether a joint office structure might develop something more attractive than either organization could achieve on its own, the architects approached Century Properties which had suitable land and finances to handle the project. Dow's other Houston divisions, the Engineering and Construction Services Division and the Regional Purchasing Office joined in a program of relocation and outlined their space needs. A total of 125,000 square feet was the ultimate assignment to be provided in several stages.


To maintain tenant identity while effecting economies in needed climate control, a complex of three rectangular structures tied together by a lobby was designed. The lobby is an open garden with translucent plastic roof. Walls facing the lobby are of glass, while all other building walls are dark brick with narrow slits of glare-reducing glass, providing protection against the sun, and accentuating a reinforced concrete structural grid set on a 24-foot module and painted off-white.


The canopied garden lobby provides a tempered transition between outside weather and air-conditioned space. It also houses connecting hallways and stairs, removing these spaces from the air-conditioning load. All landscaping is concentrated in the lobby area, and the translucent roof shields glass walls of the court from the sun. The canopy roof consists of reinforced plastic structural beams, 3 feet wide, 38 feet long and ½ inch thick, built up of liquid polyester resin and glass-fiber cast in shallow elongated pyramids. These provide for 20 pounds per square foot live load while permitting 20 per cent light transmission to allow plant growth in the landscaped lobby.

Interior flexibility is practically unlimited, with only the mechanical facilities in fixed positions. Three-phase electrical distribution is through an under-floor duct system. An under-floor telephone raceway system also contributes to layout flexibility.

The Dow Center of Houston won the Texas Society of Architects' Award of Merit in 1961.

















GRANITE SKYSCRAPER FOR A DETROIT LOAN ASSOCIATION

First Federal Savings and Loan Building, Detroit, Michigan owner: First Federal Savings and Loan Association of Detriot architects-engineers: Smith, Hinchman & Grylls Associates, Inc. F. J. B. Sevald, principal in charge

F. J. B. Sevald, principal in charge Sigmund Blum, associate in charge of design Acoustical consultants: Bolt, Beranek & Newman, Inc. Interiors: W. B. Ford Design Associates, Inc.

Financial buildings are a basic city element, and the site chosen for the First Federal Savings and Loan Building is at the center of the financial and commercial activity in downtown Detroit. One of the difficulties posed by the triangular site was in relating the new building to the existing buildings and to the old City Hall park. To establish a rectilinear and unified background for the park the First Federal Building was placed squarely at right angles to Woodward Avenue rather than following the line of Michigan Avenue as the old Majestic Building on this site had done. In the final tripletower design, this orientation set off the east tower as a dominant element visible from many points in the city.

All vertical elements such as elevators and stairs are located in the north tower leaving the two rental towers completely free of interior columns or obstructions for maximum flexibility.


A dark, polished granite was chosen to give per-





manence to the facing material, and the cost of this selection was kept in line by taking advantage of precast panel technology. A dark shade was chosen for low maintenance in Detroit's atmosphere and for contrast with other buildings at the city's hub. Its polished surface will reflect light in an ever changing expression.

The building will be 23 stories high, plus a basement, for a gross area of 380,000 square feet. Framing will be welded steel. Main columns will be in caissons into bed rock. Secondary columns will be on concrete mat. Floors will be reinforced concrete. Floors in machine accounting space will be elevated with removable vinyl-surfaced panels in a metal framing system having adjustable steel posts bearing on the floor slab. Links between towers will be faced with aluminum and glass. Glass in all of the windows above the first story will be gold-solar plate glass. Exterior pavements will be provided with pipes for snow melting.



WOODWARD

Architectural Engineering

Support for Basic Engineering Research

Research in the broad range of engineering as well as in the engineering sciences at educational institutions is now being encouraged by the National Science Foundation. The areas eligible for financial support include: (1) development of principles and techniques in systems engineering; (2) development of principles and a philosophy for creative engineering; (3) interdisciplinary research related to biomedical engineering, transportation, fire prevention and urban planning; (4) development of principles of generation and control of energy systems and information systems; (5) analysis and synthesis of processes and systems which contribute to mastery of the physical environment.

New Method for Measuring Sound

A new "American Standard Method for the Physical Measurement of Sound" has just been issued by the American Standards Association for prescribing the way in which to measure sound, whether it comes from a jet aircraft or from the high school orchestra. ASA S1.2-1962 specifies the tools to be used and measurement procedures.

Conference on Electronic Computation

The Third Conference on Electronic Computation sponsored by the Structural Division of the American Society of Civil Engineers is now scheduled for June 19-21 at the University of Colorado in Boulder. The preliminary program calls for sessions on: (1) state of the art; (2) new developments in structural analysis; (3) research in automated structural design; (4) new computer applications to structural engineering. General inquiries regarding the conference may be addressed to Jackson L. Durkee, Secretary Committee on Electronic Computation, Bethlehem Steel Co., Fabricated Steel Construction, Bethlehem, Pennsylvania.

More on Condensation Within Walls

A knowledge of temperature gradients through building envelopes can help tell the architect such points of information as whether or not there may be a tendency for a solid wall to bow in and out due to a huge temperature difference between exterior and interior surfaces, and whether or not there may be condensation within a wall or roof structure which can result in deterioration of materials and negation of insulating value. A recent issue of the Canadian Building Digest, (CBD 36) a publication of the Division of Building Research, National Research Council, Ottawa, shows how these thermal gradients are determined.

In a research study on insulation of cavity walls for housing, sponsored by the Division of Housing and Community Renewal of the State of New York, as reported on this page in the January issue, it was found that condensation occurred within the inner wythe of a cavity wall because the temperature of the material was at the dew point of the air migrating through it. The wall cited consisted of brick, air space, polystyrene insulation on the cavity side of cement-wood fiber slabs. Subsequently, a new wall was tested comprised of brick outer wythe, air space, cinder block, polystyrene insulation and plaster. It was incorrectly stated in this item that the polystyrene insulation was moved to the room face of the inner wythe on the new construction because of the earlier findings. Joshua D. Lowenfish, chief, Architectural Research for the Division of Housing and Community Renewal points out that the polystyrene could be used either on the cavity or room side of the inner wythe of the new wall with equal effectiveness. Application on the room side was considered more easily controllable for construction.

This Month's AE Section

HOW STRUCTURAL MODELS ARE USED IN PRACTICE, page 206. CUTTING IMPACT NOISE IN APARTMENT BUILDINGS, page 210. TIME-SAVER STANDARDS: Impact Noise Details, page 213. A DUAL-DUCT APPROACH FOR OFFICE BUILDINGS, page 216. BUILDING COMPONENTS: Engineering Procedure for Ventilating Ceilings, page 221, Products, page 223, Literature, page 224.

HOW STRUCTURAL MODELS ARE USED IN PRACTICE

Leading consultant describes a number of pioneering applications

By Jack R. Janney

Wiss, Janney and Associates, Consulting Engineers

Freedom and precision in the design of building structures, particularly indeterminate ones such as shells and space frames, have been handicapped in the past by the available analytical tools. First, it is difficult to visualize and predict the behavior of these structures, and to develop the mathematics that correspond to the presumed behavior. Even then, exact solutions are frequently tedious and time-consuming, so simplifying assumptions are incorporated to make analysis practical; and, naturally, these assumptions tend to be in a conservative direction for safety's sake.

The testing of structural models not only demonstrates structural behavior under load, but, more importantly, provides strain and stress data and deflections for structural design. The classical methods of analysis, adjusted by experience factors (i.e., engineers' intuition and codes) are, nonetheless, requisite so that there is a sound basis for design of the models themselves, and their shape will be headed in the right direction for efficient flow of forces. But because the mathematical analysis only approximates actual behavior, model data will frequently indicate desirable modifications to improve structural efficiency, in addition to providing structural design data that otherwise would be extremely difficult, if not impossible, to determine.

The basic function of structure is to oppose gravity forces. The final criterion which serves engineers in determining the structural adequacy of any configuration is the magnitude of stresses produced by gravity. (Of course wind forces must be considered for tall buildings and seismic forces in earthquake areas.)

How does one establish the magnitude of these all-important stresses? The normal approach involves the use of a drawing which depicts the structure or, most commonly, a part of it. With the aid of mathematics this picture is used to evaluate stresses produced by gravity and in some cases wind or seismic forces.

206

The picture is usually restricted to a two dimensional configuration for the sake of simplicity.

This method of solving structural problems is sometimes referred to as the "mathematical model." The mathematical model may range in complexity from the solution of stresses produced in a simple beam, to the solution of a highly indeterminate structure such as a complicated shell or space frame.

The Limits of Mathematics

Usefulness of the mathematical model is determined by the following:

1. The ability to express the problem in mathematical terms for which a solution exists or can be obtained.

2. The time, and consequently expense, required to solve the problem after it has been expressed mathematically. The practical limits of mathematics have been extended considerably with the development of electronic computers.

3. The validity of boundary condition assumptions (i.e., where structure is restrained, as by edge beams) which must be made before a solution is feasible.

4. The extreme difficulty encountered in thinking of structural interaction in three dimensions.

In spite of these restrictions many notable structural advancements have taken place in recent years. However, structural designers of buildings do not have to perform their function with the degree of exactitude demanded of aircraft designers.

Such inexactness would be very unsatisfactory in the efforts of space engineers to place a vehicle on the moon. It would also have retarded the development of aircraft technology. In the first place, aircraft engineers have not been constricted by small engineering budgets as have structural engineers. Also because of the limitations of the mathematics, aircraft designers have made extensive use of "physical" models. Use of physical models to assist in the design of structures is not a new

concept in the building field. The idea of employing such a design tool has simply lay more or less dormant for many years in the United States. Structural models have been an important and well accepted part of the design process for complicated structures in Europe. This is especially true in the design of dams.

Some of the early work done by Beggs, Eney and others in the United States is well known to many engineers. Most of their effort as well as most of the work done in photoelastic studies of structures has been confined to investigations of two-dimensional models. The United States Bureau of Reclamation and the University of California have accomplished a great deal in the study of dam structures with small scale models. M.I.T. currently is studying models not only for elastic behavior, but for ultimate strength as well.

Interest has been revitalized in the past three years as a result of: (1) improved technological methods for performing structural model analysis, and (2) increased architectural interest in unconventional structures.

The writer has been involved in about 20 studies which have made use of small scale models during this period. These models have been made of acrylic plastic, and consequently the investigations have been limited to elastic behavior.

Data Provided by Models

Two basic types of measurements are taken on models made of plastic: strains and deflections.

Since models are exact scaled-down versions of actual structures, strain gages can be attached to opposite sides of any surface, and in this way not only can tensions and compressions on the surfaces be determined, but also moments, shears, torsions and reactions at supports.

The strain gages are attached to the models in a rosette pattern, in pairs, or singly depending on the type of structure and information wanted. When stresses occur in several directions, as in thin shells, then



The complete experimental setup for measuring strains (and thus stresses) for a thin shell under uniform loading is shown in Figure 1 (left). Strains are measured by means of very small diameter wire gages fastened to the model. Each patch on the model has three gages in a rosette pattern, since the stresses are multi-directional. The model is loaded by evacuating the air from under it with a vacuum pump (note hose lower right). The amount of vacuum is registered on the manometer (upper right). Movement of the shell makes the wires lengthen (tension) or shorten (compression). Lengthening or shortening of the wires changes their resistance which is registered on the electronic meter in the foreground.

This model is of a shell for a physical education building containing field house and swimming pool for Munster, Indiana. The architect is Bachman & Bertram & Associates, and the structural engineer is Kolbjorn Saether & Associates. This "free-form" shaped shell is comprised of a circular dome connected to an elliptical conoid by means of hyperbolic paraboloids. The dome and conoid are prestressed across arcs of their perimeters; prestressing tendons also cross the h.p.'s






Figure 3





Display model of the Eastman Kodak pavilion for the 1964 New York World's Fair is shown in Figure 2 (above). It literally is a free-form shape, made up of many shell shapes, few of which could be expressed accurately by mathematics. The structural model in Figure 3 (left) was used to provide stress patterns and column reactions. Designers. Will Burtin, Inc.; architects, Kahn & Jacobs; structural engineers, Lev Zetlin & Associates

three-gage rosettes are installed.

To convert stresses determined from models to stress values for actual structures, they are multiplied by similitude factors (i.e., relationships of moduli of elasticity, sizes and magnitudes of loads for model and actual structure).

A thin shell model is loaded by evacuating the air under it with a vacuum pump. Structures such as beams, frames and arches are loaded by positioning of weights.

Deflections are measured by using dial deflection gages, linear differential transformers or precision levels. A reference grid is used to determine differences between original elevations and elevations under load.

The structural models which we have tested and analyzed as design aids for specific projects have ranged in purpose from providing nearly the complete source of design information to performing simply a check on some structural feature open to question.

Examples of Models

Some example projects are discussed below with respect to purpose and accomplishment, from design as well as economic standpoints.

The model shown in Figure 1 is of a "free-form" thin shell for a high school. The model analysis is being conducted under conditions most effective with respect to the architectengineer relationship: the two began collaboration at the outset of the preliminary architectural studies. Thus, the architect gained the greatest freedom from structural restriction, and this freedom was further expanded because the structural engineer was fully aware of the value of a structural model analysis. In this case the structural model and a mathematical model are being utilized simultaneously. This gives a check so that the deficiencies of each is being overcome.

The structural model of the complicated thin shell for the Eastman Kodak Pavilion at the New York World's Fair, 1964, is shown in Figures 2 and 3. This model served as a primary source of design data in the structural design process. It also served to establish the space coordinates on which the construction drawings were based.

The interaction of the many shell shapes, few of which could be expressed mathematically, along with the compound system of supporting elements, made it very difficult to develop an accurate mathematical method. Therefore, the structural model was used to provide stress patterns and column reactions. This building is now under construction.

The structural model shown in Figure 4 is of a 29-story apartment using a reinforced concrete flat-plate construction.

A simultaneous study of a mathematical model was made. As a result of comparison between the two methods, the slab steel indicated from the mathematical model was reduced 15 per cent. The shear wall size and disposition was based on the findings of the structural model analysis. The cost of the model was about 15 per cent of the amount of the savings.

The structural model shown in Figure 5 was built and tested as part of a comprehensive development program which was undertaken by Material Service Corporation of Chicago before manufacturing and marketing a precast, prestressed hollow-core floor unit. In addition to tests on a model, a number of load tests were performed on prototype units built under pilot conditions to full scale. The purpose of the model was to learn something about the rather complicated secondary stresses which occur as a result of the Vierendeel-like action in the lateral direction at the end bearing. Also the buckling characteristics of the very thin elements of the concrete crosssection were evaluated.

Obviously, it was much less expensive to perform tests on the small scale model than on full-sized members. However, some testing was done especially to observe behavior throughout all ranges of loading to failure, and enough checking was done during these full scale tests to substantiate the model findings.


The purpose of the model of "wishbone" supports for an access roadway at O'Hare Airport shown in Figure 6 was one of redesign. The original design incorporated large hinges in the supports which were employed to assist in design by mathematics. The structural engineer, in his effort to conserve construction cost, decided to use a structural model analysis and thereby eliminate the costly hinges. Also, his decision was influenced by his knowledge of the probability of other savings through the design refinement resulting from a

structural model analysis. The savings resulting from the redesign were about 200 times the cost of the model analysis.

The structure shown in Figure 7 is an open-spandrel arch bridge of five spans which was redesigned before construction in the interest of economy. The original design was based on a conventional mathematical model which presumes the arch to act alone in carrying the loads of the spandrel walls, bridge deck and live load. When bids were received for the structure based on the original design, engineers felt that the cost was too high. A redesign appeared to offer the best remedy for the situation, if advantage could be taken of the strengthening effect of permitting the arch rib, spandrel walls and bridge deck to act together to resist the loads. Such an assumption produces a highly indeterminate structure. Partially in the interest of time, but also in the interest of cost, a structural model was used for the redesign. The redesign was accomplished in a period of a few weeks and resulted in a considerable reduction in cost. It also produced a much more graceful structure. The arch rib was reduced in thickness from 18 in. to 14 in. at the crown, and from 36 in. to 18 in. at the springline. The cost of the model analysis was less than 1 per cent of the savings.

Only those engineers who have firm confidence in their own ability will seriously consider the use of structural models. They are not afraid to ask the architect to approach the owner, who is certainly the principal beneficiary of design refinements, and request special appropriations for the model analysis. This is usually necessary because the fee structure of both architects and engineers seldom contains budget provisions for such effort.

Many engineers are reticent to pose the problem to the architect for fear that it will be construed as an admission of inability. The architect is often hesitant to approach the owner for the same reason. As a consequence, in those areas of doubt, very conservative assumptions are made with the result that the structure is built at greater costs than would otherwise be necessary. In the other extreme the assumptions may be incorrect, with resulting inadequate factors of safety or undesirable behavior.



Tests on the model of a 29-story flat plate structure for Carl Sandburg Housing in Chicago (Figure 4, left) indicated that 15 per cent less slab reinforcement was necessary than mathematical analysis showed. Also shear wall size and location was based on the structural model analysis. Cost of the model analysis was about 15 per cent of the savings it made possible.

Although the floor plan has an irregular column spacing, the structure itself contains nothing new. But taking into account the conservatism of conventional design procedures, the engineer turned to structural model analysis to determine slab moments caused by vertical loads and lateral wind forces. Architects, Solomon, Cordwell & Associates; structural engineer, Alfred Benesch.

Hollow-core prestressed floor units manufactured by Material Service Corp. of Chicago (Figure 5, below, left) were tested in model form to determine secondary stresses at the bearing point and also buckling characteristics of the thin units.

"Wishbone" supports for access roadway at O'Hare Airport were designed without hinges through model analysis (Figure 6, below). Architects, C. F. Murphy Associates; structural engineer, Alfred Benesch







Figure 5



Figure 6



Structural model analysis of this openspandrel arch bridge for the Illinois Tollway indicated that the arch rib could be reduced considerably in thickness from that indicated by mathematical analysis, cutting cost and producing a more graceful structure (Figure 7). The mathematical analysis presumed the arch to act alone in carrying loads of spandrel wall, bridge deck and live load. In actuality, the elements all work together, and this behavior could easily be determined by testing a model. Structural engineers, Vogt, Ivers & Associates; managing engineers, Knoerle, Bender, Stone Inc.

CUTTING IMPACT NOISE IN APARTMENT BUILDINGS

New FHA Guide developed by Bolt, Beranek and Newman shows how to limit impact noise through floors due to footfalls, dropped objects and vibrating appliances


The first impact noise level criterion for multifamily dwellings to be presented in this country has just been issued by the Federal Housing Administration. Developed under the Technical Studies Program of FHA by consultants Bolt, Beranek and Newman, Inc., the criterion is given in "A Guide to Impact Noise Control in Multifamily Dwellings" which includes as well a compilation of noise isolation performance data on 47 different apartment house floor-ceiling constructions (12 shown in this article) and information on proper architectural detailing.

Impact Noise Defined

The FHA publication is a concise and readily usable guide to the control of impact noise. It does not either amend or supplant the Minimum Property Standards, and thus constitutes an FHA recommendation to designers and owners, not a requirement.

Impact noise is caused by an object striking or sliding on a wall or floor structure, such as footsteps, dropped objects, movement of furniture or door-slamming. Also it may

Figure 1: FHA's curve asks for greater isolation than many foreign codes. The noise transmission is given in decibels




be caused by a vibrating appliance such as a dishwasher, toilet or food-disposal apparatus. The floor (or wall) is set into vibration by direct impact or mechanical contact, and sound is radiated from both sides of the floor. For this type of noise, the surface of the floor is very critical as regards the amount of noise generated.

The more familiar airborne noise is produced by a sound source such as a human voice, a musical instrument, a TV or radio set. Airborne sound waves radiate outward from the source through the air until they strike a wall, floor or ceiling which is set into vibration. Because the room structure vibrates, it radiates sound to the other side. Airborne transmission is usually minimized by making the party wall massive or of a complicated structure.

Impact noise is minimized by two principal techniques: (1) resiliently connecting the component parts of the floor-ceiling construction, and (2) "floating" the upper part of the floor on a relatively soft material or carpeting the floor.

While control of airborne sound is

Figure 2: Solid line is noise through wood joist floor (FHA curve dashed). Impact noise rating (INR) is -17





very important, techniques for its control are much better known in this country than for impact noise. Some of the measures recommended to reduce impact noise, however, will also help to control the transmission of airborne noise through the floorceiling construction.

The United States is one of the few highly developed countries which does not have some kind of requirement for control of noise in its building codes. In contrast since 1938 many foreign countries have instituted control measures, based on the results of careful and extensive programs of study. Measurements of the existing impact noise isolation in actual dwellings have been compared with the results of detailed interviews with the tenants in literally thousands of cases—in England, Sweden and the Netherlands in particular.


Lacking data on impact noise in the United States, the FHA sponsored a careful examination of foreign codes (especially the German, British and Swedish codes) and studies, and has adapted the results to the needs of the American people,

Figure 3: Solid line is noise through wood joist floor covered by carpet and foam pad. Impact noise rating is +5






1. Ordinary slab




2. Slab with suspended ceiling




3. Slab with floated floor



4. Slab with floated wood raft



5. Cork tile on slab-furred ceiling



6. Slab with floated wood raft

IMPACT NOISE RATINGS (INR) FOR CONCRETE SLABS

1. Flat Concrete Slab: INR = -17 Total Thickness: $6\frac{1}{2}$ in. to $9\frac{1}{2}$ in. Total Weight: 70-100 lb/sq ft Basic Construction: Reinforced concrete slab.

Floor Finish: Either %-in. pitch mastic, %-in. composition or none.

Ceiling: Either ½-in. plaster or none. Remarks: There is wide variability in impact isolation due to random factors rather than showing correlation with thickness, weight, floor finish or ceiling finish within the ranges mentioned above.

2. Flat Concrete Slab; Suspended Ceiling: INR = -4

Total Thickness: 9 in.
Total Weight: 62 lb/sq ft

Basic Construction: 4½-in. reinforced

concrete slab.

Floor Finish: ¾-in. finish cement. Ceiling: Gypsum lath and plaster (1 in.) suspended on 4-in. wire hangers. 3. Flat Concrete Slab; Floated Concrete

Floor: INR = +1
Total Thickness: 9 in.
Total Weight: 95 lb/sq ft

Basic Construction: 5-in. reinforced concrete slab.

Floor Finish: 2 in. reinforced concrete screed, on 1-in. glass fiber blanket; 1/8-in. linoleum cemented to screed.

Ceiling: 1/2-in. plaster.

Remarks: Without the linoleum, this floor would not pass FHA recommendations

4. Flat Concrete Slab; Floated Wood

Raft: INR = +3

Total Thickness: 9½ in. Total Weight: 80 lb/sq ft

Basic Construction: 6 in. reinforced

concrete slab.

Floor Finish: ¾-in. T & G floor boards on 1½- by 2-in. battens, resting on ½-in. pads of soft fiberboard, asbestos or cork.

Ceiling: Two-coat plaster.

5. Flat Concrete Slab-Cork Tile; Furred

Ceiling: INR = +4Total Thickness: 6 \(\frac{3}{4} \) in.

Total Weight: 65 lb/sq ft

Basic Construction: 6½-in. reinforced slab.

Floor Finish: 1/4-in. cork tile, cemented to slab.

Ceiling: 1/2-in. plasterboard on metal clips on furring strips.

6. Flat Concrete Slab; Floated Wood

Raft: INR = +7Total Thickness: $9\frac{1}{2}$ in.

Total Thickness: 9½ in.
Total Weight: 83 lb/sq ft

Basic Construction: 6-in. reinforced con-

crete slab.
Floor Finish: Floor of ¾ in. T & G

boards on 1½ by 2-in. battens, on 1-in. glass fiber blanket.

Ceiling: Two-coat plaster.

considering the significant differences in population density, living habits, noise environment, tolerance for noise, construction costs, etc.

It is important to note that a neutral background noise from flowing traffic or air-conditioning equipment is exceedingly important in all noise control situations because it helps to mask the sporadic intruding sounds. An intruding noise which would be intolerable in a quiet town might go completely unnoticed in an apartment on a busy street where the continuous hum of traffic masks noises from next door without itself seeming unpleasant. It is a major failure of all existing codes that this fact is not considered. The recommendations given by FHA apply to dwellings in which the ambient noise is typical of apartments in moderately quiet neighborhoods. For quieter areas, floor construction should be better than what the FHA data indicates as just acceptable constructions. In noisy urban areas poorer construction may be tolerated.

As a result of years of building construction without requirements or guidance from building codes for noise control, it is not surprising that many "typical" floor-ceiling constructions are inadequate as regards impact noise. Improvements will entail some increase in cost, but this increase will be small if noise control is considered early in the planning of buildings; in fact, it can be surprisingly inexpensive, and can be designed to yield ancillary benefits such as thermal insulation.

FHA Design Tools


In the FHA Guide, three practical and essential tools are presented for

use in the control of impact noise:


1. A curve of recommended sound pressure levels in decibels that should exist in a room below a particular floor-ceiling construction. This curve is shown in Figure 1; see also discussion below.

2. A collection of impact performance curves characteristic of typical U.S. floor-ceiling constructions. Some of these are more common in Europe, but yet resemble fairly closely U.S. constructions. Each curve is presented so that it can be compared directly with the maximum curve mentioned above. These constructions are all classified as to whether or not they provide the recommended isolation. (See Figures 2 and 3.)

3. A check list of precautions and suggestions, supplemented by rough sketches of architectural details (see Time-Saver Standards following this



1. Wood joist-thin ceiling, walls



2. Wood joist with floated wood raft IMPACT NOISE RATINGS (INR) FOR WOOD JOIST FLOORS

1. Wood Joist; "Thin" Ceiling and "Thin" Walls: INR = -18

Total Thickness: 81/2 in.

Total Weight: 7 lb/sq ft

Basic Construction: 2- by 8-in. wood joists with %-in. T & G floor boards nailed to joists.

Floor Finish: None.

Ceiling: %-in. plasterboard nailed to joists, joints sealed.

Remarks: Two of the supporting walls were 41/2 in. thick, the other two were 9 in. thick or less.

2. Wood Joist; Floated Wood Raft: INR = -8

Total Thickness: 9 in.


Total Weight: 8 lb/sq ft

Basic Construction: 2- by 7-in. wood joists, 16 in. o.c.

Floor Finish: %-in. square-edge floor boards nailed on 2- by 2-in. battens; the whole raft floating on 1-in. glass fiber blanket.

Ceiling: %-in. gypsum board, finished with plaster skim coat.

Remarks: The INR could be improved to -4 if a heavy plaster ceiling were



1. Concrete slab—suspended ceiling

IMPACT NOISE RATINGS (INR) FOR SLABS OVER STEEL JOISTS


1. Concrete Slab on Steel Bar Joists; Vinyl Tile; Sus. Ceiling: INR = -10Total Thickness: 11 in.

Total Weight: 39 lb/sq ft


Basic Construction: 7-in. steel bar joists, 27 in. o.c.; on top of bar joists: 2-in. concrete floor slab on %-in. rib

Floor Finish: 1/8-in. vinyl asbestos tile cemented to concrete.

Ceiling: 34-in. furring channels, 16-in. o.c. wire tied to bottom of joists; %-in. gypsum lath attached to furring channels by clips; 7/16-in. sanded plaster and 1/16-in. coat of lime putty finish.



3. Wood joist-resilient hung clg.



4. Wood joist-carpet on foam pad

used. The performance of this structure tends to deteriorate with time.

3. Wood Joist; Resilient Suspended Ceiling: INR = -5

Total Thickness: 9 in.

Total Weight: 10 lb/sq ft

Basic Construction: 2- by 8-in. wood joists, 16 in. o.c. with 34-in. T & G fir flooring, nailed.

Floor Finish: None


Ceiling: 5%-in. gypsum board screwed to resilient metal runners, nailed to and bridged across joists, 12 in. o.c. Joints taped and finished.

4. Wood Joist; Carpet on Foam Pad: INR = +5

Total Thickness: 11 in.

Total Weight: Unknown.

Basic Construction: 2- by 10-in. wood joists, 16 in. o.c.; % in. fir plywood subfloor nailed 8 in. o.c. to joists; 1/2-in. fir plywood covering subfloor (joints staggered) and nailed through to joists. Floor Finish: 3/8-in. nylon carpet (1/4in. pile) on ¼-in. foam rubber pad. Ceiling: 1/2-in. gypsum board nailed 12 in. o.c. to joists; joints taped and sealed.



2. Concrete slab—carpet; sus. ceiling

2. Concrete Slab on Steel Bar Joists; Carpet on Foam Pad; Suspended Ceiling: INR = +26

Total Thickness: 111/2 in.

Total Weight: 39½ lb/sq ft

Basic Construction: 7-in. steel bar joists, 27 in. o.c.; on top of bar joists: 2-in. floor slab on %-in. rib lath.

Floor Finish: 3/8-in. nylon carpet (1/4 in. pile) on 1/4-in. foam rubber pad. Ceiling: 34-in. furring channels, 16-in. o.c. wire tied to bottom of joists; %-in. gypsum lath attached to furring channels by clips; 7/16-in. sanded plaster and 1/16-in. coat of lime putty finish.

article) which show how a basically good floor construction often is spoiled by oversight in matters of detail.

Figure 1 is FHA's recommended curve which shows for each frequency the maximum acceptable Impact Sound Pressure Level (ISPL) due to thumping a floor overhead with a standard tapping machine. The measurements are to be made in the field and adjusted to a receiving room assumed to have a reverberation time (T_o) of 0.5 seconds. The shaded area represents the range covered by various European codes. A floor-ceiling construction which provides enough isolation to fall on or under the FHA curve meets the FHA recommendation absolutely. To take into account the possibility of slight errors in field measurements, a floor construction can exceed the FHA curve a mean amount of not over 2 decibels (averaged between 100 and 3,200 cps). At no point, however, may a floor construction exceed the FHA curve by 8 decibels.


Frequently it is useful to know more than whether a construction meets the FHA recommendations or not. Therefore, a single number rating scheme was devised to show whether a floor barely achieves the requisite isolation, or by how much it is over or under the recommendation. Typical floor constructions illustrated in the Guide have thus been assigned an Impact Noise Rating (INR). What this value essentially indicates is how many decibels a curve needs to be shifted down or up to meet the FHA curve. If the floor curve has to be moved down the Impact Noise Rating will be negative; if it can be moved up, the INR will be positive. The INR thus provides a means of rank-ordering a large number of different constructions: the higher the INR, the better the impact isolation provided. Negative INR values fail to meet the FHA recommendation; positive values exceed

Impact noise transmission through a typical wood joist floor covered by tile is shown in Figure 2. The Impact Noise Rating (INR) for this construction is -17; this is indicated by the small black rectangle along the right margin of the graph. The INR value for the FHA recommended curve is zero. When carpet and a foam pad are substituted for the floor tile the INR is raised to a value of +5.

IMPACT NOISE CONTROL DETAILS FOR DWELLINGS: 1


Prepared for FHA by Bolt, Beranek and Newman, Inc.

CONCRETE FLOOR STRUCTURE Floor carpeted; plaster ceiling




Plaster must be airtight to get most loss of energy through the structure and to prevent transmission of airborne noise


RESILIENTLY SUSPENDED PLASTER CEILING




All penetrations must be caulked to prevent transmission of impact sound through piping, ductwork; also to stop airborne sound (above). Conduit and duct connections must be flexible to maintain impact noise reduction of floor (below)



EXTERIOR OR INTERIOR WALL-FLOOR INTERSECTION







MEMBRANE DURING POUR
NOTE: RESILIENT MATERIAL
TURNS UP AT ALL EDGES

Bottom sketch shows techniques for isolating concrete topping from the structural slab. Full detail is above

SERVICE PENETRATION AT EDGE OF FLOATING FLOOR






Pipe penetrations are sleeved and packed to prevent the impact noise from being carried through the pipe


R


IMPACT NOISE CONTROL DETAILS FOR DWELLINGS: 2

Prepared for FHA by Bolt, Beranek and Newman, Inc.

SHORT-CIRCUITING OF FLOATING RAFT FLOORS









Top two sketches show proper location of services under a floating floor. In bottom sketch, service "shorts out" resilient layer, since it is directly under floor


PENETRATION OF CONCRETE FLOATING FLOORS






Piping through floors should be sleeved and caulked so that floating floor will not be short-circuited. Electrical boxes should be isolated from the finish floor by a gasket


DETAILS OF WOOD FLOATING RAFT FLOOR



CONSTRUCTION OF A TYPICAL FLOATING RAFT FLOOR




SERVICE PENETRATION OF FLOATING RAFT FLOOR




IMPACT NOISE CONTROL DETAILS FOR DWELLINGS: 3

Prepared for FHA by Bolt, Beranek and Newman, Inc.

PLASTER CEILING ON RESILIENT CLIPS ATTACHED TO WOOD JOISTS




Packing partition penetration



Typical resilient clip


CARPET & UNDER PAD FLEX. COND. PACKED & CAULKED RESIL. JT. DO NOT "SHORT CIRCUIT" ISOLATION PARTITION

"MIXED" CONSTRUCTIONS




If different construction types are flanked, impact noise from the "poorer" construction will travel through structural slab on the floating floor side

IMPROPER PARTITION SUPPORT



If partitions are set atop floating floor, either the topping will shear, or compressed topping and pad will offer direct sound path



401L PIPE

A DUAL-DUCT APPROACH FOR OFFICE BUILDINGS

The heating, ventilating and airconditioning systems of many new urban, multi-tenanted office buildings are laid out to accommodate the "average" tenant. Unfortunately, in many instances, there is no "average," and much of the ductwork and associated equipment must be relocated or replaced, at an additional

cost to owner, tenant or both.

The consulting engineering firm of Sidney W. Barbanel made a thorough study of such tenant changes in dozens of buildings designed by their firm and others, to find a methof of eliminating such extras. They developed a design approach which combines a "new look" at over-all de-

sign and distribution to avoid the relocation problem coupled with an unusual but dependable and economical bidding system for the mechanical contractor.

The heart of their approach involves the use of a dual-duct system for both interior and exterior locations plus an under-window perimeter radiation system.

For design of the air supply system, the building is divided into conveniently sized and located zones for shortest possible horizontal runs and minimum offsets of vertical runs. Very often the floors are divided into quadrant zones rather than an interior and an exterior zone.


Then a dual-duct distribution system is laid out for the horizontal runs of a typical floor, providing a large number of individually controlled zones in the interior as well as exterior. The dual-duct system permits maximum control flexibility for either interior or exterior areas.

Instead of asking the mechanical contractor for a lump sum for the entire building, with individual tenant changes to be negotiated later, the engineers ask for a price per pound of net installed weight of sheet metal, with a given factor for different gages, this to be multiplied by the "net surface" of metal installed.

Similarly, unit prices are obtained for typical air mixing boxes of various sizes, complete and connected; net price for diffusers and return registers; price per lineal foot of finned-tube radiation, etc.


With the manner of take-off thus specified, it is easier for the mechanical contractor to estimate the job. Not only is less estimating time required for contractors, but also there are no unforseen items to crop up later, and the result is that bids have come in 40 per cent less than might be expected under normal bidding practice.

If a tenant wants more flexibility than provided in the original design, then the owner must pay for the extras incurred by the contractor and charge this against the tenant. If the contractor installs less than indicated originally for the typical floors, then he must pay the owner a rebate.



TYPICAL FLOOR


Composite air-conditioning layout for a multi-tenant type of office building



Simplified riser diagram shows that multiple fan rooms eliminate duct offsets

New Corbin SLIM-MASTER UNIT* saves

letter box space...gives you slim, modern design





Where your letter box space is limited ... or where you want compact, modern design . . . the new Corbin Slim-Master Letter Box Unit is your answer!

This new unit — equipped with standard-size, Post Office approved letter boxes — takes less space than any similar mail receptacle. 42-box units saves up to 32% wall space ... smaller units save even more. Narrow 3/4" extruded rails and stiles make the difference.

You'll like the slim, modern design, too . . . and the strengthtested construction that includes a stainless steel, piano-type master door hinge.

For full details—or a free layout (tell us the number of boxes and wall dimensions) - write Dept. B4.

THE AMERICAN HARDWARE CORPORATION NEW BRITAIN, CONNECTICUT



the new Mahonaire concept... thin-line package incorporates air distribution, structural deck, lighting, utility raceways, and acoustical finished ceiling in as little as 6" in depth! *Pats. applied for

Heating and cooling have always before been handled as accessories which must be added to the fundamental building at the cost of extra space. The MAHONAIRE air ceiling concept now incorporates this into the basic structure itself in little or no additional space and at substantial savings over conventional ductwork systems. Costing little more than the basic structural elements themselves, MAHONAIRE can be installed for heating when the building is erected and can then be utilized at any later time for air-conditioning.

In addition to the cost savings in air distribution system materials, the savings resulting from building height reduction are substantial.

AIR DISTRIBUTION Mahonaire ceilings eliminate conventional ceiling diffusers and costly distribution ductwork. High aspiration of diffused air avoids cascading of delivered cold air or stratification of delivered hot air. Downward air directional control reduces dust or smudge streaking of the ceiling.

structural support High strength-weight ratio of Mahonaire deck allows economical design. Long spanability eliminates intermediate supports and provides excellent surface for either support and bond of insulation and roofing or as a concrete form for roof construction.

RECESSED LIGHTING Standard lighting fixtures can be installed continuously or intermittently between the beam webs. Versatility of the Mahonaire concept provides a ready solution of specific lighting and modular layout requirements.


UTILITY RACEWAYS Cells can be used to carry signal lines, sprinkler systems and similar utilities.

SOUND CONTROL Economical sound absorbtion is achieved by inserting sound-absorbing material in the cells of the perforated Cel-Beam members.

FINISHED CEILING Flush surfaces or exposed beam effect can be used. The metal surfaces are virtually indestructible and require no maintenance other than normal periodic painting.

For more information write for new catalog AC-63.

Mahonaire & Cel-Beam are trademarks of The R. C. Mahon Co.









This office building incorporates the MAHONAIRE concept. Within the 7½" cells used for structural support were incorporated air distribution, troffer lighting, sprinkler system and acoustical treatment.

A one-story school building in Southern Texas provides year-round conditioned air using the MAHONAIRE ceiling concept. Cost savings over a conventional system were substantial.

ARCHITECT: WYATT C. HEDRICK, HOUSTON, TEXAS

The MAHONAIRE concept in this engineering company office furnishes draft-free heated or cooled air and ventilation and provides recessed lighting in the attractive flush ceiling.


MAHON

SERVING INDUSTRY SINCE 1912

THE R. C. MAHON COMPANY


6565 E. EIGHT MILE ROAD, DETROIT 34, MICHIGAN Manufacturing Plants—Detroit, Michigan and Torrance, California. Sales-Engineering Offices—Detroit, New York, E. Orange, N. J., Cleveland Hts., Ohio, Chicago, Torrance, San Francisco and Seattle.

For more data, circle 75 on Inquiry Card



matically your Cummins Diesel Generator Set springs to life to restore the power you need. Lives are not endangered—perishables remain safe—emergencies are averted. We'll provide a stand-by unit tailored to match your kilowatt needs. We service and warrant the entire unit—diesel, generator, and controls. Make a wise investment. The saving during one

power failure could more than pay for your Cummins Generator Set. Contact the Cummins Distributor listed in your Yellow Pages under "Engines—Diesel."



CUMMINS DIESEL GENERATOR SETS

CUMMINS ENGINE COMPANY, INC., COLUMBUS, INDIANA

For more data, circle 76 on Inquiry Card

Building Components

Application and Specification of Materials and Equipment

DESIGN OF VENTILATING CEILINGS

Correct engineering assures even flow of air through perforated ceilings regardless of obstructions in the plenum

A ventilating ceiling is a type of air-inlet system. It is a system with an extensive array of numerous small openings through which air is pushed at low pressure from an overhead plenum. The plenum is usually served by a single, elementary supply duct opening or duct stub. Whereas a conventional system has a few diffusers, each carrying a large volume flow of air, a ventilating ceiling has many small openings, each carrying a very small volume flow. There may be several hundred small openings per sq ft.

The ventilating ceiling and its associated plenum serve the same purpose in the complete air distribution system as do the diffusers and the associated local ductwork in the conventional system.

The return air systems and the main supply ducts are essentially the same for the conventional system and the ventilating ceiling, although there is some difference in local supply detail.

To help insure proper engineering design of ventilating ceilings employing perforated acoustical tiles or panels, the Armstrong Cork Company recently developed a complete design procedure. The salient factors involved are discussed here.

Advantages of a Ventilating Ceiling


- 1. Since the whole ceiling is used to deliver air, adequate air may be supplied directly to all parts of a room without drafts or stagnant spots.
- 2. Freedom from drafts is maintained even with very low ceilings and high air flow rates.

This article is drawn from technical information developed by engineers and physicists of the Armstrong Cork Company for use by architects and consulting mechanical engineers


- 3. When the ventilating openings are close together, the flow of air repels dust-laden room air and virtually eliminates soiling by impingement and breathing.
- 4. A single duct stub can supply air for a very large area. This reduces the cost of supply ducts and eliminates diffusers.
- 5. The ventilating openings may be provided in a finish which absorbs sound.
- 6. A ventilating ceiling often permits use of a shallower floor-ceiling structure than does a conventional system.

Requirements for Proper Air Flow
In the case of a conventional system
the diffusers and the local ductwork
have to satisfy a number of requirements in order to deliver the proposed amount of air and distribute
it according to a particular plan.
Naturally, a ventilating ceiling and
its associated plenum must also satisfy a number of basic requirements.
The five basic requirements of a ventilating ceiling, so far as air distribution is concerned, are:


- 1. The ventilating ceiling must deliver to the space below it an actual total flow of air equal to the design total flow—the amount planned for that space by the mechanical engineer.
- 2. The ventilating ceiling must deliver the design total flow at a plenum pressure which does not exceed the safe load limit of the ceiling material.
- 3. The plenum pressure must be generally uniform throughout the plenum serving a zone.* This is necessary in order to produce a uniform air supply for the whole floor area of the zone when a uniform ceiling is used. It is also necessary so that




Even plenum pressure assures uniform flow through a perforated ceiling



Friction loss due to air flowing past plenum boundaries can reduce air flow



Turbulence due to obstructions may reduce pressure, gradually cutting flow



Phenomenon known as "static regain" actually causes increase in air flow

intentional nonuniformity of air supply from place to place may be preplanned through intentional variations in the arrangement of ventilating and nonventilating tiles.

4. Although local pressure variations of limited extent and magnitude may occur in the vicinity of the inlet duct opening and in the vicinity of large obstructions in the air flow path (such as I-beams), these pressure variations must be kept under control by proper engineering. Negative plenum pressures must not occur—that is, pressure differences through the ceiling which will cause air to flow from the room, up through the ceiling, and into the plenum. Otherwise, local soiling of the ceiling

^{*} A zone is an area of a building for which the plenum above does not connect with any other space except through the ventilating ceiling and the supply ducts



Fissured acoustical tiles for the ceiling in the Endicott Trust Building have a series of tiny holes for air supply



Random perforated acoustical lay-in board serves for distribution of air in the lobby of Allied Research Building

will occur due to the reverse air flow. 5. The ventilating ceiling must not introduce any new air flow noise.

Technical Factors

Effect of Plenum Pressure. With rare exceptions, the ventilating ceiling will deliver an actual total flow equal to the design total flow so long as the supply ductwork has been designed and adjusted to bring up to the plenum an air supply equal to the design total flow. In effect, the ventilating ceiling is a low-resistance element in series with the rest of the air supply system leading up to the zone served by the ceiling. In rare cases it may be necessary to consider the small pressure drop through the ceiling, that is the plenum pressure, in designing the supply ductwork and in balancing the system.

The value of the plenum pressure must be known, not only to establish the fact that it is small enough to ignore in this regard, but also because it has an important bearing on other technical factors. Recommended load limits for acoustical ventilating tiles are based either on tolerable noise due to flow of air through the ventilating holes, or on tolerable bending of tiles from the point of view of appearance. They do not represent rupture loads.

Design for Even Plenum Pressure There are three things which may cause general changes of plenum pressure within a zone unless they are kept under control by proper engineering.

First, there are simple frictional losses due to the presence of the upper and lower boundaries of the plenum. These losses are similar to the well-known frictional losses in ducts, and they cause a progressive decrease of plenum pressure as the air moves across the plenum from the inlet duct opening.

Second, there are pressure losses due to turbulence around obstructions which impede the flow of air across the plenum (I-beams, recessed light housings, suspension channels, etc.). These losses are similar to the turbulent losses around dampers in ducts. Successive losses of this type cause a stepwise decrease of plenum pressure as the air moves across the plenum from the inlet end.

Third, there is a phenomenon, known as static pressure regain,† which causes a progressive increase of plenum pressure as the air moves across the plenum. In general, this phenomenon is more important than

the frictional losses due to the upper and lower boundaries of the plenum, but not necessarily more important than the turbulent losses.

In practice, all three requirements are considered for a preliminary arrangement of inlet duct openings (that is for a definite air projection distance); and each of the requirements then defines a tentative value of minimum plenum height. An actual plenum height must be chosen at least as large as the largest of the three tentative values. If this final plenum height is architecturally too large, either the ducts must be relocated to give smaller air projection distances, or another ceiling layout must be used to give higher plenum pressure. Either type of change will permit the use of a shallower plenum.

Turbulent Loss

There are always suspension channels or tops of T's, H's or Z's protruding into the plenum of a suspended ceiling. Usually there are other obstructions such as I-beams, concrete beams, recessed light housings, or other objects which impede the flow of air across the plenum. These obstructions lead to a progressive decrease of plenum pressure as the air flows across the plenum, because energy is lost in turbulence.

The largest pressure loss due to turbulence around an obstruction of continued on page 292

[†] Static pressure regain arises in this way: as air is pushed out of the plenum through a ventilating tile at a particular location, the remaining air expands to fill the cross sectional area of the plenum. The velocity of the remaining air is thus reduced, causing a reduction of the velocity pressure. The principle of conservation of energy demands that the reduction of velocity pressure be accompanied by an increase of static pressure, that is the plenum pressure


For more information circle selected item numbers on Reader Service Inquiry Card, pages 277–278


STEEL DECKING DOUBLES AS TROFFER AND AIR SYSTEMS

Mahonaire ceiling system uses structural steel cellular deck cells as combined air runs and ceiling diffusers for conditioned air. Since the cells are an integral part of the floor-ceiling structure, space is saved as well as some of the cost of auxiliary ductwork and diffusers.

As shown in cross section, alternating cells are used for air diffusion, acoustical control and recessed lighting. Inside the air diffusion cells are metering plates which control amount and velocity of air admitted to the perforated diffuser plates at the bottom. These plates serve as the finished ceiling and are identical in appearance to the acoustically-perforated plates. Noise generated by the system is said to be low because of the many low-velocity air distribution outlets. The R. C. Mahon Co., 6565 E. Eight Mile Rd., Detroit 34, Mich.

CIRCLE 300 ON INQUIRY CARD






URETHANE-ASPHALT SEALANT HAS HIGH RESILIENCY

Polyurethane foam is impregnated with asphalt to produce a sealing and caulking compound which has a high degree of bond strength, moisturetightness, and chemical and abrasion resistance. When Compriband is compressed to 25 per cent or less of its original dimension, it becomes an impenetrable mass which forms a strong bond to joint interfaces. Expansion force against joint surfaces maintains a constant bond through wide ranges of joint movement, without fatigue or loosening. It can be used to seal joints between almost any combination of similar or dissimilar materials. It acts as a vibration and sound isolator and does not support combustion. Uses include curtain wall and window installation, concrete expansion joints, etc. Pacific Sealants, 12530 Yukon Ave., Hawthorne, Calif.

CIRCLE 301 ON INQUIRY CARD more products on page 228





ARCHITECTURAL RECORD April 1963

Office Literature

For more information circle selected item numbers on Reader Service Inquiry Card, pages 277-278

SENSIBLE HEAT CONTROL

To aid architects in making certain basic design decisions which influence the performance and cost of air conditioning, Owens-Corning Fiberglas has prepared a series of 60 color slides and commentary including the following topics: (1) fundamentals of heat flow relating to design of building shells, (2) analysis of heat gain and heat loss problems, and (3) systematic evaluation of these factors as they apply to initial and operating costs of air-conditioning systems. The slide illustrations and commentaries have been printed in a 65-page booklet, "Economics of Sensible Heat Control," which is available to architects and engineers writing on their letterhead. Owens-Corning Fiberglas Corp., Industrial and Commercial Div., Dept. MC, 717 5th Ave., New York 22, N.Y.

AIR CONDITIONING CONTROLS

Solid state controls, actuators and auxiliary devices form the *Cybertronic* system of air-conditioning controls described in a six-page folder. *Fischbach and Moore, Inc., 9005 Sovereign Row, Dallas 7, Tex.*

CIRCLE 400 ON INQUIRY CARD

PREFAB STEEL STAIRS



(A.I.A. 14-D) Folder gives details on *Pico Pre-Erected Safe Stairs* which are hoisted into position before stairwells are built. The steel stairs are built to

meet specifications of floor levels and walls. Potomac Iron Works, Inc., 4711 Rhode Island Ave., Hyattsville, Md.

CIRCLE 401 ON INQUIRY CARD

FLOODLIGHTING BUILDINGS

"Building Floodlighting" gives details on the best ways to accent the architectural features of buildings at night. The 20-page booklet (TP-115) lists characteristics of incandescent, fluorescent and mercury lamps. Inquiry Bureau, General Electric Co., Nela Park, Cleveland 12, Ohio

CIRCLE 402 ON INQUIRY CARD

CHURCH FURNISHINGS



Church furnishings and accessories are illustrated and described in two catalogs, "Pews and Accessories" and "Educational and Church Furnishings." L. L.

Sams and Sons, River at LaSalle, Waco, Tex.

CIRCLE 403 ON INQUIRY CARD

SUN CONTROLS

Vertical and horizontal sun controls, fixed horizontal fins, canopies and solar grill screens are described in a 16-page color booklet. Specifications and operating details are included. Brown Mfg. Co., P. O. Box 8488, Oklahoma City, Okla.*

CIRCLE 404 ON INQUIRY CARD

MOVABLE PARTITIONS

(A.I.A. 35-H-6) A 16-page booklet describes Hauserman Operable Wall, a sliding wall for adapting space in commercial and institutional buildings. A 36-page catalog gives details on Signature movable wall system for office and factory buildings. The E. F. Hauserman Co., 5711 Grant Ave., Cleveland 5, Ohio

CIRCLE 405 ON INQUIRY CARD

CERAMIC TILE

Full-color photographs of installations illustrate a 36-page catalog on ceramic tile with descriptive and technical information for each kind of tile. A section on color harmony suggests color combinations using different types of tile. American Olean Tile Co., 1000 Cannon Ave., Lansdale, Pa.*

CIRCLE 406 ON INQUIRY CARD

STAINLESS STEEL

The stainless steel, truss-wall sheathing of the I.B.M. Building in Pittsburgh and the custom windows of the Michigan Consolidated Gas Company Building in Detroit are described in detail in an eight-page booklet. Committee of Stainless Steel Producers, American Iron and Steel Institute, 633 Third Ave., New York 17, N.Y.

CIRCLE 407 ON INQUIRY CARD

LAB SPEC GUIDE

(A.I.A. 35-E) A laboratory fixtures specification guide has detailed reference data on how to select the best fixtures for particular functions. T & S Brass and Bronze Works, Inc., 128 Magnolia Ave., Westbury, L.I., N.Y.

CIRCLE 408 ON INQUIRY CARD

UNIT VENTILATORS

Unit ventilators designed for horizontal mounting at ceiling levels are described in Catalog 1085. All models have a *Roll-a-Change* filter which holds a three-year supply of fiber filter media. *Schemenauer Mfg. Co., Holland, Ohio*

CIRCLE 409 ON INQUIRY CARD

CURTAIN WALLS, WINDOWS



(A.I.A. 16-E) Alwintite aluminum windows, curtain walls, slide doors and terrace doors for high-rise apartments, commercial buildings, schools

and hospitals are illustrated in catalog. Alwintite Div., General Bronze Corp., 711 Stewart Ave., Garden City, L.I., N.Y.*

CIRCLE 410 ON INQUIRY CARD

RECESSED LIGHTING

Recessed and surface incandescent lighting are illustrated in 40-page Catalog 2000. Footcandle tables, coefficient tables, candle power distribution charts, dimension drawings and product specifications are included. Moe Light Div., Thomas Industries, Inc., 207 E. Broadway, Louisville 2, Ky.*

CIRCLE 411 ON INQUIRY CARD


PEDESTAL FURNITURE


Pedestal tables and upholstered and fiber-glass chairs for various residential and commercial uses are illustrated in full-color catalog. Burke, Inc., 5140 N. Westmoreland Rd., Dallas 7, Tex.


CIRCLE 412 ON INQUIRY CARD

*Additional product information in Sweet's Architectural File

more literature on page 272







HOLLADAY HOMES BY ALLEN C. EDWARDS

For significant new homes . . . remarkable new **Armstrong Siding**

Here's a siding that stands up better, needs less care, yet retains the beauty of conventional wood siding. It's made from tough wood fibers heat-bonded with resin. It's knot-free and grain-free, so it won't split or crack. It comes in standard straight lengths that saw and nail easily, so it's fast to put up. And it arrives from the factory with two applications of primer; an excellent base for receiving and holding finish paint. The three types-horizontal lap, vertical grooved, and vertical plain panels-will blend with any style architecture. For further information on new Armstrong Siding, write Armstrong Cork Company, 4104 Rock Street, Lancaster, Pennsylvania.




Light Your Corridors And Classrooms With Matching

PHOTOMETRIC PRISM CONTROLLED LUMINAIRES

Meet the newest member of the Wakefield family of Photometric prism controlled luminaires—the Photocor one lamp unit for corridors. This, together with the two and four lamp Photometrics, gives you a complete series of matching luminaires for classrooms and corri-

dors. Available in 4 ft. and 8 ft. lengths, Photometrics when mounted in rows provide a continuous shaft of light since they have no metal end plates to create distracting shadows. Write for literature describing these efficient prism controlled luminaires.



For more data, circle 78 on Inquiry Card

In Canada, Wakefield Lighting Limited, London, Ontario

Vermilion, Ohio

For more data, circle 79 on Inquiry Card >>

Lighting Division




Cleveland, Mississippi

Product Reports

continued from page 223

INSTITUTIONAL KITCHEN VENTILATION

Institutional kitchen ventilating system fights grease fires with AIRSAN AG grease filter that arrests flames, absorbs heat and reduces exposed flames to temperatures below the fire point. A thermal-link that melts in case of fire releases a weighted damper



to prevent fire from spreading into plenum area. Manual or automatic carbon dioxide control is available. Air Filter Corp., 4540 W. Woolworth Ave., Milwaukee 18, Wis.

CIRCLE 302 ON INQUIRY CARD


VINYL COATING FOR METALS

Colovin vinyl film for outdoor use can be bonded to almost any substrate. It is said to be colorfast and abrasion and impact resistant. Clad-Rex, Delta-Chicago, Inc., 11500 W. King St., Franklin Park, Ill.

CIRCLE 303 ON INQUIRY CARD

BACTERIA-CONTROLLING AIR DISTRIBUTION PANELS


A combination air-diffuser and germicidal-lamp panel assembly makes possible distribution of air that is relatively bacteria-free. Air entering panel





chamber is completely exposed to high-intensity rays emitted from the germicidal lamp and then evenly distributed into the room through perforated metal panels. The Pyle-National Co., 1334 N. Kostner Ave., Chicago 51, Ill.


CIRCLE 304 ON INQUIRY CARD more products on page 232

For more data, circle 80 on Inquiry Card >>









Application Details

for No. 4003 SMOOTHEE® door closer shown on opposite page (See diagrams above)

- 1 In corners a "Smoothee" takes less space than most doorknobs between door and wall
- 2 Degree of door opening possible depends mostly on mounting, type of trim and size of butt used
- 3 Arm of "Smoothee" is formed to avoid conflict with almost any trim
- 4 Joints in arm and shoe make it easy to vary height of shoe as needed for beveled trim
- 5 Power of closer at latch may be increased or decreased by simply reversing position of shoe


Complete catalog on request—no obligation or see Sweet's 1963, Section 19e/Lc



LCN CLOSERS, PRINCETON, ILLINOIS

A Division of Schlage Lock Company

Canada: LCN Closers of Canada, Ltd., P. O. Box 100, Port Credit, Ontario





Thin-Line Seasonmakers

for saving space for every application for McQuay quality



The familiar Thin-Line Seasonmaker

family consists of floor, basic, ceiling, and hideaway types, which permits you to select the particular unit to fit your requirements.

And because they are only 8½ inches thin, they save space. Seasonmakers are whisper quiet, too, with three-speed fan control for air volume flexibility. Your McQuay representative can help you select the Seasonmaker to exactly meet your needs, or write McQuay, Inc., 1605 Broadway N.E., Minneapolis 13, Minnesota.

McQuay Thin-Line individual room

SEASONMAKERS




For more data, circle 82 on Inquiry Card

NEW ANEMOSTAT® AIRPANEL

is 1

an air diffuser



Product Reports

continued from page 228

CERAMIC WALL TILES

Sculptured ceramic wall tiles, 18 by 18 in. and 9 by 18 in., are available in a variety of patterns with a choice



of colors and finishes. Custom designs can be made from the standard tiles. Design-Technics, 7 E. 53d St., New York 22, N.Y.

CIRCLE 305 ON INQUIRY CARD

FLOOR FOR COMPUTERS

Elevated *Free-Access* floor for electronic data processing rooms allows space underneath for machine cables and air-conditioning plenum, if desired. The 2-ft-square steel-clad panels lock into a structural aluminum grid supported by adjustable steel pedestals. The strong, fire-resistant panels are finished with vinyl tile. White Partitions Co., 56 Glenwood Ave., Hyde Park, Boston 36, Mass.

CIRCLE 306 ON INQUIRY CARD

REINFORCED VINYL SHEET

Kayrex steel reinforced rigid vinyl sheet, made in a continuous lamination process, is lightweight with a high, load-bearing strength. Corrugated rolls and flat sheets are available in white and green transparent colors. Kaykor Products Corp., Yardville, N.J.

CIRCLE 307 ON INQUIRY CARD

ELEVATOR CAR LIGHTING

Side panels of fiber-glass reinforced polyester are lighted from behind by fluorescent tubes to provide illumination in elevator cars. Back wall, doors and ceiling are laminated plastic. Otis Elevator Co., 260 11th Ave., New York 1, N.Y.

CIRCLE 308 ON INQUIRY CARD

more products on page 233

is 2

a ceiling panel


to fit a wide variety of ceiling mountings



Adjusting device easily accessible. Unique air-flow control. Capacities: 80 to 260 CFM! Attenuator section eliminates excessive system noise. Design assures minimum maintenance.

minimal ceiling aging.

volume control is 4 a sound attenuator




or snaps-in to fit most mountings and may be moved about easily. Simple, 3-step installation reduces costs. Aluminum finish or colors to match.

Product Reports

continued from page 232

GYPSUM PARTITIONS

Two cost-saving lath and plaster steel stud systems for nonbearing partitions (one for screw and one for nail or staple application) use onethird fewer studs than other systems,



with studs spaced 24 in. on center. Sound transmission loss rating is given as 45 decibels. *National Gypsum Co.*, *Buffalo 2*, *N.Y*.

CIRCLE 309 ON INQUIRY CARD

SOUND-ISOLATING GLASS

Acousta-Pane sound-isolating glass is made with 2, 3 or 4 plys laminated together with viscoelastic adhesive layers. The construction gives the glass extra strength, rigidity and shatter-resistance as well as sound-isolating properties. It is available also with a gray tint. Amerada Glass Corp., 3301 S. Prairie Ave., Chicago, Ill.

CIRCLE 310 ON INQUIRY CARD

OFFICE PRINTER

Varigraph Headwriter, a non-photographic model for setting reproduction-quality headlines can be used on




any stock, including paper offset plates. It uses India ink. Varigraph Inc., Madison 1, Wis.

CIRCLE 311 ON INQUIRY CARD more products on page 238

ANEMOSTAT AIRPANELT

(MODEL AP) IS MANUFACTURED
SPECIFICALLY FOR SINGLE DUCT
HIGH VELOCITY SYSTEMS. THE
COMBINATION OF EFFICIENT AIR
DIFFUSION, CEILING MODULARITY, ADJUSTABLE VOLUME CONTROL AND EFFECTIVE SOUND
ATTENUATION PROVIDES UNUSUAL VERSATILITY FOR MANY
APPLICATIONS. ASK YOUR
ANEMOSTAT REPRESENTATIVE
FOR THE FULL STORY.





ANEMOSTAT CORPORATION OF AMERICA SCRANTON, PENNSYLVANIA A SUBSIDIARY OF

DYNAMICS CORPORATION OF AMERICA

For more data, circle 83 on Inquiry Card



HANDSOME APPROACH TO A MODERN HOME is this distinctive concrete driveway. Concrete offers custom-designed smartness, opportunity for imaginative color and design treatments. Concrete is durable; the beauty lasts.




NEW PATTERNS IN OUTDOOR LIVING—casual or formal—are easily achieved with concrete. The pool serves as the focal point of activity, complementing a warm spectrum of colors and textures in the patio and garden.

Out of the Horizon Homes Program...distinctive design ideas with modern concrete

Outstanding home design from 1962 Horizon Homes Program features concrete slump block for beauty and textural interest.





MODERN CONCRETE SCULPTURE by Charles Clement sets the theme for this smartly contemporary western garden. Precast or cast in place, concrete gives landscape architects unusual opportunity for patio and garden design.



CONCRETE MASONRY DIVIDER is laid in a dramatic pattern and painted in two tones, providing a tropical motif for this house designed in the style of South Seas architecture. Here is a gracious, easy-to-care-for interior.

Beautiful things are being done, today, with concrete. Typical are the outstanding home designs created by leading architects for the annual Horizon Homes Program, sponsored by the nation's concrete industries.

Modern concrete opens the way to fresh ideas. Architects are turning to concrete more and more for vital structural elements, as well as for intriguing decorative effects. No other basic material is so versatile or offers the home designer such freedom for

innovation. Concrete offers a virtually unlimited range of colors, textures, patterns and shapes.

Architects are finding that concrete readily accommodates the newest concepts in modern living and provides opportunity for distinctive home design. Major design awards are offered in the 1963 Horizon Homes Program. Plan to enter.

Better living begins when you own a new home

Portland Cement Association A national organization to improve and extend the uses of portland cement and concrete







For more data, circle 84 on Inquiry Card





Trenridge Apartments, Lincoln, Nebraska. Architects: Sidney W. Campbell and Reginald E. Davies.

Creative use of Andersen Windows accents entry design of 126-unit apartment complex

Stock window units, proportioned in a two-story panel, combine beauty, comfort and dependability


In the new Trenridge Apartments, Lincoln, Nebraska, combination Andersen casement and picture windows are used to complement distinctive styling while adding extra value for owner and occupants.

For the owner, these extra-weather-tight windows (more than 3 times industry standards) will mean significant savings in heating and cooling costs... and lasting tenant satisfaction. And occupants will like the way Andersen wood windows provide weathertight comfort the year around. (The entire project is equipped with Welded Insulating Glass.)

Andersen's complete line of windows offers maximum design flexibility for your next light construction project. There are 7 kinds of windows, 30 different types, and more than 600 cataloged sizes.

Check Sweet's File or write for Detail catalog and Tracing detail files. Andersen Windows are available from lumber and millwork dealers throughout the United States and Canada.

Andersen Windowals
ANDERSEN CORPORATION
BAYPORT, MINNESOTA



TYPICAL JAMB-COL

ALSONEY LINES

PROFESSIONALS IN SOUND

(WESTERN ELECTRIC FOR ONE)

PREFER SOUND SYSTEMS BY ALTEC

Three independently functioning sound systems were required to serve Western's public areas, meeting rooms, and music room. The systems selected had to meet the high standards offered and demanded by Western Electric Company.

In every respect—from reliability to sound quality, from sophistication of design to ease of operation—Altec met Western's standards. Altec sound systems were selected to provide paging, public address, and background music. And, in Western's music room, famous Altec studio playback components provide superb stereo reproduction.


Investigate the solutions Altec offers your sound problems. For the endless variety of services a modern sound system can contribute to most projects, call the nearest Altec Sound Contractor (listed in your Yellow Pages) or write Dept. AR 4.

Altec Sound Contractor to Western: Sound Systems, Inc., New York, N.Y.



The Western Electric Building at 222 Broadway is one of New York City's newest skyscrapers. Housed here are Western Electric Company's general offices.

See Sweet's: Architectural File 33a/AL • Industrial File 17f/AL





ALTEC LANSING CORPORATION

A Subsidiary of Ling-Temco-Vought, Inc.

A N A H E I M , C A L I F O R N I A


For more data, circle 86 on Inquiry Card

Product Reports

continued from page 233

MOVABLE PARTITIONS

The Kent line of movable partitions has steel sections at floor and ceiling which hold two sheets of gypsum board. These are separated to give an air space which reduces sound and heat transmission and allows room



for wiring. Steel hardware connects partitions and is used for doorways and corners. Since no taping or filling of joints is involved, partitions are easy to relocate. Architectural Systems, Inc., 4300-36th St., S.E., Grand Rapids 7, Mich.

CIRCLE 312 ON INQUIRY CARD


ABRASIVE TREAD PLATE

A fine-grained aluminum abrasive tread plate is suited for patio decks, where people walk in bare feet, and for applications where ease of cleaning is important. Aluminum Co. of America, 768 Alcoa Bldg., Pittsburgh 19, Pa.

CIRCLE 313 ON INQUIRY CARD


TEXTURED STAINLESS STEEL

Texture * Stainless is a specially finished stainless steel with a slightly depressed pattern dispered over the entire surface. It is available stainrolled, stain-highlighted or colored



and highlighted. The steel is recommended for interior use only and is available in Types 304 and 430. Republic Steel Corp., 1441 Republic Bldg., Cleveland 1, Ohio

CIRCLE 314 ON INQUIRY CARD more products on page 260



When you specify flush doors with factory-primed MASONITE DORLUX...



...the core will not mirror through

When properly constructed...fewer callbacks for warpage, checking or swelling. Glass-smooth, cockle-free Dorlux will not split, splinter, or check...and with Masonite's factory-applied Primecote, Dorlux may be finished with less paint. Unlike foreign hardboards (and many domestic panels), Dorlux skins meet Commercial Standards (a major point with your builder friend when he goes to arrange financing!).





STRUCTURAL DESIGN NEWS

FROM BETHLEHEM STEEL

NO. 1

BOOM IN STEEL FRAMING FOR MEDIUM- AND HIGH-RISE BUILDINGS . . . It began with the introduction of ASTM A36, which slashed the cost of steel construction. Other new, money-saving steel products, plus the revised AISC design specifications, plastic design, and composite design . . . all these things have convinced architects to take a second look at the economy of steel construction.



Brickell Town House, Miami

THE DESIGNERS OF BRICKELL TOWN HOUSE, 21-story Miami apartment, report they chose steel framing for economy. Its all-welded A36 frame, designed to withstand hurricane-force winds, is 50 per cent lighter than concrete . . . saved an estimated 600 foundation piles.

ARCHITECTS FOR THE CRYSTAL HOUSE, Arlington, Va., report "substantial" savings with steel. They used Bethlehem's V50 (50,000 psi-yield) steel for columns through the sixth floor of the 12-story buildings, to keep column dimensions uniform. Balance is A36 steel.

DENVER ARCHITECTURAL FIRM, which formerly designed apartments exclusively

in concrete, has now designed their last eight with steel—for economy. A typical case is the eight—story Saturn Towers Apartments in C o 1 o r a d o Springs. It was



estimated at \$2.35 psf in concrete flat slab...it cost only \$1.94 psf using A36 steel and Bethlehem's Slabform steel centering over open-web steel joists.

600 BROADWAY OFFICE BUILDING, Corpus Christi, Texas, went steel for economy. A36 welded steel frame, 15 office floors over a six-story garage. Steel saved three months, slashed foundation costs, added usable floor area.

SAVE TIME BY LETTING THE STEEL FABRICA-TION CONTRACT FIRST. Then the shopwork can speed ahead while foundation work proceeds. Learn the money-saving opportunities in the new AISC "specs", composite design, and plastic design all approved by building codes of most cities.

NEW STEELS, NEW DESIGN CRITERIA . . . make steel framing more economical than ever before. Call in a Bethlehem Sales Engineer when you're in the early design stages. He's a competent professional. He can point the way to savings of time and money. Interested? Get in touch with the Bethlehem Office nearest you.

(Names of the architectural and engineering firms responsible for the projects named above will gladly be furnished on request.)




BETHLEHEM STEEL COMPANY, BETHLEHEM, PA. Export Sales: BETHLEHEM STEEL EXPORT CORPORATION

For more data, circle 88 on Inquiry Card

For more data, circle 89 on Inquiry Card →

241



Ceramic Mosaics

THE EASIEST TO APPLY, FASTEST FROM CARTON TO

"DOT" TILE BY MOSAIC

development in the history of modern ceramics. The tile is the same but the precision-applied permanent "DOT" edge-mounting gives both architect and tilesetter new command of the material and new installation time savings. The "beam-like" effect of "DOT" interlaced edge-mounting preserves strength and uniformity in all three dimensions. Yet, the "DOT'S" are so flexible that sheets can be rolled up without loosening the tiles. Sheets will not stretch, shrink or sag. (Rolls of ceramic mosaics up to 2'-0" x 6'-0" and longer available on special order in some areas.) "DOT" Tile can be applied with adhesives or thin-set or conventional mortar bed. "DOT" ceramic mosaics give a truer level surface on adhesives or thin-set mortar because the sheets are made flush on the surface. The all-resin "DOT" is impervious to moisture (unaffected by soaking, even in boiling water) and remains flexible down to -10°F. with no loss of strength. Yet, sheets are easily cut and they shear clean and straight. We share enthusiasm for our "DOT" Tile product with the



44" x 44" Wall Tile

(3-tile by 4-tile sheets)

WALL OR FLOOR, OF ANY CERAMIC TILE MADE

many tile contractors who have had good experience with it. When you specify Mosaic "DOT" Tile, you are calling for the most satisfactory tiled walls and floors you have ever known . . . on the best cost basis available today. Call your Mosaic Representative for "DOT" mounted ceramic mosaic patterns and sheet sizes available in your area.

THE MOSAIC TILE COMPANY General Office: Cleveland, Ohio

Member: Tile Council of America, Inc. and The Producers' Council Inc.

OFFICES AND SERVICE CENTERS: Atlanta, Baltimore, Beverly Hills, Birmingham, Boston, Buffalo, Chicago, Cincinnati, Cleveland, Corona, Dallas, Denver, Detroit, El Monte, El Segundo, Fresno, Garden City, Greensboro, Hartford, Houston, Ironton, Jackson, Jacksonville, Kansas City, Little Rock, Matawan, Memphis, Miami, Milford, Milwaukee, Minneapolis, New Orleans, New York, Oklahoma Jacksonville, Portland, Salt Lake City, San Antonio, San Bernardino, San Diego, San Francisco, Santa Ana, Santa Clara, Seattle, Sepulveda, Tampa, Washington, D.C., Zanesville. REPRESENTATIVES: Fair Haven, N.J., Ft. Lauderdale, Gainesville, Pittsburgh, Spokane, St. Louis. DISTRIBUTORS: Albuquerque, Balboa, C.Z., Canton, Columbus, Dayton, Hato Rey, P.R., Honolulu, St. Louis, Quebec, Spokane, St. Louis. Begundo, Calif., Ironton & Zanesville, Ohio, Jackson, Miss., Little Rock, Ark., Matawan, N.J., Mooresville, Ind.

Tuf-flex doors in Bullock's, Santa Ana, Calif., feature specially designed push-pull bars.



handle the Open World of L·O·F Glass


L·O·F gives you *Tuf-flex*® doors to "open" buildings. And new "Custom 300" hardware to open the doors. It's a combination that makes any entrance more tempting to customers. The distinctive new "Custom 300" line harmonizes with modern building decor. Four of the many attractive styles are shown below. Available now in aluminum, bronze or stainless steel. You save time when you choose from this line, but if you wish you may design your own special hardware.


That applies to doors, too. L·O·F makes framefree *Tuf-flex* tempered plate glass doors in two thicknesses (½" and ¾") and in representative standard sizes and styles. In clear, in ½" rough plate, and *now* in ½" *Parallel-O-Grey*® plate glass.


To get your copy of our booklet, "Custom 300 Push-Pull Bars", call your Libbey Owens Ford Glass Distributor (listed under "Glass" in the Yellow Pages of your phone book). Or write L·O·F, 243 Libbey Owens Ford Building, Toledo 2, Ohio.


Libbey · Owens · Ford Toledo 2, Ohio












For more data, circle 90 on Inquiry Card

Stays flexible, bonds better!



No other building sealant approaches *silicone rubber* for retention of flexibility and adhesion. That's the basic reason 780 Building Sealant permanently seals any combination of structural materials under temperature conditions ranging from -80 to 350 F. Note glass to aluminum bond above.

This one-part, premium performance silicone rubber sealant cures rapidly, stays permanently flexible. It can be applied, without pre-heating or refrigerating, from 0 to 120 F. There is no need for job-site mixing, with attendant labor costs and risk of error; 780 Sealant is supplied in ready-to-use polyethylene cartridges to fit standard air or hand operated guns.

Need more convincing? Send for our special prove-it-yourself kit offered in coupon at right.

DOW CORNING CORPORATION Dept. C416, Chemical Products Division Midland, Michigan

I'd like to test the flexibility you claim. Send me further data on 780 Building Sealant, and a cured extrusion like that shown in the picture above.

Name		
Title		
Firm		
Street Address_		
City	Zone	State

780 Building Sealant is manufactured and packaged only by Dow Corning Corporation.



Dow Corning


For more data, circle 92 on Inquiry Card

For more data, circle 93 on Inquiry Card →

MODERN DESIGN Uses WEST COAST LUMBER



WEST COAST DOUGLAS FIR
WEST COAST HEMLOCK · WESTERN RED CEDAR
SITKA SPRUCE · WHITE FIR



For OFFICE BUILDINGS

This suburban, two-story 9528 sq. ft. building is located a few minutes from the heart of Portland, Oregon. Only standard sizes and grades of West Coast Lumber were used in its construction.

Meeting zoning and building code requirements, the design eliminates interior bearing partitions for flexibility in office space organization. The four walls carry the entire second floor and roof load.

The hillside location resulted in an unusual engineering design feature that places the basement and its foundations as an anchor for the structure. Because wind loads are transmitted through the floors to the central core, exterior

columns are load bearing only. Vertical laminated beams extend from the footings to the eaves and are joined at the first and second floor levels by heavier glued laminated beams that span 32 feet.

The framework of the building is composed of 12 frames capped with trusses. The frames are joined at the first floor with 3" x 6" decking; the second floor and roof deck are 2" x 6" heavy flooring.

Rising from below the sunshade at the first floor level to the eaves are support columns of 2" x 6" spaced with a 4" x 4" block. The sunshade built of 2 x 3s provides a walkway for window maintenance in addition to its primary purpose

Available from local retail lumber dealers are the standard sizes and grades of coast region West Coast Lumber . . . an economical first step in creating modern buildings for business.







West Coast Douglas Fir 2" x 4" studs for interior stair well, 2" x 6" for exterior walls and sunshade support and ceiling joists; 4" x 4" posts.



West Coast Douglas Fir. $2^{\prime\prime}$ x $6^{\prime\prime}$ and $2^{\prime\prime}$ x $8^{\prime\prime}$ for roof trusses spanning 32'.



West Coast Hemlock 2" x 6" tongue and groove heavy flooring used for second floor and roof deck.





West Coast Hemlock 3" \times 6" double tongue and groove for first floor, spanning 8" between glued laminated frames.



Western Red Cedar 1" x 4" tongue and groove siding with sawn surface applied to weather.



ARCHITECT: Lewis Crutcher, A.I.A.
Charles E. Johnson, A.I.A., Associate
STRUCTURAL ENGINEER: James G. Pierson

New! "The Bright New World of West Coast Hemlock," eight full color pages of application ideas. FREE . . . for your personal copy, write:

WEST COAST LUMBERMEN'S ASSOCIATION

1410 S.W. MORRISON STREET

PORTLAND 5, OREGON





What's behind today's new 'instant' multiple-ply drywall?

Instantaneous strength, easy application! Apply this adhesive, let it dry, press the finish ply into place. That's just how easy 3M Brand Drywall Contact Adhesive makes laminating drywall. That's how it helps you achieve the improved strength and acoustics of multiple-ply drywall construction at a 25% saving in installation time!

3M Drywall Contact Adhesive grabs *instantly*, attains strength "right now." No shoring needed, even on ceilings. No nails in the finish ply, so there's no chance of popping, no nail heads to spackle. Adhesive affords excellent water resistance, thin glue line—won't creep or flow under load. You can tape and fill seams as soon as panels are in place!

New 3M Drywall Contact Adhesive!

Applies as easy as wall paint—with brush, roller, spray gun or notched scraper. After application, adhesive changes color to indicate when it is ready to bond—and that takes only 5 minutes, although you can wait as long as an hour to complete bond if you wish. Adhesive is water-based, non-flammable. Gallon covers up to 400 square feet of multiple-ply laminate.

For single-ply drywall, 3M Brand Joist/Stud Adhesive reduces nailing by 50% or more, eliminates "drumming" sound when customers knock on the wall. For details about 3M adhesives for drywall (and other 3M construction adhesives), see Sweet's Catalog, your 3M Distributor, or write AC&S Division, Dept. SBHM-43, 3M Company, St. Paul 19, Minn.

Adhesives, Coatings and Sealers Division 3 company

For more data, circle 94 on Inquiry Card



THIS ACOUSTICAL CEILING HEATS AND COOLS

Burgess-Manning Inland radiant-acoustic ceilings help to control comfort three ways in Scott Paper Company's new Executive Offices and Research and Engineering Center, a multi-million dollar complex located adjacent to Philadelphia International Airport. Ceiling panels provide trouble-free radiant heating, radiant cooling and sound control.

The architects specified radiant panel heating and cooling for offices and laboratories because of: (1) its high level of year 'round comfort, (2) its room-wide uniformity of temperature and freedom from drafts, and (3) its flexibility in layout and adaptation to lighting. ■ For a description of radiant heating and cooling principles, along with performance curves, design procedure and other data, see Sweet's, Architectural File, section 11a/In, or write for Catalog 250. member of the INLAND

Inland Steel Products Company Engineered Products Division

4111 W. BURNHAM STREET, MILWAUKEE 1, WISCONSIN

ALBANY, ATLANTA, BALTIMORE, BOSTON, BUFFALO, CHICAGO, CINCINNATI, CLEVELAND, COLUMBUS, DALLAS, DENVER, DETROIT, FREMONT, CALIF., HOUSTON, INDIANAPOLIS, KANSAS CITY, MO., LOS ANGELES, NEW ORLEANS, NEW YORK, OMAHA, PHILADELPHIA, PITTSBURGH, SALT LAKE CITY, SAN FRANCISCO, SEATTLE, ST. LOUIS, ST. PAUL, TULSA



A 3-MINUTE QUIZ ABOUT TERRAZZO

(check yourself...how much do you really know about flooring?)



A wise investment, Terrazzo is inexpensive to install

TRUE

FALSE

True. Modern equipment and newer work methods have greatly reduced costs of Terrazzo installations. For example, check the versatility of Terrazzo (brochure and specifications on request*)—methods of installation range from sand cushion Terrazzo and bonded to concrete Terrazzo to the more economical type monolithic Terrazzo. An ageless flooring that provides durability and minimum maintenance at a low initial cost, Terrazzo is known for the superb quality and beauty that have made it a luxury flooring throughout history.

Other floors are "softer" to the foot than Terrazzo

TRUE

FALSE

False. Resilience with respect to walking on a floor is a measure of the instantaneous yielding of the surface to the impact of the heel and the return to the original surface. The fact that composition tile (usually installed over a concrete slab) will indent under heavy pressure is no measure of its resilience. "Easy on the feet" is only a myth and it is misrepresentation to call these materials 'resilient'. The American Podiatry Assn. states that even carpet is not good for the feet, as "it is not a natural footing."

Terrazzo is competitive with vinyl and asphalt

TRUE

FALSE

True. Studies prove that initial costs amount to only 1% to 4% of total cost of floor finishes. Maintenance costs are the major factor in the actual expense of a floor. Over a period of ten years, for example, Terrazzo cuts the average costs for office building maintenance from 52.6¢ a square foot of rentable space to 32.0¢ a square foot. And in school buildings, over a period of 50 years, Terrazzo cuts the 56.5¢ cost of maintaining asphalt tile to 35.3¢. Documented studies (available upon request*) prove Terrazzo maintenance economies actually save enough to pay the entire construction costs of the floor in 10 yearssometimes in as little as 5 years.

Terrazzo patterns fade out over long periods of time

TRUE

FALSE

False. Neither sun nor long use can fade Terrazzo patterns. Composed of marble chips and white or gray Portland Cement with color pigment added in some cases, Terrazzo will hold its color and pattern. So permanent are the Terrazzo patterns, that they can be seen on floors that are centuries old throughout Italy where Terrazzo floors originated. To create effective vistas and exciting new effects and permanence of color, marble chips are available in several small, medium and large sizes.

Terrazzo increases noise in heavily trafficked interiors

TRUE

FALSE

False. Naturally, good, basic acoustical practices should always be followed. With proper ceiling construction, not only the Terrazzo floors, but the total volume of clatter, voices, and office equipment will be cut to a restful level of sound. Right now, classrooms, airport ticketing buildings, lobbies, offices, even banks and libraries are floored with quiet Terrazzo. Ask to see our "Blue-chip List" of diversified fine quality installations.

Terrazzo is designed for luxury buildings only

TRUE

FALSE

False. Terrazzo is beautiful. And luxurious. But the various types of Terrazzo are adaptable to any building regardless of budget. One of its primary appeals to architects is Terrazzo's extreme durability under the toughest usage. In fact, Terrazzo floors last the life of a building! This durability, coupled with Terrazzo's remarkably low maintenance cost (a neutral cleaner and water is all it needs—no waxing or buffing necessary) makes Terrazzo an extremely efficient, economical, and practical floor.

NOTHING LASTS LIKE, LOOKS LIKE TERRAZZO

*For free copies of the "Ultimate Costs" study and the "Terrazzo Specifications and Technical Data" booklet, write:

NATIONAL TERRAZZO & MOSAIC ASSOCIATION

Suite 503-D, 2000 K Street, N.W. Washington 6, D.C. "Use Members of NTMA for Quality Terrazzo"

6, D.C.





St. Sebastian's Catholic Church, North Hills, Pittsburgh, photographed for Aluminum Company of America by Leonard Schugar.

Mississippi Wire Glass Combines Beauty and Utility

Outstanding construction feature of this newly built church results from the perfect wedding of metal and glass. Contributing to its modern appearance, translucent Hammered Misco blends harmoniously with the peaked aluminum roof . . . offers maximum beauty and the proven protection of wire glass while it contributes light, drama, distinction. Achieve the safety and unparalleled beauty of modern design with Misco*. Available in types for clear vision or diffusion wherever quality glass is sold.

* Mississippi's designation for its diamond-shaped welded wire netting.



COMPANY GLASS

88 Angelica Street, St. Louis 7, Missouri NEW YORK . CHICAGO . FULLERTON, CALIFORNIA

WORLD'S LARGEST MANUFACTURER OF ROLLED, FIGURED AND WIRED GLASS



¼" Hammered Misco glass glazed in roof of St. Sebastian's Catholic Church. Architects: Gerard & McDonald—M. W. Stuhldreher Assoc., Pittsburgh. Glazing Contractor: Golomb Paint and Glass Company, Pittsburgh. Photos of St. Sebastian's Catholic Church courtesy of Aluminum Company of America.

MISSISSIPPI GLASS... New Look for a New Era

Typifying clean, functional, modern design, distinctive Mississippi figured patterns blend subtly with any interior or exterior. The versatility of Mississippi glass provides architects, engineers and contractors with a practical and economical solution to virtually every daylighting problem including diffusion, decoration, protection and heat absorption. And remember...

New horizons for glass... promise of the future... will come from the facilities of Mississippi Glass Company.



Coolite, heat absorbing glass controls light and temperatures in Parkway Consolidated School, St. Louis, Missouri.

Architect: Schwarz & Van Hoefen, St. Louis. General Contractor: Swan Construction Company.



NEW CATALOG

Contains pattern descriptions, light distribution charts and transmission data. Send for your free copy today.

See our catalog in Sweet's.

MISSISSIPPI GLASS COMPANY

88 Angelica Street • St. Louis 7, Missouri

Distributors in Principal Cities of the United States and Canada

KEEP
AMERICAN WORKERS BUSY
BUY...
UNITED STATES GOODS




A KOHLER STAND-BY ELECTRIC PLANT!

Power failure can be costly. It can handcuff the business that depends on automated card punchers, tabulators, sorters, computers. It can be ruinous...reasons enough to include Kohler stand-by electric plants in your power planning.

Kohler plants are equipped with electric cranking through exciter. Roughly translated, this means the fastest possible restoration of power in emergencies. The Kohler claim of exceptional durability and dependability is not a hollow one and it is backed up by an extensive network of factory trained service specialists.


Kohler plants are available from 500 to 170,000 watts, with equipment for completely automatic, unattended takeover in case of power failure. See a Kohler dealer, or write to Dept. EP3-504 Kohler Co., Kohler, Wisconsin.



KOHLER OF KOHLER

Kohler Co., Established 1873, Kohler, Wis.

ENAMELED IRON AND VITREOUS CHINA PLUMBING FIXTURES • ALL-BRASS FITTINGS • ELECTRIC PLANTS • AIR-COOLED ENGINES • PRECISION CONTROLS



Around the World With

HILLYARD "MAINTAINEERS"

A silver jet swoops down into the humid tropic atmosphere of a Guam air strip. Among the passengers is a Hillyard "Maintaineer," . . . an expert on the curing and treating of concrete, arriving to confer with officials on moisture problems affecting floor and surface treatments.

In Marseilles, France, a young "Maintaineer" explains carefully, to custodians, how best to preserve their parquet floor three hundred years old, and enhance the beauty of its superb craftsmanship. It is a work of art, entrusted to a Hillyard "Maintaineer" . . . an expert on floor care.

In a West German factory, maintenance engineers, an architect, and a plant manager show scientific interest as a Hillyard "Maintaineer" explains the treatment needed to keep a research laboratory static free . . . and sterile to meet exacting standards.

And half a world away, a group of serious men in Japan listen intently as a Hillyard "Maintaineer" demonstrates approved techniques for avoiding static build-up in a modern Japanese operating room.

Overseas, Hillyard "Maintaineers" like 181 others throughout the United States are schooled in the scientific techniques of floor treatments . . . each has been certified as a Hillyard floor "maintenance engineer" after receiving formal instruction in Hillyard's St. Joseph, Missouri "Maintaineer" Training School.

These are the men who can be invaluable to you in planning labor saving, economical floor treatment and maintenance programs. They will help you put them into action, too, by training custodial personnel or by on-the-job supervision during construction.

You can put a Hillyard Maintaineer on your staff without added expense. You'll find his knowledge and advice a sure way to savings. Call the "Maintaineer" near you, soon.



Hillyard Maintaineers and Products Perform in World Markets!

Quality speaks for itself in any language

From Germany to Japan, Guam to Switzerland, wherever you go, the Hillyard "Maintaineers" are on the wing and Hillyard products are on the floors. Fact: quality and performance speak a world language — and most pursuasively.

Another fact: Hillyard treated floors know no barriers when it comes to climate — temperature, humidity, or unusual traffic conditions. Hillyard products, backed by Hillyard "Maintaineers," can solve any floor care problem in the world. Let us prove it!

Why not put this world-wide experience to work for you? A letter puts a Hillyard Maintaineer on your staff—without obligation. He saves you money and the service is free!




"On your staff, not your payroll"

PROPRIETARY CHEMISTS SINCE 1907

For more data, circle 99 on Inquiry Card

Historymaking advance!
New Gas unit
is designed
to outlast
the building
it cools
and heats




IT'S ARKLA'S NEW 15-TON GAS UNIT

Reasons for its phenomenal promise of performance. No moving parts to wear out or break down! The DF-1800—Arkla's new 15-ton Gas absorption unit cools and heats automatically—without a boiler or compressor. It never needs lubrication or refrigerant added. Operates at peak capacity throughout its long life. What's more, it is exclusively powered by Gas—the most efficient, dependable source of energy for air conditioning. For all the facts about this supreme achievement in year-round gas comfort cooling and heating, contact your local Gas Company. Or write Arkla Air Conditioning Co., 812 Main Street, Little Rock, Arkansas.

FOR COOLING & HEATING . . . GAS IS GOOD BUSINESS.

AMERICAN GAS ASSOCIATION, INC.



nudroment_®

... HARDENS, DENSIFIES and COLORS CONCRETE

IN 9 POPULAR COLORS:

- TILE RED
- TAN
- TERRA COTTA
- FRENCH GRAY
- GREEN
- BROWN
- GRASS GREEN
- BLACK
- WHITE and NATURAL

Hydroment is a specially formulated cementatious material which imparts hardness, density and corrosion resistance to concrete floors. Applied by the dust coat method when concrete slabs are poured, Hydroment requires no additives or mixing; it is odorless, waterproof and non-toxic. It has been effectively used in hundreds of indoor and outdoor installations, including schools, hospitals, churches, motels, shopping centers and recreation areas. Write for brochure and color card.



Pioneers in Industrial Research Since 1881

THE UPCO COMPANY

4805 Lexington Avenue

Cleveland 3, Ohio

in the West . . . HYDROMENT, INC., 829 N.Coffman Drive, Montebello, Calif.

For more data, circle 101 on Inquiry Card

Product Reports

continued from page 238

ACOUSTICAL COVERINGS OF URETHANE FOAM

Acous-Decor acoustical wall and ceiling covering, made of Reeves Brothers' Curon urethane foam, is available in two sculptured patterns as well as a plain surface. The foam is available in both tiles and rolls. Nonstatic surface does not attract dust. Hicks and Otis Prints, Inc., 49 W. 33d St., New York 1, N.Y.

CIRCLE 315 ON INQUIRY CARD

WALL SYSTEM

Wall system uses ¼-in.-thick panels with melamine laminated *Parkwood* finish on both sides. Exposed decorative moldings are anodized aluminum, either black or natural finish.



Laminates are available in a variety of veneer reproductions, printed patterns and solid colors. Parkwood Laminates, Inc., 134 Water St., Wakefield, Mass.

CIRCLE 316 ON INQUIRY CARD

COLORED PLASTIC IMITATES STAINED GLASS

Plexiglas is used for making stained "glass" windows, with the leading effect placed so it will not interrupt the design. Individual sections can be as large as 10 by 12 ft without need for steel reinforcing or supporting bars. Grant Smith and Assoc., 147 E. 50th St., New York 22, N.Y.

CIRCLE 317 ON INQUIRY CARD

TILE-LIKE COATING

Tile/Gard, an epoxy-based coating for use on all interior building surfaces, has a high-glaze, ceramic-like finish with a high resistance to impact damage, cracking and chipping. Detroit Graphite Co., Valspar Corp., 7701 W. 47th St., Lyons, Ill.

CIRCLE 318 ON INQUIRY CARD more products on page 264



No. 27


THE ULTIMATE IN

floor type closers



Adjustable BACK-CHECK · CLOSING and LATCH SPEEDS

Test-proven to keep doors in constant check under extremes of wind and draft.




No. 28



FRANKLIN PARK, ILLINOIS In Canada: REXDALE, ONTARIO

For more data, circle 102 on Inquiry Card



New Day-Brite MARKSMAN[®] ...superb choice for schools and offices

On target for low-brightness comfort, sleek appearance, easy servicing

A direct-indirect unit with approximately 50% uplighting, the Marksman incorporates semi-encased lamp design for cooler operation, greater efficiency and low brightness.

In keeping with its modern lines (less than 3 inches thin overall), the Marksman is suspended with new slimmer design adjustable hangers that go up incredibly fast.

To speed maintenance the enclosure opens easily with a trigger latch and service chain at each end.


Available now in 2- or 4-lamp units, 4 or 8 feet long (8 feet in 2-lamp only). For information, call your Day-Brite representative or distributor, or write Day-Brite.




A DIVISION OF EMERSON E ELECTRIC

DAY-BRITE LIGHTING, ST. LOUIS, MO., TUPELO, MISS., SUNNYVALE, CALIF.

NATION'S LARGEST MANUFACTURER OF COMMERCIAL AND INDUSTRIAL LIGHTING EQUIPMENT





PRICED FOR EVERY HOME AND APARTMENT!

Slim, satin finished, forever beautiful windows of stainless steel—the material that behaves most like glass! Timeless resistance to dirt, acids, alkali. FREEDOM from pitting, corrosion, discoloration, cracking, chipping, flaking—for life. FREEDOM from painting, peeling, ever, and cleanable by washing. FREEDOM from warping, swelling, shrinking, sticking; with rugged reinforcement, machine mitered corners, built-in permanent waterproofing. FREEDOM from heat loss, cold transmission—trapped-air framing plus double glazing eliminates need for storm windows. FREEDOM to blend with colonial, contemporary, or modern architecture—any material or color. Double-

hung, single-hung, horizontal slider types. Unique, integral folding fins snap in place for nailing—removable for anchored or mullion type installation.

For freedom from window worries like you've never known before—for freedom from window care for your clients—make yours **FREEDOM WINDOW**, all the way! Write for literature, or ask your Republic representative, today!

REPUBLIC STEEL

C O R P O R A T I O N
MANUFACTURING DIVISION



Dept. AR-6238 • YOUNGSTOWN 5, OHIO



New booklet tells how you can save on industrial and commercial construction

Here's *must* reading for every owner and architect faced with a choice between "fire-resistive" and "noncombustible" construction.

This authoritative study examines all cost factors: (1) Capital outlay for the structure, (2) Interest savings, (3) Tax benefits, (4) Insurance savings . . . tells how to achieve better fire and business protection with a lower capital investment.

Charts and tables show typical costs and savings which can be realized in an "average" factory, warehouse, shopping center and school with sprinklered, noncombustible steel deck construction.

Get your free copy, now, from: Metal Roof Deck Technical Institute, 53 W. Jackson Blvd., Chicago 4, Illinois.



METAL ROOF DECK TECHNICAL INSTITUTE

Airtherm Manufacturing Co. Bowman Steel Corporation • Ceco Steel Products Corporation • Fenestra Incorporated • Granco Steel Products Company • Inland Steel Products Company • Macomber Incorporated • The R. C. Mahon Company • Plasteel Products Corporation • Republic Steel Corporation, Truscon Division • H. H. Robertson Company • Sheffield Division, Armco Steel Corporation • Wheeling Corrugating Company.

Metal Roof Deck Technic	al Institute • 53 W. Jackson Blvd., Chicago 4, III.
	Name
Please send me your	Title
new booklet, "The True Costs of Full	Company
Fire-Resistive Con- struction."	Address
	City.

For more data, circle 105 on Inquiry Card

Product Reports

continued from page 260

PRODUCT BRIEFS

Non-skid plywood decking has overlay of phenol-formaldehyde thermosetting plastic with a small waffle pattern. Simpson Timber Co., 2043 Washington Bldg., Seattle 1, Wash.

CIRCLE 319 ON INQUIRY CARD

Steam-electric hot water heater, *P-K 500 Control-Flo*, has anticipator system and a small storage tank for use where hot water needs are both heavy and irregular. *Patterson-Kelley Co., Inc., East Stroudsburg, Pa.*

CIRCLE 320 ON INQUIRY CARD

Synthetic marble sill is made of a dense thermosetting resin fused to face and edges of exterior grade plywood. Chemtronics, Inc., 2040 S. Hamilton Rd., Columbus 27, Ohio

CIRCLE 321 ON INQUIRY CARD

A line of structural carbon plate steels with high strength can save 15 per cent in material costs. Lukens Steel Co., Coatesville, Pa.

CIRCLE 322 ON INQUIRY CARD

Two-hour fire rating applies to roof construction using steel deck on steel joists with suspended metal lath and vermiculite plaster ceiling and insulation board with built-up roofing over the steel deck. Republic Steel Corp., 1441 Republic Bldg., Cleveland 1, Ohio

CIRCLE 323 ON INQUIRY CARD

Heavy-duty industrial flooring is a monolithic surface installed ½-in. thick; it has high resistance to many chemicals, permanent color and a balance of elasticity, flexibility and tensile strength. Shell Oil Co., 50 W. 50th St., New York 20, N.Y.

CIRCLE 324 ON INQUIRY CARD

Porcelain enameled steel door and frame and stainless steel door and frame have been added to the standard steel door line. The Steelcraft Mfg. Co., 9017 Blue Ash Rd., Cincinnati 42, Ohio

CIRCLE 325 ON INQUIRY CARD

Patterned acoustical tiles have designs that are carried from tile to tile without apparent interruption by joints. Elof Hansson, Inc., Acoustical Div., 711 Third Ave., New York 17, N.Y.

CIRCLE 326 ON INQUIRY CARD

Presenting... ASTRO-AIR diffusers

Pat. Pend.

*another AGIAIR® first





ASTRO-AIR diffusers present a distinctively different concept in air diffuser design created for the discriminating architect and interior designer. The aesthetic starlike design with etched aluminum finish (or any color desired) will enhance the most attractive interior without calling attention to the mechanical installation. Built-in anti-smudge mounting pan minimizes any possible ceiling dirt streaking. The unusual pattern of ASTRO-AIR Diffusers provides high induction air streams and distributes blended air without drafts in the area served.

AIR DEVICES INC. 185 MADISON AVENUE, NEW YORK 16, N.Y. Ask for catalog. BETTER PRODUCTS FOR...AIR DISTRIBUTION . AIR CLEANING . AIR EXHAUST

For more data, circle 106 on Inquiry Card

ONE RESPONSIBILITY

from manufacture through erection

Frame type wall panels for the Leader Federal Savings and Loan were manufactured, delivered, and <u>erected</u> by Martin Marietta.

One source — one responsibility.

MARZAIC®
CURTAIN WALL
PANELS



Architect:
Walk C. Jones, Jr.;
Contractors:
Dougherty-Liddell
Construction Company;
Consulting Engineer:
Clarke Mann of Merrill
and Mann Associates;
all of Memphis, Tenn.




CONCRETE PRODUCTS

A CONSTRUCTION MATERIALS DIVISION OF



MARTIN MARIETTA

101 EAST ONTARIO STREET, CHICAGO 11, ILLINOIS, PHONE: WHITEHALL 4-5600



today it's unlimited elevator automation

—and almost instant elevator service. Still further advances in AUTOTRONIC® elevatoring. A constantly alert supervisory system keeps elevator service matched to traffic demands—continuously! Thru unlimited elevator automation based upon never-ending 'service sensing'. This 'service sensing' detects all demands for elevator service and transmits them continuously to the computer—the 'brain' of the installation in the elevator machine room. This data is projected against current elevator performance to reach immediate command decisions. Then, these decisions are converted into signals that direct the elevators to provide the world's most advanced elevator service. Once again, it's leadership by OTIS. Otis Elevator Company, 260 Eleventh Avenue, New York 1, N. Y.






STEEL OR ALUMINUM

Whether your needs call for doors high or wide, big or small, standard or special, Kinnear Rolling Doors offer more advantages than any other type of closure. They save time, cut costs, increase protection and add a neat clean-cut appearance to any structure.

Kinnear Doors open straight upward, clearing the entire doorway — floor, wall and overhead space, inside and outside the building is always fully usable. When closed, their interlocking all-metal slat curtain gives extra protection against intruders, vandals, wind, weather and fire. And, with Kinnear's power operator you can have efficient push-button control from any number of conven-





Extra heavy galvanizing and Kinnear's Paint Bond insures many extra years of carefree service life. More important, your Kin-near Doors will never be obsolete - every door is REGISTERED - full details and drawings are kept in Kinnear's fireproof vaults. This makes replacement parts readily available for even those doors with a half century or more of service. Write today and get all these benefits with Kinnear Rolling Doors to fit your needs!

THE KINNEAR MFG. CO.

1860-80 Fields Avenue, Columbus 16, Ohio 1742 Yosemite Avenue, San Francisco, Calif.



Offices and representatives in all principal cities

Office Literature


continued from page 224

DECORATIVE LUMINAIRES

Decorative aluminum fixtures for use in high ceiling applications, such as lobbies, schools, churches and auditoriums, are described in folder. The unit can be used with incandescent and mercury lighting. The Jones Metal Products Co., Abolite Lighting Div., West Lafayette, Ohio

CIRCLE 413 ON INQUIRY CARD

SOLID VINYL TILE



(A.I.A. 23-G) Eight page booklet illustrates and describes 89 color combinations available in solid vinyl tile. Reference chart show gages, sizes and sug-

gested uses for each pattern. Vinyl Plastics, Inc., 1825 Erie Ave., Sheboygan, Wis.*

CIRCLE 414 ON INQUIRY CARD

MOTEL DESIGN

How six architects designed six different Holiday Inn motels using precast concrete Flexicore floor and roof slabs is described in 16-page booklet, with illustrations and detailed drawings. The Flexicore Co., Inc., 1932 E. Monument Ave., Dayton 2, Ohio*

CIRCLE 415 ON INQUIRY CARD

MAKE-UP AIR HEATERS

A new line of direct-fired make-up air heaters in capacities from 6,000 to 300,000 cfm is described in Bulletin MU. Campbell Heating Co., 3143 Dean Ave., Des Moines, Iowa*

CIRCLE 416 ON INQUIRY CARD

DIMMER CONTROLS

Brochure gives details on electronic dimming controls available for incandescent and fluorescent lights. Hunt Electronics Co., 2617 Andjon Drive, Dallas 20, Tex.*

CIRCLE 417 ON INQUIRY CARD

PREFAB BUILDINGS

Uniframe prefabricated buildings are illustrated in 12-page booklet. Steel framework components are welded together. Varco Steel, Inc., P.O. Box 781, Pine Bluff, Ark.

CIRCLE 418 ON INQUIRY CARD


*Additional product information in Sweet's Architectural File

more literature on page 272





Completely Installed By Qualified Carpenter



LESS THAN 10 MINUTES

Completely Installed By Anyone!

new Homeshield pre-hung folding doors

eliminate costly installation labor of on site assembly and painting

Yes, these new folding doors can be installed in less than 10 minutes. They are pre-hung in a pre-finished aluminum frame. All hardware is installed. Door panels are finished in Oyster white, no need to paint. Doors are packaged as one integral unit ready for immediate installation! Even trim is included!

The beauty of the doors speaks for itself. Now you can select from 4 decorative patterns, any of which will add a new, distinct and decorative focal point to any room, whether modern, contemporary or traditional. Ideal for homes, offices, motels, apartments.

Operative features include new patented spring hardware that permits full access to closet opening. This feature also assures quiet operation, prevents sagging and holds doors positively in open or closed position. Doors have been fully tested and proved to withstand abuse, humidity and temperature extremes.

The cost? COMPETITIVELY PRICED! The installation savings and customer satisfaction? PRICELESS!

For more information and full specifications write today. AMERICAN SCREEN PRODUCTS COMPANY Chatsworth, Illinois • Dept. AR-4





Homeshield pre-hung folding doors are another new product for the home from American Screen Products Company, now celebrating its 25th anniversary.

Homeshield



Contemporary classic ... with a world of seating comfort

KRUEGER


oval tubular steel folding chairs

With "Decorator" and "Contract" Chairs, Krueger offers both quality and economy models to fit your clients needs - distinctive designs which meet today's demands for comfort, durability, and functional flexibility. Krueger "Hostess" Chairs feature the sound engineering of X-frame construction, fold-away convenience for easy handling, and generous upholstered comfort in backrest and seat. Select from a wide range of mix-or-match colors that blend so well with the five frame colors — truly a decorator's delight.



For more data, circle 110 on Inquiry Card

METAL PRODUCTS COMPANY . GREEN BAY . WIS



Picking the right fixture for the right spot in an industrial or institutional building plan makes the plumbing installation operate the way you designed it. T&S offers the widest range of quality plumbing specialties to choose from for every job in the building... and all the working tools architects and specifiers need to make plans easy, foolproof, quality controlled.

Complete Line Of Fixtures. The T&S complete line of "streammated" plumbing specialties simplifies the planner's task of unit integration and quality controlled performance throughout his specifications. A full complement of quality-built T&S fix-tures and service outlets for every purpose helps him to select the most suitable units for each location... Food Service, Drinking and Filling, Sanitation and Maintenance, Laboratories, and other specialized areas. When you specify T&S, you have positive insurance of reliability and service harmony "all-through-the-house".

Complete Set Of Planning Guides. T&S offers a two-volume library of specification manuals to the planner. They are fully detailed with exact specs and dimensional drawings of all stock first transfer of the second secon fixtures and service outlets with variations to custom design every layout. Personalized, registered manuals of "Plumbing Specialties" and "Lab-flo Laboratory Service Fixtures" are available on request.

Quality Plumbing Specialties Exclusively Since 1947

Refer to 1963 Sweet's Catalog, Code: $\frac{35b}{Ta}$

T&S BRASS AND BRONZE WORKS, INC.

128 Magnolia Avenue • Westbury, L. I., N. Y. Area Code: 516 / EDgewood 4-5104

PRE-RINSE • GLASS FILLERS • WATER STATIONS • FAUCETS • PEDAL VALVES & SERVICE FITTINGS • POT FILLERS • KETTLE KADDIES • SPRAY HOSES • ACCESSORIES • LAB-FLO LAB. SERVICE FIXTURES

For more data, circle 111 on Inquiry Card



The Gold Bond difference: Low-cost Asbestone panels decorate both exteriors and interiors...and never need paint

Just the thing for commercial or factory buildings. New Gold Bond 1%6" Asbestone exterior panels have prefinished, Ripple-Tone textured, asbestos-cement facings on both sides, laminated to a wood fiber insulating core. The Plasti-Clad surface is an oven-baked, polyvinyl chloride coating, guaranteed for ten years against peeling, blistering or crazing. New Gold Bond 1%6" Asbestone interior panels come with your choice of three cores: Spiral-Core, made with rigid, light, precision-cut hardwood spirals; a noncombustible core;

a standard wood fibre core. The handsome, pebble-textured Plasticrylic® finish is practically maintenance-free. Six beautiful colors for exteriors. Six more for interior panels, or

uncoated for on-the-job painting. Samples are yours for the asking. Call your Gold Bond® Representative, or write to Dept. AR-43, National Gypsum Company, Buffalo 25, N. Y.




Gold Bond materials and methods make the difference in modern building.



DIEBOLD VUE-MATIC PROVIDES NEW DRIVE-IN BANKING DESIGN FLEXIBILITY Diebold Vue-Matic banking brings you

a versatile new tool to use in planning drive-in banking service. Vue-Matic banking combines closed circuit television with pneumatic conveyors . . . is the most advanced television banking system available today. The story of Diebold Vue-Matic banking's many advantages is a big, significant one. Use coupon for details.





DIEBOLD, Incorp	orated	Dept. DIO-15
Canton 2, Ohio		
Gentlemen:		
Please send me	complete infor	mation on Diebold
Vue-Matic bankir	ng.	
Name		
Firm		
Address	·	
City	Zone	State

For more data, circle 113 on Inquiry Card

Office Literature

continued from page 268

FOLDING DOORS



(A.I.A. 16-M) Sound control ratings in various settings and installation examples of folding doors and room dividers are given in 12-page catalog. Clopay

Corp., 1400 Academy, Detroit 20, Mich.*

CIRCLE 419 ON INQUIRY CARD

GAS-FIRED HEATERS

Gas-fired unit heaters and duct furnaces are described in eight-page catalog. Westinghouse Sturtevant Div., Hyde Park, Boston, Mass.

CIRCLE 420 ON INQUIRY CARD

CONCRETE CONSTRUCTION

Articles on new concrete buildings. cold and hot weather concreting on dam construction and the importance of aggregates in floor construction are in a 32-page outsize booklet, C-62-2. The Master Builders Co., Martin-Marietta Corp., Cleveland 18,

CIRCLE 421 ON INQUIRY CARD

DESIGNING WITH GLASS

"Creative Ideas in Glass" illustrates recent buildings using glass to achieve a sense of spaciousness. American-Saint Gobain Corp., Box 929, Kingsport, Tenn.*

CIRCLE 422 ON INQUIRY CARD

SUN SCREENS

Octalinear grills for solar screens, decorative grills and building refacings are illustrated in six-page booklet. A wide assortment of grill components can be used to make a unique design. Construction Specialties. Inc., 55 Winans Ave., Cranford, N.J.* CIRCLE 423 ON INQUIRY CARD

FREE FORM ROOFING

Data file gives information on Ply-O-Glas glass fiber coatings and roofing systems which use chopped glass fiber sprayed on substrates in combination with synthetic rubbers or a solvent asphalt mastic. Plu-O-Glas Co. of America, 50 Cutter Mill Rd., Great Neck, N.Y.

CIRCLE 424 ON INQUIRY CARD


*Additional product information in Sweet's Architectural File

more literature on page 284

BARRETT BUILDING MATERIALS




BARRETT OFFERS YOU VINYL BUILDING PANELS FOR NEW SHAPES, NEW COLORS, NEW DESIGNS



BARRETT BUILDING MATERIALS



Arched bus stop shelter demonstrates panel flexibility.



Long Island shopping center canopy provides all-weather protection.



Achieve unique designs like this unusual tennis court.



Decorative vinyl panels also resist weather, salt air, moisture.




Samples from a line of 15 standard colors.

PUT MORE LIGHT IN YOUR DESIGNS WITH

What you see above are a number of unique structures, incorporating the first plastic structural building material ever to achieve an Underwriters' Laboratories flame-spread rating of 25! The material?... Barrett vinyl building panels. These panels have virtually unlimited uses in commercial and industrial applications. Look again! See how natural light, combined with eye-catching color, has been integrated as a functional part of each design. The new, longer lengths and



Panels resist fumes in Baton Rouge chemical plant.



Longer length panels can be arched for unusual shapes.



Vinyl panels provide free light in plant storage areas.



Arched panels are easily secured by cable tie-down method.

BARRETT NON-COMBUSTIBLE VINYL BUILDING PANELS


increased flexibility of colorful Barrett vinyl building panels provided these results. These panels are currently available from building products and plastics distributors in 22 states, including the Pacific coast for the first time. They have been approved by approximately 130 key cities in 38 states. The cities include many operating under major regional building codes such as BOCA, Uniform Code, National Building Code and Southern Building Code.






BARRETT **BUILDING MATERIALS**





FREE FOR ARCHITECTS...AN EXCITING NEW BOOK ON STRUCTURAL DESIGN WITH COLOR AND LIGHT



New Barrett vinyl building panels now make practical highly imaginative concepts which would have seemed fantastic only a few years ago. What direction some of these applications may take is indicated in a new design-idea book for architects created for Barrett by architect William B. Gleckman.

This new design-idea book will show you imaginative and advanced structures...complete detailed information and performance data

cially selected and trained to help you. He is qualified to discuss technical problems and application procedures, and will keep you ahead on the latest chemical and plastic building materials.

See our catalog on vinyl products in Sweet's.

Get the news from your man from Barrett! He has been espe-

that take full advantage of Barrett vinyl building panels. And now with the Underwriters' Laboratories flame-spread rating of 25, these buildings can meet code specifications.


Combine your creative talents with Barrett vinyl building panels and discover the profitable advances in design and construction you can achieve. To get an idea of the almost limitless architectural possibilities Barrett vinyl panels offer, send today for your copy of this valuable design-idea book . . . "Design with Light and Color."


The book is designed specifically for architects; please write on your firm's letterhead. Write to Allied Chemical Corporation, Barrett Division, Dept. AR5, 40 Rector Street, New York 6, N. Y.





Now a 11/2-hour-rated fire barrier can be beautiful, too





New Weldwood Fire Doors hung in pairs, Class "C" label, ¾-hour. Maximum size opening 6' x 7'. Astragals and Glenraven surface bolts supplied with doors, but not attached.

You can now use decorative doors throughout an office building, hospital, school, hotel, or any structure requiring special provisions to meet fire hazards. Weldwood® Fire Doors are available for Class "B" openings requiring a fire barrier rated for $1\frac{1}{2}$ hours. As with other Weldwood Fire Doors, you can specify the face and finish you want, to integrate all doors with your over-all design.

These new 1½-hour-rated Fire Doors retain the incombustible Weldrok® core used in other Weldwood Doors. The cross banding under the face is an inorganic material instead of hardwood. And the rating on the label is different. Otherwise, they offer the same appearance and dependable performance you expect from Weldwood Doors. And, of course, they have an extremely low rate of heat transmission. This provides a substantial margin of safety in the reduction of fire spread.

Furthermore, the new 1½-hour-rated Fire Doors may be included in a complete schedule of Weldwood Doors, supplied machined and finished to your specifications.

For technical data on the new fire doors and complete information on all Weldwood doors, send in coupon on the opposite side of this page.



FIRE DOORS

Products of United States Plywood



This executive office at La Merick Beauty Products, Inc., Charlotte, N. Carolina, is paneled in Weldwood[®] Architectural-Grade Algoma-Made prefinished pecan, balanced and sequence matched. The floor-to-ceiling doors are faced with sequence matched pecan to blend with the wall panels. For the president's office, Architect Jean Surratt of Charlotte used a Weldwood Architectural-Grade Sequence Matched Paneling, Permagard[®] surfaced ribbon-striped African mahogany.

Let your imagination go-to one of our more unusual woods

(For example: our pecan architectural paneling)

It doesn't come from the small orchard tree. The veneers on the paneling above are cut from the pecan which is a big forest tree, related to the hickory. This golden brown wood has a variety of interesting figures to make a distinctive paneling.

Then, there's pale brown butternut—a satiny wood with a figure that resembles the grain of American walnut. And English brown oak, ranging from nut brown to deep brown. Or Paldao with its variable light brown background and black to brown streaks.

The more familiar native woods also yield outstanding architectural-grade veneers in lighter colors—white birch, some American cherry, curly maple, white maple, white oak, and rift white oak.

It's easy to get what you are looking for in Weldwood Architectural Paneling. All you have to do is decide the color and the general character of the wood you want. A United States Plywood Architects' Service Representative will assemble samples of veneer flitches having the length and quantity required. Just call your United States Plywood office.

For complete information about Weldwood Architectural Grade Paneling send in the coupon at the left.


WELDWOOD


ARCHITECTURAL PANELING

Product of United States Plywood

		the followin	g public	ations:		
☐ Wel	dwood A	Architectural-	Grade	Paneling,	28	page
		ta sheet on Fire Doors	1½-hour	-rated		
☐ Wel	dwood [Ooor Catalog				

City......Zone....State.....






Sleek/forms ALTON BOX BOARD

Put construction costs in other parts of your building—not in cost of concrete column forming. Construction time for columns is cut to a minimum by Sleek/forms. They can be cut to size quickly, set up and secured easily, will not bulge or buckle, strip fast. The special plastic coating inside leaves a smooth, clean column requiring little clean-up. Fibre-constructed Sleek/forms are available in a range of standard square and rectangular sizes. Special shapes and sizes on request. For free information, write:

ALTON BOX BOARD COMPANY.

Building Products Division. • Alton, Illinois



National Gypsum Company is pleased to announce that TECTUM now carries the Gold Bond Label

(more than 100 research scientists voted their approval)

Tectum has enjoyed phenomenal acceptance. More than 500 million board feet have been used to date. It was Tectum that pioneered the principle of open roof deck construction. In the past decade, Tectum has provided appreciable economies in the construction of sorely needed educational, commercial, industrial and religious buildings.

Recently, over one hundred Gold Bond research scientists had a part in thoroughly testing Tectum . . . in evaluating its past performance, in projecting its future. When their work was complete they voted unanimously for its inclusion in the Gold Bond family of building products.

We at National Gypsum Company are immensely proud of this latest addition to our growing family of building materials. Tectum wood fiber products add depth to the Gold Bond line, broaden our representation in the market, and amplify our services to you as an architect.

The thousands of architects, engineers and designers who already know Tectum first-hand can now specify it with even greater con-

fidence. This is because today's Tectum wears the Gold Bond label. And it's backed by Gold Bond research. National Gypsum Company, Buffalo 25, New York.





The lights burn late at the Gold Bond Research Center, Tonawanda, N.Y.

GOLD BOND MATERIALS AND METHODS MAKE THE DIFFERENCE IN MODERN BUILDING



Building: Humble Oil & Refining Co., Houston

Architect: Welton Becket & Associates, Los Angeles and Houston

Fixtures: Columbia Lighting, Dallas

Because it must last, the lighting is glass

Nothing lasts like glass.

That's why the lighting panels in this new corporate headquarters office won't crack, warp, sag, buckle, or discolor—ever. This is the permanence of glass that holds maintenance to a minimum—forever.


The glass is our Pattern #70 because it provides high lighting efficiency and brightness control. Its prismatic design gives both—ample worksurface illumination without the glare that tires eyes.

Specify permanent good light and

permanent good looks in your next building with Pattern #70. Be sure to ask your fixture manufacturer about the significant new *economy* of Pattern #70. Building Products Dept., Corning Glass Works, Corning, N. Y.

CORNING GLASS WORKS

For more data, circle 118 on Inquiry Card



CLOPAY'S newly published sound brochure answers dozens of questions about proper application of sound to folding partitions

Free to architects and those responsible for the specification of folding partitions, "Some Thoughts About Sound" covers both technical and practical aspects of sound control.

Subjects include Testing Procedures, What Types of Folding Doors Can Provide Sound Control, Practical Facts About Sound, Construction Shortcomings and Pre-Planning for Sound Control. The brochure is liberally illustrated with charts and drawings.

Send today for your free copy. Use the convenient coupon below.

COMMERCIAL PRODUCTS DIV. • 1400 ACADEMY AVE. • DETROIT 20, MICHIGAN

	THE BETWEET 20, WITCHIE
☐ Pleas	se have representative call
Zone_	State
	□ Pleas

For more data, circle 119 on Inquiry Card

Office Literature

continued from page 272

FLOODLIGHT

(A.I.A. 31-F-22) A floodlight with rectangular beam, with sharp cutoff at all edges, is described in bulletin. Location of the center of intensity is adjustable. Infranor of North America, Inc., 742 Worthington Ridge, Berlin, Conn.*

CIRCLE 425 ON INQUIRY CARD

METAL LETTERS, FIGURES



Eight type faces for letters and nine for figures are illustrated in eight-page booklet. Five finishes in bronze and aluminum are available. H. W. Knight & Son,

Inc., 8 Lane St., Seneca Falls, N.Y.* CIRCLE 426 ON INQUIRY CARD

DESIGNING WITH FOAM

Six structures using rigid urethane foam as a structural material are shown in 18-page booklet. Mobay Chemical Co., Penn Lincoln Parkway West, Pittsburgh 5, Pa.

CIRCLE 427 ON INQUIRY CARD

AIR CONDITIONERS

Mechanical and engineering specifications and capacity and system data for self-contained, factory-wired packaged air conditioners of 20- to 60-ton capacity are given in 28-page manual, No. 96-570C. Acme Industries, Inc., 600 N. Mechanic St., Jackson, Mich.

CIRCLE 428 ON INQUIRY CARD

CERAMIC TILE APPLICATION

Specifications for the application of ceramic tile to metal lath and plaster surfaces are given in folder. Metal Lath Association, Engineers Bldg., Cleveland 14, Ohio

CIRCLE 429 ON INQUIRY CARD


VERMICULITE PLASTER

(A.I.A. 21-A-5, 39-B-C) Four vermiculite plaster systems are discussed in eight-page booklet PA-60. Zonolite Co., 135 S. LaSalle St., Chicago 3, Ill.*

CIRCLE 430 ON INQUIRY CARD

*Additional product information in Sweet's Architectural File

more literature on page 288



steel is good ... but Micarta's better

To simulate the digs and scrapes partitions get in use, make the coin test. On almost any painted partition surface, the edge of the coin will cut through the finish. Try it on MICARTA plastic laminate and bear down hard. You'll find it difficult to leave any mark at all.

A good baked enamel finish on steel will take its share of hard use before repainting is necessary. But MICARTA takes years of scratches, scuffs and mars and stays looking new without major maintenance ... of any kind.

partition systems offer you significant advantages, among them complete visual design freedom and a wide range of core and facing materials . . . including Westinghouse MICARTA. By comparing MICARTA with steel, longtime standard among partition materials, Architectural Systems, Inc. points up these immediate and long-range benefits:

Vastly superior resistance to scratches, scuffs, and stains. Not only does MICARTA withstand digs, scrapes and mars, it laughs at detergents and alkalis... at greases

and stains of almost any kind. Partition surfaces stay looking fresh and new, year after year, with an absolute minimum of maintenance.

Greater flexibility for fresh new effects in interior design. In addition to a galaxy of modern, decorator colors, MICARTA gives you a wide range of authentic wood grains and textures. Best of all, you can have bright or pastel colors on one side of an ASI partition, a distinctive wood grain on the other. Colors, wood grains and glass can be mixed with a creative freedom no steel partition (and few other kinds) can provide.

Installed costs no more, and often less, than steel . . . the happiest circumstance of all. We'd welcome an opportunity to relate specific figures to your current project.

All but one of ASI's several basic partition systems are a slim 13/4" thick. Fire resistance and sound attenuation can be tailored to meet your most demanding requirements. For details, write or call us at 4300 36th Street, S.E., Grand Rapids 8, Michigan, phone 949-1050, area code 616.

ASI Product Selection Work Sheets, new and important tools for comparing competitive partition systems, are now available. Just mention them when you call or write.




ARCHITECTURAL SYSTEMS, INC.

a division of Westinghouse Electric Corporation

We never forget how much you rely on Westinghouse

For more data, circle 120 on Inquiry Card



ARE STRINGS ATTACHED TO YOUR DESIGNS?

Look closely. There just might be.

This string might well be the laundry facilities that you've included in your plans. And a mighty expensive piece of string it is...one that will keep your client snarled with needless overhead costs.

Why get him all entangled with personnel problems and costs? with expensive-to-buy, expensive-to-maintain equipment? with costs of electricity, water, supplies and linens?

Unravel the muddle before it starts. Call the linen supply man* nearest you. He'll show you how your client

can save money, time and space by arranging for all his linens on a money-saving, pay-as-you-use basis. He's the greatest little knot-unraveller you'll ever meet!

*See the Yellow Pages under "Linen Supply" or "Towel Supply".

FREE DESIGN GUIDES!

They give case histories and suggestions for providing more efficient linen supply service in motels, hotels, schools, restaurants and hospitals, as well as for commercial firms, professional offices and various institutions. Write today.

LINEN SUPPLY ASSOCIATION OF AMERICA • 975 Arthur Godfrey Road, Miami Beach 40, Florida







SMOOTH GREEN

SMOOTH CORAL

SMOOTH GRAY







WEATHERED GREEN

SMOOTH BUFF

WEATHERED RED







WEATHERED BLACK

WEATHERED BROWN

SMOOTH WHITE



BLUE GLAZE ON DESIGNER PATTERN

YELLOW GLAZE ON SPANISH PATTERN

GREEN GLAZE ON



RELIGIOUS, RESIDENTIAL, INSTITUTIONAL and COMMERCIAL...Ludowici Roofing Tiles Adapt to All

Our representatives are always available to assist you on your special roofing problems



BRANCH OFFICES & REPRESENTATIVES:

565 Fifth Avenue New York 17, New York OXford 7-8090 or 8091

740-15th Street, N.W. Washington 5, D. C. NAtional 8-8932

12734 Woodland Avenue Cleveland, Ohio 771-7777

1412 Sharon-Amity Road N Charlotte, North Carolina EMerson 6-3149

1717 Section Road Cincinnati 37, Ohio MEIrose 1-7945

7909 Big Bend t. Louis 19, Missouri WOodland 2-0200


Pittsburgh, Pa. Dial Operator ZEnith-0779


2240 Coral Way Miami 46, Florida 445-2214

8428 Kate Street Dallas 25, Texas EMerson 1-5013 WEST COAST REPRESENTATIVES: Gladding, McBean

LUDOWICI-CELADON CO. 75 EAST WACKER DRIVE . CHICAGO 1, ILL. . RAndolph 6-6740

Manufacturers of quarry tile, the nation's largest producer of roofing tile and NAILON Facing Brick





SOSS INGES

Add Unity to Beauty


Simplicity. Elegance. Flowing Line. Three good reasons why leading architects for over fifty years endorse Soss Invisible Hinges. When Soss hinged doors or cabinet lids are closed, all hardware is hidden. Unsightly gaps between door and frame disappear. The hinge that hides itself is available in a range of sizes and finishes to add unity to beauty in your next design.



For full information and prices, write to:

SOSS Manufacturing Company

AR 204, P. O. BOX 38 DETROIT 13, MICHIGAN



Office Literature

continued from page 284

COLD-APPLIED ROOFING

(A.I.A. 12-A) Folders describe Kolorprene liquid synthetic rubber roofing. No perimeter flashing is needed for the lightweight, flexible material. Miracle Adhesives Corp., 250 Pettit Ave., Bellmore, L.I., N.Y.

CIRCLE 431 ON INQUIRY CARD

OFFICE LIGHTING

The relationship of lighting to the total office environment, how to assure good lighting, and lighting cost perspectives are given in 24-page technical booklet, TP-114. Inquiry Bureau, General Electric Co., Nela Park, Cleveland 12, Ohio

CIRCLE 432 ON INQUIRY CARD

PLYWOOD PROPERTIES


A college-level textbook, "Plywood: Properties, Design and Construction," is intended to serve as a basic reference for anyone designing or building with plywood. Such topics as general use recommendations, fastenings, design principles and procedures, basic structural requirements, folded plate methods and space planes are included in the 132-page book. Hardcover copies are \$3.00; paperbacks are \$2.00. Douglas Fir Plywood Assoc., 1119 A St., Tacoma 2, Wash.


ALUMINUM STANDARDS

The fifth edition of "Standards for Wrought Aluminum Mill Products" is a 112-page manual which lists properties and dimensional tolerances of aluminum and aluminum alloy mill products. Tables now list strengths in kips (kilopounds) per sq in. instead of pounds per sq in. Single copies available by letterhead request. The Aluminum Assoc., 420 Lexington Ave., New York 17, N.Y.

CHURCH SPIRES

"The Spire" is a 42-page booklet which traces the design of spires from earliest known antecedents, through Gothic, Restoration and Early American periods, to contemporary design. Spires fabricated and erected by Overly are shown in 64 pictures. Included is a check list for determining spire requirements. Available to architects free on letterhead request. Overly Mfg. Co., 574 W. Otterman St., Greensburg, Pa.






*Location and architects' names on request.

Hospital architects save 50,000 cu. ft. of space without losing one inch of usable room

ANACONDA



Do your door specifications hold water?

They do! . . . IF your specifications for overhead-type doors are based on PERFORMANCE STANDARDS. Now, for the first time in the door industry, Barber-Colman Company provides a personalized service that helps you establish door performance standards required by each client. • Called the DOOR SYSTEM ANALY-SIS, this comprehensive plan analyzes and appraises door sealing efficiency, section construction, counter balancing

reliability, control methods . . . all factors affecting materials handling, labor, housekeeping maintenance and other building operating costs. This plan justifies initial cost of door equipment . . . identifies penalty your client will pay with inefficient, inferior quality doors . . . determines a firm, accurate budget figure at preliminary planning stage. Write us or ask the Barber-Colman dealer near you for more details on OVERdoors and Door System Analysis.




BARCOL

BARCOL OVERdoor COMPANY

SHEFFIELD, ILLINOIS

Subsidiary Barber-Colman Company, Rockford, Illinois



Flat, corrugated or sandwich-type reinforced panels made with 100% LUCITE® are practical, functional, attractive

Transparent, translucent and opaque panels made with 100% LUCITE acrylic sirup are the most weather-resistant reinforced plastic panels available. Their resistance to sunlight and moisture is unsurpassed! Based upon the continuous exposure of sheet made from LUCITE for 20 years in outdoor installations,

these panels will retain their color, gloss and light-transmission qualities far longer than any other reinforced plastic panels.

Panels made with 100% LUCITE are now available in a variety of patterns

and colors. They make effective use of natural and fluorescent lighting to illuminate the interiors of factories, commercial buildings, schools, motels and churches. Their installed cost is less than glass and sash, and they also reduce daytime illumination costs. For information about manufacturers of rein-

PARTMENT

PARTMENT

PARTMENT

For information about manufacturers of reinforced panels made with 100% LUCITE acrylic sirup, write E. I. du Pont de Nemours & Co. (Inc.), Department AR -4, 63-LS, Room 2420, Nemours Building, Wilmington 98, Delaware.

BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY

For more data, circle 126 on Inquiry Card

Ventilating Ceilings continued from page 222

a given type will occur for that obstruction which is nearest the inlet duct opening. However, if there are a number of obstructions between the one causing the most turbulence and the plenum boundary, their aggregate losses may total more than that of the individual obstruction nearest the inlet duct.

The procedures Armstrong devel-

oped take into account as a group all of the obstructions of a given type, so as to keep within specified limits the total decrease of plenum pressure due to turbulence around these obstructions as the air moves across the plenum away from the inlet duct open-

Control of Local Pressure Variations Local Obstructions and Inlet Duct. For physical reasons similar to those mentioned in connection with static

pressure regain, any regions of the plenum carrying exceptionally high air velocities will also be regions where the static pressure, that is the plenum pressure, is lower than the nominal value.


Regions of high air velocity occur where the local obstructions reduce the cross sectional area of the plenum available for air flow. A region of high velocity air occurs also where the air enters the plenum at the inlet duct opening. These regions of high velocity and low pressure are such a small fraction of the total ceiling area that they have negligible influence on the nominal value of plenum pressure for a given total flow to a zone; but care must be taken that the local reductions of pressure do not reach such a magnitude as to cause local negative pressure differences through the ceiling. If negative pressure differences do occur, air will flow upward from the room, through the ceiling, and into the plenum and cause soiling.

Prevention of negative pressure near the inlet duct opening places a restriction on the maximum air inlet velocity, that is the velocity of the air as it leaves the inlet duct opening. For a given total flow of air it is clear that limiting the maximum air inlet velocity is the same as limiting the minimum area of inlet duct opening.



source of pride for Michigan State, all hotel men and Van

- The illustration above shows the regular dining room serving section of the main kitchen of the Continuing Education Building at Michigan State College . . . a part of the W. K. Kellogg Center. The equipment here is only a part of Van's contribution.
- Here and throughout Architect Lewis J. Sarvis of Battle Creek allotted space as Van engineering indicated was required by the unusual problem of serving up to 150 house guests in the hotel and up to 1200 in the banquet room and private dining rooms for the large groups who will come for refresher training.
- Such customers of distinction throughout Van's Century of Service have caused many hotels to rely on Van for food service equipment.



Noise

In the case of a ventilating ceiling any noises conducted through supply ducts are attenuated by the suspended ceiling before entering the room. Also, the terminal noise from diffusers is absent when a ventilating ceiling is used. Finally, there are three new potential sources to noise to condier in the case of the ventilating ceiling; turbulence at the inlet duct, turbulence around obstructions in the plenum, and flow of air out of the ventilating openings.

So far as turbulence around obstructions is concerned, there is no noise problem. The design limitations imposed by demand for uniformity of plenum pressure restrict plenum velocities to such values that detectable noise should not occur.

Noise due to air flowing out of the ventilating openings themselves will not be noticeable so long as plenum pressure does not exceed prescribed limits.



S) Atlas Masonry Cement

TRADEMARKS

1 Cu. Ft. 70 lbs.

Now watertight walls come easier. A special water-repellent additive is now interground with ATLAS MASONRY CEMENT during manufacture. This new feature results in mortar joints with less water absorption . . . facilitates the building of watertight masonry walls. ■ Masons know that Atlas Masonry Cement assures mortar uniformity . . . in workability, color, strength and


that Atlas Masonry Cement assures mortar uniformity... yield, batch after batch. Everything except sand and water is delivered in one bag. Proportioning errors are minimized. Complies with current ASTM and Federal Specifications. Specify it for your next job. A product of Universal Atlas Cement, 100 Park Ave., New York 17, N.Y.



Universal Atlas Cement Division of United States Steel

"USS" and "Atlas" are registered trademarks

M-91




Smooth-Fin Coils offer you:

Greater Heat Transfer per sq. ft. of face area

Lower Airway Resistance -less power per c.f.m.

Aerofin smooth fins can be spaced as closely as 14 per inch with low air friction. Consequently, the heat-exchange capacity per square foot of face area is extremely high, and the use of high air velocities entirely practical. Tapered fin construction provides ample tube-contact surface so that the entire fin becomes effective transfer surface. Standardized encased units arranged for simple, quick, economical installation.




Aerofin is sold only by manufacturers of fan system apparatus. List on request.

HEROFIN CORPORATION 101 Greenway Ave., Syracuse 3, N. Y.

ENGINEERING OFFICES IN PRINCIPAL CITIES

For more data, circle 129 on Inquiry Card



New booklet for the Architect

This is a 20-page engineering report on the most effective structural gasket ever developed for curtainwall construction. For your copy, simply send letter or post card to The Standard Products Company at the address shown above.

For more data, circle 138 on Inquiry Card

A comprehensive source of design information on multiple dwellings

Here is a magnificently illustrated survey of some of the best Here is a magnificently illustrated survey of some of the best recent work in multiple dwellings. More than 50 varied projects by leading architects — ranging from two, three, and four-family buildings up through giant apartment-cities housing thousands of families — are graphically shown in more than 275 photographs and over 200 floor plans and drawings.

The expertly written book gives practical information on important social and design considerations. You find a wealth of up-to-

tant social and design considerations. You find a wealth of up-to-date design information, plus the stimulation of seeing the best efforts of some of today's finest architects.

APARTMENTS AND DORMITORIES

By the Editors of Architectural Record

238 pages, 8¾ × 115/8,

over 475 illustrations, \$9.75




10 DAYS' FREE EXAMINATION DIRECT FROM PUBLISHER

McGraw-Hill Book Co. Dept. FARR-4
327 W. 41 St., N.Y.C. 36
Send me Architectural Record APARTMENTS
AND DORMITORIES for 10 days' examination
on approval. In 10 days I will remit \$9.75, plus few
cents delivery costs; or return book postpaid. (We
pay delivery costs if you remit with orders; same examination and return privilege.)

Print name	 	 	 						
Address									
City									
Company	 	 	 	Pos	itio	on			
For price and torms									

write McGraw-Hill Int'l., N.Y.C.

FARR-4



Architects are applying bold imagination to the design of strikingly beautiful buildings with wood. And no wood gives the architect greater freedom of form and expression than *SPA Southern Pine. Whether it is specified for complex laminated members or conventional framing . . . exquisite paneling or rough sawn siding . . . elegant finish or multi-purpose roof decking . . . this versatile wood assures superior performance.

Here are some outstanding features that lend scope and inspiration to modern design:

- Dimensional Stability Through Proper Seasoning Exceptional Strength; Pre-determined Stress Values
- Handsome Texture Interest
- Design Economy
- Flexibility of Tone and Finish
- High Standards of Manufacture and Grading

SPA technical consultants are available to discuss specifications and uses. For their services write: Southern Pine Association, P. O. Box 52468, New Orleans 50, Louisiana

*Trade-Marked and Offically Grade-Marked SOUTHERN PINE Seasoned...Pre-Shrunk...For Extra Strength FROM THE MILLS OF THE SOUTHERN PINE ASSOCIATION

Novel Idea for 63

Taylor-made for greater convenience



The Bi-Level, illustrated above, is a drinking-water accommodation providing a low convenient level for children. It's designed for cabinet-to-cabinet installation (left-side mounting only) on all Halsey Taylor wall-mounted WM-series water coolers . . . available only as a factory-assembled unit.

The Bi-Level is ideal for places where crowds of all ages gather, and especially adapted for school, institutional and shopping-center buildings.

Write for complete specifications.

THE HALSEY W. TAYLOR CO., Warren, O.

see Sweet's or the Yellow Pages

Quality Drinking Fixtures—Styling plus Service

For more data, circle 131 on Inquiry Card

OHIO PROJECT WINS A.S.C.E. AWARD

The Ohio River Basin Clean Streams Program, a complex of facilities for pollution control involving eight states, has won the "Outstanding Civil Engineering Achievement of the Year," the fourth such annual award sponsored by the American Society of Civil Engineers.


The Society's Board of Direction approved the selection of the Ohio River project made by a jury which consisted of the following: Hal W. Hunt, editor, Civil Engineering, New York, chairman; J. Ronald Carr, editor, Engineering News Record, Chicago; Robert E. Fischer, editor, ARCHITECTURAL RECORD, New York; Robert G. Zilly, editor, Building Construction, Chicago; John N. Server Jr., editor in chief, Southwest Builder and Contractor, Los Angeles; Ralph E. Fuhrman, editor, Journal of Water Pollution Control Federation, Washington, D.C.; James I. Ballard, executive editor, Western Construction, San Francisco; William S. Foster, editor. American City Magazine, New York.

Given Honorable Mention awards were George Washington Bridge Expansion, Lower Level and Associated Projects, New York, New Jersey; and Whittier Narrows Water Reclamation Plant, Los Angeles County, California.

AWARDS MADE BY OHIO CONCRETE


The Ohio Prestressed Concrete Association has announced award winners for 1962, the outstanding structures built of prestressed concrete. They are: in building design, the new plant of Rubbermaid, Inc., Wooster, designed by Dalton-Dalton Associates, Cleveland; and in bridge design, the new bridge over North Fork of Licking River, Newark, designed by Arthur T. Handel & Associates, Newark engineers.

Judges were Frank Wilson, professor of architecture, Ohio State University; Carl E. Bentz, state architect; and D. Henry Overman. chief engineer of bridges, Ohio Department of Highways.




New textured surface...with vaulted contour...at modest prices!

A singularly effective way to add dramatic value to virtually any ceiling . . . and at the same time achieve high acoustical efficiency! Textured Vault Panels



are moulded entirely of fiber glass with an NRC of .75. They are 24" x 24", rising gently to create a 2" vault. As you see above, the surface is made more visually interesting by a low-relief, rippled texture. White-painted at the factory for easy repainting if desired, Textured Vault Panels offer an opportunity to create a sense of height and elegance, as in the gallery above, and in larger institutional or commercial building areas.


Send for more information on the complete line of Johns-Manville acoustical products. Ask for our new booklet, "Sound Control Ceilings". Address Johns-Manville, Dept. AB, Box 158, New York 16, N. Y. In Canada: Port Credit, Ont. Cable: Johnmanvil.



Installation of lay-in Textured Vault Panels is fast and simple in an exposed grid-type suspen-



JOHNS-MANVILLE




LOOR IS J-M TERRAFLEX VINYL-ASBESTOS TILE; WALLS AND COUNTERS ARE FACED WITH J-M GLASAL ASBESTOS-CEMENT PANELS

New dimensional square...New textured surface...New low price!

This new Johns-Manville all-fiber-glass ceiling panel offers a combination of practicality and style . . . at moderate



cost. Square lay-in panels are moulded in inverted coffer shape, projecting 2" downward into the room. As shown above, the visible surface has an attractive, low-relief, rippled texture. Panels are factory-painted white, but can, of course, be repainted to suit any decorative scheme. Measuring 24" x 24" x 2" deep and acoustically effective (NRC of .75) . . . Inverted Coffer Panels suggest interesting applications in supermarkets and other broad-expanse areas.



Lay-in Inverted Coffer Panels are quickly installed in an exposed grid-type suspension system.

JOHNS-MANVILLE






ANSWERS TO ARCHITECTS' QUESTIONS ABOUT TEDLAR®

DU PONT'S NEW LONG-LIFE, WEATHERABLE FINISH

What's different about TEDLAR?

TEDLAR* PVF film is a completely new kind of exterior surface. It's not a liquid or a spray; it's a tough fluoride film engineered and manufactured under careful controls by Du Pont.



Who applies TEDLAR?

The manufacturer of a building product. We (Du Pont) make the film and sell it to the manufacturer (of siding, for example), who bonds it to his products in his factory. He uses special Du Pont adhesives, which make TEDLAR part of the material it protects.

How long will TEDLAR last?

Frankly, we don't know. We haven't been able to wear it out under normal weather conditions. We predict, however, that when properly bonded to a stable material, TEDLAR should be serviceable for 25 years or more without refinishing. It may fade slightly, but chances are you won't notice it.

Has TEDLAR been proven?

In the nearly 20 years of testing behind TEDLAR, we've exposed it to every sort of attack it's likely to get. We know that it resists attack from extremes of climate, ultraviolet light, common acids, alkalis, tars, industrial smog, rust and harsh solvents. It is very hard to stain and easy to clean.

What products are available with TEDLAR?

Manufacturers are now laminating TEDLAR PVF film in a variety of colors to produce built-up roofing systems, residential siding of aluminum and plywood; industrial curtainwall panels, insulation jacketing; gutters, doors, downspouts, sheet and coil stock.

How much does TEDLAR cost?

Because TEDLAR is only the finish of a building product, its cost is determined by the manufacturer, not Du Pont. Ingeneral, TEDLAR costs slightly more than liquid finishes, but much less than porcelain enamel. Per year of life expectancy, TEDLAR is probably the most economical finish you can buy.

How can I find out more about TEDLAR?

Write the Du Pont Company. We'll send you more information, a list of manufacturers and bonded samples of TEDLAR. The Du Pont Co., Film Dept., Building Materials Sales Division, Box 50, Wilmington 98, Delaware.

*Du Pont registered trademark



Better Things for Better Living ... through Chemistry

FREE KIT OF TOOLS WITH IN-SINK-ERATOR GARBAGE DISPOSER MAINTENANCE PROGRAM

Now you can be assured that the kitchen's most popular appliance will be maintained by the building's own trained man. This means savings for building owners—and happy tenants, too!

At no charge, In-Sink-Erator will train the building maintenance man, furnish him with a service manual, equip him with the necessary disposer parts . . . so that he can give tenants on-the-spot service. He will receive free tools to make minor repairs. Any major repairs should be referred to our factory authorized service agency.

The In-Sink-Erator APT model was especially designed for the hard usage it will be given by tenants. It is a great convenience for them too. Now, they can wash food waste down the drain. No handling ... no carrying to chute or can. No flies and odors in their kitchens.

For complete information, write



In-Sink-Erator Manufacturing Co. • 1225 14th St. • Racine, Wis.

Maintenance Program Includes:

• Free Training of the Maintenance Man by In-Sink-Erator

• Necessary Free Parts for On-The-Spot Service

• Self-Service Wrench with Every APT. Model


 Maintenance Program on APT. Model Backed by 1 Year Warranty and Additional 2 Year Parts Protection

For more data, circle 142 on Inquiry Card

CONSOLIGHT®

PAT. PEND.

a single wall unit all patient room illumination needs as well as all controls and outlets usually found in various locations throughout the walls of a hospital room.



For more data, circle 143 on Inquiry Card



OWNER: DAVID H. FAILE * LOCATION: WESTPORT. CONN. * ARCHITECT: GEORGE LEWIS, 200 E. 50TH ST., NEW YORK, N.Y. * CONTRACTOR: THOMAS J. RIORDAN CO. INC.. NORWALK. CONN. * PHOTO: EZRA STOLLER


These comfort features found in Miller sliding glass doors -

- POSITIVE WEATHER PROTECTION
- LOW HEATING AND AIR CONDITIONING COSTS
- LONG LIFE
- FREEDOM FROM NOISE
- EASY OPERATION

Remember that your reputation is involved in what you design and build. The lowest possible price might well be the poorest possible economy. Give them the best. Give them a MILLER DOOR—


"Built to Last a House-Time."

14 YEARS IN SLIDING DOOR FABRICATION



For more data, circle 144 on Inquiry Card

NEW PRODUCT BULLETIN



IN CANADA: VAPOR CARNES, LTD., 3955 COURTRAI AVE., MONTREAL 26, QUEBEC.

Take a close look at the New Carnes Modular Diffusers! They fit flush with the ceiling. Their texture and whiteness blend inconspicuously with any material. That's why you can barely see them, especially when you specify the new slim line or concealed frames.

Carnes Modules are only 6" x 6" in size. They fit practically anywhere — butted to light troffers, between lights, alternating lines with lights, continuous strips around ceilings and columns, along windows, on side walls as returns. Combine these modules into any width or length. How's that for design freedom? Modules come in three different air throws or patterns: one way throw, two way throw or corner throw. In combination, you can direct air in 1, 2, 3 or 4 directions to cover any air handling problem.

Modules are high impact Lexan.* Fire-resistant. Excellent color and dimensional stability. Modules snap in and out of their metal frames (no tools) for changes in air flow, for checking or remodeling. Carnes new slim line frames are only 3%" to 34" wide. Concealed frames for metal-pan ceilings are also available. Start enjoying this new design freedom. Write for Catalog M21K.

HERE'S AN AIR DIFFUSER THAT REALLY GIVES YOU DESIGN FREEDOM

ARCHITECTS AND ENGINEERS IN THE NEWS

John Ormsbee Simonds, Pittsburgh, Pa. landscape architect and author, has been elected president of the American Society of Landscape Architects. He will assume duties at the close of A.S.L.A.'s 64th annual meeting in Pittsburgh on June 26. Other new officers are: George A. Yarwood, Simsbury, Conn., first vice president; Eugene R. Martini, Atlanta, second vice president; Theodore Osmundson Jr., San Francisco, third vice president: and Walter L. Chambers, Ann Arbor, Mich., secretary-treasurer.

New president of the national Consulting Engineers Council is Sanford K. Fosholt, Muscatine, Iowa. He is to take office next month and serve until May, 1964. Elected with him to serve as national officers are: William W. Moore, San Francisco, first vice president; Henry A. Naylor Jr., Baltimore, Md., second vice-president; Samuel A. Bogen, New York, secretary; Harry Czyzewski, Portland, Ore., treasurer.

Sacramento architect Albert M. Dreyfuss has been elected president of the California Council, American Institute of Architects. He succeeds Wm. Stephen Allen, F.A.I.A., of San Francisco. Other officers elected are: Ulysses Floyd Rible, F.A.I.A., Los Angeles, vice president; Donald L. Hardison, Richmond, secretary; David Potter, Palo Alto, treasurer; and Donald E. Neptune, Pasadena, delegate-at-large.

Roger H. Corbetta, board chairman of the Corbetta Construction Co., Inc., New York, has been elected 1963-64 president of the American Concrete Institute. A. Allan Bates, chief of the Building Research Division, National Bureau of Standards, Washington, D.C. is new vice president. Members elected to the A.C.I. Board of Direction are Delmar L. Bloem, Samuel Hobbs, Clyde E. Kesler and George H. Nel-

Orville H. Bauer, partner in the Toledo architectural and engineering firm of Richards, Bauer & Moorhead, has been elected president of the Ohio Architects Society.


Edmund Friedman, consulting engineer with Maurice H. Connell & Associates, Inc., Miami, has been elected president of the 49,000-membership American Society of Civil Engineers for 1963. Vice presidents for two-year terms elected were: Daniel B. Ventres, Washington, D.C. and Thomas M. Niles, Chicago, Ill. Elected directors for three-year terms were the following: Richard H. Tatlow III, New York; Samuel I. Zack, Harrisburg, Pa.; Ralph B. Peck, Urbana, Ill.; George E. Brandow, Los Angeles; Eugene F. Bespalow, Memphis; Frank H. Newnam, Houston.



- Sliding Doors
- Saddles
- Saddles for Floor Hinged Doors

INTERLOCKING WATER SHED FOR OUT OPENING CURTAIN WALL DOORS

Modern curtain wall construction makes little allowance for back-set



SEE OUR 18b-ZER

ZERO WEATHER STRIPPING CO., INC.

451 East 136th St., New York 54, N.Y. • LUdlow 5-3230

For more data, circle 146 on Inquiry Card



DIMMING DIMMING DIMMING GOVERNMENT OF THE PROPERTY OF THE PROP

Fluorescent

A compact, reliable system

Now, there is a fluorescent dimming system that is simple and compact . . . requires very little installation beyond normal mounting of lighting fixtures . . . and has demonstrated its reliability and highly satisfactory performance in installations from coast-to-coast.

It's General Electric's DS-5000 fluorescent dimming system, specifically designed and engineered for commercial and institutional applications: conference rooms, offices, auditoriums, restaurants, churches, schools . . . anywhere there is a need or desire to vary light intensity.

(We also make the DS-3000, a highperformance fluorescent dimming system for residential applications. If your interest lies in this area, be sure to check GEA-7351 on the return coupon.)

Controls up to 600 lamps

General Electric's DS-5000 system controls up to 600 F-40 rapid-start lamps over a wide dimming range—from full brightness down to 0.3% of maximum light intensity. Lamps operate at full

90-percent light output at maximum intensity setting.

Smooth performance

All lamps in the system start quickly at any intensity setting . . . dim and brighten smoothly in complete unison, without steps or flicker . . . and operate with stability even at lowest settings.

Responsibility for control components

All control components of the DS-5000 system are designed, manufactured and warranted by General Electric. They include (see photo): (A) a dimming ballast for each lamp; (B) a dimming auxiliary for every six dimming ballasts; (C) an intensity selector which controls up to 100 auxiliaries and 600 lamps.

(Incidentally, this is the first time a single manufacturer has assumed warranty responsibility for all control components in a commercial fluorescent dimming system.)

Easy installation

Simply install the fixtures, which include the dimming auxiliaries and bal-

Comes of Age!

lasts. Mount the intensity selector in a standard, three-gang wall box, and connect to the dimming auxiliaries. It's that easy!

Multi-point control


If desired, relays permit operation from more than one location. Additional relays allow lamp load to be split and sections to be controlled independently—especially desirable in rooms with folding partitions.

Availability

General Electric's DS-5000 fluorescent dimming system is included in the product lines of many leading fixture manufacturers. (Names upon request.)

For those who wish to convert existing lighting installations to dimming, components are available from General Electric Ballast Service Centers.

For further information and application assistance, contact your General Electric Components Sales Engineer. Or write today for our free dimming bulletins.



Section B403-06
Ballast Department
General Electric Company
1430 East Fairchild Street
Danville, Illinois

Please send me:

GEA-7355, DS-5000 Fluorescent Dimming System for Commercial and Institutional Applications

GEA-7351, DS-3000 Fluorescent Dimming System for Residential Applications

Name			
Firm			
Address			
City	Zone	State	

Progress Is Our Most Important Product

GENERAL 🍪 ELECTRI

For more data, circle 147 on Inquiry Card



I'm in
the roof
deck
business.
We tell
architects
and
contractors
they don't
need any
reinforcement
with our
deck.



"After all,"
we say,
"Decks are
only required
to be
designed
for uniform
static
loads.
Why worry
about
impact
loads?"



And when workmen dropped materials on the deck after the roofing material was on, well...nobody got wise that the material beneath was shattered. After all, the roofing material covered it up.



But things got a little sticky when a building inspector jumped from a low parapet onto one of our unreinforced decks. His replacement was very unreasonable about okaying the deck.

KEYSTONE STEEL & WIRE COMPANY Peoria, Illinois



Besides," we say, Our decks do have some impact resistance. If a 75 lb. man falls 6 inches onto our deck he won't bother it a bit. If he doesn't do it too often,"



Well, we sold a few of our roof decks at first. But after they were up, it seemed when wheelbarrows loaded with heavy materials turned off the runs, spider cracks showed up in our unreinforced deck.



If you're not interested in one of our unreinforced roof decks, I have a nice line of pencils and shoelaces.

This advertisement published by the makers of KEYDECK that remarkably good roof deck reinforcement



EDUCATION NEWS: SERT ON LEAVE; SYRACUSE SAVES ARCHITECTURE Jose Lois Sert, dean of the Faculty of Design, Harvard University, is on leave of absence until September. He will lecture at the Royal Institute of British Architects in London, complete work on museum buildings in St. Paul de Vence, France, and visit architectural works and schools in Egypt, Iran, India and Japan. Serving as acting dean for the spring semester is Professor Martin Meyerson. Professor Walter Bogner is acting chairman of the

Department of Architecture during this semester.


The College of Architecture and Urban Planning, University of Washington, Seattle, has established two departments—a move, according to Dean Robert Dietz, to improve teaching and research opportunities. Appointed chairman of the new Department of Urban Planning is Professor Meyer Wolfe, faculty member since 1949 and in charge of the graduate program in Urban Planning for seven years. Professor Steinbrueck, on the faculty since 1946, author of two books, and designer of the Faculty Club, in partnership with Paul Kirk and Associates, declined the permanent appointment, but was appointed acting chairman of the Department of Architecture.

Syracuse University's School of Architecture is currently involved in a one-year pilot program aimed at preserving important architectural monuments. Harley J. McKee, professor of architectural history, heads a three-man project staff for the search and selection of major architectural items in Syracuse and the surrounding Onondaga County.

University officials and members of the State of New York Council on the Arts feel that since Syracuse is undergoing considerable urban renewal, the project is of particular importance to the area. "We must get ahead of the builders and bull-dozers," says William Hull, arts council assistant director. "This is a pilot project for the whole state. If it is successful, we want to do similar surveys on a county-by-county basis across New York."

Joseph R. Passoneau, St. Louis architect and dean of the School of Architecture, Washington University since 1957, will join the faculty of Harvard University in the academic year 1963-64 as professor of architecture, as chairman of the Department of Architecture.

Professor Passonneau, in association with the firm of Fitch and Nicholas, designed Washington University's new engineering building, and he designed the structural system for the new Art and Archaeology Building.



LOCKING SYSTEMS
HAT A D TO DECOR



There is an exquisite lock set by Best to complement any decor you create. Luxurious escutcheons and knobs are artist-designed, and tooled from solid brass for the finest quality.

Every type and style can be masterkeyed into one system which expands with future growth of your building. And, each Best lock contains the famous *interchangeable core* which permits instant change of pin-tumbler combinations.

At no obligation, a Best security analyst will design the masterkeyed system for your needs.

BEST UNIVERSAL LOCK CO., INC. P. 0. BOX 103, DEPT. 41, INDIANAPOLIS 6, INDIANA



FREE APPLICATION HAND-BOOK. Details methods of joint preparation and correct handling techniques for polysulfide-base sealant systems to assure a completely trouble-free and long-lasting weatherproofing job. For a copy, write to Thiokol on your letterhead. Thiokol makes raw material only. Names of manufacturers of finished sealant furnished on request.

... leak-safe for a generation, when they're rubber-welded with polysulfide base sealant

Sealant systems based on THIOKOL® polysulfide polymer (synthetic rubber in liquid form) custom fit any joint on the job site regardless of size, form, or accidental variation from original design. They cure to a resilient solid rubber that bonds with weld-like strength to all building materials, add a structural strength of their own. Properly applied, polysulfide base sealant will expand to better than twice its original width and shape-and

recover-without tearing, sagging, or losing serviceability. Polysulfidebase sealants meeting American Standard Specification A116.1 produce the most satisfying weatherproofing job you can get. You may pay more, but you can't buy better.

CHEMICAL CORPORATION 780 N. Clinton Ave., Trenton 7, N.J.

In Canada: Naugatuck Chemicals Div., Dominion Rubber Co., Elmira, Ontario

For more data, circle 150 on Inquiry Card

ARCHITECTURAL


IDEAS

by SONOCO

Timeless "Beauty in the Round"

formed with





Used in, or adjacent to glass walls, round columns offer minimum obstruction to light and occupy minimum space for a brighter interior.



In any structure where round concrete columns are planned, SONOTUBE Fibre Forms will usually cut costs. In your next design, specify SONOTUBE Fibre Forms—fastest, most economical method of forming all types of round concrete columns.



The graceful beauty of round concrete columns enhances overall building design for columns contribute to the design while performing an important support function.

For economical forming, specify SONOTUBE Fibre Forms. This low-cost, lightweight form is easy to place, brace, pour, strip, and finish . . . thus saving contractors time, labor, and money.

Available in standard 17' lengths or as required, in sizes 6" to 48" I. D. Can be sawed.

See our catalog in Sweet's


For full information and prices, write

SONOCO

Construction Products

SONOCO PRODUCTS COMPANY, HARTSVILLE, S. C. • Akron, Indiana • Atlanta, Ga. • Fremont, California • Janesville, Wisconsin • City of Industry, La Puente, Calif. • Longview, Texas • Montclair, New Jersey • Mystic, Connecticut • Ravenna, Ohio • Tacoma, Washington • CANADA: Brantford and Toronto, Ontario • Montreal, Quebec • MEXICO: Mexico City.

For more data, circle 151 on Inquiry Card



Plan view of two Walk-Ins, one a normal temperature and the other a low temperature, installed at **Dobyns-Bennett High School**, Kingsport, Tennessee.

Specifications prepared by Mr. Larry J. Poole, Architect, 214 Commerce Street, Kingsport, Tennessee.

Bally pre-fab walk-ins

all-metal coolers and freezers

World's most advanced design. New materials and construction techniques offer architects an opportunity to provide tremendous refrigeration advantages to their clients.

Urethane 4" thick (foamed-in-place) has insulating value equal to $8\frac{1}{2}$ " fibreglass. Standard models can be used as freezers with temperatures as low as minus 40° F. Urethane has 97% closed cells...cannot absorb moisture...ideal for outdoor use.

Speed-Lok Fastener designed and patented by Bally for exclusive use on Bally Walk-Ins. Makes assembly accurate and fast . . . easy to add sections any time to increase size . . . equally easy to disassemble for relocation.

New foamed door, so light in weight it ends forever the "hard pull"... the "big push". Door is equipped with new type hand lock (with inside safety release) and convenient foot treadle for easy opening. Also has special hinges that close door automatically. Magnetic gasket guarantees tight seal.

Self-contained refrigeration systems combine balanced capacity condensing units and refrigeration coils. Mounted and hermetically sealed with necessary controls on small wall panel. Simplifies installation. Four-hour factory test assures quiet, efficient, trouble-free operation.

Write for Free Architect's Fact File which includes 12-page brochure... Specification Guide... and sample of urethane wall construction.




See Sweet's File, Section 25a/Ba



Bally Case and Cooler, Inc. Bally, Pennsylvania

For more data, circle 152 on Inquiry Card



ART AND ARCHITECTURE: A DANDELION AND A TREE

The largest dandelion in the world, 10 feet in diameter and 20 feet high, rises from the middle of a lighted lagoon on the front plaza of the new headquarters building of Perpetual Savings and Loan Association, Beverly Hills, Calif. Sculptor Harry Bertoia fashioned it from stainless steel and 24-karat gold. In all, it has 84,000 parts.

Edward Durell Stone, architect for the eight-story Perpetual Savings Building, asked the Italian-born artist to create a sculpture for the fountain. The dandelion was selected from 10 different suggested designs.





A noted designer of furniture, particularly sculptured metal chairs, Mr. Bertoia counts among his other important works, the massive 4-ton bronze panel at Washington, D.C.'s Dulles Airport and a sculpture in the M.I.T. Chapel done for Eero Saarinen.

An unusual new fountain, shaped like an exotic tree, adorns the Garden of the Provinces in Ottawa, Canada.



Designed by architect Norman Slater for the Canadian capital's National Capital Commission, the 25-foot-high stainless steel fountain has a central trunk from which 100 curved branches project, each bearing a curved rectangular leaf. Jets of water spray from most of these branches and splash downward from leaf to leaf.

Structural engineer was Felix Kraus; Canadair Ltd., fabricator.



YOU WANT QUALITY?

There's just one way to get it in any field. Start with the best raw materials and put them together as honestly as possible. You know it. We know it. And that's the way we operate at L & R!

When we make Expand-O-Flash® we start with 1/16" thick specially-formulated Neoprene, rather than vinyls or plastics. Heat, cold, sunlight, chemicals, fumes and roofing compounds don't affect it. It's fastened to the metal strip . . . copper, aluminum or galvanized . . . with a combination adhesive-mechanical bond. Adhesive systems meet Spec. Mil-R-15058.

Expand-O-Flash is installed according to standard roofing practices. It provides free movement in all directions wherever expansion and contraction or settling pose a problem. A unique and exclusive tabend design permits installation of an uninterrupted water tight span of Expand-O-Flash. Prefabricated corners, tees and crossovers speed installation . . . cut costs . . . assure a leakproof job.

Sure, Expand-O-Flash material may cost more, but time saved on installation results in lower total cost and virtually guarantees trouble-free results. We've yet to have our first complaint from a properly installed job.


Where movement is possible you need Expand-O-Flash. To find out more see Sweet's Architectural File $\frac{8C}{La}$ or write us for free sample.



300 SOUTHWEST CUTOFF • WORCESTER 7, MASS.

For more data, circle 154 on Inquiry Card

ALLSPANS[®]...GIVE YOU STRONGER SUPPORT UP TO 152 FEET



Warehouses, schools, hospitals, shopping centers, factories, supermarkets... these and many other types of buildings can be designed for *more open floor* space with Macomber ALLSPANS.

ALLSPANS are available up to 152 feet in length in roof construction, giving you greater design flexibility and a more functional interior. ALLSPANS are nailable (patented V-Section) for fast

decking. □ The result, in addition to a less cluttered design, is a considerable reduction in building costs. □ For details on our standardized pre-engineered products for the construction industry, write to us. We will mail you our design manuals on ALLSPANS and other Macomber products.

MACOMBER INCORPORATED

CANTON 1, OHIO
SUBSIDIARY OF SHARON STEEL CORPORATION







Low-riser, wide-tread stairways make going from one level to another easier at the Peninsula Volunteers' Retirement Apartments. Together with the over-hanging roof, they also demonstrate some of wood's self-supporting capabilities.

For retirement apartments people long to live in

use WOOD ... and your imagination





Partially tree-shaded shingled siding, balcony, roof overhang, and fence show wood's natural ability to belong in the 30-unit Peninsula Volunteers' Retirement Apartments. Architect: Skidmore, Owings & Merrill.

Wood makes retiring comfortable in a multiple dwelling . . . just by being all around in siding, stairways, and on balconies overhead. Its freedom of design permits economies in both individual interiors and large, friendly exteriors. Wood's inherent durability provides years of use with little wear . . . its compatibility with other materials promises decades of beauty.


Wood insulates, too, through hot and cold seasons. Its sound qualities help maintain privacy from one apartment or room to the next. Its multitude of grains, tones, and textures offer a welcome warmth, generate an environment enviably livable. For more information on designing with wood, write:

NATIONAL LUMBER MANUFACTURERS ASSOCIATION Wood Information Center, 1619 Massachusetts Ave., N. W., Washington 6, D.C.





A continuous balcony and patio below use exposed wood framing to surround an open-air quadrangle, and add to the outdoor serenity of the Peninsula Volunteers' Retirement Apartments in Menlo Park, California.



PANELS AT CHRISTIAN BROTHERS ACADEMY!



A Library with glare-free diffused light ... a Chapel with a reverent stained-glass effect both night and day ... a Gym with no eye-straining "sun-spots", despite Eastern and Western exposures. These are the pleasing results of SANPAN Translucent Panels effectively controlling light transmission at Christian Brothers Academy. Made of finest quality fiberglass skins, SANPAN Panels . . . with all Concealed Fasteners . . are strong, lightweight and boast high insulating qualities. Welded Grids . . . an Exclusive SANPAN Feature . . . result in greatest panel strength. Fully assembled and pre-finished before delivery, SANPAN Panels cost less for installation . . . for performance . . . for durability . . . for years to come. Available in a wide range of colors and patterns . . . in panel sizes up to 4' x 20' with thicknesses of 1½" and 3". Before specifying your next "light wall". . . investigate SANPAN Translucent Wall Panels.

For information on Colorscreen Translucent Partitions, Screens and Facades . . . and further specifications on SANPAN Wall Panels complete with dramatic Technical Test Report, write:



PANEL STRUCTURES INC.

45 Greenwood Ave., East Orange, New Jersey

For more data, circle 157 on Inquiry Card



NOW makes . Ice and Snow melting even easier and less expensive!

Keep traffic moving, prevent falls — use Nelex in ramps, parking areas, sidewalks, bridges and any place where snow or ice makes travel hazardous. Permanent installation in either concrete or asphalt.

NEW sizes and types eliminate need for special transformers, allow selection of convenient lengths for area to be covered, reduce initial installation cost.

WRITE for complete information on all sizes available and installation procedures





COMPETITIONS INVITE ENTRANTS

The Committee of Stainless Steel Producers in cooperation with the National Institute for Architectural Education is sponsoring a competition for the design of a public transportation shelter. Eligible to enter the national competition are intermediate and advanced design students and draftsmen under 30 years of age.

A jury of architects assembled by Caleb Hornbostel, A.I.A., chairman of N.I.A.E.'s committee on architecture and scholarships, will award prizes of \$800, \$300 and \$200 for the three best solutions to the design problem before May 15. A \$500 prize will be sent to the school of the first prize winner for the purpose of furthering architectural education.


The program is available from N.I.A.E. for a registration fee of \$2.50. For further information, write N.I.A.E. Headquarters, 115 East 40th St., New York 16, N.Y.

The 25th in the annual series of Student Competitions in Interior Design and Decoration sponsored by the American Institute of Interior Designers is open to students in colleges and schools in the U.S. and Canada offering degrees in this subject, except for first-year students. Scholarship fund awards are \$250, \$200, \$150, and five honorary mentions of \$50.


Subject of this year's program is a "Cruising Houseboat," the problem being interior design for two adults and three children. Area is to include a salon, galley, dining area, sleeping space, storage space and sanitary facilities.

Jury of Award is composed of Inez Croom, F.A.I.D., chairman; Mrs. Frances Taylor Heard, home furnishings editor, House Beautiful; yachtswoman Mrs. James M. Mertz; H. Clifford Burroughes, F.A.I.D., marine designer; Richard Manning, editor, publisher, Popular Boating; Critchell Rimington, editor, publisher, Yachting; and sportsman George M. Moffett Jr.

For entry forms, write A.I.D. Headquarters, 673 Fifth Ave., New York 22, N.Y. Entries must reach headquarters not later than April 26 for judging on May 14, 1963.



MORE FLOOR SPACE



SCHEMENAUER

Ceiling Unit Ventilators

These beautifully styled heater-coolers automatically yield floor space—enough footage to add an extra row of desks or to keep a room from being crowded. The same efficient, climate control as in the renowned "60" Series floor units. Six CFM capacities for hot or chilled water or electric heating... ventilation, ventilation cooling, air conditioning or combinations thereof. Decorator colors. To add increased floor space when the budget won't bulge, specify Schemenauer ceiling unit ventilators.

CHOICE OF APPLICATION

Fully enclosed horizontal units may be left exposed, recessed or concealed behind a soffit.

REDUCED MAINTENANCE
UNIQUE 3-YEAR FILTER

Spool holds 10 to 20 filter changes (enough for three full years)! Maximum efficiency and dust arrestance.



SIMPLIFIED DESIGN

No fan shaft bearings to oil or replace. Just change filter spool every three years when the motor is oiled!



SCHEMENAUER MANUFACTURING COMPANY

UNIT VENTILATORS . FINNED TUBE PRODUCTS
COMMERCIAL RADIATION


	-	
Schemenauer Mfg. SEND COUPON finest classroom u	Co. • Dept. 23 TODAY. Get all init ventilators m	 Holland, Ohio the facts on the ade.
NAME		
COMPANY		
ADDRESS		
CITY	ZONE_	_STATE

For more data, circle 159 on Inquiry Card

No. 9 inverted umbrellas | Prepared

Prepared as a service to architects by Portland Cement Association

Clip along dotted line



Σ

Arbor Heights Junior High and Elementary School, Omaha, Nebraska. Architects and Engineers: Leo A. Daly Company, Omaha, Nebraska,

PICAL

ם ם

O O

.82

TYPICAL UMBRELLA UNIT

4º I CANTILEVER


Concrete shell roofs in the form of inverted umbrellas provide for great versatility of interior space arrangement. The hyperbolic paraboloid shells are supported by single columns. Walls are not load bearing. Thus, they can be located as desired—and relocated with minimum expense.

The structure illustrated here shows how this concept meets the changing needs of a school in a growing suburban area. It is readily adaptable to increased pupil population or new educational

philosophies.

The economy of the repeating H/P's was well demonstrated in the bids and actual construction.

In this design, the conventional straight line fascia arrangement was avoided by exposing half a unit on the outside. This decorative, gabled treatment complements the suburban neighborhood of well-kept homes.



PORTLAND CEMENT ASSOCIATION Anational organization to improve and extend the uses of concrete

ECTION

Ø

w w

0

28,

82



WOOD FOLDING PARTITIONS


PELLA ALSO MAKES QUALITY
WOOD FOLDING DOORS
WOOD SLIDING GLASS DOORS
WOOD CASEMENT AND MULTI-PURPOSE
WINDOWS AND ROLSCREENS

Provide flexibility of space with fold-back walls of wood

Panel dimensions of 10%" x 1½6" provide the massive appearance compatible with schools, churches, restaurants, clubs and offices. You can specify PELLA WOOD FOLDING PARTITIONS from these 6 genuine wood veneers: OAK, PINE, BIRCH, WHITE ASH, PHILIPPINE MAHOGANY OF AMERICAN WALNUT. Ask us to do the finishing at the factory or have it done on the job. Patented "live-action" steel spring hinging assures years of smooth, easy operation. Stable wood core panel construction prevents warping. Available for all widths and in heights up to 20'1". Full specifications in sweet's or call your PELLA distributor listed in the Yellow Pages.

ROLSCREEN COMPANY . PELLA, IOWA

For more data, circle 160 on Inquiry Card



These rugged, low silhouette housings improve the appearance of roof-top ventilation units.

You designate the color that is compatible with the design of your building . . . 12 standard sealed-in colors plus special mixes to order.

Housings are constructed of fiberglass reinforced polyester resin, fire retardant with isothalic gel coat. Maintenance free units deaden sound and withstand heat, cold, moisture and fumes.

Available for a wide range of Hyduty PC Fans.

- "In-stock" Colors:
- Sandalwood Coral Pearl Gray Blue Mist
- Alpine White
 Copper
 Silver
 Chinese
 Red
 Gull Gray
 Pebble Brown
 Gulf Blue
 (Light)
 Gulf Blue
 (Deep)

For complete data, write:



The Original Manufacturer of Roof Fans Founded 1915 • Member AMCA

Dept. 9, 213 California Street, Newton 95, Massachusetts In Canada: PRESTON PHIPPS INC., 940 Ogilvy Avenue, Montreal

"...complements the design, safeguards the tenants..."

says E. Wolman of the Jerry Wolman Construction Company, Silver Spring, Maryland.



"Anchor's All-Aluminum Picket Railing protects nine levels of balconies around Summit Hill Apartments in Silver Spring. We chose it for its elegance and attractive appearance, the way it complements the design and safeguards the tenants."

Consider new Anchor All-Aluminum Picket Railing for *your* choice, too . . . whenever its lasting beauty and positive protection are compatible with your building design. Pickets, posts, and handrail are all bright, rust-proof Reynolds Aluminum. And Anchor's national network of skilled erectors provides quick and efficient installation.

For detailed information, call your local Anchor office or write: ANCHOR POST PRODUCTS, INC., 6683 Eastern Avenue, Baltimore 24, Maryland.



Plants in Baltimore, Houston, Los Angeles.

For more data, circle 162 on Inquiry Card



SLIDING

GLASS DOORS

PELLA ALSO MAKES QUALITY WOOD CASEMENT AND MULTI-PURPOSE WINDOWS, WOOD FOLDING DOORS AND PARTITIONS AND ROLSCREENS

ROLSCREEN

Wood's warmth at work

The wood frames of these pella Sliding Glass Doors serve two ways. Their pleasing proportions are in keeping with other design elements. And, because wood is an efficient insulator around glass, condensation is eliminated. With Pella-designed stainless steel and wool pile weather stripping, pella Sliding Glass Doors are exceptionally weathertight. Paint or finish these frames to match any decorating scheme. Screens close automatically. Removable muntin bars in regular or diamond shapes are available to add a traditional touch. Specify 0, 0x, x0, 0x0, or 0xx0 in 33", 45" and 57" widths. Also custom sizes. Then, top them off with pella transom units to match. Full information and specifications in sweet's or call your pella distributor listed in the Yellow Pages.


COMPANY . PELLA. IOWA

For more data, circle 163 on Inquiry Card

This mark tells you a product is made of modern, dependable Steel.



Favor Road High School, Cobb County, Georgia Architect: Bothwell & Nash, Marietta, Georgia Fabricator: Steel, Inc., Scottdale, Georgia



Rand Development Center, Mt. Prospect, Illinois Architect: Leichenko & Associates, Inc., Chicago, Illinois Fabricator: Lally Column Company, Chicago, Illinois



Union National Bank, Youngstown, Ohio Architect: P. Arthur D'Orazio, A.I.A., Youngstown, Ohio Fabricator: Allied Metals Company, Niles, Ohio Consulting Engineer: V. E. Shogren, Youngstown, Ohio



Progress Report: National Hollow Structural Tubing

Here are just a few of the buildings where architects and engineers have specified USS National Hollow Structural Tubing. It was specified for its attractive appearance, compactness and workability. It has reduced the weight of the structural frames because of its excellent strength-to-weight ratio, and contributed to better appearance because it can be left exposed and painted.

USS National Hollow Structural Tubing can be used as columns or beams. It can be used to form a complete structure, and it can be used in combination with other structural shapes. It meets the physical and chemical requirements of ASTM specifications: Grade 1 meets specifications for A7, Grade 2 meets specifications for A36. Hollow Structural Tubing is highly efficient in compression, or where there is bending stress in more than one direction. It can be joined by all the usual fabricating methods. Tensile strength: up to 80,000 psi; minimum yield strength: 33,000 or 36,000 psi.


USS National Hollow Structural Tubing is available in squares up to 40" perimeters; rectangular tubing is available up to 32" in perimeter. Wall thickness to ½ inch. All tubing is available in random lengths, 36' to 42', and in cut lengths. For more information, see your National Tube Distributor, or write National Tube Division, 525 William Penn Place, Pittsburgh 30, Pennsylvania. USS and National are registered trademarks.



National Tube Division of United States Steel

Columbia-Geneva Steel Division, San Francisco United States Steel Export Company, New York

Palm Springs Spa Hotel, Palm Springs, California. Architect: William F. Cody, A.I.A., Palm Springs, California. Associate Architect: Philip Koenig, A.I.A. Fabricator: Riverside Steel Construction, South Gate, California







stretcher plates



BROOKLINE'S fabulous new adhesive bonding method allows mounting of door trim without screws. The installer on the job simply removes the protective paper from the tape, aligns the item to the door, presses firmly on all surfaces and the job is completed in a fraction of the time for party required by screw featuring. The and the job is completed in a fraction of the time formerly required by screw fastening. The Quik-mount adhesive features a unique combination of a resilient and conformable plastic foam backing and requires only a clean, dry, unified surface for proper and complete application to aluminum, metal, wood or glass doors, finished or unfinished. Technical data on request.



6800 SOUTH CHICAGO AVENUE . CHICAGO 37 FINEST CUSTOM BUILDERS' HARDWARE

On the Calendar

April 23-25 Building Research Institute Spring Conferences—Shoreham Hotel, Washington, D.C.

23-25 44th annual meeting and exposition, American Welding Society -Sheraton Hotel and Trade and Convention Center, Philadelphia 25-26 15th Annual National Engineering Conference, American Institute of Steel Construction-Mayo Hotel, Tulsa, Okla.

6-9 95th annual convention, American Institute of Architects; theme, "The Quest for Quality in Architecture"-Americana Hotel, Miami

8-10 National convention, Consulting Engineers Council—Cherry Hill Inn, Cherry Hill, N.J.

Beach

26 32nd annual conference, American Institute of Decorators-Barclay Hotel, Philadelphia

29ff 14th Congress of the International Real Estate Federation; through June 2-Chicago

June -3-14 Institute of Church Design (lectures, seminar courses, workshops), sponsored by Carnegie Institute of Technology, Department of Architecture, and the Pittsburgh Theological Seminary—Pittsburgh 9-19 Eighth annual A.I.A.-Association of Collegiate Schools of Architecture Teachers Seminar-Cranbrook Academy of Art, Bloomfield Hills, Mich.

13-15 1963 convention, New Jersey Chapter, American Institute of Architects; theme, "Office Practice for the Architect"-Essex and Sussex Hotel, Spring Lake, N.J.

Office Notes

Offices Opened -


Gertrude Lempp Kerbis, A.I.A., Architect Planner, has opened an office at 155 East Ontario St., Chicago 11, Ill.

Ted Granzow, formerly with Skidmore, Owings & Merrill, Architects, New York, announces the opening of offices under the firm name of T. Granzow Architect at 1857 Northwest Blvd., Columbus, Ohio.

continued on page 330

RESERV-A-ROLL

Carries A Spare



TWO-ROLL WALL-RECESSED MODEL

PUSHBUTTON **AUTOMATIC**

This attractive chrome-finished two-roll toilet tissue dispenser is a complement to any rest room or bathroom.

- · Dispenses any standard rolls of tissue.
- · Easy-to-load, fool-proof mechanism.
- · May be wall-recessed or surfacemounted.

FOR SAMPLES AND LITERATURE, WRITE:

THE RESERV-A-ROLL CO.

602 SUL ROSS P. O. BOX 66069 HOUSTON 6, TEXAS




See Our Listing In Sweet's Catalog


For more data, circle 165 on Inquiry Card

For more data, circle 166 on Inquiry Card

savings*



These cells carry hot and cold air from the main supply header and deliver it to the room mixer.



These standard size structural cells can carry wiring for power and communications of all kinds.

Savings . . . one thing you can depend on when designing with Q-Air Floor. These cellular steel units provide the structural floor, branch ducts for the air conditioning system, and raceways for the power and communication wiring. Because these services are all contained within the cellular sub-floor, ceilings can be hung directly below the steel framing. This can reduce the floor to floor height by as much as one foot with the resultant savings in all vertical components of the building. Savings up to 5%—the cost of one entire floor in a 20-story building—money in the bank we say. Write for further information.

ROBERTSON =

Q-AIR FLOOR

H. H. ROBERTSON COMPANY

FARMERS BANK BUILDING . PITTSBURGH, PA.

SALES OFFICES in PRINCIPAL CITIES in the UNITED STATES
Plants In: Ambridge, Pa. • Connersville, Ind. • Stockton, Cal.



In England—
Robertson Thain Limited, Ellesmere Port, Cheshire

In Canada—
Robertson-Irwin Limited, Hamilton, Ontario

H. H. Robertson Company 2400 Farmers Bank Bldg., Pittsburgh 22, Pa.

I would like to have more information on Q-Air Floor. Please send me your Q-Air Floor Catalog.

Name

Title

Firm


Address

1 11

Zone

State

For more data, circle 167 on Inquiry Card



SCHOOL ENTRANCE DOOR

at a price that saves up to 30% on each unit

New "PACKAGED UNIT" in 2 standard sizes includes sturdy, 4" wide stile aluminum entrance door complete with Von Duprin panic device, cylinder lock, 4" frame and transom, aluminum threshold, 3 butt hinges and attractive pull

Here's how you can help keep down school building costs without cheapening the construction. As you plan new buildings be sure you detail and specify Cupples "Packaged School Door Units."

This is *not* a cheap, lightweight door designed down to a price. No sir, it's a rugged, heavy duty, wide stile entrance door, designed and constructed to withstand the tough demands of school use. It has 4" wide stiles, 6" high bottom rail; takes \(\frac{1}{4}" \) plate glass; frame with transom up to 10'2" in height; comes complete with Von Duprin rim type panic device, master control cylinder lock, aluminum threshold,

three butt hinges and attractive outside pull handle. It's a door that will satisfy your toughest assignment. And, what's more, when compared with equal quality wide stile doors, this Cupples "Packaged School Door Unit" saves you approximately \$75 to \$100 on each unit.


How do we do it? Simple. We offer this standard door package in only two sizes (36" and 42") - No specials — No exceptions. This standardization reduces our costs and we pass the savings on to you. Write today for complete information and details. Address Dept. AR-634.

CUPPLES PRODUCTS CORPORATION

A Division of Aluminum Company of America

DOWAGIAC, MICHIGAN . CORONA, CALIFORNIA

Warehouses at Dallas, Texas and Spring Valley, N. Y.





ALCOA

CUPPLES PRODUCTS DIVISION ST. LOUIS, MO, A complete line of custom and standard doors, store front metal, custom and stock curtain walls, stock projected windows, stock and special sliding glass doors. All Alumilited finishes are bonded and guaranteed.

For more data, circle 168 on Inquiry Card



- 6 separate 2-way conversations simultaneously
- Push button channel selector
- Selective paging with reply
- Start a system with any number of Masters and Staffs

Requires no wiring ... no cables ... can be used anywhere electrical outlets are available. Incorporates the exclusive Talk-A-Phone patented noise-free "Sonic Gate" circuit. Provides dependable communication. Easily installed. Distinctively styled in custom-designed cabinets of charcoal gray and brushed chrome.

*Carrier Current

Write for FREE Catalog-

Dept. AR-4 TALK-A-PHONE CO., 5013 N. KEDZIE AVE., CHICAGO 25, ILL.

For more data, circle 138 on Inquiry Card



For more data, circle 170 on Inquiry Card

the first handbook to provide complete information on supervising and testing building construction

FIELD INSPECTION OF BUILDING CONSTRUCTION

by Thomas H. McKaig, C.E., Chairman of the N. Y. State Board of Examiners for Professional Engineers and Land Surveyors

Here is a strictly practical book-it is not a textbook. It assumes that you or your inspector have had sufficient theoretical training to put to immediate use the wealth of practical information it contains.

The opening chapter discusses the role of the field inspector—gives sound advice on getting along with the various trades, on treading the line between under and over-inspection, on setting up the needed records, on reporting through correct channels, and on other general, but important, matters.

COVERS EVERY STAGE OF CONSTRUCTION

The next five chapters are devoted to your inspection and testing problems at each stage of construction. For each stage you will find specific information on testing the materials and workmanship used there, on pitfalls to avoid, on material storage, protection of work in place, safety precautions, and hundreds of other vital points.

The seventh and final chapter covers every aspect of concrete construction, and the many special problems involved in getting uniform and acceptable quality.

LISE THIS HANDBOOK FOR TEN DAYS' FREE TRIAL

To examine this important material, all you need do is fill out and return the coupon. As soon as your copy arrives, take it right to the job site and put it to work for ten days. We guarantee that it will— 1. Point out better ways to speed job progress.

2. Provide better ways of testing materials and millwork.

3. Help coordinate and ease friction among the many parties to the job.

IF FIELD INSPECTION OF BUILDING CONSTRUCTION fails in the above objectives, or if it does not satisfy you for any reason, return the book and consider the invoice cancelled.

344 pages, 6 x 9", illustrated, \$9.35 7 IMPORTANT CHAPTERS

- 1. The Job of the Inspector
- 2. Preliminary Stage
- 3. Foundation Stage
- 4. Structural Framing Stage
- 5. Intermediate Stage
- 6. Finishing Stage
- 7. Concrete

 	N	AIL	TO	DAY			-
 			INIC	DEDT	FAD	D /	

McGRAW HILL BOOK CO., INC., DEPT. FARR 330 WEST 42nd STREET, NEW YORK 36, N. Y.

Send me McKAIG'S FIELD INSPECTION OF BUILDING CONSTRUCTION, for 10 days examination on approval. In 10 days I will remit \$9.35, plus few cents for delivery costs, or return book postpaid. (We pay delivery costs if you remit with this coupon. Same return privilege.)

NAME				
ADDRESS				
CITY		ST	CATE	
For price and to	erms outside	U.S. write	McGraw-Hill	Intl.,
N. 1. 30			TC.	ADD A

FARR-4



WHY THE

PRESTIGE DRAPERY TRACK



is your

BEST INVESTMENT

for every quality installation

SILENT OPERATION

Only Silent Gliss promises smooth, silent operation without annoying "echo chamber" roller noise. Solid nylon carriers glide freely, yet superquietly, in precisely fitted channel.

MAXIMUM WEAR, MINIMUM MAINTENANCE

Only Silent Gliss track is so compact, so rigid, amazingly torsion-free. And only Silent Gliss uses all-nylon cord, traveling in patented, separated channels; no untangling ever . . . almost never any need for cord replacement!

INCOMPARABLE STYLING

Only Silent Gliss is so slim and trim...so unmistakably thoroughbred in styling. Whatever the job, you'll find Silent Gliss the smallest, most inconspicuous, best track you can use.

COMPLETE RANGE OF TRACKS

14 track styles to choose from: cord or hand operated; recessed, surface or bracket mounted; cubicle, extra-duty, specialty tracks too. Some tracks easily curved for specific requirements. A complete range, to meet every installation need.



This complete, illustrated catalog contains full details of the entire Silent Giiss track line... also shows just a few of the many prestige installations where Silent Gliss is already in operation. Write for it today. Address Dept. AR-4.

Find out for yourself why Silent Gliss is the prestige track that makes sense...why you can buy less expensive tracks, but never make a better track investment. Write for complete details today...

Designed in Switzerland; manufactured in U.S.A. exclusively by


SILENT GLISS, INC., FREEPORT, ILLINOIS


Distributing Companies:

Angevine Co., Crystal Lake, Illinois
Drapery Hardware Mfg. Co., Monrovia, California

THREE OF THE Newell COMPANIES

Manufacturers of Quality Drapery Hardware Since 1903





Whittier School, Cincinnati, Ohio. Architect & Engineer: James E. Allan, Cincinnati, Ohio. Contractor:


DESIGNED WITH LUPTON **CURTAIN** WALLS,

THIS SCHOOL WAS COMPLETED FOR JUST \$1565 PER SQUARE FT.!

The 64,589 sq. ft. Whittier School, Cincinnati, Ohio, is an interesting example of how intelligent planning and good design can keep the modern school well within a practical budget and still provide complete comfort-including abundant sunlight and fresh air.

LUPTON aluminum curtain walls helped keep the cost of the Whittier School at a reasonable level . . . helped, also, to combine eye appeal with functional economy. And they expose, rather than hide, attractive structural features of the building. Like hundreds of schools designed with curtain walls, springing up across the country, Whittier provides a pleasant atmosphere, ideal for students and faculty.


When you plan a new school, consult with qualified building materials manufacturers. They know the practical applications of their products. The LUPTON man,



for example, can show you the possibilities of curtain wall construction and explain how LUPTON's one-source responsibility...from architect's design to finished installation...can cut costs, save time, help meet deadlines and assure final satisfaction.

For complete details, talk to your local LUPTON man or call any of the offices listed below.

Main Office and Plant: 700 E. Godfrey Avenue, Philadelphia 24, Pa. West Coast Office and Plant: City of Industry (Los Angeles County), California. Sales Offices: San Leandro, California; Oak Brook (Chicago), Illinois; New York, New York; Cleveland, Ohio; Dallas, Texas. Representatives in other principal cities.



Typical wall section with LUPTON Curtain Wall

LUPTON®


MICHAEL FLYNN MANUFACTURING COMPANY

For more data, circle 172 on Inquiry Card



Westcott Concrete Corp., Laconia, New Hampshire used the new attached hardware and steel cap-waler for residential foundations.

Note 3' spacing of ties on latch-bolt forms by Larson Cement Contractor, Evanston, Ill.



LATCH-BOLT FORM

INCREASES SPEED ON LIGHT OR HEAVY CONSTRUCTION

Symons new latch-bolt hardware is now available for use on all Symons Steel-Ply Forms. This new system can be used for residential, commercial and heavy construction. Forms can be converted to ganging simply by removing a threaded slide bolt and substituting gang form bolt.

Other new innovations are Symons new Hi-Strength 6,000 lb. flat tie. Hi-Strength is designed to set 3 ft. on center saving up to 33% of ties and labor normally required. Only 2 ties (instead of 3) are needed for a 6 ft. panel; 3 ties (instead of 4) for an 8 ft. panel. Also waling for single lift forming can be eliminated by using Symons new steel capwaler brace. It fits rigidly over the top of Symons Steel-Ply Forms. No hardware is required. The cap can be used as a brace because it interlocks with standard form hardware.

Symons Steel-Ply Forms with new attached latch-bolt can be rented with purchase option.



CONCRETE FORMING EQUIPMENT
SYMONS MFG. COMPANY
122 East Touhy Ave., Des Plaines, Illinois

MORE SAVINGS FROM SYMONS

Office Notes
continued from page 322

Arthur R. Cogswell Jr. has opened an office for the practice of architecture at 105 North Columbia St., Chapel Hill, N.C.

Osborn Engineering Company, a Cleveland consulting engineer firm, has opened a new office in downtown Pittsburgh, Pa.

Mort R. Patton, Architect, has opened an office at 202 North Lawrence St., Montgomery, Ala.

John H. Alschuler, A.I.A., formerly a member of the staff of Friedman, Alschuler & Sincere, has opened his own architectural office specializing in service for business and industry. The address is 160 East Grand Ave., Chicago.

New Firms, Firm Changes—Clifford R. Hayes and Thomas C. Large have been admitted as partners in the firm of Hunter, Campbell & Rea, Architects, Altoona and Johnstown, Pa.

A new professional firm, Pacific Architects Collaborative, has been organized with offices at 25 South Euclid Ave., Pasadena, Calif. The new group, which comprises eight principals and their associated firms, is to provide a pool of architectural and design services in the commercial, industrial, institutional, civic and housing fields. President is Keith P. Marston; vice president, Edward D. Davies. Board includes David Chow, George S. Conner, Robert L. Deines, R. Van Buren Livingston, Theodore L. Pletsch and William Henry Taylor.

Otto A. Koch has been appointed chief electrical engineer with Valley Engineering Company, consulting engineers, Glenside Ave., Glenside,

Robert T. Handren, A.I.A., has formed a partnership with J. Stanley Sharp, A.I.A., as **Sharp and Handren, Architects,** New York.

William J. Zalewski has been appointed project architect of H. A. Kuljian & Company, Philadelphia architects and engineers.

Robert E. Earnheart, A.I.A., formerly in private practice in Kansas City, Kans., has joined the firm of Powers and Associates, Planners-Engineers-Architects, Iowa City, Iowa, as a partner in charge of the architectural department.

continued on page 338



how to be sure you get VICRTEX when you specify VICRTEX Vinyl Wallcoverings

Occasionally, an architect wanting VICRTEX quality discovers that through misinterpretation of specifications a different, less desirable wall covering has been installed. With tighter specs this might never have happened. The wall covering installed would have been VICRTEX with its full beauty of color; distinctive textures and patterns; permanent wall protection; low, low, maintenance; and tested and proven fire safety. To be sure you get VICRTEX quality when you specify vinyl wall coverings:

1. specify by weight and thread count a bleached, pre-shrunk, mildew-inhibited cotton fabric backing sufficient to give a blemish free, dimensionally stable, easily applied wall covering

2. specify by weight, adhesion to backing and abrasion resistance a vinyl coating compounded of top grade ingredients and electronically fused to the fabric.

3. specify a low fire bazard classification continually maintained and confirmed by an independent laboratory; and delivery of the wall fabric to the job site in containers bearing the inspection label of that laboratory.

4. require subcontractor to submit with his bid the manufacturer's name and product quality on which his bid is based.

Write for our booklet "A Practical Guide to Specification, Selection and Use of Vinyl Wallcoverings." Do it today!




L.E. CARPENTER & COMPANY

Empire State Building, New York 1 (212) Longacre 4-0080

For more data, circle 174 on Inquiry Card


For more data, circle 173 on Inquiry Card



- Rotacore, a unique, eye appealing Supply Grille with close spacing of the horizontal bars which give a uniform straight line appearance and cuts "see through" to a minimum.
- Rotacore is sturdy with a removable core that is pencil proof, ideal for schools and other installations where small objects must be turned aside.

Rotacore of stylish lightweight extruded aluminum has core with snap-out, snap-in attachment feature for quick choice of . . .

4 POSITIVE DEFLECTIONS




With second set of vertical individually adjustable louvers for spread deflection.

Ask your Representative for complete details on Rotacore, and our complete line of Grilles, Registers, and Diffusers or write Waterloo Register Company, Inc., P.O. Box 147, Waterloo, Iowa

rotacore

EXTRUDED ALUMINUM


SUPPLY GRILLES






For more data, circle 175 on Inquiry Card

Pittsburgh Corning products offer unique solutions to some of building's most critical problems





Slope the ceilings, zig-zag the walls, cant the floor, slot the masonry, slat the woodwork, patch with pegboard. All this takes time and money. When these are limited, usually they are, you can still do the right acoustical job without structural extravagance.



Pittsburgh Corning has a unique solution: GEOCOUSTIC®

GEOCOUSTIC units can be applied directly to the finished room surfaces without additional preparation—harmoniously, selectively and in exactly the right places acoustically. And GEOCOUSTIC treatments require little time, little money.

Problem: how to design good room acoustics without structural extravagance. Apply GEOCOUSTIC units directly to room surfaces—attractively, speedily, and inexpensively. For more data, circle 176 on Inquiry Card Problem: end frequent replacement of roof insulation. FOAMGLAS® Roof Insulation: Moisture-proof cellular glass to insure constant insulating value—available in blocks 12" x 18" and 18" x 24" or in new 2' x 4' FOAMGLAS BOARD® roof units. For more data, circle 177 on Inquiry Card
Problem: curtain wall insulation that softens and de- laminates. FOAMGLAS Curtain Wall Insulation is incom- bustible, dimensionally stable and has an extremely high melting point. For more data, circle 178 on Inquiry Card
Problem: eliminate the need for two materials in a screen wall. INTAGLIO all-glass wall units combine glass and grill effects in a single material. For more data, circle 179 on Inquiry Card
Problem: reduce pipe and equipment insulation maintenance. FOAMGLAS Insulation—impervious to moisture, fire and acids—for operating temperatures ranging from -450° to +500°F. For more data, circle 180 on Inquiry Card
Problem: prevent high temp pipe insulation breakage. UNIBESTOS®—the long fibered Amosite asbestos insulation rugged enough for toughest applications at operating temperatures to 1200°F. For more data, circle 181 on Inquiry Card
Problem: find a structural insulation for cold rooms. FOAMGLAS for freezers, coolers and low temp storage spaces—permanent insulating value with extra strength and rigidity for such cost-cutting innovations as freestanding insulating walls and partitions.
For more data, circle 182 on Inquiry Card Pittsburgh Corning Corporation Dept. B-43, One Gateway Center, Pittsburgh 22, Pa.
Please send me descriptive literature for the products I have checked.
NameTitle
Company
Address ZoneState
StryState

lets you design room acoustics in accordance with professional recommendations


Now you can design your room acoustics according to the textbook, in classrooms, auditoriums, bandrooms, gymnasiums, pools, cafeterias, lecture halls, studios, churches, restaurants, theatres—anyplace where it's important to hear and be heard in a room.

Mail the coupon for complete details.

PITTSBURGH



How the Dodge Reporter helped erect this handsome new research center



Colgate Palmolive Company's new multi-million dollar research center presented architects Eggers and Higgins with a formidable array of "musts." The building had to be expandable. All 170 laboratory modules had to have daylighting and forced ventilation. The building had to accommodate offices, cafeteria, conference rooms and a 17,000-volume library. Solution: a finger plan. Two lab wings and three wings for administrative, conference and library space project from a central axis corridor that curves gently to fit site contours and to avoid a tunnel-look inside. Mechanical ventilation equipment is in the clearstory. Every lab module has a big plate glass window. The exterior is practically maintenance-free: ceramic, glass, and enamelled aluminum.

"The Dodge Reporter helped us by alerting local contractors and suppliers to our needs," says Partner, David Eggers. "On one of his regular visits we informed him of the project, and during subsequent visits we filled him in on details. This way, suppliers and trades who called on us were already educated to our requirements."

Colgate Palmolive Research Center, New Brunswick, N. J.

Contractor: G. C. Turner Construction Co.

Abundant daylighting for all facilities and opportunity for easy expansion are simultaneously achieved by the finger plan. Laboratories are housed in the two projecting wings in the back of the central axis corridor. In front, the left wing comprises reception and administration rooms. The center wing, with its dramatic roof made (like an airplane wing) of metal ribs covered with aluminum, houses the library, files, reading room and a conference room. At right is the 240-seat cafeteria. All partitions in the laboratory can be easily moved, and each lab module has its own exhaust flue to insure continuous ventilation.



DODGE REPORTS

CONSTRUCTION NEWS SERVICE 119 W. 40th St., New York 18, N. Y.

For quality toilet compartments

shower stalls / dressing enclosures in baked enamel / porcelain enamel






REPRESENTATIVES: Some choice territories are still open. Representatives in most states of United States including Hawaii.

GLOBAL STEEL PRODUCTS CORPORATION 80-A SMITH STREET - FARMINGDALE, NEW YORK

and specification sheets.

For more data, circle 183 on Inquiry Card




Textured Textolite—the remarkable no-glare laminated plastic finish for office use—offers unlimited application versatility in a practical, maintenance-free surfacing. Available through most leading office equipment manufacturers. Write for samples.

GENERAL & ELECTRIC

CENTERAL FILECTRIC COMPANY	V C 1		
GENERAL ELECTRIC COMPAN			Dept. AR-43
() Send samples of G-E Te.	xtolite® lamii	nated plas	Stic.
Name			
Firm		The Paris	
Address			
City	Zone	State	

For more data, circle 184 on Inquiry Card

These two central systems can provide




Carrier Classroom Weathermaster System

... for use where outside walls and windows must be swept with warm air in winter

Croton Elementary School, Syracuse, New York. Architect: Gordon P. Schopfer. Consulting Engineer: Cedric R. Acheson. Mechanical Contractor: H. H. and F. E. Bean, Inc. General Contractor: D. H. Fellows Construction Corp.

This compact, two-story structure serving 600 pupils occupies half the space required by an equivalent finger-type design. Site acquisition costs

were reduced by \$200,000. Year-round climate control, which made the compact design possible, is provided by the Carrier Classroom Weathermaster[®] System. The building contains 22 classrooms, four special purpose rooms, and offices. Cost per square foot with full climate control: \$14.92, about average for elementary schools with heating-ventilating only in the Syracuse area.



The single duct induction system using Carrier Classroom Weathermasters gives individual room control without complex zoning. One air treatment station centralizes outside air intake, filtration, cooling, condensate disposal, air movement. Carrier supplies refrigeration, too.

BOTH SYSTEMS OFFER THESE ADVANTAGES

- 1. Individual classroom temperature control with maintenance-free simplicity.
- 2. Complete positive air changes up to 10 times an hour in every classroom to eliminate overheating, odors and stuffiness.
- 3. Assure uniform sound level of proper quality and intensity to mask noise.
- 4. Centralized, economical maintenance with no moving parts in the classrooms.
- 5. 100% outside air for free cooling in the intermediate seasons.
- 6. Superior air filtration with optional air washing—no filters to change in the class-rooms.

economical climate control for any school




Carrier Multi-Zone Weathermaker System

... for use in interior spaces and compact schools where downdrafts don't form

Robert E. Lee High School, Midland, Texas. Architect: Preston M. Geren. Consulting Engineer: Yandell, Cowan & Love. Mechanical Contractor: Roche Newton Co. General Contractor: A. P. Kasch and Sons.

This 2200-pupil school in hot, dusty West Texas is fully air conditioned, yet cost only \$12.10 per square foot. Closely related structures are grouped

around a central court. Classroom and laboratory sections are compacted into separate squares, affording flexible partitioning of interior space for classrooms, laboratories, teachers' offices and storage centers. From several small mechanical rooms containing Carrier Multi-Zone Weathermakers®, ducts radiate to each classroom, giving individual room temperature control.




Centrally conditioned air is ducted to ceiling diffusers. High window strips give a feeling of spaciousness and eliminate distractions. Refrigeration is provided by two Carrier Automatic Absorption Machines powered by low-pressure steam which also supplies heating.

CARRIER OFFERS EVERY MAJOR COMPONENT

From the complete line of major Carrier components, the engineer can select the optimum combinations for initial and operating economy and best performance. Carrier also has service to back up the installation. Our company and our dealers maintain the largest and best-trained service organization in the business—over 11,000 men strong. For specific information about Carrier systems—

and about our complete line of components—call your Carrier representative. Carrier Air Conditioning Company, Syracuse 1, New York. In Canada: Carrier Air Conditioning Ltd., Toronto 14.



HORIZONTAL GLIDING ALUMINUM WINDOWS

FOR GREATER BEAUTY,
MORE UTILITY AND COMPLETE
CUSTOMER SATISFACTION

...in your next Residential or Commercial job—here's why:



Glidorama is recognized as the ultimate in *undisturbed fenestration* by leading builders.



Glidorama enhances and complements today's modern architectural styling.



Glidorama has these engineered features which assure lasting quality: "invisible" hardware stainless steel ball bearing rollers complete perimeter seal twin, V-shape, metal interlock-rail and jamb easy inside removal of panes and screens.



Glidorama windows won't rust, warp or rot—never need painting. Adaptable to all types of construction and available in a wide range of standard sizes.

Give your clients the beauty and the economy of Glidorama Horizontal Gliding Aluminum Windows. Write for details.

GLIDING WINDOWS

for Commercial, Institutional, Industrial and Residential buildings.



GLIDORAMA DIVISION, WHIZZER INDUSTRIES, INC., 352 SOUTH SANFORD, PONTIAC, MICHIGAN

EXHIBITED at AIA CONVENTION—FLORIDA

For more data, circle 186 on Inquiry Card

Office Notes

continued from page 330

Frederick F. Sadri, A.I.A., is now senior associate in charge of architectural design in the firm of J. N. Pease Associates, Charlotte, N.C.

Hugh Shepley and Jean Paul Carlhian have been admitted to partnership in the Boston firm of Shepley Bulfinch Richardson & Abbott.

Douglas William Orr, F.A.I.A., announces that Edwin William de Cossy and Frank Dodd Winder have become his partners, and the firm continues under the name of Office of Douglas Orr, de Cossy, Winder and Associates, Architects. Offices are at 111 Whitney Ave., New Haven, Conn.

William Golub has become an associate member of the firm, Lee Schoen, Architect-A.I.A., 19 E. 53rd St., New York 22.

Francis F. Widrig has been promoted to an associate in the structural consulting firm of Clifford Holforty Associates, Birmingham, Mich.

The partnership of Celli-Flynn, Architects-Engineers-Planners, Mc-Keesport, Pa., has expanded to include as associates Sylvester Damianos, R.A., and John T. Fownes, R.A.

New Addresses -

Thomas F. Hargis Jr., Architect, A.I.A., and C. B. Goldsworthy, Associate, 216 Miller Bldg., Yakima, Wash.

Hellmuth, Obata & Kassabaum, Inc., Architects, Blue Cross Building, 1430 Olive St., St. Louis 3, Mo.

Ralph Kelman, 11111 North Central Expressway, Dallas 31.

Guy B. Panero Inc., Consulting Engineers, 468 Park Avenue South, New York 16

Singleton & Reidenbaugh, A.I.A., 243 North Duke St., Lancaster, Pa.

Street and Street, Architects, 920—1808 West End Building, Nashville 3, Tenn.

Addendum

The credit for the residence of Robert A. Anderson Jr., February, pages 151-154, should have included Mr. Anderson's firm name, Wilson, Morris, Crain & Anderson.

This space contributed by the publisher as a public service.








More than 2,000 children die each year of leukemia—cancer of the blood-forming tissues.


Important findings in research laboratories helped extend this child's life—and the lives of other little victims—by many precious months. Research scientists now see evidence that a virus may cause leukemia and this might bring closer the development of a vaccine to prevent the disease. Research will save children in the future. But research is expensive. Give some money. Please. It's for them.



AMERICAN
CANCER SOCIETY



For more data, circle 187 on Inquiry Card



Vā-Power SpecEngineering Conquers Space

In today's world of population concentrations and high industrial property costs, maximum utilization of space is an economic necessity. VĀ-POWER SpecEngineering conquers space by allowing you to put boilers where old-style, bulky boilers simply couldn't fit.


VA-POWER Boilers need no expensive enclosure, foundation or stack—any aisle or unused corner, anywhere—basement, balcony, even on the roof is all the space you need. You can get an astounding 150 bhp in only 5' x 8' floor space. Equally easy to move—go right through plant-type doorways.

Shipped fully assembled—just connect and fire up. Can't waste fuel or water because steam is made only "on demand" to maintain the pressure you want. Goes from a cold start to operating temperature and pressure in as little as 2 minutes!


As your main steam source or as an auxiliary source for power, processing, heating or for emergency use . . . specify $V\overline{A}$ -POWER and get the space-saving you need from SpecEngineering.



Lightweight enough to be installed on a catwalk




Compact enough to be installed on a mobile trailer



Small enough for seven boilers (total 835 HP) to fit on one truck

more steam generating capacity in less space

Dimensions tell the story. VA-POWER Boilers require as little as one-fifth the space of conventional boilers of the same rating, and weigh as little as one-third!



R

Send free copy of VĀ-POWER SpecEngineering Application Chart containing complete information on the entire VĀ-POWER line of Boilers.

INDUSTRIAL DIVISION VAPOR CORPORATION

Dept. No. **41-D** 6420 West Howard Street Chicago, Illinois

VA-POMER


SpecEngineering

Name_____

TION

Address____

For more data, circle 188 on Inquiry Card



"Regardless of the strengths and attributes our nation possesses, if we fall behind in the field of education, we will fall behind as a world power.

"Our scientific, cultural and economic growth—and our political strength—will depend largely upon the educational facilities we make available to our youth. We owe it to ourselves as a nation; we owe it to our young people who will inherit this nation to provide the financial aid that will make our institutions of higher learning second to none in the world. This is of vital importance to our business community.

"Business must put its support on the line to help win the battle for higher education." Today many of our colleges are overcrowded. In ten years, applications will have doubled and we will be faced with an even more serious crisis in our institutions of higher learning. We will need more and better college classrooms, many more well-equipped college laboratories and thousands more of the most dedicated and well-trained professors.


Only increased financial aid will provide our young people with the best college facilities. Only increased financial aid will keep our finest minds from leaving the teaching profession.

For additional information on the crisis faced by higher education write to: Higher Education, Box 36, Times Square Station, New York 36, N. Y.



Published as a public service in cooperation with The Advertising Council and the Council for Financial Aid to Education





that's built for abuse <u>and</u> beauty

• Few jobs come too tough for this Splen-door. Even gymnasium punishment isn't too severe for those panels of anodized aluminum and hinges of rugged vinyl. Best of all, the Splen-door 66 you see here can save you about 40 per cent of what you'd have to pay for some conventional gym partitions. Even the stack space is a saving . . . at one inch per foot of opening width. Get the full details now, outlined in a colorful eight-page book. Just fill out the coupon at the right.

In Canad "Modernfold" Opera Wall Coverings; "P	a: Modernfold of ble Walls, Parti eabody'' School	tions and Do	ors; "Air Doors"	"; "Modern-Cote"
Gentlemen: Plea	se send you	r eight-pag	ge Splen-doo	r book.
				Dept. A243
Name				
Firm				
Address				
City		Co.	State	



For more data, circle 189 on Inquiry Card



"Electrionic" sensing elements mount in any high aspirating air diffuser system ...respond up to 15 times faster than wall-mounted thermostats.

NEW from BARBER-COLMAN

A thermostat for

"Dynamic Sensing"—
developed by
Barber-Colman
—puts the
thermostat where
it belongs...in a
moving stream
of air.

It's moving day for thermostats! "Dynamic Sensing" removes thermostats from the large wall mass that prevents rapid response to temperature changes. Barber-Colman "Electrionic" sensing elements mount in ceiling diffusers, air/light diffusers, and all types of perimeter units that surround the thermostat with a stream of constantly moving room air. Room temperature is continuously sampled. Changes are detected instantly. Overheating or overcooling are eliminated assuring accurate, uniform, and economical temperature control.

Problems of proper thermostat placement are solved. The pencil-slim stainless steel tube which houses the sensing element is completely hidden in most applications . . . out of sight, out of mind. Adjustments are made electronically from a remote point safe from tampering and accidental damage.





air on the move!

Installation is simplified. Economical, low-voltage wires connect thermostats and controls. Drilling or channeling of runs for electrical conduit or pneumatic tubing is not necessary. Controls can be installed right along with heating and cooling equipment; no more waiting for walls or panels to be erected before comfort apparatus can be used.

Off-the-wall mounting brings new flexibility to room partitioning. Walls and panel dividers can be moved at any time *without* altering the temperature control system.

These advantages of "Dynamic Sensing" provide the imaginative architect and engineer new freedom in temperature control system design. For a copy of the latest progress report on "Dynamic Sensing" call the Barber-Colman Automatic Controls field office nearest you.

BARBER-COLMAN COMPANY

Rockford, Illinois


In Canada: BARBER-COLMAN OF CANADA, LTD.
Toronto, Ontario

... where originality works for you



JUST OFF THE PRESS!

THE EXPANDED. ALL-INCLUSIVE



"BUILDING COSTS" is a monthly supplement to the manual . . . gives you up-to-date, accurate adjustments to fit your location's current costs . . . anywhere in United States or Canada . . . any time, month by month!

Both published by:

E. H. BOECKH & ASSOCIATES, INC.—Washington 5, D. C. **Consulting Valuation Engineers**


Subsidiary of The American Appraisal Company

E. H. BOECKH & ASSOCIATES, INC. P. O. Box 12084 — Mid City Station Washington 5, D. C.	Name	Title
Yes, I want the 6th EDITION of Boeckh's Manual of Appraisals and a 12-month subscription to the "Building Costs" supplement. Am enclosing \$40.00 in full payment. I under-	Firm or Organization	
tion to the "Building Costs" supplement. Am enclosing \$40.00 in full payment. I understand I may return this material for any reason, within 10 days for FULL refund.	Address	
Send me descriptive brochure at once.	City	State

Clip and Mail This Coupon Now!

Architects: Kemp, Bunch & Jackson-Jacksonville, Florida





In Jacksonville's new Civic Auditorium, comfortably-seated audiences salute the architects for specifying the outstanding performer in the field of auditorium seating - the all-steel ENCORE TC-700 Chair by Heywood-Wakefield.

Built to provide maximum comfort for years, the 3,809 ENCORE Chairs offer generously padded backs, coil spring cushions, and self-rising seats. Comfort is further assured by generous back-toback spacing and a seat-to-back ratio determined by scientific study.


Complete information on the ENCORE TC-700 Chair and other Heywood-Wakefield quality seating is in section 36d He of Sweet's Catalog; or write us now for a complete seating portfolio.



Menominee, Michigan

For more data, circle 191 on Inquiry Card

Slammed, banged, twisted and tortured



...over 1,000,000 times without breaking down!

Rugged Slam Test plus Dual-Moment Test by Independent Labs Prove Kawneer 190 Superior

Using the full spring force of a closer with no hydraulic checking action, a Kawneer 190 door was slammed against a racking block more than a million times! This severest test of a door's strength was conducted by an independent testing laboratory.


Their report states that after testing, there were no cracks, corner damage, loose bolts, broken welds or twisted rails. There was no damage, nor sign of wear to hinges and fastenings. Clearances at head, jamb and sill remained constant. Diagonal dimensions were unchanged—proof the 190 didn't sag. The lock-in glass stops were still tight.

Results of Dual-Moment Testing on Doors by Major Manufacturers. Another Independent Laboratory subjected the Kawneer 190 and eight well-known competitive doors to the tortuous dual-moment lever arm and torque test . . . applying forces of common door failure. The corner of the 190 door held fast against a load of 200 pounds. The average performance of other doors tested was failure at 98.7 pounds load.


Dual-Moment Test – Lbs. Applied Before Failure				
Kawneer 190 205 lbs.	Brand 360 lbs.	Brand 6130 lbs.		
Brand 1 55 lbs.	Brand 455 lbs.	Brand 7100 lbs.		
Brand 2195 lbs.	Brand 585 lbs.	Brand 8110 lbs.		

Affidavits of Independent Test Reports are available when request is submitted on your letterhead.

The Kawneer 190 door is better, competitively priced and installs faster. And now it is available in *Kalcolor® (black, gold, amber) as well as with Alumilite 204 A1 R1 finish.



Rack-proof . . . The strongest corner construction ever! Kawneer doors are welded four times at each corner with a secured reinforcement.




Dual-Moment Lever Arm and Torque Test...Simulates the most common, failure-causing loads submitted on door corners.



*Licensed trade-mark of Kaiser Aluminum and Chemical Corp.

Kawneer Company, A Division of American Metal Climax, Inc.

Niles, Michigan • Richmond, California • Atlanta, Georgia • Kawneer Company Canada Ltd., Toronto, Ontario, Canada



A brief run-down on the newest, most versatile wall partition

A portable, self-storing wall, able to be set up or taken down in minutes, KWIK-WALL is a totally new concept in portable partitions. Installed with or without ceiling channel . . . KWIK-WALL panels have the appearance and properties of a permanent wall with complete flexibility of movement.

<u>DIMENSIONS</u>: KWIK-WALL partitions are 48" wide with special width sections available to fill space that does not work out to an even 48".

Heights up to 12' are available, final wall dimensions to be $1\frac{1}{4}$ less than opening size.

OPERATION: Partitions shall be sealed by means of a crank operating a mechanical device built into each panel. This device expands the trim cap of all sections and the side member of one end section, providing up to 50 lbs. of pressure to hold sections secure. Both the top cap and side cap have a maximum expansion of 21/4".

CONSTRUCTION: Available in two thicknesses, $1\frac{3}{4}$ " and $2\frac{1}{4}$ ". Panels shall be flush with an aluminum frame and two layers of small cell paper honeycomb core with thin sheet of lead between layers. Aluminum frame of tongue-and-groove extrusion with an implanted rubber seal to provide tight fit and sound retarding qualities of a frame wall. The expandable trim cap on all panels and the expandable side member on the end panel are of aluminum with rubber seal implanted to provide even pressure and seal the entire opening, even if the latter is out of square and out of level. Pass doors are available in either right or left hand openings, made to swing either in or out, as ordered. Sizes 2'8" or 3' x 6'8".

FINISHES: KWIK-WALL partitions are available in a wide variety of surfaces, including prefinished natural wood, print grain plywood, hard-surfaced plastic, decorator vinyls, and unfinished plywood suitable for painting or finishing. Custom made in 48" widths, heights up to 12'.

Write Department AR4 for brochure and complete information



SPRINGFIELD, ILLINOIS
division of Capitol Woodworks




For more data, circle 193 on Inquiry Card



Here's why:

Century's new line of Instalite fixtures enables you to install interchangeably a fresnelens unit, an accentlite, a wall washer, a reflector downlite, or a conelite in the same mounting ring and through the same size ceiling aperture. Installation is fast and easy. The fixture body or reflector snaps into place with the twist of a screwdriver. Instalite fixtures are engineered for precise optical performance. Die cast fixture trim gives ceilings a clean, open appearance. Write for brochure.





New York: 521 West 43rd St., N.Y. 36 Calif: 1820 Berkeley St., Santa Monica

For more data, circle 169 on Inquiry Card



WHY CUT

OFF AT THE KNEES BY ADDING

or equal"

Plant engineers have practical experience with the many products used in their plants. They have installed them; maintained them; cussed them; and blessed them. When ordering products for a new plant or plant expansion, they know exactly what they want.

Specifications coming out of plant engineering departments are always well written and very complete. A typical "spec" will provide all of the pertinent data on the coating. This will include the catalog number and name of the manufacturer. If they would stop at this point, life would be a lot easier for a lot of people. However, just to make sure everyone will be happy, some plant engineers add "or equal" to the specification.

Those two apparently peaceful words guarantee trouble. Many contractors interpret "or equal" to really mean "or cheaper" and submit their bids based on the use of inferior products. Even reputable contractors are forced to consider cheaper materials to stay in the bidding. Distributors and manufacturers are also caught in this squeeze with insistent demands for cheaper materials that only look something like the item specified.

Adding "or equal" is a fine and noble gesture. It

proves you have good intentions and an open mind. However, in practice it leads to emphasis on cheaper materials and low priced jobs. It is high time we took a hard look at "or equal" and cut it out of American

engineering language.

When you write your next specification, instead of "or equal" try "NO SUBSTITUTIONS." Your bids will be more realistic and you will have less trouble now and in the future. When you specify a product based on past experience, stick to it. After all, you will have to live with it for a long time.

Does a firm specification restrict competition? It sure does. It protects the manufacturer building a quality product. Without this protection, sales will be lost unless he is willing to lower the quality of his product. Should you restrict competition? You bet your life you should. You can force the supplier of inferior products to make improvements to meet your needs. This is certainly more constructive than forcing quality products to lower standards.

If you want long life, reliable operation, and lowest over-all cost . . . find the best product, specify it, and

allow "NO SUBSTITUTIONS."

-Adapted in part from PLANT ENGINEERING, DECEMBER, 1962

P.S. Rust-Oleum emphatically endorses the above editorial and its philosophy. We know that there is no substitute for Rust-Oleum. We take pride in being the industry leader in rust preventive coatings with over 40 years of industry proof! Why "or equal" when there is only one Rust-Oleum?

There is only one Rust-Oleum.



Distinctive as your own fingerprint.

769

DAMP-PROOF RED PRIMER


----- ATTACH TO YOUR LETTERHEAD -----

Rust-Oleum Corporation 2503 Oakton Street - Evanston, Illinois

Gentlemen: At no cost or obligation, please send me the following:

- 24-Page "Long Life Facts" Brochure.
- ☐ 38-Page New Color Horizons Catalog.
- Specification Charts for Coating Structural Steel and Steel Components.
- ☐ 40-Page "101 Rust-Stopping Tips" Booklet.

For more data, circle 194 on Inquiry Card



Honeywell's at Harvard...controlling temperature

Just two men at two Honeywell Selectographic Control Centers supervise the whole job in Cambridge! One man at each centralized control panel can check and change temperature . . . start, stop and monitor fans, heating and air conditioning equipment. He can even operate steam valves and monitor flood valves . . . all from a console about the size of an ordinary desk.


Three years ago, an analysis showed "an inordinate amount of time" needed for operating men to go from building to building to perform routine functions. Harvard was ready for automated control.

The Harvard campus poses some interesting problems for an automated control system. For one thing, it's big... both in area and in number of buildings. For another, the buildings themselves differ greatly in age, size, design and requirements. Finally, Harvard is growing


fast. They had to have a system that could handle the expansion they plan in the years ahead. Working with Honeywell engineers, they decided the best solution was two centrally-located Honeywell Selectographic Data Centers.

As the map shows, one center controls 67 campus buildings north of the Harvard Yard. Another, in Holyoke Center, will control 40 buildings south of the Yard. As an indication of the capability of these systems, one man at the north Data Center can:

- 1. view 37 schematic diagrams (projected from slides) representing systems for the 67 buildings.
- 2. start, stop, or listen to 42 fans up to ½ mile away.
- 3. operate 32 steam valves.
- 4. check temperatures at 100 points.
- 5. get immediate warning of humidity changes in steam tunnels or library



To Divinity Hall



and equipment in 107 buildings, all sizes, all ages

areas (which include, among other treasures, priceless Oriental manuscripts). Reports indicate that savings from this automatic control program will amortize the investment in two years, besides improving service. And, Harvard has a modern control system that can accommodate new facilities as they're built.

Automated control is an important part of any modern building program . . . any expansion plan. The booklets offered at right are designed to help you in the planning stages of your newest project. And, whether it involves new or old buildings, one building or hundreds, Honeywell has the systems and the knowhow to survey, plan, install and service any job efficiently and economically. 112 offices in the U.S. . . . others in all principal cities of the world.

FIRST IN CONTROL SYSTEMS

Mail coupon for project analysis, planning guides. Honeywell, Dept. AR4-82, Minneapolis 8, Minn.



Send me the following free planning

- guides:

 Security and Surveillance
- ☐ Clock Programming Systems
- ☐ Automatic Fire Protection
- ☐ Temperature Control☐ Automation Techniques
- ☐ Preventive Maintenance Programs

☐ I'd like a free automation analysis for a project.
☐ I would like to see a typical installation in my area.

NAME_____


COMPANY____

ADDRESS____


CITY_____ZONE___STATE_

Honeywell

For more data, circle 195 on Inquiry Card



value leads to another...and another... you've located the leader... ARCHITECTURAL RECORD



EDITORIAL SUPERIORITY

More editorial pages than any other architectural magazine. Content continuously attuned to the needs and interests of architects and engineers with the aid of Dodge Reports and the most intensive editorial research in the field. A stimulus to creative architectural and engineering design.

PREFERRED READERSHIP

Voted "preferred" by architects and engineers in 170 out of 187 studies SPONSORED BY BUILDING PRODUCT MANUFACTURERS AND ADVERTISING AGENCIES. And the highest renewal rate in the field by far.

CIRCULATION LEADERSHIP


Offers advertisers—at the lowest cost per page per 1,000 the most architect and engineer subscribers of any architectural magazine in four primary building markets: (1) architectural firms (2) consulting engineer firms (3) commercial, industrial and institutional organizations (4) government.

TOP VERIFIABLE MARKET COVERAGE

Verifiable coverage by paid subscription of over 88 per cent of the total dollar value of all architect-planned building, nonresidential and residential, large and small.

ADVERTISING LEADERSHIP

For sixteen years in a row more building product advertisers and more advertising pages than any other magazine. And the Record has widened its advertising lead in 1963!



Every basic measure of advertising value confirms Architectural Record's ability to serve you best.


Nelson Electric Mfg. Co. 315 A-IC-LC Nesbitt, Inc., John J. 92 to 94 A New Castle Products, Inc. 343 Index to Advertising A-IC-LC Dur-O-Wal, Inc. Index to Advertising Duriron Company, Inc., The Olin Mathieson Chemical Corp., Winchester Western Div., Ramset 28 A Otis Elevator Corp. 267 A-IC Overhead Door Corp., The 28B-28C Ozalid Div. of General Aniline & Film Corp. 54 PRE-FILED CATALOGS of the manufacturers listed below are available in the 1963 Sweet's Catalog File as follows: (A) Architectural File (green), IC Industrial Construction File (blue), (LC) Light Construction File (yel-A-IC-LC General Electric Company ... 303, 335 A-LC Glidorama Div., Whizzer Ind., Inc. 338 A Global Steel Products Corp. ... 335 A Glynn-Johnson Corporation ... 339 Pacific Associated Lighting, Inc. . . 300 A Panel Structures, Inc. 314 A-IC Pittsburgh Corning Corp. . . 332-333 A Plaza Towel Holder Co. 326 LC Portland Cement Association A Adams & Westlake Co., The .. 113-116 A Reserv-A-Roll Company 322 A-LC Republic Steel Corp. 34-35, 263 A-IC-LC Revere Copper & Brass, Inc. 108-109 A-IC Richards-Wilcox Mfg. Co. 99 A Rixson, Inc. 261 A Robbins Flooring Company 19 A-IC Robertson Co., H. H. 323 Roebling's Sons Div., John A., Colorado Fuel & Iron Corp. 89 A Rohm & Haas Company 27 A-LC Rolscreen Co. 317, 319 A-IC-LC Ruberoid Co., The 134 A Rusco Industries, Inc. 74-75 A Russell & Erwin Div. 51, 53 A-IC Rust-Oleum Corp. 351 A-IC-LC American-Saint Gobain Corp. . . . 72-73 In-Sink-Erator Mfg. Co. 300 A-IC-LC Inland Steel Products Co. 251 A-IC-LC American-Saint Gobain Corp. 72-73 American Screen Products ... 269 American Seating Company ... 118-119 A-IC-LC American Sisalkraft Company ... 230 A-LC AMTICO FLOORING DIVISION ... 59 A-IC-LC Anaconda American Brass Co. ... 289 Anchor Post Products, Inc. ... 318 A-LC Andersen Corporation ... 236-237 Anemostat Corp. of America ... 232-233 Architectural Record 354-355 A-IC Architectural Systems, Inc. Div. of Westinghouse Electric Corp. ... 285 A-LC Arkla Air Conditioning Corp. ... 258-259 A-IC-LC Armstrong Cork Company 2-3, 225, 358, 3rd Cover A-LC Azrock Floor Products Div. ... 22 A Jamison Cold Storage Door Co. . . 76 A-IC-LC Johns-Manville 297-298 A Sargent & Greenleaf, Inc. 8 Schemenauer Mfg. Co. 315 A-IC-LC Scott Paper Company 126 A Silent Gliss, Inc. 327 A-IC Sloan Valve Company 4th Cover A-IC Sloan Valve Company 4th Cover A-IC Sonoco Products Co. 308 A Soss Mfg. Co. 288 Southern Pine Association 295 A Speakman Company 100-101 A St. Charles Mfg. Co. 117 A-IC Standard Conveyor Company 74 A Standard Products Co., The 294 A Steelcraft Mfg. Co., The 103 A Sunbeam Lighting Co. 42-43 Sweet's Catalog Service 357 A Sylvania Electric Prod., Inc. 33 A-LC Symons Mfg. Co. 330 A-LC Kawneer Co. 348-349 A-IC Keystone Steel & Wire Co. 304-305 A-IC Kinnear Mfg. Co., The 268 A Kirsch Co. 28A A-IC Kohler Co. 255 A-IC-LC Koppers Company, Inc. 65 to 70 Krueger Metal Products Co. 270 A Kwik-Wall Company 350 A-LC Azrock Floor Products Div. 22 A T & S Brass and Bronze Works, Inc. 270 Talk-a-Phone Co. 326 A-IC Taylor Co., Halsey W. 296 A-IC Thiokol Chemical Corp. 307 A Titus Mfg. Corp. 16-17 C Townsend Company 64 Turnbull Elevator, Inc. 127 Tuttle & Bailey 128-129 A-IC Caloric Corporation 87-88 Canvas Awning Institute, Inc. 309 Carnes Corporation 301 A Carpenter & Company, L. E. 330 A-IC-LC Carrier Air Conditioning Co. 336-337 A-IC Caterpillar Tractor Co. 60 A-IC Celotex Corporation, The 30-31 A Century Lighting Co. 350 Chicago Hardware Foundry Co. 40 A-IC-LC Chrysler Corporation 41, 58 A Clopay Corporation 284 Concrete Reinforcing Steel Institute 124-125 McGraw-Hill Book Co., Inc. 294, 326 McGuay, Inc. 231 Melflex Products Company, Inc. 75 A Metal Roof Deck Technical Institute 264 A-LC Miller Sliding Glass Door Co., Inc. 300 A Mills Co. 110 A-IC-LC Minneapolis-Honeywell 352-353 A-IC-LC Minneapolis-Honeywell 227 A-IC-LC Mississippi Glass Co. 253-254 A Mo-Sai Institute, Inc. 57 LC Moe Light Div., Thomas Ind., Inc. 78-79 A Mosaic Tile Company 242-243 A-LC Mueller Brass Co. 132-133 A-IC Musson Rubber Co., R. C. 40 Union Carbide Corp. 61 A-LC United States Plywood 279-280 A-IC United States Steel Corp. (Subs) 293, 304-305 A Universal Atlas Cement 293 A-IC Upco Co., The 260 A-LC Uvalde Rock Asphalt Co. 22 | Concrete Reinforcing Steel | 124-125 | | A Corbin Wood Products Div. 217 | | A-IC Corning Glass Works 283 | | A-IC Cummins Engine Company 220 | | A Cupples Products Corporation 324-325 | Davidson Fan Company 318 Wakefield Corporation 226 A-IC-LC National Gypsum Co. 271, 282 National Lumber Manufacturers 312-313 A National Plastic Products Co., Inc. 122 A National Terrazzo & Mosaic 252 A-IC National Tube Div. 320-321 A Zero Weather Stripping Co., Inc... 302 A-LC Zonolite Company 120-121

NEW YORK—James E. Boddorf, Sales Mgr.; Blake Hughes, Marketing Mgr.; Richard Crabtree, Business Mgr.; Joseph R. Wunk, Advertising Production Mgr., 119 W. 40th St.; NEW YORK SALES OFFICE—Tom Tredwell, Benton B. Orwig, Harry M. Horn, Jr., Michael J. Davin, 500 Fifth Ave.; BOSTON—Harry M. Horn, Jr., 855 Park Square Bldg.; CHICAGO—Robert T. Franden, James A. Anderson, Robert Klesch, Douglas S. Brodie, 1050 Merchandise Mart; CLEVELAND—John C. Jackson, Louis F. Kutscher, James B. Ryan, 55 Public Square; DETROIT—Louis F. Kutscher, 527 Free Press Bldg.; LOS ANGELES Children L. Clark, 1125 West Sixth St.; PHILADELPHIA—Tom Tredwell, Michael J. Davin; Broad & Locust Streets; PITTSBURGH—John C. Jackson, Four Gateway Center; ST. LOUIS—Richard Grater, Robert T. Franden, 7751 Carondelet Ave.; SAN FRANCISCO—John I. Howell, 255 California St.


A-IC-LC* TELLS YOU WHERE TO REACH FOR BUYING INFORMATION!



*These symbols are used in the facing index to tell you which advertisers make their catalogs instantly accessible in Sweet's Catalog Files. The letters stand for the Architectural, Industrial Construction and Light Construction Catalog Files.



DO YOU ALWAYS FLASH AT THESE POINTS?



In cavity wall buildings, unsightly efflorescence and interior wall damage can result from accumulated water in the cavity. Causes: water penetrates joints in the outer wall; condensation forms on the inner wall.

Wasco® flashing . . . properly installed in conjunction with weep holes . . . can prevent these conditions permanently. Water then is directed to the outside of the building before it can accumulate.

Wasco brand flashing, the nation's leading line, provides this permanent protection in *every* type of building for generally less than 1/20 of 1% of your total construction cost. On a \$1 million building, that's just \$500.

Wasco flashing offers you the only complete line of thru-wall and spandrel flashing...for protection from parapet to foundation. Select from 16 different types of Wasco flashings, including copper-fabric, copper-asphalt, copper-lead, fabric, plastic, and aluminum.

For exceptional flashing problems, consult the Cyanamid Engineering Staff. Full product details in Sweet's Architectural File 8g/Am and Sweet's Industrial File 8c/Am.

TO KEEP WATER OUT...BUILD WASCO FLASHING IN...COMPLETELY.
AVAILABLE OVERNIGHT TO ANY JOB SITE...ANYWHERE IN THE COUNTRY.



BUILDING PRODUCTS DIVISION • AMERICAN CYANAMID COMPANY 5 BAY STATE RD., CAMBRIDGE 38, MASS. CYANAMID

FROM ARMSTRONG ... AN ENTIRELY NEW KIND OF FLOOR: VISTELLE CORLON TILE— WITH DU PONT HYPALON


This handsome new floor is probably the most significant development in resilient floors since the introduction of vinyl. It offers the best combination of physical properties and functional advantages ever incorporated into one flooring material.

Here's how Vistelle compares to some other widely used commercial floors:

RESISTANCE TO INDENTATION MARKS

Some flooring materials, such as terrazzo, marble, and the better unfilled vinyl tiles, resist indentation by virtue of their hardness. But they offer this benefit at the sacrifice of underfoot comfort. Vistelle's exceptional resistance to permanent indentation is a function of its extreme resilience. It gives on impact, but recovers when pressure is released, providing a floor that is free of permanent indentation marks and at the same time, comfortable underfoot. Unlike other resilient floors, the resilience of Vistelle Corlon Tile does not decrease with age.

RESILIENCE




RESISTANCE TO CIGARETTE BURNS

Vistelle's superior resistance to cigarette burns is shown in the chart above right. In this test, cigarettes were left to burn out on the tiles. Then the tiles were cleaned with fine steel wool and a commercial floor cleaner and the remaining stain given a severity rating from 0 to 5. Vistelle rates best with only slight staining; so slight in fact, that it

was undetectable at arm's length. The vinyl tiles were irreparably scarred, the rubber tile severely stained.


CIGARETTE STAINING



RESISTANCE TO STAINING

Staining tests have also been conducted with more than 100 solvents, acids, and chemicals—and with a like number of common household staining agents such as lipstick, grape juice, crayon, and ink. As shown below, in both sets of tests, Vistelle received a rating of 1 or below indicating very slight or no visible stain. Vistelle is also greaseproof.

ACID, SOLVENT, CHEMICAL STAINING



GENERAL HOUSEHOLD STAINING



DIMENSIONAL STABILITY

Vistelle Corlon Tile has exceptional resistance to shrinkage or expansion, exceeding the requirements of Federal

Specification (homogeneous vinyl tile) Interim L-F-00450—(COM-NBS) by a wide margin. Dimensional stability will be guaranteed in writing by Armstrong.

COLOR CLARITY AND FADE RESISTANCE

Compared to other resilient floors, Vistelle's white is whiter, its black deeper, its colors richer. The delineation of design is sharper, too, because colors do not overlap one another. Vistelle is also highly resistant to fading. Test floors exposed to traffic and sunlight for several years have stayed remarkably color constant.

DURABILITY

Vistelle gives superior service under heavy traffic. Tested on the entrance ramp at the Monsanto House of Tomorrow in Disneyland, it was exposed to a traffic rate of 6,000 people a day... a total of four million during the test period. After two years under these severe conditions, constantly abraded by sand and gravel tracked from paths leading to the house, only 20% of the tiles' thickness had been worn away.


COST

A floor of Vistelle costs \$1.50 to \$2.00 sq. ft. installed over concrete, depending on the size of the installation. Vistelle can be installed at any grade level over any type of subfloor.


For samples of Vistelle Corlon Tile and technical data, call the Armstrong Architect-Builder Consultant at your Armstrong District Office. Or write to Armstrong, 304 Rock Street, Lancaster, Pennsylvania.

Vistelle and Corlon® are trademarks of Armstrong Cork Co. Hypalon is a registered trademark of Du Pont.





Excellent resistance to indentation — comfortable and quiet underfoot.





A lighted cigarette will not burn its surface.

Dimensional stability guaranteed by Armstrong in writing.







Ten colorings in five color-coordinated pairs. Subtle, flecked design gives a plain monolithic effect.

Resists more chemicals, solvents, and staining agents than any other resilient floor.





THE CARRIAGE HOUSE soars 26 stories skyward in the heart of Chicago's lakefront Gold Coast. Here fine materials and peerless architectural detail establish a new pattern of city living. Combined under one roof are hotel rooms and both unfurnished and exquisitely furnished apartments of various sizes. There's a charming cocktail lounge and a gourmet dining room for prestige entertaining. Resort facilities include swimming pool, cabana club, solarium, recreation room, patio garden.

MR. JACK GALTER

HIRSCHFELD, PAWLAN & REINHEIMER architects

NACHMAN-VRAGEL & ASSOCIATES mechanical engineers

CARL E. ERICKSON & COMPANY general contractor

ECONOMY PLUMBING & HEATING COMPANY plumbing contractor

RAFFEL SUPPLY COMPANY plumbing wholesaler

ELJER PLUMBINGWARE DIVISION,
THE MURRAY CORPORATION OF AMERICA
fixture manufacturer

Performance records of millions of Sloan Flush Valves indicate that

when Chicago's CARRIAGE HOUSE is 50 years old

its Sloan Flush Valves will still provide dependable service

Moreover, Sloan Flush Valve maintenance costs are likely to be among the lowest in the building maintenance budget...(as little as 1½¢ per valve per year).

Because the Sloan ROYAL is acknowledged as the world's most successful flush valve, attempts have been made to imitate some of its most important features. But why gamble with substitutes when you can plan

for the life of the building confidently with Sloan? Specify and insist upon performance-proven, time-tested Sloan Flush Valves.

SLOAN VALVE COMPANY • 4300 WEST LAKE STREET • CHICAGO 24, ILLINOIS

